

DAFTAR PUSTAKA

- Abdullah, R., A. Zainal, W.Y. Heng, L.C. Li, and W.Y.S. Ping. 2005. Immature embryo: a useful tool for oil palm (*Elaeis guineensis* Jacq.) genetic transformation studies. *Journal of Biotechnology*. 8(1): 24-35.
- Agrawal V.M, Rastogi N. 2010. Ants as dominant insect visitors of the extrafloral nectaries of sponge gourd plant, *Luffa cylindrica* (L.) (Cucurbitaceae). *Asian Myrmecology* 3:45-54.
- Alamsari, W. 2014. "Keanekaragaman Semut Pada Berbagai Tipe Penggunaan Lahan di Jambi". *Skripsi*. Institut Pertanian Bogor, Bogor.
- Andersen, A. N. 1995. A classification of Australian ant communities, based on functional groups which parallel plant life-forms in relation to stress and disturbance. *Journal of biogeography* 22(1): 15-29.
- Aswathi, P., dan Sabu, T. K. 2011. Weaver ant (*Oecophylla smaragdina*), huntsman spider (*Heteropoda venatoria*) and house gecko (*Hemidactylus frenatus*) as potential biocontrol agents of the nuisance pest, *Luprops tristis*. *Halteres* 3(3); 56-61.
- Badan Pusat Statistika Jambi (BPS Jambi). <https://jambi.bps.go.id/indicator/54/514/1/luas-tanaman-perkebunan-menurut-jenis-tanaman-.html> (diakses pada 6 Januari 2021).
- Bolton, B. 1994. *Identification guide to the ant genera of the world*. Cambridge (UK); Harvard University Pr.
- Borbély, C., dan Nagy, C. 2022. Providing sugar sources for ants improves the biological control of *Aphis* spp. in apple orchards. *Biological Control*, 175.
- Cao, Q., Wang, S., Ren, Y., Zuo, Q., Wang, P., Zhao, S., dan Yang, B. 2022. Differentiated impacts of the feeding-habits of three ant species on carbon mineralization in tropical forest soils. *European Journal of Soil Biology* 110.
- Exélis, M. P., Ramli, R., Ibrahim, R. W., dan Idris, A. H. 2023. Foraging Behaviour and Population Dynamics of Asian Weaver Ants: Assessing Its Potential as Biological Control Agent of the Invasive Bagworms *Metisa plana* (Lepidoptera: Psychidae) in Oil Palm Plantations. *Sustainability* 15(1), 780.
- Falahudin I. 2013. Peranan Semut Rangrang (*Oecophylla smaragdina*) Dalam Pengendalian Biologis Pada Perkebunan Kelapa Sawit. Disampaikan pada Conference proceeding Palembang.
- Fauzi, Y., Yustina, E. W., Iman, S., dan Rudi, H. P. 2012. *Kelapa Sawit*. Penebar Swadaya; Jakarta.
- Fazillah Nora. 2022. Keanekaragaman Semut (Hymenoptera: Formicidae) di Perkebunan Masyarakat Kecamatan Leupung Sebagai Referensi Tambahan pada Materi Keanekaragaman Hayati. *Skripsi*. Banda Aceh: Fakultas Tarbiyah Keguruan Universitas Islam Negeri Ar-Raniry.

- Gardner. 2008. *Fisiologi Tanaman Budidaya*. Universitas Indonesia, Jakarta.
- Guénard, B. (2013). An Overview of the Species and Ecological Diversity of Ants. *ELS*, 1–10.
- Haneda, N. F., dan Yuniar, N. (2015) Komunitas Semut (Hymenoptera: Formicidae) pada Empat Tipe Ekosistem yang Berbeda di Desa Bungku Provinsi Jambi. *Jurnal Silvikultur Tropika* 6(3): 203-209.
- Haneda, N. F., dan Yuniar, N. (2020). Peranan Semut di Ekosistem Transformasi Hutan Hujan Tropis Dataran Rendah. *Jurnal Ilmu Kehutanan* 14: 16-2.
- Hashimoto, Y., dan Rahman, H. 2003. *Manual For Bornean Ant (Formicidae) Identification*. Universitas Malaysia Sabah, Kinabalu.
- Herwina dan Yaherwandi. 2012. “Study Ants (Hymenoptera: Formicidae) in Solok District Cacao Plantation, West Sumatera”. Proseeding Semirata BKS-PTN B, Medan.
- Hidayat, S., dan Yohanes, V. A. 2007. Strategi Pengembangan Kawasan Agroindustri Terintegritas yang Berbasis Ekspor di Provinsi Jambi. *EKO-REGIONAL* 2(1); 1-8.
- Hölldobler, B., dan Wilson, E. O. 1990. *The Ants*. Harvard University Pr.
- Holway, D. A., Lach, L., Suarez, A. V., Tsutsui, N. D., dan Case, T. J. 2002. The causes and consequences of ant invasions. *Annual review of ecology and systematics* 33(1): 181-233.
- Klasifikasi karet.
https://www.itis.gov/servlet/SingleRpt/SingleRpt?search_topic=TSN&search_value=506431#null (diakses pada 13 Januari 2021).
- Klasifikasi sawit.
https://www.itis.gov/servlet/SingleRpt/SingleRpt?search_topic=TSN&search_value=506719#null (diakses pada 13 Januari 2021).
- Klasifikasi semut.
https://www.itis.gov/servlet/SingleRpt/SingleRpt?search_topic=TSN&search_value=154193#null (diakses pada 13 Januari 2021).
- Krebs, C.J. 2014. *Ecology : The Experimental Analysis of Distribution and Abundance 6th Edition*.
- Latumahina, F., Musyafa, M., Sumardi, S., and Putra, N. S. 2015. Respon semut terhadap kerusakan antropogenik dalam hutan lindung sirimau ambon (Ants Response to Damage Anthropogenic in Sirimau Forest Ambon). *Jurnal Manusia dan Lingkungan* 22(2): 169-178.
- Lindgren, B. S., & MacIsaac, A. M. (2002). *A preliminary study of ant diversity and of ant dependence on dead wood in central interior British Columbia*. 111–119.
- Magurran AE. 1988. *Ecological Diversity and Its Measurement*. New Jersey (US): Princeton University Press

- Majeed, W., Khawaja, M., and Rana N. 2021. Assessing Fluctuation of Ant Populations in a Distinct Ecological Habitat to Track Climate Change Effects. *BIODIVERSITAS: Journal of Biology Diversity* 22(5): 2722-2727.
- Nazarreta, R., Hartke, T. R., Hidayat, P., Scheu, S., Buchori, D., & Drescher, J. (2020). Rainforest conversion to smallholder plantations of rubber or oil palm leads to species loss and community shifts in canopy ants (Hymenoptera: Formicidae). *Myrmecological News* 30 : 175-186.
- Nazarreta, R. 2017. Keanekaragaman dan Identifikasi Semut Arboreal di Lanskap Hutan Harapan dan Taman Nasional Bukit Duabelas, Jambi. *Tesis*. Institut Pertanian Bogor.
- Nooten, S., Schultheiss, P., Rowe, R. C., Facey, S. L., dan Cook, J. M. 2019. Habitat complexity affects functional traits and diversity of ant assemblages in urban green spaces (Hymenoptera: Formicidae). *Myrmecological News* 29: 67-77.
- Nora, S., dan Carolina, D. M. 2018. *Budidaya Tanaman Kelapa Sawit*. Kementrian Pertanian.
- Odum, E. P. 1996. *Dasar-Dasar Ekologi ; edisi ketiga*. Gadjah Mada University Press ; Yogyakarta.
- Pawar, S.L. 2014. Formicidae : Occurance and its role in ecosystem functioning. *Flora and Fauna* 20(1):
- Perfecto, I., & Vandermeer, J. 2002. Quality of agroecological matrix in a tropical montane landscape: ants in coffee plantations in southern Mexico. *Conservation biology* 16(1): 174-182.
- Philpott, S. M., I, Perfecto., I, Armbrecht., dan C. L Parr. 2010. Ant diversity and function in disturbed and changing habitats. In Lach, L, CL Parr KL Abbott (eds). *Ant ecology*. Oxford University Press. pp. 137- 156.
- Pierre, E. M., dan Idris, A. H. 2013. Studies on the predatory activities of *Oecophylla smaragdina* (Hymenoptera: Formicidae) on *Pteroma pendula* (Lepidoptera: Psychidae) in oil palm plantations in Teluk Intan, Perak (Malaysia). *Asian Myrmecology* 5(1): 163-176.
- Putra, I. L. I., Setiawan, H., dan Suprihatini, N. 2021. Keanekaragaman jenis semut (Hymenoptera: Formicidae) di sekitar kampus 4 Universitas Ahmad Dahlan Yogyakarta. *Biospecies* 14(2): 20-30.
- Rawal, D. 2020. A report on various beneficial roles of insects. *International Journal of Entomology Research* 5(1) : 15-17.
- Risza. 1994. *Kelapa Sawit: Upaya Peningkatan Produktivitas*. Kanisius; Yogyakarta.
- Riyanto. 2007. Kepadatan, pola distribusi dan peranan semut pada tanaman di sekitar lingkungan tempat tinggal. *Jurnal Penelitian Sains* 10(2): 241-253.

- Rizali, A., Bos, M.M., Buchori, D., Yamane, S., Schulze, C.H. 2008. Ants in Tropical Urban Habitats : the Myrmecofauna in a Densely Populated Area of Bogor, West Java, Indonesia. *HAYATI Journal of Biosciences* 15(2): 77 – 84.
- Romarta, R., Yaherwandi., dan Siska, E. 2020. Keanekaragaman Semut Musuh Alami (Hymenoptera: Formicidae) pada Perkebunan Kelapa Sawit Rakyat di Kecamatan Timpeh Kabupaten Dharmasraya. *Jurnal Agrikultura* 31(1): 42-51.
- Ronque, M.U.V., Fourcassie, V., and Oliveira, P.S. 2018. Ecology and Field Biology of Two Dominant Camponotus Ants (Hymenoptera: Formicidae) in the Brazilian Savannah. *Journal of Natural History* 52(3-4): 237-252.
- Roza, S. 2018. “Keanekaragaman Semut (Hymenoptera: Formicidae) pada Beberapa Jenis Ekosistem Perkebunan di Dharmasraya”. *Skripsi*. Fakultas Pertanian, Universitas Andalas, Padang.
- Rubiana, R. 2014. “Pengaruh Transformasi Habitat Terhadap Keanekaragaman dan Struktur Komunitas Semut di Jambi”. *Tesis*. Institut Pertanian Bogor, Bogor.
- Rubiana, R., Rizali, A., Denmead, L. H., Alamsari, W., Hidayat, P., Pudjianto, Hindayana, D., Clough, Y., Tschardtke. T., dan Buchori, D. 2015. Agricultural land use alters species composition but not species richness of ant communities. *Asian Myrmecology* 7(1): 73-85.
- Saputra, A., Arifin,Z., dan Riyanto. 2020. Pola Perilaku Keberadaan Semut Famili Formicidae pada Tepian Sungai Musi Gandus Kota Palembang Sumatera Selatan. *Jurnal Biologi Tropis* 20(1): 116-124
- Shattuck, S. O. 2000. *Australian ants: their biology and identification* (Vol. 3). CSIRO publishing.
- Sholih, M. B., Buchori, D., Harahap, I. S., dan Rizali, A. 2019. Pengaruh tipe penggunaan lahan dalam membentuk komunitas semut dan layanan ekosistem yang diberikan. *Jurnal Entomologi Indonesia* 16(2): 83-83.
- Siriyah, S. L. (2016). Keanekaragaman dan dominansi jenis semut (Formicidae) di hutan musim Taman Nasional Baluran Jawa Timur. *Biota: Jurnal Ilmiah Ilmu-Ilmu Hayati* 1(2): 85-90.
- Sofiani, I. H., Kiki, U., dan Lucky, F. 2018. “Budidaya Tanaman Karet (*Hevea brasiliensis*) di Indonesia dan Kajian Ekonominya”. Fakultas Sains dan Teknologi, Agroteknologi, Universitas Islam Negeri Sunan Gunung Djati, Bandung.
- Suin, N. M. (1997). Ekologi Fauna Tanah. *Jakarta: Bumi Aksara*.
- Swift, M., dan David, B. 2001. *Standard Methods for Assessment of Soil Biodiversity and Land Use Practice*. International Centre for Research in Agroforestry. Bogor, Indonesia.
- Syamsulbahri. 1996. *Bercocok Tanam Tanaman Perkebunan Tahunan*. Gadjah Mada University Press ; Yogyakarta.

- Thei, R. S. P. 2023. *Arthropoda Tanah pada Tanaman Cabai*. Mataram : Pustaka Bangsa
- Uno, S., Cotton, J., & Philpott, S. M. (2010). Diversity, abundance, and species composition of ants in urban green spaces. *Urban Ecosystems*, 13(4), 425–441.
- Wang, C., Strazanac, J., dan Butler, L. 2000. Abundance, diversity, and activity of ants (Hymenoptera: Formicidae) in oak—dominated mixed Appalachian forest treated with microbial pesticides. *Environmental Ecology* 29(3): 579-586.
- Wielgoss, A., Tschardtke, T., Buchori, D., Fiala, B., and Clough, Y. 2010. Temperature and a dominant dolichoderine ant species affect ant diversity in Indonesian cacao plantations. *Agriculture, Ecosystems & Environment* 135(4): 253-259.
- Wilson. 1976. *The Insect Societies*. Cambridge Massachusetts: The Belkna Prof Harvard University.
- Wirakusumah S. 2003. *Dasar-dasar Ekologi bagi Populasi dan Komunitas*. Jakarta : UI Press
- Yaherwandi., Herwina, H., Busniah, M., effendi, S., dan Hasan, A. 2019. The Influence of Forest Ecosystems to Ant Community on Smallholder Oil Palm Plantations at Dharmasraya Regency, West Sumatera Indonesia. *IOP Conf. Series: Earth and Environmental Science* 347.