



## DAFTAR PUSTAKA

- Admet. (2010). ASTM D882 Thin Plastic Film Tensile Testing.
- Anggraini, T., Ulfimarjan, F., & Azima, R. Y. (2017). The Effect of Chitosan Concentration on the Characteristics of Sago (*Metroxylon sp*) Starch Bioplastics.
- Ashter, S. A. (2016). New Developments. In *Introduction to Bioplastics Engineering* (pp. 251–274). Elsevier. <https://doi.org/10.1016/B978-0-323-39396-6.00010-5>
- Atiwesh, G., Mikhael, A., Parrish, C. C., Banoub, J., & Le, T. A. T. (2021). Environmental impact of bioplastic use: A review. *Heliyon*, 7(9), e07918. <https://doi.org/10.1016/J.HELIYON.2021.E07918>
- Bidhendi, A. J., & Geitmann, A. (2016). Relating the mechanics of the primary plant cell wall to morphogenesis. *Journal of Experimental Botany*, 67(2), 449–461. <https://doi.org/10.1093/jxb/erv535>
- Callister, W. D., & Rethwisch, D. G. (2013). Materials Science and Engineering: An Introduction, 9th Edition: Ninth Edition. John Wiley and Sons, Incorporated. <https://books.google.co.id/books?id=TmxbaGAAQBAJ>
- Cao, Y., Zavattieri, P., Youngblood, J., Moon, R., & Weiss, J. (2016). The relationship between cellulose nanocrystal dispersion and strength. *Construction and Building Materials*, 119, 71–79. <https://doi.org/10.1016/j.conbuildmat.2016.03.077>
- Chang, J. K. W., Duret, X., Berberi, V., Zahedi-Niaki, H., & Lavoie, J. M. (2018). Two-step thermochemical cellulose hydrolysis with partial neutralization for glucose production. *Frontiers in Chemistry*, 6(APR). <https://doi.org/10.3389/fchem.2018.00117>
- Chen, J., Wu, S. S., Liang, R. H., Liu, W., Liu, C. M., Shuai, X. X., & Wang, Z. J. (2014). The effect of high speed shearing on disaggregation and degradation of pectin from creeping fig seeds. *Food Chemistry*, 165, 1–8. <https://doi.org/10.1016/J.FOODCHEM.2014.05.096>
- Coats, A. W., & Redfern, J. P. (1963). Thermogravimetric analysis. A review. *The Analyst*, 88(1053), 906. <https://doi.org/10.1039/an9638800906>



Coblentz. (1965). *Infrared Spectrum*.

Dutta, G. K., & Karak, N. (2022). Overview of carbon dot synthesis. *Carbon Dots in Agricultural Systems: Strategies to Enhance Plant Productivity*, 39–68.  
<https://doi.org/10.1016/B978-0-323-90260-1.00010-3>

Ebringerová, A., Hromádková, Z., & Heinze, T. (2005). Hemicellulose. In *Polysaccharides I* (pp. 1–67). Springer-Verlag. <https://doi.org/10.1007/b136816>

Erdtman, H. (1972). Lignins: Occurrence, formation, structure and reactions, K. V. Sarkanyen and C. H. Ludwig, Eds., John Wiley & Sons, Inc., New York, 1971. 916 pp. \$35.00. *Journal of Polymer Science Part B: Polymer Letters*, 10(3), 228–230. <https://doi.org/10.1002/pol.1972.110100315>

Erik Gregersen. (2023). Hydrolysis.

Ford, B. (2023). Scanning Electron Microscope.

Fortunati, E., Kenny, J. M., & Torre, L. (2019). Lignocellulosic materials as reinforcements in sustainable packaging systems: Processing, properties, and applications. *Biomass, Biopolymer-Based Materials, and Bioenergy: Construction, Biomedical, and Other Industrial Applications*, 87–102. <https://doi.org/10.1016/B978-0-08-102426-3.00005-9>

Graupner, N., Herrmann, A. S., & Müssig, J. (2009). Natural and man-made cellulose fibre-reinforced poly(lactic acid) (PLA) composites: An overview about mechanical characteristics and application areas. *Composites Part A: Applied Science and Manufacturing*, 40(6–7), 810–821. <https://doi.org/10.1016/J.COMPOSITESA.2009.04.003>

Harnkarnsujarit, N., Wongphan, P., Chatkitanan, T., Laorenza, Y., & Srisa, A. (2021). Bioplastic for Sustainable Food Packaging. *Sustainable Food Processing and Engineering Challenges*, 203–277. <https://doi.org/10.1016/B978-0-12-822714-5.00007-3>

Hua, X., Xu, S., Wang, M., Chen, Y., Yang, H., & Yang, R. (2017). Effects of high-speed homogenization and high-pressure homogenization on structure of tomato



- residue fibers. *Food Chemistry*, 232, 443–449.  
<https://doi.org/10.1016/J.FOODCHEM.2017.04.003>
- Hunt, I. (2014). *Spectroscopy*.
- Jawaid, M., & Abdul Khalil, H. P. S. (2011). Cellulosic/synthetic fibre reinforced polymer hybrid composites: A review. *Carbohydrate Polymers*, 86(1), 1–18.  
<https://doi.org/10.1016/J.CARBPOL.2011.04.043>
- Jones, D., Ormondroyd, G. O., Curling, S. F., Popescu, C.-M., & Popescu, M.-C. (2017). Chemical compositions of natural fibres. In *Advanced High Strength Natural Fibre Composites in Construction* (pp. 23–58). Elsevier.  
<https://doi.org/10.1016/B978-0-08-100411-1.00002-9>
- Kargarzadeh, H., Mariano, M., Huang, J., Lin, N., Ahmad, I., Dufresne, A., & Thomas, S. (2017a). Recent developments on nanocellulose reinforced polymer nanocomposites: A review. *Polymer*, 132, 368–393.  
<https://doi.org/10.1016/J.POLYMER.2017.09.043>
- Kargarzadeh, H., Mariano, M., Huang, J., Lin, N., Ahmad, I., Dufresne, A., & Thomas, S. (2017b). Recent developments on nanocellulose reinforced polymer nanocomposites: A review. *Polymer*, 132, 368–393.  
<https://doi.org/10.1016/J.POLYMER.2017.09.043>
- Kelvin Chidi Ujeh. (2018). *The negative environmental effects of plastic shopping bags*.
- Kong-Win Chang, J., Duret, X., Berberi, V., Zahedi-Niaki, H., & Lavoie, J.-M. (2018). Two-Step Thermochemical Cellulose Hydrolysis With Partial Neutralization for Glucose Production. *Frontiers in Chemistry*, 6.  
<https://doi.org/10.3389/fchem.2018.00117>
- Kusmono, Listyanda, R. F., Wildan, M. W., & Ilman, M. N. (2020). Preparation and characterization of cellulose nanocrystal extracted from ramie fibers by sulfuric acid hydrolysis. *Helijon*, 6(11), e05486.  
<https://doi.org/10.1016/J.HELJON.2020.E05486>



UNIVERSITAS  
GADJAH MADA

PENGARUH KONSENTRASI CRYSTALLINE NANOCELLULOSE (CNC) TERHADAP KARAKTER DAN KEKUATAN BIOPLASTIK

PVA-KITOSAN

Anggara Madfa Muhhazir Ismail, Prof. Ir. Jamasri, Ph.D., IPU., ASEAN Eng.

Universitas Gadjah Mada, 2023 | Diunduh dari <http://etd.repository.ugm.ac.id/>

- Kusmono, Wildan, M. W., & Lubis, F. I. (2021). Fabrication and characterization of chitosan/cellulose nanocrystal/glycerol bio-composite films. *Polymers*, 13(7). <https://doi.org/10.3390/polym13071096>
- Larkin, P. (2011). Infrared and Raman Spectroscopy: Principles and Spectral Interpretation.
- Li, W., Yue, J., & Liu, S. (2012). Preparation of nanocrystalline cellulose via ultrasound and its reinforcement capability for poly(vinyl alcohol) composites. *Ultrasonics Sonochemistry*, 19(3), 479–485. <https://doi.org/10.1016/j.ultsonch.2011.11.007>
- Metzger, C., Auber, D., Dähnhardt-Pfeiffer, S., & Briesen, H. (2020). Agglomeration of cellulose nanocrystals: the effect of secondary sulfates and their use in product separation. *Cellulose*, 27(17), 9839–9851. <https://doi.org/10.1007/s10570-020-03476-0>
- Mohalik, N. K., Lester, E., & Lowndes, I. S. (2017). Review of experimental methods to determine spontaneous combustion susceptibility of coal – Indian context. *International Journal of Mining, Reclamation and Environment*, 31(5), 301–332. <https://doi.org/10.1080/17480930.2016.1232334>
- Muhammad, A., Roslan, A., Sanusi, S. N. A., Shahimi, M. Q., & Nazari, N. Z. (2019). Mechanical properties of bioplastic form cellulose nanocrystal (CNC) mangosteen peel using glycerol as plasticizer. *Journal of Physics: Conference Series*, 1349(1). <https://doi.org/10.1088/1742-6596/1349/1/012099>
- Musyarofah, L., Sujito, S., Hidayah, E., & Supriyanto, E. (2020). Effect of alkalization on mechanical properties of green composites reinforced with cellulose from coir fiber. *AIP Conference Proceedings*, 2242. <https://doi.org/10.1063/5.0008510>
- Netzsch. (2000). Thermal Stability.
- Nisak, A. (2018). Optimasi Konsentrasi Nanokristalin Selulosa dari Ampas Tebu (*Sugarcane officinarum*) sebagai Bahan Alternatif Pembuatan Kapsul Bebas Gelatin.



UNIVERSITAS  
GADJAH MADA

PENGARUH KONSENTRASI CRYSTALLINE NANOCELLULOSE (CNC) TERHADAP KARAKTER DAN

KEKUATAN BIOPLASTIK

PVA-KITOSAN

Anggara Madfa Muhhazir Ismail, Prof. Ir. Jamasri, Ph.D., IPU., ASEAN Eng.

Universitas Gadjah Mada, 2023 | Diunduh dari <http://etd.repository.ugm.ac.id/>

- Noushini, A., Samali, B., & Vessalas, K. (2013). Effect of polyvinyl alcohol (PVA) fibre on dynamic and material properties of fibre reinforced concrete. *Construction and Building Materials*, 49, 374–383. <https://doi.org/10.1016/j.conbuildmat.2013.08.035>
- Nunes, R. C. R. (2017). Rubber nanocomposites with nanocellulose. In *Progress in Rubber Nanocomposites* (pp. 463–494). Elsevier. <https://doi.org/10.1016/B978-0-08-100409-8.00013-9>
- Omidi, M., Fatehinya, A., Farahani, M., Akbari, Z., Shahmoradi, S., Yazdian, F., Tahriri, M., Moharamzadeh, K., Tayebi, L., & Vashaee, D. (2017). Characterization of biomaterials. *Biomaterials for Oral and Dental Tissue Engineering*, 97–115. <https://doi.org/10.1016/B978-0-08-100961-1.00007-4>
- Ramón Fernández Ruiz. (2015). Empirical evaluation of the main parameters that affect the direct solid analysis of Ru and Se in carbon nanoparticles by conventional ICP-MS.
- Riley, A. (2012). Basics of polymer chemistry for packaging materials. *Packaging Technology*, 262–286. <https://doi.org/10.1533/9780857095701.2.262>
- S Katsanevakis. (2008). Marine debris, a growing problem: sources, distribution, composition, and impacts.
- Scheller, H. V., & Ulvskov, P. (2010). Hemicelluloses. *Annual Review of Plant Biology*, 61(1), 263–289. <https://doi.org/10.1146/annurev-arplant-042809-112315>
- Segal, L., & Wakelyn, P. J. (2012). Cotton fibres. 11–23. <https://doi.org/10.1533/9780857095503.1.9>
- Smith, P. J., Curry, T. M., Yang, J.-Y., Barnes, W. J., Ziegler, S. J., Mittal, A., Moremen, K. W., York, W. S., Bomble, Y. J., Peña, M. J., & Urbanowicz, B. R. (2022). Enzymatic Synthesis of Xylan Microparticles with Tunable Morphologies. *ACS Materials Au*, 2(4), 440–452. <https://doi.org/10.1021/acsmaterialsau.2c00006>



UNIVERSITAS  
GADJAH MADA

PENGARUH KONSENTRASI CRYSTALLINE NANOCELLULOSE (CNC) TERHADAP KARAKTER DAN

KEKUATAN BIOPLASTIK

**PVA-KITOSAN**

Anggara Madfa Muhhazir Ismail, Prof. Ir. Jamasri, Ph.D., IPU., ASEAN Eng.

Universitas Gadjah Mada, 2023 | Diunduh dari <http://etd.repository.ugm.ac.id/>

- Stanev, V., Vesselinov, V. V., Gilad Kusne, A., Antoszewski, G., Takeuchi, I., & Alexandrov, B. S. (2018). Unsupervised Phase Mapping of X-ray Diffraction Data by Nonnegative Matrix Factorization Integrated with Custom Clustering.
- Syamani, F. A., Kusumaningrum, W. B., Akbar, F., Ismadi, Widyaningrum, B. A., & Pramasari, D. A. (2020). Characteristics of bioplastic made from modified cassava starch with addition of polyvinyl alcohol. *IOP Conference Series: Earth and Environmental Science*, 591(1), 012016. <https://doi.org/10.1088/1755-1315/591/1/012016>
- Tamiri, T., & Zitrin, S. (2013). Explosives: Analysis. *Encyclopedia of Forensic Sciences: Second Edition*, 64–84. <https://doi.org/10.1016/B978-0-12-382165-2.00083-0>
- Terzioğlu, P., Güney, F., Parın, F. N., Şen, İ., & Tuna, S. (2021). Biowaste orange peel incorporated chitosan/polyvinyl alcohol composite films for food packaging applications. *Food Packaging and Shelf Life*, 30, 100742. <https://doi.org/10.1016/J.FPSL.2021.100742>
- Thomas Sabu. (2017). Progress in Rubber Nanocomposites. Elsevier. <https://doi.org/10.1016/C2014-0-03997-4>
- Yudhanto, F., Yudha, V., & Syafri, E. (2023). Mechanical, Physical and Thermal Characterization of PVA (Polyvinyl Alcohol)/Chitosan Bioplastic Film. <http://ieta.org/journals/ijht>
- Zaidar, E., Lenny, S., Amaturrahim, S. A., Situmorang, S. A., Sari, J. N., Rahayu, S. U., & Gea, S. (2021). Green plastics based on thermoplastic starch and steam-exploded nanofiber cellulose. *Rasayan Journal of Chemistry*, 14(2), 1281–1288. <https://doi.org/10.31788/RJC.2021.1425929>
- Zhang, E. (2020). High Speed Homogenizer.