



DAFTAR PUSTAKA

- Basri, E., Wahyudi, I. (2013). Sifat dasar kayu Jati Plus Perhutani dari berbagai umur dan kaitannya dengan sifat dan kualitas pengeringan. *Jurnal Penelitian Hasil Hutan* 31(2), pp.93-102.
- Bhat, K.M., Priya, P.B., Rugmini, P. (2001). Characterisation of juvenile wood in teak. *Wood Science and Technology* 34, pp.517-532.
- Barnett, J. R., Bonham, V. A. (2004). Cellulose microfibril angle in the cell wall of wood fibres. *Biological Reviews*, 79(2), pp.461-472
- Cassens, D.L., Serrano, J.R. (2004). Growth Stress in Hardwood Timber. *Proceedings of the 14th Central Hardwood Forest Conference*. March 16-19, 2004, Wooster, Ohio, 106-115.
- Chauhan, S.S., Walker, J. (2004). Relationships between longitudinal growth strain and some wood properties in *Eucalyptus nitens*. *Australian Forestry* 67, pp.254-260.
- Carrier, M., Loppinet-Serani, A., Denux, D., Lasnier, J. M., Ham-Pichavant, F., Cansell F., Aymonier, C. (2011). Thermogravimetric analysis as a new method to determine the lignocellulosic composition of biomass. *Biomass and Bioenergy* 35, pp.298-307.
- Cave, I.D. (1997). Theory of X-ray measurement of microfibril angle in wood: Part 1. The condition for reflection X-ray diffraction by materials with fibre type symmetry. *Wood Sci.Technol.* 31, pp.143-152.
- Fang, C.H., Guibal, D., Clair, B., Gril, J., Liu, Y.M., Liu, S.Q. (2008). Relationships between growth stress and wood properties in poplar I-69 (*Populus deltoides* Bartr. cv. "Lux" ex I-69/55). *Ann. For. Sci.* 65, pp.307-307.
- Fournier, M., Bordonn, P.A., Guitard, D., Okuyama, T. (1990). Growth stress patterns in tree stems: A model assuming evolution with the tree age of maturation strains. *Wood Sci. Technol.* 24.
- Gilbero, D.M., Abasolo, W.P., Matsuo-Ueda, M., Yamamoto, H. (2019). Surface growth stress and wood properties of 8-year-old planted Big-leaf mahogany (*Swietenia macrophylla* King) from different landrace provenances and trial sites in the Philippines. *J Wood Sci* 65, 35.
- Gril, J., Jullien, D., Bardet, S., Yamamoto, H. (2017). Tree growth stress and related problems. *J Wood Sci* 63, pp.411-432.
- Hanifah, N. P., Darmawan, I. W. (2019). Penentuan Titik Transisi Kayu Juvenil ke Kayu Dewasa pada Kayu Normal dan Reaksi Jati Biotrop Umur 8 Tahun. Skripsi. IPB, Bogor (Tidak Dipublikasikan)
- Hori, R., Suzuki, H., Kamiyama, T., Sugiyama, J. (2003). Variation of microfibril angles and chemical composition: Implication for functional properties. *Journal of Materials Science Letters* 22, pp.963-966.
- Hidayati, F., Ishiguri, F., Iizuka, K., Makino, K. (2014). Among-clone variations of anatomical characteristics and wood properties in *Tectona grandis* planted in Indonesia. *Wood and Fiber Science* 46.
- Hidayati, F., Fajrin, I.T., Ridho, M.R., Nugroho, W.D., Marsoem, S.N., Na'iem, M. (2016). Sifat Fisika dan Mekanika Kayu Jati Unggul "Mega" dan Kayu Jati Konvensional yang di Tanam di Hutan Pendidikan, Wanagama, Gunungkidul, Yogyakarta. *JIK* 10, 98.



- Kojima, M., Yamamoto, H., Okumura, K., Ojio, Y., Yoshida, M., Okuyama, T., Ona, T., Matsune, K., Nakamura, K., Ide, Y., Marsoem, S.N., Sahri, M.H., Hadi, Y.S. (2009). Effect of the lateral growth rate on wood properties in fast-growing hardwood species. *J Wood Sci* 55, pp.417-424.
- Kojima, M., Yamamoto, H., Saegusa, K., Yamaji, F.M., Yoshida, M., Yamashita, S., Nakai, T. (2012). Anatomical and chemical factors affecting tensile growth stress in *Eucalyptus grandis* plantations at different latitudes in Brazil. *Can. J. For. Res.* 42, pp.134-140.
- Kollman, F.F.P., & Côté Jr W.A. (1968). Principles of Wood Science and Technology. Solid Wood 1. Springer, Berlin. 55-56.
- Kubler, H. (1987). Growth stresses in trees and related wood properties. *Forestry Abstracts* 48 pp.131-189
- Lukmandaru, G., Mohammad, A.R., Wargono, P., Prasetyo, V.E. (2016). Studi Mutu Kayu Jati di Hutan Rakyat Gunungkidul. V. Sifat Kimia Kayu. JIK 10, 108.
- Marsoem, S.N., Prasetyo, V.E., Sulistyo, J., Lukmandaru, G. (2014a). Studi Mutu Kayu Jati di Hutan Rakyat Gunungkidul II. Pengukuran Tegangan Pertumbuhan. *Jurnal Ilmu Kehutanan* 8, pp.3-14.
- Marsoem, S.N., Prasetyo, V.E., Sulistyo, J., Lukmandaru, G. (2014b). Studi Mutu Kayu Jati di Hutan Rakyat Gunungkidul III. Sifat Fisika Kayu. *Jurnal Ilmu Kehutanan* 8 (2), pp.75-88.
- Marsoem, S.N., Prasetyo, V.E., Sulistyo, J., -, S., Lukmandaru, G. (2015). Studi Mutu Kayu Jati di Hutan Rakyat Gunungkidul IV. Sifat Mekanika Kayu. JIK 9, 117.
- Martawijaya, A., Kartasujana, I., Kadir, K., Prawira, S.A. (2005). Atlas Kayu Indonesia Jilid I. Pusat Penelitian dan Pengembangan Hasil Hutan, Bogor.
- Martha, R., Mubarok, M., Batubara, I., Rahayu, I.S., Setiono, L., Darmawan, W., Akong, F.O., George, B., Gérardin, C., Gérardin, P. (2021). Effect of furfurylation treatment on technological properties of short rotation teak wood. *Journal of Materials Research and Technology* 12, 1689-1699.
- Naghizadeh, Z., Wessels, C.B. (2021). The effect of water availability on growth strain in *Eucalyptus grandis-urophylla* trees. *Forest Ecology and Management* 483, 118926.
- Nogi, M., Yamamoto, H., Okuyama, T. (2003). Relaxation mechanism of residual stress inside logs by heat treatment: choosing the heating time and temperature. *J Wood Sci* 49, pp.0022-0028.
- Okuyama, T., Yamamoto, H., Yoshida, M., Hattori, Y., Archer, R. (1994). Growth stresses in tension wood: role of microfibrils and lignification. *Ann. For. Sci.* 51, pp.291-300.
- Okuyama, T., Takeda, H., Yamamoto, H., Yoshida, M. (1998). Relation between growth stress and lignin concentration in the cell wall: Ultraviolet microscopic spectral analysis. *J Wood Sci* 44, pp.83-89.
- Okuyama, T., J. Doldan, H. Yamamoto, & T. Ona (2004). Heart splitting at crosscutting of eucalypt logs. *Journal of Wood Science* 50, pp.1-6
- Ormarsson, S., Dahlblom, O., Johansson, M. (2009). Finite element study of growth stress formation in wood and related distortion of sawn timber. *Wood Sci Technol* 43, pp.387-403.



- Pertiwi, Y., Aiso, H., Ishiguri, F., Wedatama, S., Marsoem, S., Ohshima, J., Iizuka, K., Yokota, S. (2017). Effect of radial growth rate on wood properties of *Neolamarckia cadamba*. Journal of Tropical Forest Science 29 (1), pp.30-36
- Pratama, R., Marsoem, S.N. (2022). Variasi Radial Sifat Fisika dan Dimensi Serat Kayu Jati Klon Umur 10 Tahun pada Tiga Kelas Diameter. Skripsi, Universitas Gadjah Mada (Tidak Dipublikasikan)
- Putro, G.S., Marsoem, S.N., Sulistyo, J., Hardiwinoto, S. (2020). The growth of three teak (*Tectona grandis*) clones and its effect on wood properties. Biodiversitas 21.
- Rakhmawati, A., Darmawan I.W. (2019). Karakteristik Kayu Jati Biotrop Arah Aksial dan Radial. Skripsi, Institut Pertanian Bogor (Tidak Dipublikasikan)
- Raymond, C.A., Kube, P.D., Pinkard, L., Savage, L., Bradley, A.D. (2004). Evaluation of non-destructive methods of measuring growth stress in *Eucalyptus globulus*: relationships between strain, wood properties and stress. Forest Ecology and Management 190, pp.187-200.
- Ridho, M.R., Marsoem, S.N., Sulistyo, J., Listyanto, T. (2021). Variasi Aksial dan Radial Dimensi Serat, Sifat Fisika dan Mekanika, Serta Tegangan Pertumbuhan Permukaan Kayu Jabon (*Neolamarckia cadamba* Miq.). Tesis. Universitas Gadjah Mada (Tidak Dipublikasikan)
- Ruelle, J., Yamamoto, H., Thibaut, B. (2007). Growth Stresses and Cellulose Structural Parameters in Tension and Normal Wood from Three Tropical Rainforest Angiosperms Species. Bioresources 2(2), pp.235-251
- Shmulsky, R., Jones, P.D. (2019). Forest Products and Wood Science: An Introduction, 7th Edition, John Wiley & Sons Ltd.
- Solorzano, S., Moya, R., Murillo, O. (2012). Early prediction of basic density, shrinking, presence of growth stress, and dynamic elastic modulus based on the morphological tree parameters of *Tectona grandis*. J Wood Sci 58, pp.290-299.
- Sulistiani, E., Yani, S.A. (2012). Produksi Bibit Tanaman dengan Menggunakan Teknik Kultur Jaringan. Seameo Biotrop, Bogor
- Syafi'i W. (2000). The basic properties of Indonesia teakwood at various age classes. Proceedings of the 3rd International Wood Science Symposium JSPS-LIPI Core University Program in the field of Wood Science pp.300-304
- Valencia, J., Harwood, C., Washusen, R., Morrow, A., Wood, M., Volker, P. (2011). Longitudinal growth strain as a log and wood quality predictor for plantation-grown *Eucalyptus nitens* sawlogs. Wood Sci Technol 45, pp.15-34.
- Wahyudi, I., Okuyama, T., Hadi, Y.S., Yamamoto, H., Watanabe, H., Yoshida, M., (2001). Relationship between Released Strain and Growth Rate in 39 Year-Old *Tectona grandis* Planted in Indonesia 55.
- Wahyudi, I., Arifien, A.F. (2005). Perbandingan struktur anatomic, sifat fisis, dan sifat mekanis kayu jati unggul dan kayu jati konvensional. Jurnal Ilmu & Teknologi Kayu Tropis 3, pp.9-15.
- Wahyudi, I., Sinaga, D.K.D., Muhran, Jasni, L.B. (2014). Pengaruh Jarak Tanam Terhadap Pertumbuhan Pohon dan Beberapa Sifat Fisis-Mekanis Kayu



Jati Cepat Tumbuh. *Jurnal Ilmu Pertanian Indonesia (JIPI)* 19 (3), pp.204-210

Washusen, R., Ilic, J., Waugh, G. (2003). The Relationship between Longitudinal Growth Strain, Tree Form and Tension Wood at the Stem Periphery of Ten- to Eleven-Year-Old *Eucalyptus globulus* Labill. *Holzforschung* 57, pp.308-316.

Yamamoto, H. (1998). Generation mechanism of growth stresses in wood cell walls: roles of lignin deposition and cellulose microfibril during cell wall maturation. *Wood Science and Technology* 32, pp.171-182

Yang, J.L., Waugh, G. (2001). Growth stress, its measurement and effects. *Australian Forestry* 64, pp.127-135.

Yoshida, M., Yamamoto, H., Okuyama, T. (2000). Estimating the equilibrium position by measuring growth stress in weeping branches of *Prunus spachiana* Kitamura f. spachianav. *Plenarosea. J. Wood Sci* 46, pp.59-62

Yoshida, M., Okuyama:, T. (2002). Techniques for Measuring Growth Stress on the Xylem Surface Using Strain and Dial Gauges. *Holzforschung* 56, pp.461-467.

Yoshida, M., Ohta, H., Okuyama, T. (2002). Tensile growth stress and lignin distribution in the cell walls of black locust (*Robinia pseudoacacia*). *J Wood Sci* 48, pp.99-105.

Yunianti, A.D., Wahyudi, I., Siregar, I.Z., Pari, G. (2011). Kualitas kayu jati klon dengan jarak tanam yang berbeda. *Jurnal Ilmu & Teknologi Kayu Tropis* 9(1), pp.93-100.

Seameo Biotrop. 2007. Jati Kultur Jaringan sl.biotrop.org/index.php?option=com_content&view=article&id=118&Itemid=108, 13 April 2007, diakses pada Desember 2021

British Standard BS 373:1957. *Methods of testing small clear specimens of timber* TAPPI (Technical Association of the Pulp and Paper Industry) T 222om-88. Acid in soluble lignin in wood and pulp