



DAFTAR PUSTAKA

- Afifah^a, D.N. 2014. *Protease fibrinolitik dari mikroba Pangan fermentasi Oncom Merah dan Tempe Gembus*. Bogor : Institut Pertanian Bogor.
- Afifah^b, D.N., Sulchan,M., Syah,D., Yanti., Suhartono,M.T and Kim, J.H. 2014. *Purification and Characterization of a Fibrinolytic Enzyme from Bacillus pumilus 2.g Isolated from Gembus, an Indonesian Fermented Food* 19(3):213-219.
- Ahn, M.J., Ku, H.J., Lee, S.H and Lee, J.H. 2015. *Characterization of a Novel Fibrinolytic Enzyme, BsFA, from Bacillus subtilis ZA400 in Kimchi Reveals Its Pertinence to Thrombosis Treatment*. J. Microbiol. Biotechnol. (2015), 25(12), 2090–2099. Department of Food Science and Biotechnology, Graduate School of Biotechnology, Kyung Hee University, Yongin 17104, Republic of Korea.
- Ali, A.M.M and Bavisetty, S.C.B. (2020). Purification, physicochemical properties, and statistical optimization of fibrinolytic enzymes especially from fermented foods: A comprehensive review. International Journal of Biological Macromolecules 163 (2020) 1498–1517. <https://doi.org/10.1016/j.ijbiomac.2020.07.303>
- Angky, A. 2011. *Karakterisasi Aktivitas Dialisat Enzim Protease Fibrinolitik dari Cacing Tanah (Eisenia Foetida) Galur Lokal*. Bogor: Institut Pertanian Bogor.
- Arliss, R. M., & Biermann, C. A. (2002). *Do soy isoflavones lower cholesterol, inhibit atherosclerosis and play a role in cancer prevention*. Holistic Nursing Practice, 16, 40–48.
- Badan Standardidasi Nasional.2012. *Tempe : Persembahan Indonesia untuk Dunia*. Tim Penyusun oleh PUSIDO Badan Standardisasi Nasional. Jakarta.
- Baehaki, A., Nurhayati, T dan Suhartono, M. 2005. Karakteristik dari Bakteri Pathogen *Staphylococcus epidermidis*. Buletin Teknologi Perikanan. 8(2): 25-35.
- Bradford, M. M. (1976). A rapid and sensitive method for the quantitation of microgram quantities of protein utilizing the principle of protein-dye binding. Analytical Biochemistry, 72(1–2), 248–254.
- Buckle, K.A. 2007. *Ilmu Pangan Cetakan Keempat*. Penerjemah : Hari Purnomo dan Andiniono. Jakarta: UI Press.
- Bode, C., Runge, M., and Smalling, R. W. 1996. *The future of thrombolysis in the treatment of acute myocardial infarction*. European Heart Journal, 17, 55–60.
- Cha, W.S., Park, S.S., Kim, S.J and Choi, D.B. (2010). Biochemical and enzymatic properties of a fibrinolytic enzyme from *Pleurotus eryngii* cultivated under solid-state conditions using corn cob. Bioresource Technology 101 (2010) 6475–6481. doi:10.1016/j.biortech.2010.02.048



- Chang, C.T., Wang, P.M., Hung, Y.F and Chung, Y.C. (2012). Purification and biochemical properties of a fibrinolytic enzyme from *Bacillus subtilis*-fermented red bean. *Food Chemistry* 133 (2012) 1611–1617. doi: 10.1016/j.foodchem.2012.02.061
- Choi, N.S., Kim, B.Y., Lee, J.Y., Yoon, K.S., Han, K.Y and Kim, S.H. (2001). Relationship Between Acrylamide Concentration and Enzymatic Activity in An Improved Single Fibrin Zymogram Gel System. *Journal of Biochemistry and Molecular Biology*, Vol. 35, No. 2, March 2002, pp. 236-238.
- Choi, DuBok., Cha, W.S., Park, N., Kim, H.W., Lee, J.H., Park, J.S and Park, S.S. 2011. *Purification and characterization of a novel fibrinolytic enzyme from fruiting bodies of Korean Cordyceps militaris*. *Bioresource Technology* 102 (2011) 3279–3285. Republic of Korea.
- Choi, H. S., & Sa, Y. S. 2000. *Fibrinolytic and antithrombotic protease from Ganoderma lucidum*. *Mycologia*, 92, 545–552.
- Choi, H. S., & Sa, Y. S. 2001. *Fibrinolytic and antithrombotic protease from Spirodela polyrhiza*. *Bioscience, Biotechnology, and Biochemistry*, 65, 781–786.
- Chen, H. M., Guan, A. L. & Markland, F. S., Jr. 1991. *Immunological Properties of The Fibrinolytic Enzyme (Fibrolase) from Southern Copperhead (Agkistrodon contortrix contortrix) venom and Its Purification by Immunoaffinity Chromatography*. *Toxicon*, Vol.29, No.6, pp. 683-694.
- Dewi, W.K. 2006. *Pemurnian dan Pencirian Protease dari Isolat Bakteri W-1 yang dihasilkan Oleh Tauco Hitam*. Skripsi. IPB. Bogor.
- Deepak, V., Kalishwaralal, K., Ramkumar Pandian, S., Babu, S.V., Senthikumar, S.R., Sangiliyandi, G. 2008. *Optimization of media composition for Nattokinase production by Bacillus subtilis using response surface methodology*. *Bioresour. Technol.* 99, 8170–8174.
- Devaraj, Y., Rajender, S.K and Halamu, P.M. (2018). Purification and characterization of fibrinolytic protease from *Bacillus amyloliquefaciens* MCC2606 and analysis of fibrin degradation product by MS/MS. <https://doi.org/10.1080/10826068.2017.1421964>
- Dhamodharan, D., Jemimah, N.S., Keziah, M.S and Devi, S.C. (2019). Novel Fibrinolytic Protease Producing *Streptomyces radiopugnans* VITSD8 from Marine Sponges. *Mar. Drugs* 2019, 17, 164; doi:10.3390/md17030164
- Duffy, M. J. *Urokinase plasminogen activator and its inhibitor, PAI-1, as prognostic markers in breast cancer: from pilot to level I evidence studies*. 2002. *Clin Chem.* 48, 1194–1197.



- Dobrovolsky, A. B., & Titaeva, E. V. 2002. *The fibrinolysis system: regulation of activity and physiologic functions of its main components*. Biochemistry (Moscow), 67, 99–108.
- Farrell, SO dan Ranallo, RT. 2000. *Experiments in Biochemistry: A Hands-on Approach*. California: Thomson Learning.
- Fitzpatrick, K. (1999). *Functional foods: a hot topic in Canada*. INFORM, 10, 960–970.
- Fitzpatrick, K. (2000). *The current nutraceutical health sector*. INFORM, 11, 517–523.
- Fujita, M.; Hong, K.; Ito, Y.; Misawa, S.; Takeuchi, N.; Kariya, K.; Nishimuro, S. *Transport of nattokinase across the rat intestinal tract*. Biol. Pharm. Bull. 1995, 18, 1194–1196.
- Fujita, M.; Ohnishi, K.; Takaoka, S.; Ogasawara, K.; Fukuyama, R.; Nakamura, H. *Antihypertensive effects of continuous oral administration of nattokinase and its fragments in spontaneously hypertensive rats*. Biol. Pharm. Bull. 2011, 34, 1696–1701.
- Ghasemi, Y., Dabbagh, F and Ghasemian, A. (2012). Cloning of a Fibrinolytic Enzyme (Subtilisin) Gene from *Bacillus subtilis* in *Escherichia coli*. Mol Biotechnol (2012) 52:1–7 DOI 10.1007/s12033-011-9467-6
- Hasler, M. C. (1998). *Functional foods: their role in disease prevention and health promotion*. Food Technology, 52, 63–70.
- Heo, K., Cho, K.M., Lee, C.K. 2013. *Characterization of a Fibrinolytic Enzyme Secreted by Bacillus amyloliquefaciens CB1 and Its Gene Cloning*. Institute of Agriculture and Life Science, Gyeongsang National University, Jinju 660-701, Republic of Korea.
- Hu, Y., Yu,D., Wang, Z., Hou,J., Tyagi, R., Liang, Y dan Hu, Y. 2019. *Purification and characterization of a novel, highly potent fibrinolytic enzyme from Bacillus subtilis DC27 screened from Douchi, a traditional Chinese fermented soybean food*. <https://doi.org/10.1038/s41598-019-45686-y>. *Scientific Reports*.
- Hwang, K.J., Choi, K.H., Kim, M.J., Park, C.S and Cha, J. (2007). Purification and characterization of a new fibrinolytic enzyme of *Bacillus licheniformis* KJ-31, isolated from Korean traditional Jeot-gal. *Journal of Microbiology and Biotechnology* Vol. 17, Issue 9, Pages 1469 – 1476.
- Jeong, S.J., Heo, K., Park, J.Y., Lee, K.W., Park, J.Y., Joo, S.H and Kim, J.H. (2015). Characterization of AprE176, a Fibrinolytic Enzyme from *Bacillus subtilis* HK176. *J. Microbiol. Biotechnol.* (2015), 25(1), 89–97. <http://dx.doi.org/10.4014/jmb.1409.09087>



- Jeon, O. H., Moon, W. J., & Kim, D. S. 1995. *An anticoagulant fibrinolytic protease from Lumbricus rubellus*. Journal of Biochemistry and Molecular Biology, 28, 138–142.
- Jewell, S.N. 2000. *Purification and characterization of a novel protease from Burkholderia strain 2.2 N*. Virginia: Program Pascasarjana, Virginia Polytechnic and State University.
- Kasmidjo. 1990. *Tempe, Mikrobiologi dan Biokimia Pengolahan serta Pemanfaatannya*. Semarang: Soegijapranata Press.
- Kim, W., Choi, K., Kim, Y., Park, H., Choi, J., Lee, Y., H. Oh, I. Kwon, S. Lee. (1996). Purification and characterization of a fibrinolytic enzyme produced from *Bacillus* sp. strain CK 11-4 screened from Chungkook-Jang, Appl. Environ. Microbiol. 62 (7) (1996) 2482–2488.
- Kim, C., Ri, K., and Choe, S. (2020). A novel fibrinolytic enzymes from the Korean traditional fermented food—Jotgal: purification and characterization, J. Food Biochem. <https://doi.org/10.1111/jfbc.13255>
- Kim, G.M., Lee A.R., Lee K.W., Park, J.Y., J. Chun, J. Cha, Y.S. Song, J.H. Kim, Characterization of a 27 kDa fibrinolytic enzyme from *Bacillus amyloliquefaciens* CH51 isolated from cheonggukjang. (2009) J. Microbiol. Biotechnol. 19 (9) 997–1004
- Kim, S.H and Choi, N.S. 2000. *Purification and Characterization of Subtilisin DJ-4 Secreted by Bacillus sp. Strain DJ-4 Screened from Doen-Jang*. Biochem ., 64 (8), 1772-1725. Korea: Korea Research Institute of Bioscience and Biotechnology.
- Kotb, E. *Purification and partial characterization of serine fibrinolytic enzyme from Bacillus megaterium KSK-07 isolated from Kishk, a traditional egyptian fermented food*. Appl Biochem Micro. 51, 34–43, <https://doi.org/10.1134/s000368381501007x> (2015).
- Koswara, S. 1992. *Teknologi Pengolahan Kedelai Menjadikan Makanan Bermutu*. Pustaka Sinar Harapan, Jakarta.
- Kumar A dan Senapati BK. 2015. *Genetic analysis of character association for polygenic traits in some recombinant inbred lines (ril's) of rice (*Oryza sativa L.*)* Banat's Journal of Biotechnology 6(11), 90–99.
- Laemmli, U.K., 1970. *Cleavage of structural proteins during the assembly of the head of bacteriophage T4*. Nature (London) 227, 680–685.
- Liu, X., Kopparapu, N.K., Shi, X., Deng, Y., Zheng, X and Wu, J. (2015). Purification and Biochemical Characterization of a Novel Fibrinolytic Enzyme from Culture Supernatant of *Cordyceps militaris*. *J.Agric. Food Chem.* 2015, 63, 8, 2215–2224.



Lu, F., Lu, Z., Bi, X., Yao, Z. (2010). Purification and characterization of a novel anticoagulant and fibrinolytic enzyme produced by endophytic bacterium Paenibacillus polymyxa EJS-3. *Thrombosis Research* Volume 126, Issue 5, November 2010, Pages e349-e355.
<https://doi.org/10.1016/j.thromres.2010.08.003>

Mackman, N., Bergmeier, W., Stouffer., G.A and Weitz, J.I. (2020). Therapeutic strategies for thrombosis: new targets and approaches. <https://doi.org/10.1038/>.

Mahajan, P.M., Nayak, S and Lele, S. (2012). Fibrinolytic enzyme from newly isolated marine bacterium Bacillus subtilis ICTF-1: media optimization, purification and characterization. DOI:10.1016/j.jbiosc.2011.10.023

Meshram, V., Saxena, S., Paul, K., Gupta, M and Kapoor, N. (2017). Production, purification and characterization of a potential fibrinolytic protease from Endophytic Xylaria curta by solid substrate fermentation, *Appl. Biochem. Biotechnol.* 181 (4) (2017) 1496–1512.

Mihara, H., Sumi, H., Yoneta, T., Mizumoto, H., Ikeda, R., Seiki M dan Maruyama, M. 1991. *A Novel Fibrinolytic Enzyme Extracted from the Earthworm, Lumbricus rubellus.*

Mine, Y., Wong,A.H.K and Jiang,B. 2005. *Fibrinolytic Enzymes in Asian Traditional Fermented Foods.* Food Research International 38 (2005) 243–250.

Meruvu, H dan Vangalapati, M. 2011. *Natokinase: A Review on Fibrinolytic Enzyme.* International Journal of Chemical, Environmental and Pharmaceutical Research. 2(1):61-66.

Moukhamedova, L. I. *Properties of the urokinase-type plasminogen activator modified with phenylglyoxal.* 2002. Russ Bioorg Chem.. 28, 278–283,
<https://doi.org/10.1023/a:1019535606678>.

Nurdini, A.L., Nuraida, L., Suwanto, A and Suliantri. (2015). Microbial growth dynamics during tempe fermentation in two different home industries. *International Food Research Journal* 22(4): 1668-1674.

Nelson, D.L dan Cox, M.C. 2004. *Lehninger: principles of biochemistry (4th edn).* W. H. Freeman & Co., New York, 1119 pp (plus 17 pp glossary), ISBN 0-7167-4339-6 (2004).

Nikai, T., Mori, N., Kishida, M., Sugihara, H., dan Tu, A. 1984. *Isolation and biochemical characterization of hemorrhagic toxin from the venom of Crotalus atrox.* Archives of Biochemistry and Biophysics, 231, 309–319.

Page, D.S. 1989. *Prinsip-prinsip Biokimia.* Erlangga. Jakarta.



- Park, S.E., Li, M.H., Kim, J.S., Sapkota, K., Kim, J.E., Choi, B.S., Yoon., Y.H., Lee, J.C., Lee, H.H and Kim, C.S. (2007). Purification and characterization of a fibrinolytic protease from a culture supernatant of *Flammulina velutipes* mycelia, Biosci. Biotechnol. Biochem. 71 (9) 70193–70199.
- Penn state university. (2013). Mass Spectrometry and Proteomics.
- Prasad, S., Kashyap., R.J., Deopujari,J.Y., Purohit, H.J., Taori, G.M dan Dagnawala, H.E. 2006. Development of an in vitro model to study clot lysis activity of thrombolytic drugs. Thrombosis Journal 4:14 doi:10.1186/1477-9560-4-14.
- Prasad, S., Kashyap., R.J., Deopujari,J.Y., Purohit, H.J., Taori, G.M dan Dagnawala, H.E. 2006. *Development of an in vitro model to study clot lysis activity of thrombolytic drugs. Thrombosis Journal* 2006, 4:14 doi:10.1186/1477-9560-4-14.
- Sajuthi, D., Suparto, I., Yanti dan Praira,W. 2010. *Purifikasi dan Pencirian Enzim Protease Fibrinolitik dari Ekstrak Jamur Merang*. Jurnal Makara Sains Indonesia. 14(2):145-150.
- Silva, M.M., Rocha, T.A., Moura, D.F., Junior, F.C.A.A., Santos, N.P.S., Sobral, R.V.D.S., Nascimento, J.M., Leite, A.C.L., Pastrana, L., Costa, R.M.P.B., Nascimento, T.P and Porto, A.F.L. (2019). Effect of acute exposure in swiss mice (*Mus musculus*) to a fibrinolytic protease produced by *Mucor subtilissimus* UCP 1262: An histomorphometric, genotoxic and cytological approach. Regulatory Toxicology and Pharmacology 103 (2019) 282–291. <https://doi.org/10.1016/j.yrtph.2019.02.009>
- Silverthorn, A. C., Ober, W. C., & Garrison, C. W. 1998. *Human physiology: an integrated approach* (pp. 465–471). United States: Prentice-Hall Inc.
- Sugimoto. 2007. The Fibrinolytic Activity of a Novel Protease Derived From Tempeh Producing Fungus, *Fusarium* sp. BLB. Jurnal Biosci Biotechnol Biochem Japan.71 (9): 2184-2189.
- Sumi, H., Nakajima, N., & Mihara, H. 1992. *Fibrinolysis relating substances in marine creatures*. Comparative Biochemistry and Physiology B, 102, 163–167.
- Suprapti, L. 2003. *Pembuatan Tempe*. Yogyakarta: Kanisius.
- Thu, N. T., Khue, N., Huy, N. D., Tien, N. Q., & Loc, N. H. (2020). Characterizations and fibrinolytic activity of serine protease from *Bacillus subtilis* C10. Current Pharmaceutical Biotechnology, 21(2), 110–116.
- Vu, T.T., Fredenburgh, J.C dan Weitz, J.I. 2013. Zinc: An important cofactor in haemostasis and thrombosis. Thromb Haemost 2013; 109(03): 421-430. DOI: 10.1160/TH12-07-0465.



UNIVERSITAS
GADJAH MADA

Purifikasi Parsial, Karakterisasi dan Identifikasi Peptida Enzim Fibrinolitik Protease dari Tempe

Kedelai sebagai Agen Trombolitik

Clara Artha Febriana, Dr. Tri Rini Nuringtyas., S.Si., M.Sc

Universitas Gadjah Mada, 2023 | Diunduh dari <http://etd.repository.ugm.ac.id/>

- Watanabe, E.O. 2005. *Evaluation of the use of volatile electrolyte system produced by ammonia and carbon dioxide in water for the salting-out of proteins: Precipitation of porcine trypsin.* J Biochem Eng. 30: 124-129.
- Weng, Y., Yao, J., Sparks, S dan Wang, K.Y. 2017. Nattokinase: An Oral Antithrombotic Agent for the Prevention of Cardiovascular Disease. Int. J. Mol. Sci. 2017, 18, 523; doi:10.3390/ijms18030523.
- Winarno, F.G. 1995. *Enzim Pangan.* Jakarta: PT Gramedia Pustaka Utama.
- Wirahadikusumah, M. 1989. *Biokimia (Protein, Enzim, Asam nukleat).* ITB Bandung.
- Yao, Z., Kim, J.A and Kim, J.H. (2018). Properties of a fibrinolytic enzyme secreted by *Bacillus subtilis* JS2 isolated from saeu (small shrimp) jeotgal. Food Sci Biotechnol (2018) 27(3):765–772. <https://doi.org/10.1007/s10068-017-0299-4>
- Zhao, J. 2007. *Eisenia foetida protease-III-1 functions in both fibrinolysis and fibrogenesis.* J Biomed Biotechnol. ID 97654.