

- Abaidoo, C. A., Matthew, E., Jnr, O., Arko-Adjei, A., Eric, B., & Prah, K. (2019). Monitoring the Extent of Reclamation of Small Scale Mining Areas Using Artificial Neural Networks. *Heliyon*, 5, e01445. <https://doi.org/10.1016/j.heliyon.2019>
- Adesipo, A. A., Freese, D., Zerbe, S., & Wiegleb, G. (2021). An approach to thresholds for evaluating post-mining site reclamation. *Sustainability*, 13(10). <https://doi.org/10.3390/su13105618>
- Agboola, O., Babatunde, D. E., Isaac Fayomi, O. S., Sadiku, E. R., Popoola, P., Moropeng, L., Yahaya, A., & Mamudu, O. A. (2020). A review on the impact of mining operation: Monitoring, assessment and management. *Results in Engineering*, 8. <https://doi.org/10.1016/j.rineng.2020.100181>
- Ali, I., Cawkwell, F., Dwyer, E., Barrett, B., & Green, S. (2016). Satellite remote sensing of grasslands: From observation to management. *Journal of Plant Ecology*, 9(6), 649–671. <https://doi.org/10.1093/jpe/rtw005>
- Badan Standardisasi Nasional. (2011). *Pengukuran dan penghitungan cadangan karbon-Pengukuran lapangan untuk penaksiran cadangan karbon hutan (ground based forest carbon accounting)*. www.bsn.go.id
- Basheer, I. A., & Hajmeer, M. (2000). Artificial neural networks: fundamentals, computing, design, and application. *Journal of Methods Microbiological Journal of Microbiological Methods*, 43, 3–31. www.elsevier.com/locate/jmicmeth
- Beyer, M. H. (2017). *GLCM TEXTURE: A TUTORIAL*. University of Calgary.
- Campbell, J. B., Wynne, R. H., & Thomas, V. A. (2022). *INTRODUCTION TO REMOTE SENSING* (Sixth Edition). The Guilford Press.
- Deo, R. C., & Şahin, M. (2017). Forecasting long-term global solar radiation with an ANN algorithm coupled with satellite-derived (MODIS) land surface temperature (LST) for regional locations in Queensland. *Renewable and Sustainable Energy Reviews*, 72, 828–848. <https://doi.org/10.1016/j.rser.2017.01.114>
- Farwell, L. S., Elsen, P. R., Razenkova, E., Pidgeon, A. M., & Radeloff, V. C. (2020). Habitat heterogeneity captured by 30-m resolution satellite image texture predicts bird richness across the United States. *Ecological Applications*, 30(8). <https://doi.org/10.1002/eap.2157>
- Festin, E. S., Tigabu, M., Chileshe, M. N., Syampungani, S., & Odén, P. C. (2019). Progresses in restoration of post-mining landscape in Africa. *Journal of Forestry Research*, 30(2), 381–396. <https://doi.org/10.1007/s11676-018-0621-x>
- Fisher, M., Daulay, M. H., Bisiaux, A., & Arthalina, E. Z. (2023). *Forest Restoration and Rehabilitation in Indonesia: A Policy and Legal Review Report*.
- Greaves, H. E., Vierling, L. A., Eitel, J. U. H., Boelman, N. T., Magney, T. S., Prager, C. M., & Griffin, K. L. (2016). High-resolution mapping of aboveground shrub biomass in Arctic tundra using airborne lidar and imagery. *Remote Sensing of Environment*, 184, 361–373. <https://doi.org/10.1016/j.rse.2016.07.026>
- Guerini Filho, M., Kuplich, T. M., & Quadros, F. L. F. D. (2020). Estimating natural grassland biomass by vegetation indices using Sentinel 2 remote sensing data. *International Journal of Remote Sensing*, 41(8), 2861–2876. <https://doi.org/10.1080/01431161.2019.1697004>



- Guerra-Hernández, J., González-Ferreiro, E., Monleón, V. J., Faias, S. P., Tomé, M., & Díaz-Varela, R. A. (2017). Use of multi-temporal UAV-derived imagery for estimating individual tree growth in Pinus pinea stands. *Forests*, 8(8). <https://doi.org/10.3390/f8080300>
- Guo, X., Zhang, C., Wilmschurst, J. F., & Sissons, R. (2005). Monitoring grassland health with remote sensing approaches. *Prairie Perspectives*, 8, 11–23.
- Han, L., Yang, G., Dai, H., Xu, B., Yang, H., Feng, H., Li, Z., & Yang, X. (2019). Modeling maize above-ground biomass based on machine learning approaches using UAV remote-sensing data. *Plant Methods*, 15(1). <https://doi.org/10.1186/s13007-019-0394-z>
- Id, Ibnu. D. (2021). *Machine Learning: Teori, Studi Kasus, dan Implementasi Menggunakan Python* (Edisi I). UR Press.
- Javad, S. M. T., & Hasan, M. U. (2022). Model evaluation criterion for quantifying accuracy in scalability studies. *AIP Conference Proceedings*, 2471. <https://doi.org/10.1063/5.0094222>
- Johnson, P. S., Johnson, C. L., & West, N. E. (1988). Estimation of phytomass for ungrazed crested wheatgrass plants using allometric equations. *Rangeland Ecology & Management/Journal of Range Management Archives*, 41(5), 2003–2013.
- KEPUTUSAN MENTERI LINGKUNGAN HIDUP DAN KEHUTANAN REPUBLIK INDONESIA NOMOR SK.168/MENLHK/PKTL/PLA.1/2/2022. (2022). *INDONESIA'S FORESTRY AND OTHER LAND USE (FOLU) NET SINK 2030 UNTUK PENGENDALIAN PERUBAHAN IKLIM*.
- Kerby, J. D., Fuhlendorf, S. D., & Engle, D. M. (2007). Landscape heterogeneity and fire behavior: Scale-dependent feedback between fire and grazing processes. *Landscape Ecology*, 22(4), 507–516. <https://doi.org/10.1007/s10980-006-9039-5>
- Khorram, S., van der Wiele, C. F., Koch, F. H., Nelson, S. A. C., & Potts, M. D. (2016). Principles of Applied Remote Sensing. In *Principles of Applied Remote Sensing*. Springer International Publishing. <https://doi.org/10.1007/978-3-319-22560-9>
- Kodir, A., Hartono, D. M., Haeruman, H., & Mansur, I. (2017). Integrated post mining landscape for sustainable land use: A case study in South Sumatera, Indonesia. *Sustainable Environment Research*, 27(4), 203–213. <https://doi.org/10.1016/j.serj.2017.03.003>
- Köhl, Michael., Magnussen, Steen., & Marchetti, Marco. (2006). *Sampling methods, remote sensing and GIS multiresource forest inventory* (Vol. 2). Springer.
- Lechner, A. M., Foody, G. M., & Boyd, D. S. (2020). Applications in Remote Sensing to Forest Ecology and Management. *One Earth*, 2(5), 405–412. <https://doi.org/10.1016/j.oneear.2020.05.001>
- Li, S., Yuan, F., Ata-UI-Karim, S. T., Zheng, H., Cheng, T., Liu, X., Tian, Y., Zhu, Y., Cao, W., & Cao, Q. (2019). Combining color indices and textures of UAV-based digital imagery for rice LAI estimation. *Remote Sensing*, 11(15). <https://doi.org/10.3390/rs11151763>
- Lillesand, T. M., Kiefer, R. H., & Chipman, J. W. (2015). *REMOTE SENSING AND IMAGE INTERPRETATION* (Seventh Edition). John Wiley & Sons, Inc.
- Liu, Y., Liu, S., Li, J., Guo, X., Wang, S., & Lu, J. (2019). Estimating biomass of winter oilseed rape using vegetation indices and texture metrics derived from UAV multispectral images. *Computers and Electronics in Agriculture*, 166. <https://doi.org/10.1016/j.compag.2019.105026>
- Lottermoser, B. G. (2007). *Mine wastes : characterization, treatment and environmental impacts*. Springer.
- Maimaitijiang, M., Sagan, V., Sidike, P., Maimaitiyiming, M., Hartling, S., Peterson, K. T., Maw, M. J. W., Shakoor, N., Mockler, T., & Fritschi, F. B. (2019). Vegetation Index Weighted Canopy Volume

Model (CVM VI) for soybean biomass estimation from Unmanned Aerial System-based RGB imagery. *ISPRS Journal of Photogrammetry and Remote Sensing*, 151, 27–41.
<https://doi.org/10.1016/j.isprsjprs.2019.03.003>

- McMillan, N. A., Kunkel, K. E., Hagan, D. L., & Jachowski, D. S. (2019). Plant community responses to bison reintroduction on the Northern Great Plains, United States: a test of the keystone species concept. *Restoration Ecology*, 27(2), 379–388. <https://doi.org/10.1111/rec.12856>
- Ojekanmi, A. A., Anne Naeth, M., & Huang, S. (2020). Calibration and application of quality-scoring functions using soil-forest productivity relationships in land reclamation. *Ecological Indicators*, 113. <https://doi.org/10.1016/j.ecolind.2020.106193>
- Oliveras, I., van der Eynden, M., Malhi, Y., Cahuana, N., Menor, C., Zamora, F., & Haugaasen, T. (2014). Grass allometry and estimation of above-ground biomass in tropical alpine tussock grasslands. *Austral Ecology*, 39(4), 408–415. <https://doi.org/10.1111/aec.12098>
- Paull, D., Banks, G., Ballard, C., & Gillieson, D. (2006). Monitoring the environmental impact of mining in remote locations through remotely sensed data. *Geocarto International*, 21(1), 33–42. <https://doi.org/10.1080/10106040608542372>
- PERATURAN MENTERI ENERGI SUMBER DAYA DAN MINERAL REPUBLIK INDONESIA NOMOR 07 TAHUN 2014 TENTANG PELAKSANAAN REKLAMASI DAN PASCATAMBANG PADA KEGIATAN USAHA IZIN PERTAMBANGAN MINERAL DAN BATUBARA.
- Poley, L. G., & McDermid, G. J. (2020). A systematic review of the factors influencing the estimation of vegetation aboveground biomass using unmanned aerial systems. *Remote Sensing*, 12(7), 1052. <https://doi.org/10.3390/rs12071052>
- PERATURAN PEMERINTAH REPUBLIK INDONESIA NOMOR 96 TAHUN 2021 TENTANG PELAKSANAAN KEGIATAN USAHA PERTAMBANGAN MINERAL DAN BATUBARA.
- Punalekar, S. M., Verhoef, A., Quaife, T. L., Humphries, D., Bermingham, L., & Reynolds, C. K. (2018). Application of Sentinel-2A data for pasture biomass monitoring using a physically based radiative transfer model. *Remote Sensing of Environment*, 218, 207–220. <https://doi.org/10.1016/j.rse.2018.09.028>
- Rathinasamy, M., Bindhu, V. M., Adamowski, J., Narasimhan, B., & Khosa, R. (2017). Investigation of the scaling characteristics of LANDSAT temperature and vegetation data: a wavelet-based approach. *International Journal of Biometeorology*, 61(10), 1709–1721. <https://doi.org/10.1007/s00484-017-1353-x>
- Santosa, B. (2007). *Data Mining: Teknik Pemanfaatan Data untuk Keperluan Bisnis* (First Edition). Graha Ilmu.
- Sengupta, M. (2021). *Environmental Impacts of Mining: Monitoring, Restoration and Control* (Second Edition). CRC Press.
- Setiawan, I. E., Zhang, Z., Corder, G., & Matsubae, K. (2021). Evaluation of environmental and economic benefits of land reclamation in the Indonesian coal mining industry. *Resources*, 10(6). <https://doi.org/10.3390/resources10060060>
- Shi, Y., Gao, J., Brierley, G., Li, X., Perry, G. L. W., & Xu, T. (2023). Improving the accuracy of models to map alpine grassland above-ground biomass using Google earth engine. *Grass and Forage Science*, 78(2), 237–253. <https://doi.org/10.1111/gfs.12607>
- Shobairi, S. O. R., Usoltsev, V. A., Chasovskikh, V. P., & Li, M. (2018). Exploring forest aboveground biomass estimation using landsat, forest inventory and analysis data base. *Analysis*, 4(15), 632–641. www.discoveryjournals.org



- Sibanda, M., Mutanga, O., Rouget, M., & Kumar, L. (2017). Estimating biomass of native grass grown under complex management treatments using worldview-3 spectral derivatives. *Remote Sensing*, 9(1). <https://doi.org/10.3390/rs9010055>
- Sing, Jaswinder., Knapp, H. V., Arnold, J. G., & Demissie, M. (2005). HYDROLOGICAL MODELING OF THE IROQUOIS RIVER WATERSHED USING HSPF AND SWAT. *Journal of the American Water Resources Association*, 41(2), 343–360.
- Society for Ecological Restoration International Science & Policy Working Group. (2014). *The SER International Primer on Ecological Restoration*. www.ser.org
- Tang, L., Zhong, L., Xue, K., Wang, S., Xu, Z., Lin, Q., Luo, C., Rui, Y., Li, X., Li, M., Liu, W. tso, Yang, Y., Zhou, J., & Wang, Y. (2019). Warming counteracts grazing effects on the functional structure of the soil microbial community in a Tibetan grassland. *Soil Biology and Biochemistry*, 134, 113–121. <https://doi.org/10.1016/j.soilbio.2019.02.018>
- Wang, C., Price, K. P., Van Der Merwe, D., An, N., & Wang, H. (2014). Modeling Above-Ground Biomass in Tallgrass Prairie Using Ultra-High Spatial Resolution sUAS Imagery. *Photogrammetric Engineering & Remote Sensing*, 80(12), 1151–1159. <https://doi.org/10.14358/PERS.80.12.10151>
- Wang, G., Liu, S., Liu, T., Fu, Z., Yu, J., & Xue, B. (2019). Modelling above-ground biomass based on vegetation indexes: a modified approach for biomass estimation in semi-arid grasslands. *International Journal of Remote Sensing*, 40(10), 3835–3854. <https://doi.org/10.1080/01431161.2018.1553319>
- Wang, Z., Bastin, G. N., Liu, L., Caccetta, P. A., & Peng, D. (2015). Estimating woody above-ground biomass in an arid zone of central Australia using Landsat imagery. *Journal of Applied Remote Sensing*, 9(1), 096036. <https://doi.org/10.1117/1.jrs.9.096036>
- Wardhana, W., Widyatmanti, W., Soraya, E., Soeprijadi, D., Larasati, B., Umarhadi, D. A., Sumarto, R., Idris, F., & Adi Putra Wirabuana, P. Y. (2020). Hybrid Remote Sensing for Estimating Timber Production and Carbon in Tropical Rainforest. *Proceedings - 2020 6th International Conference on Science and Technology, ICST 2020*. <https://doi.org/10.1109/ICST50505.2020.9732844>
- White, J. C., Coops, N. C., Wulder, M. A., Vastaranta, M., Hilker, T., & Tompalski, P. (2016). Remote Sensing Technologies for Enhancing Forest Inventories: A Review. *Canadian Journal of Remote Sensing*, 42(5), 619–641. <https://doi.org/10.1080/07038992.2016.1207484>
- Yang, S., Feng, Q., Liang, T., Liu, B., Zhang, W., & Xie, H. (2018). Modeling grassland above-ground biomass based on artificial neural network and remote sensing in the Three-River Headwaters Region. *Remote Sensing of Environment*, 204, 448–455. <https://doi.org/10.1016/j.rse.2017.10.011>
- Yu, Y., Pan, Y., Yang, X., & Fan, W. (2022). Spatial Scale Effect and Correction of Forest Aboveground Biomass Estimation Using Remote Sensing. *Remote Sensing*, 14(12). <https://doi.org/10.3390/rs14122828>
- Yue, J., Feng, H., Jin, X., Yuan, H., Li, Z., Zhou, C., Yang, G., & Tian, Q. (2018). A comparison of crop parameters estimation using images from UAV-mounted snapshot hyperspectral sensor and high-definition digital camera. *Remote Sensing*, 10(7). <https://doi.org/10.3390/rs10071138>
- Yue, J., Yang, G., Tian, Q., Feng, H., Xu, K., & Zhou, C. (2019). Estimate of winter-wheat above-ground biomass based on UAV ultrahigh-ground-resolution image textures and vegetation indices. *ISPRS Journal of Photogrammetry and Remote Sensing*, 150, 226–244. <https://doi.org/10.1016/j.isprsjprs.2019.02.022>
- Zahawi, R. A., Dandois, J. P., Holl, K. D., Nadwodny, D., Reid, J. L., & Ellis, E. C. (2015). Using lightweight unmanned aerial vehicles to monitor tropical forest recovery. *Biological Conservation*, 186, 287–295. <https://doi.org/10.1016/j.biocon.2015.03.031>



Zandler, H., Brenning, A., & Samimi, C. (2015). Quantifying dwarf shrub biomass in an arid environment: Comparing empirical methods in a high dimensional setting. *Remote Sensing of Environment*, 158, 140–155. <https://doi.org/10.1016/j.rse.2014.11.007>

Zheng, H., Cheng, T., Zhou, M., Li, D., Yao, X., Tian, Y., Cao, W., & Zhu, Y. (2019). Improved estimation of rice aboveground biomass combining textural and spectral analysis of UAV imagery. *Precision Agriculture*, 20(3), 611–629. <https://doi.org/10.1007/s11119-018-9600-7>

Zhibin, R., Haifeng, Z., Xingyuan, H., Dan, Z., & Xingyang, Y. (2015). Estimation of the Relationship Between Urban Vegetation Configuration and Land Surface Temperature with Remote Sensing. *Journal of the Indian Society of Remote Sensing*, 43(1), 89–100. <https://doi.org/10.1007/s12524-014-0373-9>