



## DAFTAR PUSTAKA

- Amstead, H. C. H., 1983, *Geothermal Energy "Its Past, Present and Future Contributions to Energy Needs of Man"*, Second Edition, J. W. Arrowsmith Ltd, London.
- Antonaria., Rustandi, D., Armstrong, J., Brophy, P., Sikumbang, I., Nugroho, H., Primana, J. R., Sunandar., Marizi, N., Nugroho, H T., Simamora, W. P., Sinaga, D. V. C. R., Widyastuti., Hendrawijaya, P., dan Mathieu, T. (2014) *Geothermal Handbook for Indonesia*. Diedit oleh M. Girianna.
- Azonano (2019) *Silicon Dioxide (SiO<sub>2</sub>) Nanoparticles – Properties & Applications*, 11 september 2019. Tersedia pada:  
<https://www.azonano.com/article.aspx?ArticleID=3398> (Diakses: 12 Juni 2021).
- Bremere, I., Kennedy, M., Mhyio, S., Jaljuli, A., Witkamp, G.-J., Schippers, J., 2000. "Prevention of silica scale in membrane systems: removal of monomer and polymer silica." *Desalination* 132, 89e100.
- Brown, K. (2011) "Thermodynamics and kinetics of silica scaling," *Proceedings International Workshop on Mineral Scaling 2011*, (May), hal. 1–9. doi: 10.1002/jcc.21990.
- Brown, K. dan Dunstall, M. (2000) "Silica Scaling Under Controlled Hydrodynamic Conditions," hal. 3039–3044.
- Chen C.-T. A. and Marshall W. L. (1982) Amorphous silica solubilities IV. Behavior in pure water and aqueous sodium chloride, sodium sulfate, magnesium chloride, and magnesium sulfate solutions up to 350°C. *Geochim. Cosmochim. Acta* 46, 279-287.
- Ciptadi, S. dan Patangke, S. (2001) "Evaluasi Potensi Silica Scaling Pada Pipa Produksi Lapangan Panasbumi Lahendong – Sulawesi Utara," *Proceeding of the 5th INAGA Annual Scientific Conference and Exhibitions*, (November 1995).
- Colin C.A., Windmeijer, F.A.G., Gramajo, H., Cane, D.E., Khosla, C., 1997, "An R-squared measure of goodness of fit for some common nonlinear regression models". *J. Econometrics*, 77 (2): 1790–2.
- Demadis, K. (2004) Scale formation and removal, the university of crete Powe, New York 148(6): 19-23.
- Dieret (2021) *Geothermal Energy*. Tersedia pada:  
<https://www.inforse.org/europe/dieret/Geothermal/geothermal.html> (Diakses: 10 Mei 2021).
- Dove PM, Han, N, Wallace, A. F, dan De Yoreo JJ (2008) "Kinetics of amorphous silica dissolution and the paradox of the silica polymorphs." *Proc Natl Acad Sci*. 2008;105(29):9903–8. <https://doi.org/10.1073/pnas.0803798105>.
- Edward, F.W. (1997) *"Geothermal Energy Utilization"* John Wiley & Sons, USA.

- Edwards, H. G. M. dan Dent, G. (2005) “*Modern Raman spectroscopy-a practical approach*”. John Wiley and Sons Ltd, Chichester. England
- Eikenberg J. (1990) "On the problem of silica solubility at high pH. *Int Nucl Inf Syst.*" ;90:54.
- ESDM (2010) *Mengenal Teknologi Pembangkit Listrik Panas Bumi*. Tersedia pada: <https://www.esdm.go.id/id/media-center/arsip-berita/mengenal-teknologi-pembangkit-listrik-panas-bumi> (Diakses: 11 Mei 2021).
- Gallup, D.L. dan P. N. Hirtz (2010) "Control of silica scaling in *geothermal* system using inhibitor, chemical treatment, and process engineering", *The Science and Technology of Industrial Water Treatment*, pp 160-82.
- Gallup, D.L. dan Reiff, W.M. (1991) “Characterization of *Geothermal* Scale Deposits by Fe-57 Mossbauer Spectroscopy and Complementary X-ray Diffraction and Infra-red Studies”. *Geothermics*, vol. 20, no. 4, p. 207-224.
- Grohn, F., Lawall, M., Oeasau, T., Heinrich, S., dan Antonyuk, S. (2020). " CFD-DEM Simulation of a Coating Process in a Fluidized Bed Rotor Granulator". *Processes*, vol 8
- Gunnlaugsson, E. and Arnorsson, S. (1982) “The Chemistry of Iron in *Geothermal* Systems in Iceland”. *Journal of Volcanology and Geothermal Research*, vol. 14, p. 281-299.
- Haryono, A., Restu, W. K., dan Harmami, S. B. (2012) “Preparasi dan Karakterisasi Nanopartikel Alumunium Fosfat”, Pusat Penelitian Kimia (P2K)-LIPI, Kawasan Puspiptek, Serpong 15314, Tangerang Selatan.
- Henley R., 1983. “pH and Silica Scaling Control in *Geothermal* Field Development”, *Geothermics*, v.12, n. 4, p. 307–321.
- Hirowatari, K. (1988) " Study on the Removal Method and Preventive Method of Scale Deposition in *Geothermal* Power Station," *Japan Geotherm. Energy Assoc.*, 25, 29-52.
- Ibrahim, P. A. dan Fajri, A. N. (2020) “Analisa Laju Pertumbuhan Silica Pada Pipa Air Kondensat Scrubber Unit 5 Di Industri *Geothermal*,” *Jurnal Indonesia Sosial Teknologi*, 1, hal. 285–295. Tersedia pada: <https://doi.org/10.36418/jist.v1i4.42>.
- Iler, R. K. (1979) “The Chemistry of Silica: Solubility, Polymerization, Colloid and Surface Properties, and Biochemistry,” hal. 866.
- Jenie, S. N. A., Ghaisani, A., Ningrum, Y.P., Kristiani, P., Aulia, F., dan Petrus, H. T. M. B. (2018) “Preparation of silica nanoparticles from *geothermal* sludge via sol-gel method,” *AIP Conference Proceedings*, 2026, hal. 1–6. doi: 10.1063/1.5064968.



- Juhri S., Yonezu, K., Yokoyama, T., Nurpratama, M. I., dan Harijoko, A. (2019) "Formation Mechanism of Silica Scale in Diend *Geothermal* Power Plant, Indonesia", *Proceedings 41<sup>st</sup> New Zealand Geothermal Workshop*.
- Karmakar, B., Rademan, K., Stepanov, A. L. (2016) "Glass Nanocomposites (Synthesis, Properties and Applications)". *Elsevier*. The Boulevard, Langford Lane, Kidlington, Oxford, OX5 1GB, UK
- Makrides A., M. Turner, dan J. Slaughter, 1979. "Condensation of Silica from Supersaturated Silicic Acid Solutions", *Journal of Colloid and Interface Science*, v. 73, n. 2, p. 379–402.
- Manceau, A., Ildefonse, Ph., Hazemann, J.-L., Flank, A-M., and Gallup, D. (1995). "Crystal Chemistry of Hydrous Iron Silicate Scale Deposits at the Salton Sea *Geothermal* Field". *Clays and Clay Minerals*, vol. 43, no.3, p. 304-317
- Mersmann A. (2001) "*Crystallization technology handbook*". Boca Raton: CRC Press
- Meyers, P. (1999) "Behavior of silica in ion exchange and other systems," *International Water Conference 60th Annual Meeting*, hal. 1–10.
- Milne, N. A., O'Reilly, T., Sanciolo, P., Ostarcevic, E., Beighton, M., Taylor, K., Mullet, M., Tarquin, A. J., dan Gray, S. G. (2014) "Chemistry of silica scale mitigation for RO desalination with particular reference to remote operations," *Water Research*, 65, hal. 107–133. doi: 10.1016/j.watres.2014.07.010.
- Mullin, J. W. (2001) "*Crystallization Fouth Edition*". Oxford: Butterworth-Heinemann
- Nakazawa, H., Sato, H., Saito, T., Shimizu, K., Umezu, Y., 1994. "Removal of silicic acid from *geothermal* water by the addition of mineral particles as seed crystals." *Shigen-to-Sozai* 110, 637e641 (in Japanese).
- Nandaliarasyad, N., Permana, M. A. I., Qosam, A., Nawansari, M., dan Mulyana, C. (2017) "Perlambatan Laju Pengendapan Silika Dengan Memanfaatkan Asam Kuat Sebagai Anti-Katalisator Polimerisasi," VI, hal. SNF2017-ERE-65-SNF2017-ERE-68. doi: 10.21009/03.snf2017.02.ere.09.
- Ngothai, Y., Lane, D., Kuncoro, G., Yanagisawa, N., Peter, R., dan Pring, A. (2012) "Effect of *geothermal* brine properties on silica scaling in enhanced *geothermal* systems," *Transactions - Geothermal Resources Council*, 36 2, hal. 871–880.
- Pambudi, N. A., Itoi, R., Yamashiro, R., Alam, B. Y. CSS., Tusara, L., Jalilinasrabad, S., dan Khasani, J. (2015) "The behavior of silica in *geothermal* brine from Dieng *geothermal* power plant, Indonesia," *Geothermics*, 54, hal. 109–114. doi: 10.1016/j.geothermics.2014.12.003.
- Permana, M. A. I., Nandaliarsyad, N., Haq, A. Q. A., Nawansari, M., Mulyana, C. (2017) "Kajian Potensi Silica Scaling pada Pipa Produksi Pembangkit Listrik Tenaga Panas Bumi (*Geothermal*)," *Material dan Energi Indonesia*, 07(01), hal. 38–42.

- Permana, M. A. I., Cukup, M. dan Nandaliarasyad, N. (2016) “Kajian Silica Scaling Pada Pembangkit Listrik Tenaga Panas Bumi (*Geothermal*),” *Proseding Seminar Nasional Fisika dan Aplikasinya Sabtu Bale Sawala Kampus Universitas Padjadjaran*, (November).
- Perry, R. H., dan Green, D.W. (2007) "Perry's Chemical Engineers Handbook 8<sup>th</sup> Edition" New York. McGraw-Hill Book.
- Potapov, V. V., Karpov, G. A. dan Podverbnyi, V. M. (2002) “Removal of silica from *geothermal* brine,” *Theoretical Foundations of Chemical Engineering*, 36(6), hal. 589–595. doi: 10.1023/A:1021269918804.
- Ritcher, A. (2022) *The Top 10 Geothermal Countries 2019 – based on installed generation capacity (MWe), Think Geoenergy*. Tersedia pada: <https://www.thinkgeoenergy.com/the-top-10-geothermal-countries-2019-based-on-installed-generation-capacity-mwe/> (Diakses: 6 Mei 2021).
- Ronson. (2012). “Zeta Potential Analysis Of Nanoparticles”. *Nanocomposix*. V 1.1. Hlm. 1-6.
- Saadi, M. Al (2019) “The Root of Silica Scale Formation and Its Remedy,” *Global Journal of Engineering Sciences*, 3(3), hal. 4–6. doi: 10.33552/gjes.2019.03.000565.
- Setiawan, A., Saputro, D. E. dan Nugroho, A. (2017) “Analisis Removal Scaling Silika Pada Jalur Re-Injeksi Brine Pembangkit Listrik Energi Panas Bumi Dengan Menggunakan Asam Fluorida,” *Journal of Research and Technology*, 3(1), hal. 19–27.
- Setiawan, F. A., H. Panthorn, P.M., Alfredo, D., dan Perdana, I. (2015) “Mitigation of Silica Scaling from Dieng ’ s *Geothermal* Brines using Ca(OH) 2,” *Proceedings Indonesia International Geothermal Convention & Exhibition*. (May), hal. 19–22.
- Setiawan, F. A., Rahayuningsih, E., Petrus, H. T. B. M., Nurpratama, M I., dan Perdana, I. (2019) “Kinetics of silica precipitation in *geothermal* brine with seeds addition: minimizing silica scaling in a cold re-injection system,” *Geothermal Energy*, 7(1). doi: 10.1186/s40517-019-0138-3.
- Student, T. (2021) *Dry Steam Plants*. Tersedia pada: <https://technologystudent.com/energy1/geo2.htm> (Diakses: 11 Mei 2021).
- Sugita, H., Matsunaga, I., Yamaguchi, T. (2000) “Silica Scale Prevention Method Using Seed Made From *Geothermal* Brine,” *Proceedings World Geothermal Congress*. hal. 2925–2930.
- Sugita, H., Matsunaga, I., Yamaguchi, T., Kato, K., dan Ueda, A. (2003) “Silica removal performance of seed from *geothermal* fluids,” *Geothermics*, 32(2), hal. 171–185. doi: 10.1016/S0375-6505(03)00013-0.
- Sugita, H., Bando, Y. dan Nakamura, M. (1998a) “Removal of Silica from *Geothermal*



- Brine by Seeding Method Using Silica Gel,” *Journal of Chemical Engineering of Japan*, 31(1), hal. 150–152. Tersedia pada: <https://doi.org/10.1252/jcej.31.150>.
- Sugita, H., Bando, Y., Sakurai, Y., Nakamura, M., (1998b). Effect of dissolved salts on silica removal from *geothermal* brine by seeding method using silica gel. *Kagaku Kogaku Ronbunshu* 24 (6).
- Sugita, H., Sakurai, Y., Bando, Y., dan Nakamura, M. (1998c) "Effect of characteristics of seed on silica removal from model *geothermal* brine by seeding method using silica gel," *J. Soc. Powder Tech. Japan*, Vol.35, pp.338-345.
- Sugita, H., Bando, Y., dan Nakamura, M., (1998d) "Effects of pH and Operational Conditions on Silica Removal from *Geothermal* Brine by Seeding Method Using Silica Gel". *Kagaku Kogaku Ronbunshu* Vol.24 No.4(19)
- Wahyudityo, R., Harto, A. W. dan Suryopratomo, K. (2013) “Analisis Scaling Silika pada Pipa Injeksi Brine di Lapangan Panas Bumi Dieng dengan Studi Kasus di PT. Geo Dipa Energi,” *TEKNOFISIKA*. 2(1), hal. 7–14.
- Yokoyama, T., Nakazato, T., and Tarutani, T. (1980) “Polymerization of Silicic Acid Asorbed on Iron(III) Hydroxide”. *Bulletin of the Chemical Society of Japan*, vol. 53, p. 850-853.
- Yufita, E., Isa, M. dan Vijaya, A. E. (2020) “Kajian Senyawa Kimia Air pada Kawasan Panas Bumi: Studi Kasus Fluida Panas Bumi Jaboi, Pulau Weh,” *J. Aceh Phys.Soc*, 9(1), hal. 20:25.
- Zarrouk, S. J., Woodhurst, B. C. dan Morris, C. (2014) “Silica scaling in *geothermal* heat exchangers and its impact on pressure drop and performance: Wairakei binary plant, New Zealand,” *Geothermics*, 51, hal. 445–459. doi: 10.1016/j.geothermics.2014.03.005.