

DAFTAR PUSTAKA

- [1] Sub Direktorat Statistik Komunikasi dan Teknologi Informasi, *Statistik Telekomunikasi Indonesia*. BPS, 2019.
- [2] Tim APJII, Much Rif'an, Henri Kasyfi Soemartono, "Buletin APJII," *APJII*, Nov. 2020.
- [3] "Twitter: most users by country," *Statista*.
<https://www.statista.com/statistics/242606/number-of-active-twitter-users-in-selected-countries/> (accessed Dec. 05, 2021).
- [4] Moch. A. Nasichuddin, T. B. Adji, and W. Widyawan, "Performance Improvement Using CNN for Sentiment Analysis," *IJITEE*, vol. 2, no. 1, Jul. 2018, doi: 10.22146/ijitee.36642.
- [5] S. E. Middleton, G. Kordopatis-Zilos, S. Papadopoulos, and Y. Kompatsiaris, "Location Extraction from Social Media: Geoparsing, Location Disambiguation, and Geotagging," *ACM Trans. Inf. Syst.*, vol. 36, no. 4, pp. 1–27, Oct. 2018, doi: 10.1145/3202662.
- [6] M. N. Y. Utomo, T. B. Adji, and I. Ardiyanto, "Geolocation prediction in social media data using text analysis: A review," in *2018 International Conference on Information and Communications Technology (ICOIACT)*, Yogyakarta: IEEE, Mar. 2018, pp. 84–89. doi: 10.1109/ICOIACT.2018.8350674.
- [7] T. Eftimov, B. Koroušić Seljak, and P. Korošec, "A rule-based named-entity recognition method for knowledge extraction of evidence-based dietary recommendations," *PLoS ONE*, vol. 12, no. 6, p. e0179488, Jun. 2017, doi: 10.1371/journal.pone.0179488.
- [8] N. M. Sinta Wahyuni and N. A. Sanjaya Er, "Rule-based Named Entity Recognition (NER) to Determine Time Expression for Balinese Text Document," *JLK*, vol. 9, no. 4, p. 555, May 2021, doi: 10.24843/JLK.2021.v09.i04.p14.
- [9] N. S. Azzahra, M. O. Ibrohim, J. Fahmi, B. F. Apriyanto, and O. Riandi, "Developing Name Entity Recognition for Structured and Unstructured Text Formatting Dataset," in *2020 Fifth International Conference on Informatics and Computing (ICIC)*, Gorontalo, Indonesia: IEEE, Nov. 2020, pp. 1–7. doi: 10.1109/ICIC50835.2020.9288566.
- [10] E. Q. Nuranti and E. Yulianti, "Legal Entity Recognition in Indonesian Court Decision Documents Using Bi-LSTM and CRF Approaches," in *2020 International Conference on Advanced Computer Science and Information Systems (ICACSIS)*, Depok, Indonesia: IEEE, Oct. 2020, pp. 429–434. doi: 10.1109/ICACSIS51025.2020.9263157.
- [11] S. Sukardi, M. Susanty, A. Irawan, and R. F. Putra, "Low Complexity Named-Entity Recognition for Indonesian Language using BiLSTM-CNNs," in *2020 3rd International Conference on Information and Communications Technology (ICOIACT)*, Yogyakarta, Indonesia: IEEE, Nov. 2020, pp. 137–142. doi: 10.1109/ICOIACT50329.2020.9331989.
- [12] S. I. G. Situmeang, "Impact of Text Preprocessing on Named Entity Recognition Based on Conditional Random Field in Indonesian Text," vol. 6, no. 36, 2022.
- [13] B. Wilie *et al.*, "IndoNLU: Benchmark and Resources for Evaluating Indonesian Natural Language Understanding," *Association for Computational Linguistics*, p. 15.



- [14] F. Koto, A. Rahimi, J. H. Lau, and T. Baldwin, "IndoLEM and IndoBERT: A Benchmark Dataset and Pre-trained Language Model for Indonesian NLP," in *Proceedings of the 28th International Conference on Computational Linguistics*, Barcelona, Spain (Online): International Committee on Computational Linguistics, 2020, pp. 757–770. doi: 10.18653/v1/2020.coling-main.66.
- [15] X. Ma and E. Hovy, "End-to-end Sequence Labeling via Bi-directional LSTM-CNNs-CRF," in *Proceedings of the 54th Annual Meeting of the Association for Computational Linguistics (Volume 1: Long Papers)*, Berlin, Germany: Association for Computational Linguistics, 2016, pp. 1064–1074. doi: 10.18653/v1/P16-1101.
- [16] I. Alfina, R. Manurung, and M. I. Fanany, "DBpedia entities expansion in automatically building dataset for Indonesian NER," in *2016 International Conference on Advanced Computer Science and Information Systems (ICACSIS)*, Malang, Indonesia: IEEE, Oct. 2016, pp. 335–340. doi: 10.1109/ICACSIS.2016.7872784.
- [17] I. Alfina, S. Savitri, and M. I. Fanany, "Modified DBpedia entities expansion for tagging automatically NER dataset," in *2017 International Conference on Advanced Computer Science and Information Systems (ICACSIS)*, Bali: IEEE, Oct. 2017, pp. 216–221. doi: 10.1109/ICACSIS.2017.8355036.
- [18] H. Dito Murya Alfahommi and Moch. A. Bijaksana, "Building the Indonesian NE Dataset Using Wikipedia and DBpedia with Entities Expansion Method on DBpedia," in *2018 International Conference on Asian Language Processing (IALP)*, Bandung, Indonesia: IEEE, Nov. 2018, pp. 334–339. doi: 10.1109/IALP.2018.8629117.
- [19] I. Budi and R. R. Suryono, "Application of named entity recognition method for Indonesian datasets: a review," *Bulletin EEI*, vol. 12, no. 2, pp. 969–978, Apr. 2023, doi: 10.11591/eei.v12i2.4529.
- [20] J. Devlin, M.-W. Chang, K. Lee, and K. Toutanova, "BERT: Pre-training of Deep Bidirectional Transformers for Language Understanding," *arXiv:1810.04805 [cs]*, May 2019, Accessed: Dec. 05, 2021. [Online]. Available: <http://arxiv.org/abs/1810.04805>
- [21] B. Kitchenham and S. Charters, "Guidelines for performing Systematic Literature Reviews in Software Engineering," EBSE-2007-01. Accessed: Sep. 11, 2022. [Online]. Available: https://www.elsevier.com/_data/promis_misc/525444systematicreviewsguide.pdf
- [22] B. P. Utomo, Widyawan, and M. N. Rizal, "A Systematic Literature Review of Machine Learning to Predict Location in Social Media," in *2022 6th International Conference on Information Technology, Information Systems and Electrical Engineering (ICITISEE)*, Yogyakarta, Indonesia: IEEE, Dec. 2022, pp. 1–6. doi: 10.1109/ICITISEE57756.2022.10057871.
- [23] A. Ekbal and S. Bandyopadhyay, "Named Entity Recognition using Support Vector Machine: A Language Independent Approach," 2010.
- [24] E. Alpaydin, *Introduction to machine learning*, 2nd ed. in Adaptive computation and machine learning. Cambridge, Mass: MIT Press, 2010.
- [25] S. Devi, A. Fatchiya, and D. Susanto, "Kapasitas Kader dalam Penyuluhan Keluarga Berencana di Kota Palembang, Provinsi Sumatera Selatan," *Jupen*, vol. 12, no. 2, p. 144, Oct. 2016, doi: 10.25015/penyuluhan.v12i2.11223.
- [26] L. F. Simanjuntak, R. Mahendra, and E. Yulianti, "We Know You Are Living in Bali: Location Prediction of Twitter Users Using BERT Language Model," *BDCC*, vol. 6, no. 3, p. 77, Jul. 2022, doi: 10.3390/bdcc6030077.



- [27] “Dataset IndoNLU.” [Online]. Available:
<https://github.com/indobenchmark/indonlu/tree/master/dataset>
- [28] N. DEVELOPERS, “Dataset NERGrit.” 2019. [Online]. Available:
<https://github.com/grit-id/nergrit-corpus>,
https://huggingface.co/datasets/id_nergrit_corpus
- [29] F. N. Putra, “Ekstraksi Informasi Menggunakan Kombinasi Metode NeuroNER, Neural Relation Extraction, dan FASM pada Deteksi Kejadian dari Data Stream Twitter,” p. 73.
- [30] M. Wick, C. Boutreux, and L. T. Hardanto, “Gazetter Indonesia.” [Online]. Available: <http://download.geonames.org/export/dump/ID.zip>
- [31] “Dataset IndoLEM.” [Online]. Available: <https://github.com/indolem/indolem>
- [32] Y. Gultom, “nlp-experiments.” [Online]. Available:
<https://github.com/yohanesgultom/nlp-experiments>
- [33] Y. Syaifudin, “indonesia-ner.” [Online]. Available:
<https://github.com/yusufsyaifudin/indonesia-ner>
- [34] I. Alfina, S. Savitri, and M. I. Fanany, “Dataset Singgalang.” [Online]. Available: <https://github.com/ir-nlp-csui/singgalang>
- [35] C. Molnar, *Interpretable Machine Learning: A Guide for Making Black Box Models Explainable*, 2nd ed. 2022. [Online]. Available:
<https://christophm.github.io/interpretable-ml-book>
- [36] J. Lafferty, A. McCallum, and F. C. N. Pereira, “Conditional Random Fields: Probabilistic Models for Segmenting and Labeling Sequence Data”.
- [37] L. Getoor and B. Taskar, Eds., “An Introduction to Conditional Random Fields for Relational Learning,” in *Introduction to Statistical Relational Learning*, The MIT Press, 2007. doi: 10.7551/mitpress/7432.003.0006.
- [38] G. Lample, M. Ballesteros, S. Subramanian, K. Kawakami, and C. Dyer, “Neural Architectures for Named Entity Recognition.” arXiv, Apr. 07, 2016. Accessed: Jun. 02, 2023. [Online]. Available: <http://arxiv.org/abs/1603.01360>
- [39] A. Krizhevsky, I. Sutskever, and G. E. Hinton, “ImageNet classification with deep convolutional neural networks,” *Commun. ACM*, vol. 60, no. 6, pp. 84–90, May 2017, doi: 10.1145/3065386.
- [40] Y. Kim, “Convolutional Neural Networks for Sentence Classification.” arXiv, Sep. 02, 2014. Accessed: Jun. 03, 2023. [Online]. Available:
<http://arxiv.org/abs/1408.5882>
- [41] R. Yadav, “Light-Weighted CNN for Text Classification”.
- [42] T. Bezdan and N. Baćanin Džakula, “Convolutional Neural Network Layers and Architectures,” in *Proceedings of the International Scientific Conference - Sinteza 2019*, Novi Sad, Serbia: Singidunum University, 2019, pp. 445–451. doi: 10.15308/Sinteza-2019-445-451.
- [43] Y. N. Dauphin, A. Fan, M. Auli, and D. Grangier, “Language Modeling with Gated Convolutional Networks.” arXiv, Sep. 08, 2017. Accessed: Jun. 03, 2023. [Online]. Available: <http://arxiv.org/abs/1612.08083>
- [44] J. Gehring, M. Auli, D. Grangier, D. Yarats, and Y. N. Dauphin, “Convolutional Sequence to Sequence Learning.” arXiv, Jul. 24, 2017. Accessed: Jun. 03, 2023. [Online]. Available: <http://arxiv.org/abs/1705.03122>
- [45] S. Soni, S. S. Chouhan, and S. S. Rathore, “TextConvoNet: a convolutional neural network based architecture for text classification,” *Appl Intell*, vol. 53, no. 11, pp. 14249–14268, Jun. 2023, doi: 10.1007/s10489-022-04221-9.
- [46] S. Hochreiter and J. Schmidhuber, “Long Short-Term Memory,” *Neural Computation*, vol. 9, no. 8, pp. 1735–1780, 1997, doi: 10.1162/neco.1997.9.8.1735.



- [47] A. Graves and J. Schmidhuber, "Framewise phoneme classification with bidirectional LSTM networks," in *Proceedings. 2005 IEEE International Joint Conference on Neural Networks, 2005.*, Montreal, Que., Canada: IEEE, 2005, pp. 2047–2052. doi: 10.1109/IJCNN.2005.1556215.
- [48] K. Cho *et al.*, "Learning Phrase Representations using RNN Encoder-Decoder for Statistical Machine Translation." arXiv, Sep. 02, 2014. Accessed: Jun. 06, 2023. [Online]. Available: <http://arxiv.org/abs/1406.1078>
- [49] A. Bhuvaneswari, J. T. Jones Thomas, and P. Kesavan, "Embedded Bi-directional GRU and LSTM Learning Models to Predict Disaster on Twitter Data," *Procedia Computer Science*, vol. 165, pp. 511–516, 2019, doi: 10.1016/j.procs.2020.01.020.
- [50] Y. Zhang *et al.*, "Bi-GRU Relation Extraction Model Based on Keywords Attention," *Data Intelligence*, vol. 4, no. 3, pp. 552–572, Jul. 2022, doi: 10.1162/dint_a_00147.
- [51] A. Vaswani *et al.*, "Attention Is All You Need," *arXiv:1706.03762 [cs]*, Dec. 2017, Accessed: Dec. 10, 2021. [Online]. Available: <http://arxiv.org/abs/1706.03762>
- [52] K. Banerjee, V. P. C, R. R. Gupta, K. Vyas, A. H, and B. Mishra, "Exploring Alternatives to Softmax Function." arXiv, Nov. 23, 2020. Accessed: Jun. 02, 2023. [Online]. Available: <http://arxiv.org/abs/2011.11538>
- [53] J. Awwalu, "On Holdout and Cross Validation," vol. 6, 2019.
- [54] G. Varoquaux and O. Colliot, "Evaluating machine learning models and their diagnostic value".
- [55] K. Takahashi, K. Yamamoto, A. Kuchiba, and T. Koyama, "Confidence interval for micro-averaged F1 and macro-averaged F1 scores," *Appl Intell*, vol. 52, no. 5, pp. 4961–4972, Mar. 2022, doi: 10.1007/s10489-021-02635-5.
- [56] "Hugging Face." [Online]. Available: <https://huggingface.co/models>