

TABLE OF CONTENT

THESIS	ii
APPROVAL PAGE	iii
PLAGIARISM FREE DECLARATION	iv
FOREWORD.....	v
TABLE OF CONTENT.....	vi
LIST OF TABLES	viii
LIST OF FIGURES	ix
ABSTRACT.....	x
CHAPTER I	1
INTRODUCTION.....	1
1.1 Introduction.....	1
1.2 Statement of the Problems	4
1.3 Objective of Study.....	5
1.4 Benefit of Study	5
CHAPTER II.....	6
LITERATURE REVIEW	6
2.1 Roselle	6
2.2 Phenolic and Antioxidant in Roselle.....	7
2.3 Tisane Brewing Method	11
2.3.1 Hot Brew Process	11
2.3.2 Cold Brew Process	12
2.4 Ultrasound-assisted Extraction.....	13
2.5 Extraction Factor	14
2.5.1 Particle Size	14
2.5.2 Temperature.....	14
2.5.3 Time.....	15
2.5.4 Amplitude	15
2.6 Design of Experiment	18
2.7 Response Surface Methodology	19
2.8 Antioxidant Activity Assays	19
2.8.1 DPPH Assay.....	19

2.8.2 ABTS Assay	20
2.8.3 FRAP Assay	21
2.9 Hypothesis.....	22
CHAPTER 3	24
MATERIALS AND METHOD	24
3.1 Time and Place of Research	24
3.2 Materials and Instruments	24
3.2.1 Plant Materials	24
3.2.2 Chemical and Reagents	25
3.3 Method	25
3.3.1 Ultrasound-assisted Cold Brew	25
3.3.2 Analysis of the Phenolic Compound and Phenolic Stability by HPLC-DAD	26
3.3.3 Experimental Design and Data Analysis	27
3.3.4 Process Evaluation	29
3.3.5 Conventional Brewing Method	29
3.3.6 Antioxidant Activity	30
CHAPTER IV	33
RESULT AND DISCUSSION	33
4.1 HPLC Performance for Analysis of Phenolic Compound	33
4.2 Phenolic Profile of Roselle Tisane	34
4.3 Optimization of UAE Method	36
4.4 Extraction Process Evaluation	41
4.5 Roselle Tisane Production	43
4.6 Method Comparison	45
4.7 Phenolic Compound Stability	46
4.8 Antioxidant Activity	48
CHAPTER 5	50
CONCLUSION AND SUGGESTION	50
5.1 Conclusion	50
5.2 Suggestion	51
REFERENCES	52
ATTACHMENTS	60

LIST OF TABLES

Table 1. Phenolic Profile in Roselle Calyx	11
Tabel 2. The Condition of UAE from Several Previous Study	17
Table 3. The Level of Independent Variable for UAE Optimization.....	
Table 4. Box-Behnken Design Experimental Runs	26
Table 5. Performance of the HPLC-PDA	33
Table 6. Box-Behnken Design Experimental Run with the Corresponding Response and Prediction Errors	36
Table 7. Precision of the Extraction of Phenolic Compounds from Roselle by Ultrasound-assisted Cold Brew Method	43
Table 8. The Level of Phenolic Compounds in the Studied Roselle Tisane Sample	44
Table 9. Antioxidant Activity of Roselle Tisane Cold Brew	48

LIST OF FIGURES

Figure 1. Roselle calyx before and after dehydrator process, (a) purple roselle, (b) red roselle	7
Figure 2. General phenolic compounds classification in plant	10
Figure 3. Research process diagram	24
Figure 4. (a) UV-Vis spectra of chlorogenic acid, (b) UV-Vis Spectra of rutin, (c) molecule structure of cinnamic acid derivatives, (d) molecule structure of Flavonoid.....	34
Figure 5. Chromatogram of phenolic compounds in Roselle tisane, (a) Flavonoid compound at 355 nm, (b) HCA compound at 320 nm.....	35
Figure 6. Pareto chart of the influencing factors in the extraction conditions. (X_1 , particle size; X_2 , temperature; X_3 , time; X_4 , amplitude)	37
Figure 7. Response surface plot displaying effect of UAE factors	38
Figure 8. Pie charts of phenolic compounds composition of roselle tisane	44
Figure 9. Phenolic compounds in roselle tisane comparison from several brewing method.....	45
Figure 10. Stability of phenolic compound during storage time	47
Figure 11. Stability of Antioxidant activity during five days storage	48