

DAFTAR PUSTAKA

- Abir, T., Agho, K.E., Ogbo, F.A., Stevens, G.J., Page, A., Hasnat, M.A., Dibley, M.J. dan Raynes-Greenow, C. (2017) "Predictors of stillbirths in Bangladesh: evidence from the 2004--2014 nation-wide household surveys," *Global health action*, 10(1), hal. 1410048.
- Adeyanju, O., Tubeuf, S. dan Ensor, T. (2017) "Socio-economic inequalities in access to maternal and child healthcare in Nigeria: changes over time and decomposition analysis," *Health policy and planning*, 32(8), hal. 1111–1118.
- Agyei, W.K. dan Migadde, M. (1995) "Demographic and sociocultural factors influencing contraceptive use in uganda," *Journal of Biosocial Science*, 27(1), hal. 47–60. doi:10.1017/S0021932000006994.
- Ajayi, A.I., Adeniyi, O.V. dan Akpan, W. (2018) "Use of traditional and modern contraceptives among childbearing women: findings from a mixed methods study in two southwestern Nigerian states," *BMC public health*, 18, hal. 1–9.
- Al-Shaikh, G.K., Ibrahim, G.H., Fayed, A.A. dan Al-Mandeeel, H. (2017) "Grand multiparity and the possible risk of adverse maternal and neonatal outcomes: a dilemma to be deciphered," *BMC pregnancy and childbirth*, 17(1), hal. 1–7.
- Alo, O.D., Daini, B.O., Omisile, O.K., Ubah, E.J., Adelusi, O.E. dan Idoko-Asuelimhen, O. (2020) "Factors influencing the use of modern contraceptive in Nigeria: a multilevel logistic analysis using linked data from performance monitoring and accountability 2020," *BMC Women's Health*, 20(1), hal. 1–9.
- Andargie, G., Berhane, Y., Worku, A. dan Kebede, Y. (2013) "Predictors of perinatal mortality in rural population of Northwest Ethiopia: A prospective longitudinal study," *BMC Public Health*, 13(1). doi:10.1186/1471-2458-13-168.
- Bai, J., Wong, F.W.S., Bauman, A. dan Mohsin, M. (2002) "Parity and pregnancy outcomes," *American Journal of Obstetrics and Gynecology*, 186(2), hal. 274–278. doi:10.1067/mob.2002.119639.
- Barfield, W.D. (2016) "Standard terminology for fetal, infant, and perinatal deaths," *Pediatrics*, 137(5). doi:10.1542/peds.2016-0551.
- Bari, W., Chowdhury, R.I., Islam, M.A., Chakraborty, N. dan Akhter, H.A.H. (2002) "The differentials and determinants of perinatal mortality in rural

Bangladesh,” *European Journal of Contraception and Reproductive Health Care*, 7(4), hal. 216–222. doi:10.1080/ejc.7.4.216.222.

Bbaale, E. dan Mpuga, P. (2011) “Female education, contraceptive use, and fertility: Evidence from Uganda,” *Consilience*, 6, hal. 20–47. Tersedia pada: <http://www.consiliencejournal.org/index.php/consilience/article/viewFile/234/79>.

Bentley, R., Kavanagh, A. dan Smith, A. (2009) “Area disadvantage, socioeconomic position and women’s contraception use: A multilevel study in the UK,” *Journal of Family Planning and Reproductive Health Care*, 35(4), hal. 221–226. doi:10.1783/147118909789587277.

Bertrand, J.T., Ross, J. dan Glover, A.L. (2022) “Declining yet persistent use of traditional contraceptive methods in low-and middle-income countries,” *Journal of Biosocial Science*, 54(5), hal. 742–759.

Bhutta, Z.A., Das, J.K., Bahl, R., Lawn, J.E., Salam, R.A., Paul, V.K., Sankar, M.J., Blencowe, H., Rizvi, A., Chou, V.B. dan others (2014) “Can available interventions end preventable deaths in mothers, newborn babies, and stillbirths, and at what cost?,” *The Lancet*, 384(9940), hal. 347–370.

Bigelow, C.A. dan Bryant, A.S. (2015) “Short interpregnancy intervals: an evidence-based guide for clinicians,” *Obstetrical & gynecological survey*, 70(7), hal. 458–464.

Brown, W., Ahmed, S., Roche, N., Sonneveldt, E. dan Darmstadt, G.L. (2015) “Impact of family planning programs in reducing high-risk births due to younger and older maternal age, short birth intervals, and high parity,” *Seminars in Perinatology*, 39(5), hal. 338–344. doi:10.1053/j.semperi.2015.06.006.

Collaborative Group on Hormonal Factors in Breast Cancer (1996) “Breast cancer and hormonal contraceptives: collaborative reanalysis of individual data on 53 297 women with breast cancer and 100 239 women without breast cancer from 54 epidemiological studies,” *The Lancet*, 347(9017), hal. 1713–1727.

Colquitt, C.W. dan Martin, T.S. (2017) “Contraceptive Methods: A Review of Nonbarrier and Barrier Products,” *Journal of Pharmacy Practice*, 30(1), hal. 130–135. doi:10.1177/0897190015585751.

Cooper, D.B., Patel, P. dan Mahdy, H. (2022) *Oral contraceptive pills, StatPearls [Internet]*. StatPearls Publishing. Tersedia pada:

<https://www.ncbi.nlm.nih.gov/books/NBK430882/> (Diakses: 30 Desember 2022).

D'Souza, P., Bailey, J. V, Stephenson, J. dan Oliver, S. (2022) "Factors influencing contraception choice and use globally: a synthesis of systematic reviews," *The European Journal of Contraception & Reproductive Health Care*, 27(5), hal. 364–372.

Dodoo, F.N.A. dan Tempenis, M. (2002) "Gender, power and reproduction: Rural-urban differences in the relationship between fertility goals and contraceptive use in Kenya," *Rural Sociology*, 67(1), hal. 46–70.
doi:10.1111/j.1549-0831.2002.tb00093.x.

Dude, A.M., Neustadt, A., Martins, S. dan Gilliam, M. (2013) "Use of withdrawal and unintended pregnancy among females 15-24 years of age," *Obstetrics and Gynecology*, 122(3), hal. 595–600.
doi:10.1097/AOG.0b013e31829d8074.

Edwards, M. dan Can, A.S. (2022) *Progestin, StatPearls [Internet]*. StatPearls Publishing. Tersedia pada:
<https://www.ncbi.nlm.nih.gov/books/NBK563211/> (Diakses: 28 November 2022).

Eliason, S.K., Bockarie, A.S. dan Eliason, C. (2018) "Postpartum fertility behaviours and contraceptive use among women in rural Ghana," *Contraception and reproductive medicine*, 3(1), hal. 1–12.

Fikree, F.F. dan Gray, R.H. (1996) "Demographic survey of the level and determinants of perinatal mortality in Karachi, Pakistan," *Paediatric and perinatal epidemiology*, 10(1), hal. 86–96.

Fleiss, J.L., Levin, B. dan Paik, M.C. (2003) *Statistical Methods for Rates and Proportions*. 3rd ed. Diedit oleh S.S.W. Walter A. Shewart. Hoboken: John Wiley & Sons, Inc. doi:10.1198/tech.2004.s812.

General Directorate of Statistics, Ministry of Health dan ICF (2018) *Timor-Leste Demographic and Health Survey 2016*. Dili & Rockville: GDS & ICF.

Ghimire, P.R., Agho, K.E., Renzaho, A.M.N., Nisha, M.K., Dibley, M. dan Raynes-Greenow, C. (2019) "Factors associated with perinatal mortality in Nepal: Evidence from Nepal demographic and health survey 2001-2016," *BMC Pregnancy and Childbirth*, 19(1), hal. 1–12. doi:10.1186/s12884-019-2234-6.

- Grabrick, D.M., Hartmann, L.C., Cerhan, J.R., Vierkant, R.A., Therneau, T.M., Vachon, C.M., Olson, J.E., Couch, F.J., Anderson, K.E. dan Pankratz, V.S. (2000) “Risk of breast cancer with oral contraceptive use in women with a family history of breast cancer,” *Jama*, 284(14), hal. 1791–1798.
- Greenwood, R. dan McCaw-Binns, A. (1994) “Does maternal behaviour influence the risk of perinatal death in Jamaica?,” *Paediatric and Perinatal Epidemiology*, 8, hal. 54–65. doi:10.1111/j.1365-3016.1994.tb00491.x.
- Haakenstad, A., Angelino, O., Irvine, C.M.S., Bhutta, Z.A., Bienhoff, K., Bintz, C., Causey, K., Dirac, M.A., Fullman, N., Gakidou, E., Glucksman, T., Hay, S.I., Henry, N.J., Martopullo, I., Mokdad, A.H., Mumford, J.E., Lim, S.S., Murray, C.J.L. dan Lozano, R. (2022) “Measuring contraceptive method mix, prevalence, and demand satisfied by age and marital status in 204 countries and territories, 1970–2019: a systematic analysis for the Global Burden of Disease Study 2019,” *The Lancet*, 400(10348), hal. 295–327. doi:10.1016/S0140-6736(22)00936-9.
- Hailu, D. dan Gulte, T. (2016) “Determinants of Short Interbirth Interval among Reproductive Age Mothers in Arba Minch District, Ethiopia,” *International Journal of Reproductive Medicine*, 2016, hal. 1–17. doi:10.1155/2016/6072437.
- Hossain, M., Khan, M., Ababneh, F. dan Shaw, J. (2018) “Identifying factors influencing contraceptive use in Bangladesh: Evidence from BDHS 2014 data,” *BMC Public Health*, 18(1), hal. 1–14. doi:10.1186/s12889-018-5098-1.
- Hubacher, D. dan Trussell, J. (2015) “A definition of modern contraceptive methods,” *Contraception*, 92(5), hal. 420–421. doi:10.1016/j.contraception.2015.08.008.
- Islam, M., Khan, M., Alam, N., Raihan, H., Barna, S.D. dan others (2022) “Exploring the Influencing Factors for Contraceptive Use among Women: A Meta-Analysis of Demographic and Health Survey Data from 18 Developing Countries,” *International Journal of Reproductive Medicine*, 2022.
- Jahja, R. (2011) “Perinatal mortality in Indonesia: an unfinished agenda,” *Health, Culture and Society*, 1(1), hal. 146–165.
- Jena, B.H., Biks, G.A., Gete, Y.K. dan Gelaye, K.A. (2022) “Effects of inter-pregnancy intervals on preterm birth, low birth weight and perinatal deaths in urban South Ethiopia: a prospective cohort study,” *Maternal Health, Neonatology and Perinatology*, 8(1), hal. 3.

Kazi, A., Kennedy, K.I., Visness, C.M. dan Khan, T. (1995) "Effectiveness of the lactational amenorrhea method in Pakistan," *Fertility and Sterility*, 64(4), hal. 717–723. doi:10.1016/S0015-0282(16)57845-5.

Kementerian Kesehatan RI (2020) *Pedoman Pelayanan Kontrasepsi dan Keluarga Berencana*. Jakarta: Kemenkes RI. Tersedia pada: https://elearning.medistra.ac.id/pluginfile.php/8500/mod_folder/content/0/Pedoman_Manajemen_Pelayanan_KB.pdf.

Kennedy, K.I., Labbok, M.H. dan Van Look, P.F.A. (1996) "Lactational amenorrhea method for family planning," *International Journal of Gynecology & Obstetrics*, 54(1), hal. 55–57.

Kunkel, M., Marete, I., Cheng, E.R., Bucher, S., Liechty, E., Esamai, F., Moore, J.L., McClure, E. dan Vreeman, R.C. (2019) "Place of delivery and perinatal mortality in Kenya," in *Seminars in perinatology*, hal. 252–259.

Lanzola, E.L. dan Ketvertis, K. (2022) *Intrauterine Device, StatPearls [Internet]*. StatPearls Publishing. Tersedia pada: <https://www.ncbi.nlm.nih.gov/books/NBK557403/> (Diakses: 20 November 2022).

Leader, J., Bajwa, A., Lanes, A., Hua, X., White, R.R., Rybak, N. dan Walker, M. (2018) "The effect of very advanced maternal age on maternal and neonatal outcomes: a systematic review," *Journal of obstetrics and gynaecology Canada*, 40(9), hal. 1208–1218.

Lehtonen, L., Gimeno, A., Parra-Llorca, A. dan Vento, M. (2017) "Early neonatal death: A challenge worldwide," *Seminars in Fetal and Neonatal Medicine*, 22(3), hal. 153–160. doi:10.1016/j.siny.2017.02.006.

Levin, K.A. (2006) "Study design III: Cross-sectional studies," *Evidence-based dentistry*, 7(1), hal. 24–25.

Lisonkova, S., Haslam, M.D., Dahlgren, L., Chen, I., Synnes, A.R. dan Lim, K.I. (2016) "Maternal morbidity and perinatal outcomes among women in rural versus urban areas," *Cmaj*, 188(17–18), hal. E456–E465.

Londero, A.P., Rossetti, E., Pittini, C., Cagnacci, A. dan Driul, L. (2019) "Maternal age and the risk of adverse pregnancy outcomes: a retrospective cohort study," *BMC pregnancy and childbirth*, 19(1), hal. 1–10.

MacDorman, M.F. dan Gregory, E.C.W. (2015) "Fetal and perinatal mortality:

United States, 2013,” *National Vital Statistics Reports*, 64(8), hal. 1–24.

Mahdy, H., Shaeffer, A.D. dan McNabb, D.M. (2017) “Condoms.”

Manortey, S. dan Lotsu, P. (2017) “Factors affecting contraceptive use among reproductive aged women: a case study in Worawora township, ghana.”

Marquez, M.P., Kabamalan, M.M. dan Laguna, E. (2018) “Traditional and modern contraceptive method use in the Philippines: trends and determinants 2003--2013,” *Studies in Family Planning*, 49(2), hal. 95–113.

MOHS dan ICF (2017) “Myanmar Demographic and Health Survey 2015-16,” *Myanmar Demographic and Health Survey*, hal. 1–37. Tersedia pada:
<https://dhsprogram.com/publications/publication-fr324-dhs-final-reports.cfm%0Ahttps://dhsprogram.com/pubs/pdf/FR324/FR324.pdf>.

Nadeem, M.A., Liaqat, S., Hussain, M. dan Sher, F. (2023) “Association between Contraceptive Usage and Maternal Education towards Birth Spacing : Evidence from Pakistan Demographic Health Survey (PDHS) 2017-18 Association between Contraceptive Usage and Maternal Education towards Birth Spacing : Evidence from P,” (April). doi:10.33152/jmphss-7.1.4.

National Institute of Statistics, Directorate General for Health dan ICF International (2015) *Cambodia Demographic and Health Survey 2014*. Phnom Penh & Rockville: National Institute of Statistics, Directorate General for Health & ICF International.

National Population and Family Planning Board - BKKBN, Statistics Indonesia - BPS, Kemenkes, M. of H.- dan International, I. (2018) *Indonesia Demographic and Health Survey 2017*. Jakarta, Indonesia: BKKBN, BPS, Kemenkes, dan ICF.

Nisha, M.K., Alam, A. dan Raynes-Greenow, C. (2018) “Variations in perinatal mortality associated with different polluting fuel types and kitchen location in Bangladesh,” *International journal of occupational and environmental health*, 24(1–2), hal. 47–54.

Nurwadani, P., Saksama, H.Y., Winataputra, U.S., Budimansyah, D., Sapriya, Winarno, Mulyono, E., Prawatyani, S.J., Anwar, A.A., Evawany, Priyautama, F. dan Festanto, A. (2016) *Pendidikan Kewarganegaraan*. 1 ed. Jakarta: Kemenristekdikti RI.

Palamuleni, M.E. (2014) “Demographic and Socio-Economic factors affecting

contraceptive use in Malawi,” *Journal of Human Ecology*, 46(3), hal. 331–341.

Philippine Statistics Authority dan ICF (2018) *Philippines National Demographic and Health Survey 2017*. Quenzon City & Rockville: PSA & ICF.

Pinheiro, R.L., Areia, A.L., Pinto, A.M. dan Donato, H. (2019) “Advanced maternal age: adverse outcomes of pregnancy, a meta-analysis,” *Acta medica portuguesa*, 32(3), hal. 219–226.

Polis, C.B., Bradley, S.E.K., Bankole, A., Onda, T., Croft, T. dan Singh, S. (2016) “Contraceptive Failure Rates in the Developing World : An Analysis of Demographic and Health Survey Data in 43 Countries,” (March).

Prameswari, M.F. (2003) “Kematian Perinatal di Indonesia dan Faktor yang Berhubungan, Tahun 1997-2003,” *Jurnal Kesehatan Masyarakat Nasional*, 1(4).

Rakhi, J. dan Sumathi, M. (2011) “Contraceptive Methods: Needs, Options and Utilization,” *J Obstet Gynaecol India*, 61(6), hal. 626–34.
doi:10.1007/s13224-011-0107-7.

Richardson, B.A. (2002) “Nonoxynol-9 as a vaginal microbicide for prevention of sexually transmitted infections: it’s time to move on,” *Jama*, 287(9), hal. 1171–1172.

Roberge, S., Nicolaidis, K.H., Demers, S., Villa, P. dan Bujold, E. (2013) “Prevention of perinatal death and adverse perinatal outcome using low-dose aspirin: A meta-analysis,” *Ultrasound in Obstetrics and Gynecology*, 41(5), hal. 491–499. doi:10.1002/uog.12421.

Ross, J.A. (2021) “Contraceptive Use, Access to Methods, and Program Efforts in Urban Areas,” *Frontiers in Global Women’s Health*, 2(September).
doi:10.3389/fgwh.2021.636581.

Rutaremwa, G., Kabagenyi, A., Wandera, S.O., Jhamba, T., Akiror, E. dan Nviiri, H.L. (2015) “Predictors of modern contraceptive use during the postpartum period among women in Uganda: a population-based cross sectional study,” *BMC public health*, 15(1), hal. 1–9.

Savitz, D.A. dan Wellenius, G.A. (2022) “Can cross-sectional studies contribute to causal inference? It Depends,” *American Journal of Epidemiology* [Preprint].

Secor, R.M. (1992) "The cervical cap.," *Naacog's Clinical Issues in Perinatal and Women's Health Nursing*, 3(2), hal. 236–245.

Selassie, T.G. (1996) "Determinants of contraceptive use among urban youth in Ethiopia," *Ethiopian Journal of Health Development*, 10(2).

Seyoum, E., Bekele, A., Tsegaye, A.T. dan Birhanu, S. (2021) "Magnitude and Determinants of Adverse Perinatal Outcomes in Tefera Hailu Memorial Hospital, Sekota Town, Northern Ethiopia." doi:10.1177/2333794X211015524.

Shapiro, D. dan Tambashe, B.O. (1994) "The impact of women's employment and education on contraceptive use and abortion in Kinshasa, Zaire," *Studies in family planning*, hal. 96–110.

Shi, H., Enriquez, A., Rapadas, M., Martin, E.M.M.A., Wang, R., Moreau, J., Lim, C.K., Szot, J.O., Ip, E., Hughes, J.N. dan others (2017) "NAD deficiency, congenital malformations, and niacin supplementation," *New England Journal of Medicine*, 377(6), hal. 544–552.

Shimels Hailemeskel, H., Assebe, T., Alemayehu, T., Belay, D.M., Teshome, F., Baye, A. dan Bayih, W.A. (2020) "Determinants of short birth interval among ever married reproductive age women: A community based unmatched case control study at Dessie city administration, Northern Ethiopia," *Plos one*, 15(12), hal. e0243046.

Shoupe, D. dan Mishell, D.R. (2016) *The Handbook of Contraception*. 2 ed, *The Handbook of Contraception*. 2 ed. Humana Press. doi:10.1007/978-3-319-20185-6.

Statistics Indonesia - BPS dan Macro International (2008) "Indonesia Demographic and Health Survey 2007." Calverton, Maryland, USA: BPS and Macro International. Tersedia pada: <http://dhsprogram.com/pubs/pdf/FR218/FR218.pdf>.

Statistics Indonesia - BPS, National Population and Family Planning Board - BKKBN, Ministry of Health - Kemenkes dan ICF International (2013) *Indonesia Demographic and Health Survey 2012*. Jakarta, Indonesia: BPS, BKKBN, Kemenkes & ICF International.

Statistics Indonesia - BPS dan ORC Macro (2003) "Indonesia Demographic and Health Survey 2002-2003." Calverton, Maryland, USA: BPS and ORC Macro. Tersedia pada: <http://dhsprogram.com/pubs/pdf/FR147/FR147.pdf>.

- Stover, J. dan Ross, J. (2014) “Erratum: How increased contraceptive use has reduced maternal mortality (Maternal and Child Health Journal (2014) 18 (333)),” *Maternal and Child Health Journal*, 18(1), hal. 333.
doi:10.1007/s10995-009-0521-y.
- Strauss, J., Beegle, K., Sikoki, B., Dwiyanto, A., Herwati, Y., Witoelar, F. dan Corporation, R. (2016) *The 5th Wave of the Indonesia Family Life Survey (IFLS): Overview and Field Report*. Tersedia pada:
http://www.rand.org/content/dam/rand/pubs/working_papers/WR1100/WR1143z2/RAND_WR1143z2.pdf.
- Tawiah, E.O. (1997) “Factors affecting contraceptive use in Ghana,” *Journal of Biosocial Science*, 29(2), hal. 141–149. doi:10.1017/S0021932097001417.
- Trussell, J. (2011) “Contraceptive failure in the United States,” *Contraception*, 83(5), hal. 397–404. Tersedia pada:
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3638209/>.
- Trussell, J. dan Guthrie, K. (2007) “Choosing a contraceptive: efficacy, safety, and personal considerations,” *Hatcher RA, Trussell J, Nelson AL, Cates W, Stewart FH, Kowal D. Contraceptive technology. 19th revised ed. New York (NY): Ardent Media, Inc*, hal. 19–47.
- Uddin, M.M., Kabir, M., Choudhury, S.R., Ahmed, T. dan Bhuyan, M.R. (1985) “Rural-urban differential in contraceptive use status in Bangladesh,” *Rural demography*, 12(1–2), hal. 1–20.
- Utomo, B., Alimoeso, S. dan Park, C. Bin (1983) “Factors affecting the use and non use of contraception,” *Majalah Demografi Indonesia*, 10(20), hal. ii-48.
- Vural, B., Vural, F., Diker, J. dan Yücesoy, I. (1999) “Factors affecting contraceptive use and behavior in Kocaeli, Turkey,” *Advances in contraception*, 15(4), hal. 325–336.
- Wassihun, B., Wosen, K., Getie, A., Belay, K., Tesfaye, R., Tadesse, T., Alemayehu, Y., Yihune, M., Aklilu, A., Gebayehu, K. dan others (2021) “Prevalence of postpartum family planning utilization and associated factors among postpartum mothers in Arba Minch town, South Ethiopia,” *Contraception and Reproductive Medicine*, 6(1), hal. 1–8.
- Wilcox, A.J., Dunson, D.B., Weinberg, C.R., Trussell, J. dan Baird, D.D. (2001) “Likelihood of conception with a single act of intercourse: providing benchmark rates for assessment of post-coital contraceptives,”

Contraception, 63(4), hal. 211–215.

World Health Organization (2006) *Neonatal and perinatal mortality : country, regional and global estimates*. Tersedia pada:
http://apps.who.int/iris/bitstream/handle/10665/43444/9241563206_eng.pdf.

Yadeta, T.A., Mengistu, B., Gobena, T. dan Regassa, L.D. (2020) “Spatial pattern of perinatal mortality and its determinants in Ethiopia: Data from Ethiopian Demographic and Health Survey 2016,” *PLoS ONE*, 15(11 November), hal. 1–19. doi:10.1371/journal.pone.0242499.

Yeakey, M.P., Muntifering, C.J., Ramachandran, D. V., Myint, Y.M., Creanga, A.A. dan Tsui, A.O. (2009) “How contraceptive use affects birth intervals: Results of a literature review,” *Studies in Family Planning*, 40(3), hal. 205–214. doi:10.1111/j.1728-4465.2009.00203.x.

Yoder, P.S., Rosato, M., Mahmud, R., Fort, A., Rahman, F., Armstrong, A. dan Rubayet, S. (2007) *Women’s Recall of Delivery and Neonatal Care: A Study of Terms, Concepts, and Survey Questions*. Calverton, Maryland, USA.

Zacharias, N. (2020) *Perinatal Mortality, UpToDate [Internet]*. Waltham (MA): UpToDate. Tersedia pada: <https://www.uptodate.com/contents/perinatal-mortality> (Diakses: 28 Desember 2022).