

## REFERENCES

- United Nations Department of Economic and Social Affairs, Population Division (2022). World Population Prospects 2022: Summary of Results. UN DESA/POP/2022/TR/NO.3
- Badan Pusat Statistik Direktorat Statistik Kependudukan dan Ketenagakerjaan (2020). Proyeksi Penduduk Indonesia 2020–2050 Hasil Sensus Penduduk 2020.
- The World Bank Water and Sanitation Program (2013). Review of Community-Managed Decentralised Wastewater Treatment Systems in Indonesia.
- The World Bank Global Water Security & Sanitation Partnership (2021). Global Water Security and Sanitation Partnership Annual Report 2021.
- Macarie, H., Noyola, A., Guyot, J. P., 1992, Anaerobic Treatment of a Petrochemical Wastewater from a Terephthalic Acid Plant, *Water Sci Technol* (1992) 25 (7): 223–235.
- Huanhuan Zhang, Xiaoyu Lan, Peng Bai, Xianghai Guo, Adsorptive removal of acetic acid from water with metal-organic frameworks, *Chemical Engineering Research and Design*, Volume 111, 2016, Pages 127-137, ISSN 0263-8762, <https://doi.org/10.1016/j.cherd.2016.04.020>.
- Jeirani, Z., Niu, C. & Soltan, J. (2017). Adsorption of emerging pollutants on activated carbon. *Reviews in Chemical Engineering*, 33(5), 491-522, <https://doi.org/10.1515/revce-2016-0027>.
- Fu Yang, Wenhao Li, Xiu Zhong, Wenlong Tu, Jie Cheng, Lei Chen, Jun Lu, Aihua Yuan, Jianming Pan, The alkaline sites integrated into biomass-carbon reinforce selective adsorption of acetic acid: In situ implanting MgO during activation operation, *Separation and Purification Technology*, Volume 297,

2022, 121415, ISSN 1383-5866,  
<https://doi.org/10.1016/j.seppur.2022.121415>.

Klefer, H., Munoz, M., Modrow, A., Böhringer, B., Wasserscheid, P. and Etzold, B.J.M. (2016), Polymer-Based Spherical Activated Carbon as Easy-to-Handle Catalyst Support for Hydrogenation Reactions. Chem. Eng. Technol., 39: 276-284. <https://doi.org/10.1002/ceat.201500445>

Heschel, W., Klose, E., 1995. On the suitability of agricultural by-products for the manufacture of granular activated carbon. Fuel 74, 1786–1791.

Su, W., Zhou, L., Zhou, Y.P., 2003. Preparation of microporous activated carbon from coconut shells without activating agents. Carbon 41, 861–863.

Lei Liu, Seongmin Jin, Yongha Park, Young Cheol Park, and Chang-Ha Lee, industrial & Engineering Chemistry Research, **2018**, 57(50), 17218-17225, DOI: 10.1021/acs.iecr.8b03862

Shiela Marie Villota, Hanwu Lei, Elmar Villota, Moriko Qian, Jeffrey Lavarias, Victorino Taylan, Ireneo Agulto, Wendy Mateo, Marvin Valentin, and Melba Denson, ACS Omega **2019**, 4(4), 7088-7095, DOI: 10.1021/acsomega.8b03514

Lin QH, Cheng H, Chen GY. Preparation and characterization of carbonaceous adsorbents from sewage sludge using a pilot-scale microwave heating equipment. J Anal Appl Pyrolysis 2012;93:113–9. <http://dx.doi.org/10.1016/j.jaap.2011.10.006>.

Lachos-Perez D, Brown AB, Mudhoo A, Timko MT, Rostagno MA, Forster-Carneiro T. Applications of subcritical and supercritical water conditions for extraction, hydrolysis, gasification, and carbonization of biomass: a critical review. Biofuel Res J 2017;4:611–26. <http://dx.doi.org/10.18331/BRJ2017.4.2.6>.

Li J, Dai J, Liu G, Zhang H, Gao Z, Fu J, et al. Biochar from microwave pyrolysis of biomass: a review. *Biomass Bioenergy* 2016;94:228–44.

Motasemi F, Afzal MT. A review on the microwave-assisted pyrolysis technique. *Renew Sustain Energy Rev* 2013;28:317–30. <http://dx.doi.org/10.1016/j.rser.2013.08.008>.

Meredith R. Engineers' handbook of industrial microwave heating. London, United Kingdom: Institution of Engineering and Technology; 1997.

Komarov V. Handbook of dielectric and thermal properties of materials at microwave frequencies. Artech House: Artech House; 2012.

Ahmed MJ, Theydan SK. Adsorption of cephalexin onto activated carbons from Albizia lebbek seed pods by microwave-induced KOH and K<sub>2</sub>CO<sub>3</sub> activations. *Chem Eng J* 2012;211–212:200–7. <http://dx.doi.org/10.1016/j.cej.2012.09.089>.

Thampan PK (1982) Handbook on coconut palm, Second printing. Mohan Primlani. Oxford and IBH Publishing Co, New Delhi.

Budinova T, Ekinici E, Yardim F, Grimm A, Björnbom E, Minkova V, et al. Characterization and application of activated carbon produced by H<sub>3</sub>PO<sub>4</sub> and water vapor activation. *Fuel Process Technol* 2006;87:899–905. <http://dx.doi.org/10.1016/j.fuproc.2006.06.005>

Minkova V, Razvigorova M, Björnbom E, Zanzi R. Effect of water vapour and biomass nature on the yield and quality of the pyrolysis products from biomass. *Fuel Process Technol* 2001.

Tsai WT, Chang CY, Wang SY, Chang CF. Cleaner production of carbon adsorbents by utilizing agricultural waste corn cob. *Resour Conserv Recycl* 2001;32:43–53.

B. Yin, S. Zhang, H. Jiang, F. Qu, X. Wu, Phase-controlled synthesis of

polymorphic MnO<sub>2</sub> structures for electrochemical energy storage, *J. Mater. Chem. A* 3 (2015) 5722–5729.

Osei-Wusu Achaw, George Afrane, The evolution of the pore structure of coconut shells during the preparation of coconut shell-based activated carbons, *Microporous and Mesoporous Materials*, Volume 112, Issues 1–3, 2008, Pages 284-290, ISSN 1387-1811, <https://doi.org/10.1016/j.micromeso.2007.10.001>.

Y. Sun, J. Zhao, J. Wang, N. Tang, R. Zhao, D. Zhang, T. Guan, K. Li

Sulfur-Doped Millimeter-Sized Microporous Activated Carbon Spheres Derived from Sulfonated Poly(styrene–divinylbenzene) for CO<sub>2</sub> Capture

*J. Phys. Chem. C*, 121 (2017), pp. 10000-10009, [10.1021/acs.jpcc.7b02195](<https://doi.org/10.1021/acs.jpcc.7b02195>)

A.S. Ello, L.K.C. de Souza, A. Trokourey, M. Jaroniec, Development of microporous carbons for CO<sub>2</sub> capture by KOH activation of African palm shells, *J. CO<sub>2</sub> Util.*, 2 (2013), pp. 35-38, [10.1016/j.jcou.2013.07.003](<https://doi.org/10.1016/j.jcou.2013.07.003>)

Takayuki Kawano, Mitsuhiro Kubota, Maurice S. Onyango, Fujio Watanabe, Hitoki Matsuda, Preparation of activated carbon from petroleum coke by KOH chemical activation for adsorption heat pump, *Applied Thermal Engineering*, Volume 28, Issues 8–9, 2008, Pages 865-871, ISSN 1359-4311, <https://doi.org/10.1016/j.applthermaleng.2007.07.009>.

Alslaibi, T.M., Abustan, I., Ahmad, M.A. & Foul, A.A. (2013). Cadmium removal

from aqueous solution using microwaved olive stone activated carbon.  
Journal of Environmental Chemical Engineering, 1: 589–599

J. Georgin, G.L. Dotto, M.A. Mazutti, E.L. Foletto, Preparation of activated carbon from peanut shell by conventional pyrolysis and microwave irradiation-pyrolysis to remove organic dyes from aqueous solutions, J. Environ. Chem. Eng., 4 (2016), pp. 266-275, [10.1016/j.jece.2015.11.018](<https://doi.org/10.1016/j.jece.2015.11.018>)

J.R. Li, R.J. Kuppler, H.C. Zhou, Selective gas adsorption and separation in metal–organic frameworks, Chem. Soc. Rev., 38 (2009), pp. 1477-1504, [10.1039/b802426j](<https://doi.org/10.1039/b802426j>)

Justyna Kazmierczak-Razna, Piotr Nowicki, Robert Pietrzak, Characterization and application of bio-activated carbons prepared by direct activation of hay with the use of microwave radiation, Powder Technology, Volume 319, 2017, Pages 302-312, ISSN 0032-5910, <https://doi.org/10.1016/j.powtec.2017.06.062>.

Zainal Alimuddin Bin Zainal Alauddin, Pooya Lahijani, Maedeh Mohammadi, Abdul Rahman Mohamed, Gasification of lignocellulosic biomass in fluidized beds for renewable energy development: A review, Renewable and Sustainable Energy Reviews, Volume 14, Issue 9, 2010, Pages 2852-2862, ISSN 1364-0321, <https://doi.org/10.1016/j.rser.2010.07.026>.