

- Adeloye D, Basquill C. (2014).Estimating the prevalence and awareness rates of hypertension in Africa: a systematic analysis. PLoS One; 9: e104300.
- Anggara Prayitno N. (2013). Faktor-faktor yang berhubungan dengan tekanan darah di Puskesmas Telaga Murni Cikarang Barat tahun 2012. Ilmu Kesehatan. 5(1):20–5.
- Anwar, K., dan Masnina, R, 2019, Hubungan Kepatuhan Minum Obat Antihipertensi Dengan Tekanan Darah Pada Lansia Penderita Hipertensi Di Wilayah Kerja Puskesmas Air Putih Samarinda, Borneo Student Research, 494-501.
- Batara, D., Bodhi, W., dan Kepel, B.J., 2016, Hubungan Obesitas Denga Tekanan Darah Dan Aktivitas Fisik Pada Remaja Di Kota Bitung, Jurnal e-Biomedik, 4(1): 91-96.
- Britton KA, Gaziano JM, Djoussé L. (2013) Normal systolic blood pressure and risk of heart failure in us male physicians. European Journal of Heart Failure. 11: 1129–1134.
- Bueno, D.R., Monteiro, H.L, Rosa, C.S.C., Codogno, J.S., Fernandes, R.A., and Marucci, M.F.N., 2016, Association Between Physical Activity Levels And Polypharmacy In Hypertensive Patients, Medicina, 49(3): 240-247.
- Carnethon MR, Evans NS, Church TS, Lewis CE, Schreiner PJ, Jacobs DR, et al. (2015).Joint Associations of Physical Activity and Aerobic Fitness on the Development of Incident Hypertension. Hypertension. 56: 49–55.
- Cornelissen VA, Buys R, Smart NA. (2015).Endurance exercise beneficially affects ambulatory blood pressure. Journal of Hypertension. 31: 639–648
- Cuevas, Adolfo & Williams, David & Albert, Michelle. (2017). Psychosocial Factors and Hypertension. Cardiology Clinics. 35. 10.1016.
- Egan, Brent M. (2017). Physical Avtivity and Hypertension Knowing is not Enough; We Must Aply. Willing Is Not Enough; We Must Do-von Goethe. Pp 421-427
- Emrah, ERSOY & Saatci, Esra. (2018). How do the Psychosocial Factors Affect Blood Pressure in Patients with Hypertension A Cross-Sectional Study. Journal of Family Medicine and Disease Prevention. 4. 10.23937/2469-5793/1510082.

sustained postexercise vasodilatation: what happens after we exercise? *Experimental Physiology*. 98: 7–18.

Harari G, Green MS, Zelber-Sagi S. (2015). Combined association of occupational and leisure-time physical activity with all-cause and coronary heart disease mortality among a cohort of men followed-up for 22 years. *Occup Environ Med*; 72: 617–24.

Hasanah, M., Widodo, D., dan Widiani, E., 2016, Hubungan Obesitas Dengan Hipertensi Pada Masyarakat Di Wilayah RW. 13 Dusun Mojosari Desa Ngenep Kecamatan Karangploso, *Nursing News*, 1 (2): 35-44.

Herawati, C., Indragiri, S., dan Melati, P., 2020, Aktivitas Fisik Dan Stress Sebagai Faktor Risiko Terjadinya Hipertensi Pada Usia 45 Tahun Keatas, *Jurnal Kesehatan Masyarakat STIKES Cendekia Utama Kudus*, 7(2): 66-80.

Hu G, Jousilahti P, Antikainen R et al. (2017) Occupational, commuting, and leisure-time physical activity in relation to cardiovascular mortality among finnish subjects with hypertension. *Am J Hypertens*; 20: 1242–50.

Iswahyuni, S., 2017, Hubungan Antara Aktifitas Fisik Dan Hipertensi Pada Lansia, *Profesi*, 14(2): 1-4.

Jiang, S., Lu, W., Zong, X., Ruan, H., and Liu, Y., 2015, Obesity And Hypertension (Review), *Experimental And Therapeutic Medicine*, 12: 2395-2399.

Karim, N.A., Onibala, N., dan Kallo, V., 2018, Hubungan Aktifitas Fisik Dengan Derajat Hipertensi Pada Pasien Rawat Jalan Di Wilayah Kerja Puskesmas Tagulandang Kabupaten Sitiro, *e-Journal Keperawatan*, 6(1): 1-6.

Kohl HW, Craig CL, Lambert EV, Inoue S, Alkandari JR, Leetongin G, et al. (2012) The pandemic of physical inactivity: global action for public health. *The Lancet*. 380: 294–305

Li W, Gu H, Teo KK, et al. (2016). Hypertension prevalence, awareness, treatment, and control in 115 rural and urban communities involving 47,000 people from China. *J Hypertens*. 34(1):39-46

- association between social support and physical activity in older adults: a systematic review. *International Journal of Behavioral Nutrition and Physical Activity*. 14: 56
- Lloyd-Sherlock P, Beard J, Minicuci N, et al. (2014). Hypertension among older adults in low-and middle-income countries: prevalence, awareness and control. *Int J Epidemiol.*:116-128.
- Magalhães DM, Nunes-Silva A, Rocha GC, Vaz LN, de Faria MHS, Vieira ELM, et al. (2020). Two protocols of aerobic exercise modulate the counter-regulatory axis of the renin-angiotensin system. *Heliyon*. 6: e0320
- Marleni, L., Syafei, A., Sari, M.T.P., 2020, Aktivitas Fisik Dengan Tingkat Hipertensi Di Puskesmas Kota Palembang, *Jurnal Kesehatan Poltekkes Palembang*, 15(1): 66-72.
- Maskanah, S., Suratun, Sukron, dan Tiranda, Y., 2019, Hubungan Aktifitas Fisik Dengan Tekanan Darah Pada Penderita Hipertensi Di Rumah Sakit Muhammadiyah Palembang, *Jurnal Keperawatan Muhammadiyah*, 4(2): 97-102.
- Maulidina, F., Harmani, N., dan Suraya, I., 2019, Faktor-Faktor Yang Berhubungan Dengan Kejadian Hipertensi Di Wilayah Kerja Puskesmas Jati Luhur Bekasi Tahun 2018, *Arkesmas*, 4(1): 149-155.
- Mills KT, Bundy JD, Kelly TN, et al. (2016). Global disparities of hypertension prevalence and control: a systematic analysis of population-based studies from 90 countries. *Circulation*. 134(6):441-4
- Nosarev AV, Smagliy LV, Anfinogenova Y, Popov SV, Kapilevich LV. (2014) Exercise and NO production: relevance and implications in the cardiopulmonary system. *Frontiers in Cell and Developmental Biology*. 2: 73
- Pescatello LS, Wu Y, Gao S, Livingston J, Sheppard BB, Chen M. (2021). Do the combined blood pressure effects of exercise and antihypertensive medications add up to the sum of their parts? a systematic meta-review. *BMJ Open Sport & Exercise Medicine*. 7: e000895.

Hypertension: It is Time to Emphasize its Benefits on the Brain and Cognition. Clinical

Medicine Insights: Cardiology volume 13: 1-10

Setiawan, A., Pradipta, F.V., Luthfiyaturrohman, A.B., Hasnida, I.S.D., dan Kismiantini, 2021, Analisis Risiko Relatif Penderita Hipertensi Di Kota Yogyakarta Dengan Menggunakan Regresi Poisson, Prosiding Pendidikan Matematika dan Matematika, 4: 2-6.

Shariq, O.A., and McKenzie, T.J, 2020, Obesity-related Hypertension: A review Of Pathophysiology, Management, And The Role Of Metabolic Surgery, Gland Surgery, 9(1): 80-93.

Sinurat, L.R.E., Sipayung, N.P., dan Marbun, A.S., 2022, Faktor Risiko Kejadian Hipertensi Di Wilayah Kerja UPT Puskesmas Lalang Kecamatan Medang Deras Batubara, Jurnal Ilmu Keperawatan, 2(1): 14-22.

Song Y, Jia H, Hua Y, Wu C, Li S, Li K, et al. (2022).The Molecular Mechanism of Aerobic Exercise Improving Vascular Remodeling in Hypertension. *Frontiers in Physiology*. 13: 792

Tiara, U.I., 2020, Hubungan Obesitas Dengan Kejadian Hipertensi, Jurnal Stikes Siti Hajar, 2(2): 167-171.

Wang J, Zhang L, Wang F, et al. (2014).Prevalence, awareness, treatment, and control of hypertension in China: results from a national survey. *Am J Hypertens*. 27(11):1355-1361.

WHO. (2015). World health statistics 2015. World Health Organization.

Wirakhmi, I.N., dan Purnawan, I, 2021, Hubungan Kepatuhan Minum Obat Antihipertensi Dengan Tekanan Darah Pada Penderita Hipertensi, Jurnal Ilmu Keperawatan Dan Kebidanan, 12(2): 327-333.

Zhou D, Xi B, Zhao M, Wang L, Veeranki SP. (2018).Uncontrolled hypertension increases risk of all-cause and cardiovascular disease mortality in us adults: the NHANES III Linked Mortality Study. *Scientific Reports*. 8: 9418.