

## DAFTAR PUSTAKA

- [1] Q. Liu, S. Shen, Z. Huang, E. Chen, and Y. Zheng, "A survey of knowledge tracing," 5 2021. [Online]. Available: <http://arxiv.org/abs/2105.15106>
- [2] E. H. Am, "Peningkatan kinerja bayesian knowledge tracing (bkt) menggunakan seleksi fitur tesis," 2022.
- [3] K. Chrysafiadi and M. Virvou, "Student modeling approaches: A literature review for the last decade," *Expert Systems with Applications*, vol. 40, pp. 4715–4729, 9 2013.
- [4] R. Pelánek, "The details matter: methodological nuances in the evaluation of student models," *User Modeling and User-Adapted Interaction*, vol. 28, pp. 207–235, 8 2018.
- [5] L. Wu, "Student model construction of intelligent teaching system based on bayesian network," *Personal and Ubiquitous Computing*, vol. 24, pp. 419–428, 6 2020.
- [6] C. Piech, J. Spencer, J. Huang, S. Ganguli, M. Sahami, L. Guibas, and J. Sohl-Dickstein, "Deep knowledge tracing," 6 2015. [Online]. Available: <http://arxiv.org/abs/1506.05908>
- [7] E. H. Am, I. Hidayah, and S. Kusumawardani, "A literature review of knowledge tracing for student modeling: Research trends, models, datasets, and challenges," pp. 183–194, 2021. [Online]. Available: [www.jitecs.ub.ac.id](http://www.jitecs.ub.ac.id)
- [8] J. R. Anderson, *The Architecture of Cognition*. Psychology Press, 1983.
- [9] A. T. Corbett and J. R. Anderson, "Knowledge tracing: Modeling the acquisition of procedural knowledge," pp. 253–278, 1995.
- [10] G. Abdelrahman, Q. Wang, and B. Nunes, "Knowledge tracing: A survey," *ACM Computing Surveys*, vol. 55, pp. 1–37, 11 2023.
- [11] R. Elshaw, M. Maher, and S. Sakr, "Automated machine learning: State-of-the-art and open challenges," 6 2019. [Online]. Available: <http://arxiv.org/abs/1906.02287>
- [12] T. Yu and H. Zhu, "Hyper-parameter optimization: A review of algorithms and applications," 3 2020. [Online]. Available: <http://arxiv.org/abs/2003.05689>
- [13] R. Andonie, "Hyperparameter optimization in learning systems," *Journal of Membrane Computing*, vol. 1, pp. 279–291, 12 2019.
- [14] B. Bischl, M. Binder, M. Lang, T. Pielok, J. Richter, S. Coors, J. Thomas, T. Ullmann, M. Becker, A. L. Boulesteix, D. Deng, and M. Lindauer, "Hyperparameter optimization: Foundations, algorithms, best practices, and open challenges," *Wiley Interdisciplinary Reviews: Data Mining and Knowledge Discovery*, vol. 13, 3 2023.
- [15] E. Mousavinasab, N. Zarifshanaiey, S. R. N. Kalhori, M. Rakhshan, L. Keikha, and M. G. Saeedi, "Intelligent tutoring systems: a systematic review of characteristics, applications, and evaluation methods," *Interactive Learning Environments*, vol. 29, pp. 142–163, 2021.

- [16] R. S. Baker, "Stupid tutoring systems, intelligent humans," *International Journal of Artificial Intelligence in Education*, vol. 26, pp. 600–614, 6 2016.
- [17] H. S. Nwana, "Intelligent tutoring systems: an overview," pp. 251–277, 1990.
- [18] B. V. Aguirre, J. A. R. Uresti, and B. du Boulay, "An analysis of student model portability," *International Journal of Artificial Intelligence in Education*, vol. 26, pp. 932–974, 9 2016.
- [19] R. Pelánek and T. Effenberger, "Beyond binary correctness: Classification of students' answers in learning systems," *User Modeling and User-Adapted Interaction*, vol. 30, pp. 867–893, 11 2020.
- [20] A. Hernández-Blanco, B. Herrera-Flores, D. Tomás, and B. Navarro-Colorado, "A systematic review of deep learning approaches to educational data mining," *Complexity*, vol. 2019, 2019.
- [21] S. Sarsa, J. Leinonen, and A. Hellas, "Empirical evaluation of deep learning models for knowledge tracing: Of hyperparameters and metrics on performance and replicability," 12 2021. [Online]. Available: <http://arxiv.org/abs/2112.15072>
- [22] Y. Lu, D. Wang, P. Chen, Q. Meng, and S. Yu, "Interpreting deep learning models for knowledge tracing," *International Journal of Artificial Intelligence in Education*, 2022.
- [23] S. Sharma, S. Sharma, and A. Athaiya, "activation functions in neural networks," pp. 310–316, 2020. [Online]. Available: <http://www.ijeast.com>
- [24] L. C. Casagrande, "Machine learning engineer nanodegree capstone project," 2018.
- [25] J. Bergstra, B. Kégl, Y. Bengio, R. Bardenet, and Y. Bengio, "Algorithms for hyper-parameter optimization speechbrain view project oracle performance for visual captioning view project algorithms for hyper-parameter optimization," 12 2011. [Online]. Available: <https://www.researchgate.net/publication/216816964>
- [26] T. O'Malley, E. Bursztein, J. Long, F. Chollet, H. Jin, L. Invernizzi *et al.*, "Kerastuner," <https://github.com/keras-team/keras-tuner>, 2019.
- [27] J. Zhang, X. Shi, I. King, and D. Y. Yeung, "Dynamic key-value memory networks for knowledge tracing," *International World Wide Web Conferences Steering Committee*, 2017, pp. 765–774.
- [28] Y. Su, Q. Liu, Q. Liu, Z. Huang, Y. Yin, E. Chen, C. Ding, S. Wei, and G. Hu, "Exercise-enhanced sequential modeling for student performance prediction," in *Proceedings of the AAAI Conference on Artificial Intelligence*, vol. 32, no. 1, 2018.
- [29] Q. Liu, Z. Huang, Y. Yin, E. Chen, H. Xiong, Y. Su, and G. Hu, "Ekt: Exercise-aware knowledge tracing for student performance prediction," 6 2019. [Online]. Available: <http://arxiv.org/abs/1906.05658>
- [30] S. Pandey and G. Karypis, "A self-attentive model for knowledge tracing," 7 2019. [Online]. Available: <http://arxiv.org/abs/1907.06837>

- [31] A. Ghosh, N. Heffernan, and A. S. Lan, "Context-aware attentive knowledge tracing." Association for Computing Machinery, 8 2020, pp. 2330–2339.
- [32] H. Nakagawa, Y. Iwasawa, and Y. Matsuo, "Graph-based knowledge tracing: Modeling student proficiency using graph neural net-work," 2019.
- [33] A. Biedenkapp and F. Hutter, "Automl | bohbm: Robust and efficient hyperparameter optimization at scale," 7 2018. [Online]. Available: [https://www.automl.org/blog\\_bohbm/](https://www.automl.org/blog_bohbm/)
- [34] E. Prihar, A. Botelho, R. Jakhmola, and N. Heffernan, "Assistments 2019-2020 school year dataset," 2022. [Online]. Available: <https://osf.io/q7zc5/>