

## DAFTAR PUSTAKA

- Anindyajati G, Wiguna T, Murtani BJ, Christian H, Wigantara NA, Putra AA, Hanafi E, Minayati K, Ismail RI, Kaligis F, Savitri AI, Uiterwaal CSPM and Diatri H (2021) Anxiety and Its Associated Factors During the Initial Phase of the COVID-19 Pandemic in Indonesia. *Front. Psychiatry* 12:634585. doi: 10.3389/fpsy.2021.634585
- Aro, P., Talley, N.J., Ronkainen, J., Storskrubb, T., Vieth, M., Johansson, S.E., Bolling–Sternevald, E. & Agréus, L. (2009). Anxiety is associated with uninvestigated and functional dyspepsia (Rome III criteria) in a Swedish population-based study. *Gastroenterology*, 137(1), 94-100.
- Bandelow, B., & Michaelis, S. (2015). Epidemiology of anxiety disorders in the 21st century. *Dialogues in clinical neuroscience*, 17(3), 327–335. <https://doi.org/10.31887/DCNS.2015.17.3/bbandelow>
- Black, C. J., Houghton, L. A., & Ford, A. C. (2018). Insights into the evaluation and management of dyspepsia: recent developments and new guidelines. *Therapeutic Advances in Gastroenterology*, 11, 1756284818805597.
- Bransfield, R. C., & Friedman, K. J. (2019). Differentiating Psychosomatic, Somatopsychic, Multisystem Illnesses, and Medical Uncertainty. *Healthcare (Basel, Switzerland)*, 7(4), 114. <https://doi.org/10.3390/healthcare7040114>
- Centers for Disease Control and Prevention. (2020). Symptoms of Generalized Anxiety Disorder Among Adults: United States, 2019. Retrieved 28 Maret 2023. Available from: <https://www.cdc.gov/nchs/products/databriefs/db378.htm>
- Chand SP, Marwaha R. Anxiety. [Updated 2022 May 8]. In: StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing; 2022 Jan-. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK470361/>
- Donnelly, H. & Nolan, T. (2019). *Dyspepsia: When to refer for endoscopy. InnovAiT: Education and inspiration for general practice*, 12(3), 144–148. doi:10.1177/1755738018785984
- Esterita, T., Dewi, S., Suryatenggara, F. G., & Glenardi, G. (2021). Association of Functional Dyspepsia with Depression and Anxiety: A Systematic Review. *Journal of gastrointestinal and liver diseases : JGLD*, 30(2), 259–266. <https://doi.org/10.15403/jgld-3325>
- Francis, P., & Zavala, S. R. (2021). Functional Dyspepsia. In: StatPearls. StatPearls Publishing. <http://www.ncbi.nlm.nih.gov/books/NBK554563/>
- Flores-Rendón, Á.R. (2014). Managing functional dyspepsia. *Medicina universitaria*, 16(64), 146-148.

- Dy, E. V. Y., Dy, M. F. R., & Rosales, A. L. Gender Differences in Mental Health of International Graduate Students. *International Journal Of Multidisciplinary Research and Analysis*, 5(6), 1265-1275.
- Harmon, R. C., & Peura, D. A. (2010). Evaluation and management of dyspepsia. *Therapeutic advances in gastroenterology*, 3(2), 87–98. <https://doi.org/10.1177/1756283X09356590>
- Huang, Z. P., Yang, X. F., Lan, L. S., Liu, T., Liu, C. L., Li, J. L., & Liang, Z. H. (2014). Correlation between social factors and anxiety-depression in function dyspepsia: do relationships exist?. *Przegląd gastroenterologiczny*, 9(6), 348–353. <https://doi.org/10.5114/pg.2014.47897>
- Huang, Q., Zheng, S., Cai, T., Zhang, S., Su, Q., & Wang, F. (2022). Factors associated with mood disorders and the efficacy of the targeted treatment of functional dyspepsia: A randomized clinical trial. *Frontiers in medicine*, 9, 859661. <https://doi.org/10.3389/fmed.2022.859661>
- Johnson, S. U., Ulvenes, P. G., Øktedalen, T., & Hoffart, A. (2019). Psychometric Properties of the General Anxiety Disorder 7-Item (GAD-7) Scale in a Heterogeneous Psychiatric Sample. *Frontiers in psychology*, 10, 1713. <https://doi.org/10.3389/fpsyg.2019.01713>
- Koduru, P., Irani, M., & Quigley, E. (2018). Definition, Pathogenesis, and Management of That Cursed Dyspepsia. *Clinical gastroenterology and hepatology : the official clinical practice journal of the American Gastroenterological Association*, 16(4), 467–479. <https://doi.org/10.1016/j.cgh.2017.09.002>
- Larasari, A. (2015). *Uji validitas, uji reliabilitas, dan uji diagnostik instrumen Generalized Anxiety Disorder-7 (GAD-7) versi bahasa Indonesia pada pasien epilepsi dewasa= Validity, reliability, and diagnostic tests of generalized Anxiety Disorder-7 (GAD-7) instrument Indonesian version in adult epilepsy patients*. Universitas Indonesia Library; Fakultas Kedokteran Universitas Indonesia. <https://lib.ui.ac.id>
- Lee, Y. Y., & Chua, A. S. B. (2012). *Investigating Functional Dyspepsia in Asia*. *Journal of Neurogastroenterology and Motility*, 18(3), 239–245. doi:10.5056/jnm.2012.18.3.239
- Löwe, B., Decker, O., Müller, S., Brähler, E., Schellberg, D., Herzog, W., & Herzberg, P. Y. (2008). Validation and standardization of the Generalized Anxiety Disorder Screener (GAD-7) in the general population. *Medical care*, 46(3), 266–274. <https://doi.org/10.1097/MLR.0b013e318160d093>
- Madisch, A., Andresen, V., Enck, P., Labenz, J., Frieling, T., & Schemann, M. (2018). The Diagnosis and Treatment of Functional Dyspepsia. *Deutsches Arzteblatt international*, 115(13), 222–232. <https://doi.org/10.3238/arztebl.2018.0222>

- Mahadeva, S., & Goh, K.-L. (2006). Epidemiology of functional dyspepsia: A global perspective. *World Journal of Gastroenterology: WJG*, 12(17), 2661–2666. <https://doi.org/10.3748/wjg.v12.i17.2661>
- Maresa, T. (2019). *Hubungan Tingkat Stres dan Keteraturan Pola Makan dengan Terjadinya Dispepsia Pada Usia Produktif di Puskesmas Depok III Sleman Yogyakarta*. (Doctoral dissertation, Universitas Aisyiyah Yogyakarta).
- Mounsey, A., Barzin, A., & Rietz, A. (2020). Functional Dyspepsia: Evaluation and Management. *American family physician*, 101(2), 84–88.
- Nagasu, M., Muto, K., & Yamamoto, I. (2021). Impacts of anxiety and socioeconomic factors on mental health in the early phases of the COVID-19 pandemic in the general population in Japan: A web-based survey. *PLoS One*, 16(3), e0247705.
- Nisar, H., & Srivastava, R. (2018). Fundamental Concept of Psychosomatic Disorders: A Review. *Psychosomatic Disorders*, 3(1), 7.
- Oustamanolakis, P., & Tack, J. (2012). Dyspepsia: Organic Versus Functional. *Journal of Clinical Gastroenterology*, 46(3), 175–190. <https://doi.org/10.1097/MCG.0b013e318241b335>
- Purnamasari, L. (2017). Faktor Risiko, Klasifikasi dan Terapi Sindrom Dispepsia. *Cermin Dunia Kedokteran*, 44(12), 870-873.
- Rosen, J. M., Cocjin, J. T., Schurman, J. V., Colombo, J. M., & Friesen, C. A. (2014). Visceral hypersensitivity and electromechanical dysfunction as therapeutic targets in pediatric functional dyspepsia. *World journal of gastrointestinal pharmacology and therapeutics*, 5(3), 122–138. <https://doi.org/10.4292/wjgpt.v5.i3.122>
- Salsabila, A. (2021). Kecemasan dan Kejadian Dispepsia Fungsional. *Indonesian Journal of Nursing and Health Sciences*, 1(1), 105-112.
- Sapra, A., Bhandari, P., Sharma, S., Chanpura, T., & Lopp, L. (2020). Using Generalized Anxiety Disorder-2 (GAD-2) and GAD-7 in a Primary Care Setting. *Cureus*, 12(5), e8224. <https://doi.org/10.7759/cureus.8224>
- Shevlin, M., Butter, S., McBride, O. *et al.* Measurement invariance of the Patient Health Questionnaire (PHQ-9) and Generalized Anxiety Disorder scale (GAD-7) across four European countries during the COVID-19 pandemic. *BMC Psychiatry* **22**, 154 (2022). <https://doi.org/10.1186/s12888-022-03787-5>
- Siregar, G.A., Halim, S., & Sitepu, R.R. (2016). Dyspepsia and Depression, Anxiety, Stress Scales (DASS) Score. *The Indonesian Journal of Gastroenterology, Hepatology and Digestive Endoscopy*, 17, 28-31.
- Stanghellini, V., Chan, F. K., Hasler, W. L., Malagelada, J. R., Suzuki, H., Tack, J., & Talley, N. J. (2016). Gastroduodenal

- Disorders. *Gastroenterology*, 150(6), 1380–1392.  
<https://doi.org/10.1053/j.gastro.2016.02.011>
- Stanghellini, V. (2017). Functional Dyspepsia and Irritable Bowel Syndrome: Beyond Rome IV. *Digestive Diseases*, 35(S1), 14–17.  
<https://doi.org/10.1159/000485408>
- Suzuki, Hidekazu; Moayyedi, Paul (2013). *Helicobacter pylori infection in functional dyspepsia*. *Nature Reviews Gastroenterology & Hepatology*, 10(3), 168–174. doi:10.1038/nrgastro.2013.9
- Syam, A. F. (2005). Uninvestigated dyspepsia versus investigated dyspepsia. *Acta Med Indones*, 37(2), 113-5.
- Talley, N. J. & Ford, A. C. (2015). *Functional Dyspepsia*. *New England Journal of Medicine*, 373(19), 1853–1863. doi:10.1056/NEJMra1501505
- Talley, N. J., Goodsall, T., & Potter, M. (2017). Functional dyspepsia. *Australian prescriber*, 40(6), 209–213. <https://doi.org/10.18773/austprescr.2017.066>
- Talley, N. J., Locke, G. R., 3rd, Lahr, B. D., Zinsmeister, A. R., Tougas, G., Ligozio, G., Rojavin, M. A., & Tack, J. (2006). Functional dyspepsia, delayed gastric emptying, and impaired quality of life. *Gut*, 55(7), 933–939. <https://doi.org/10.1136/gut.2005.078634>
- Tshabalala, S. J., Tomita, A., & Ramlall, S. (2019). Depression, anxiety and stress symptoms in patients presenting with dyspepsia at a regional hospital in KwaZulu-Natal province. *South African Journal of Psychiatry*, 25(1), 1-7.
- Varma, P., Junge, M., Meaklim, H., & Jackson, M. L. (2021). *Younger people are more vulnerable to stress, anxiety and depression during COVID-19 pandemic: A global cross-sectional survey*. *Progress in Neuro-Psychopharmacology and Biological Psychiatry*, 109, 110236. doi:10.1016/j.pnpbp.2020.110236
- Wang, Q. Q., Cheng, L., Wu, B. Y., Xu, P., Qiu, H. Y., Wang, B., Yan, X. J., & Chen, S. L. (2022). Short-course antidepressant therapy reduces discontinuation syndrome while maintaining treatment efficacy in patients with refractory functional dyspepsia: A randomized controlled trial. *Frontiers in psychiatry*, 13, 1063722. <https://doi.org/10.3389/fpsy.2022.1063722>
- Wibawani, E. A., Faturahman, Y., & Purwanto, A. (2021). Faktor-Faktor yang Berhubungan dengan Kejadian Dispepsia pada Pasien Rawat Jalan Poliklinik Penyakit Dalam Di RSUD Koja. *Jurnal Kesehatan Indonesia*, 17(1), 257-266
- World Health Organization. (2017). Depression and Other Common Mental Disorders: Global Health Estimates.
- Yamawaki, H., Futagami, S., Wakabayashi, M., Sakasegawa, N., Agawa, S., Higuchi, K., Kodaka, Y., & Iwakiri, K. (2018). Management of functional

dyspepsia: state of the art and emerging therapies. *Therapeutic advances in chronic disease*, 9(1), 23–32. <https://doi.org/10.1177/2040622317725479>

Yan, X. J., Luo, Q. Q., Qiu, H. Y., Ji, C. F., & Chen, S. L. (2021). The impact of stigma on medication adherence in patients with functional dyspepsia. *Neurogastroenterology and motility : the official journal of the European Gastrointestinal Motility Society*, 33(2), e13956.

Yan, X. J., Qiu, H. Y., Luo, Q. Q., Wang, B., Xu, P., Ji, C. F., & Chen, S. L. (2022). Improving clinician-patient communication alleviates stigma in patients with functional dyspepsia receiving antidepressant treatment. *Journal of Neurogastroenterology and Motility*, 28(1), 95

Yap, C. K., Wong, M. Y., & Lim, K. K. (2019). Illness Perception of Anxiety Patients in Primary Care in Singapore. *Indian journal of psychological medicine*, 41(1), 75–80. [https://doi.org/10.4103/IJPSYM.IJPSYM\\_101\\_18](https://doi.org/10.4103/IJPSYM.IJPSYM_101_18)

Zhang, M., Hong, L., Zhang, T., Lin, Y., Zheng, S., Zhou, X., Fan, R., Wang, Z., Zhang, C., & Zhong, J. (2016). Illness perceptions and stress: mediators between disease severity and psychological well-being and quality of life among patients with Crohn's disease. *Patient preference and adherence*, 10, 2387–2396. <https://doi.org/10.2147/PPA.S118413>