

## DAFTAR PUSTAKA

- Agustiani, Tri Rahma. (2015). Pemanfaatan Serat Pelepah Laos (*Alpinia Galanga*) dan Matriks Recycled Polypropylene (Rpp) sebagai Bahan Baku Pembuatan Komposit (Papan Serat) dengan Variasi Massa.
- Ahankari, S. S., Lasrado, D., & Ramesh, S. (2022). Advances in materials and fabrication of separators in supercapacitors. *Materials Advances*.
- Allied Market Research. Supercapacitor Market by Product Type (Double-Layer Capacitor, Pseudocapacitors, and Hybrid Capacitors), Module Type (Less Than 10 Volts Modules, 10 Volts to 25 Volts Modules, 25 Volts to 50 Volts Modules, 50 Volts to 100 Volts Modules, and Above 100 Volts Modules), Material (Activated Carbon, Carbide Derived Carbon, Carbon Aerogel, and Others), and Application (Automotive, Industrial, Energy, Consumer Electronics, and Aerospace & Defense): Global Opportunity Analysis and Industry Forecast, 2020-2027. Diakses pada 7 November 2022.
- Amir, S. M. M., Sultan, M. T. H., Jawaid, M., Ariffin, A. H., Mohd, S., Salleh, K. A. M., ... & Shah, A. U. M. (2019). Nondestructive testing method for Kevlar and natural fiber and their hybrid composites. In *Durability and life prediction in biocomposites, fibre-reinforced composites and hybrid composites* (pp. 367-388). Woodhead Publishing.
- Aries, R. S. and Newton, R. D. (1954) Chemical Engineering Cost Estimation. New York: McGraw-Hill Book Company Inc
- Arif, A. M. (2020) IRR Rendah, Gasifikasi Tanjung Enim Mundur ke 2023  
<https://ekonomi.bisnis.com/read/20200114/257/1189897/irr-rendah-gasifikasi-tanjung-enim-mundur-ke-2023>
- Ariyanto, T., Prasetyo, I., & Rochmadi, R. (2012). Pengaruh Struktur Pori Terhadap Kapasitansi Elektroda Supercapacitor yang Dibuat Dari Karbon Nanopori. *Reaktor*, 14(1), 25-32.
- Balasubramaniam, M., Balakumar, S. (2020) 'A review on multifunctional attributes of zinc antimonate nanostructures towards energy and environmental applications', *Chemical Papers*, 74(1), hal. 55–75. doi: 10.1007/s11696-019-00964-x.
- Billah, S. M. R. (2019). Composites and Nanocomposites.
- Bohorquez, M., Koch, C., Trygstad, T., & Pandit, N. (1999). A study of the temperature-dependent micellization of pluronic F127. *Journal of colloid and interface science*, 216(1), 34-40.

- Bojanovský, J., Máša, V., Hudák, I., Skryja, P., Hopjan, J. (2022) ‘Rotary Kiln, a Unit on the Border of the Process and Energy Industry—Current State and Perspectives’, *Sustainability*, 14(21), p. 13903. doi: 10.3390/su142113903.
- Brown, G.G. dan Foust, A.S. (1950) *Unit Operations*. New York.
- Brownell. L.E.. dan Young. E.H. (1959) *Process Equipment Design*. 2nd Ed.. John Willey and Sons. Inc.. New York.
- Chemeo. *High Quality Chemical Properties*. (Online) *Chemeo.com*.
- Chemicals & Laboratory Equipment. Material Safety Data Sheet (sciencelab.com)
- Dickey, D. S. (2000). Mixing and blending. *Kirk-Othmer Encyclopedia of Chemical Technology*, 1-71.
- Eaton (2021) ‘The major differences between supercapacitors and batteries’, *Eaton*.
- Erä, V. A., Mattila, A., & Lindberg, J. J. (1977). Determination of specific heat of phenol formaldehyde resol resins by differential scanning calorimetry. *Die Angewandte Makromolekulare Chemie: Applied Macromolecular Chemistry and Physics*, 64(1), 235-238.
- Fatimah, P., Jumalia, R., Novianti, E. R., & Zainul, R. (2018). A REVIEW Teknik Blended: Prinsip dan Dasar-Dasar.
- Fu, Y., & Elsenbaumer, R. L. (1994). Thermochemistry and kinetics of chemical polymerization of aniline determined by solution calorimetry. *Chemistry of materials*, 6(5), 671-677.
- Green, D. W., & Southard, M. Z. (2019). Perry's chemical engineers' handbook.
- Grothe, J., Kaskel, S., Leuteritz, A. (2012) ‘Nanocomposites and Hybrid Materials’, *Polymer Science: A Comprehensive Reference*, 8, hal. 177–209. Tersedia di: <https://doi.org/10.1016/B978-0-444-53349-4.00206-5>.
- Haynes, W. M., Lide, D. R., & Bruno, T. J. (2016). *CRC handbook of chemistry and physics*. CRC press.
- Heidarinejad, Z., Dehghani, M., H., Heidari, M., Gholamali, J., Ali, I., Sillanpää, M. (2020) ‘Methods for preparation and activation of activated carbon: a review’, *Environmental Chemistry Letters*, 18(2), hal. 393–415. doi: 10.1007/s10311-019-00955-0.
- Holman, J. P. (2010). Heat transfer.
- Honewell Fulka. Carbon Safet Data Sheet
- Hemrajani, R. R. (2000). Mixing and Blending. *Kirk-Othmer Encyclopedia of Chemical Technology*.

- Joshi P. S., Sutrave D. S. (2019) ‘Supercapacitor: Basics and Overview’, (Desember). Tersedia di: [www.joics.org](http://www.joics.org).
- Katadata (2021) *Masa Depan Mobil Listrik Indonesia*. Tersedia di: <https://katadata.co.id/jeany/analisisdata/619b5c2f1f4ec/masa-depan-mobil-listrik-indonesia>. Diakses 7 November 2022
- Kementerian Investasi/BPKM. *Menjelajah Masa Depan dengan Mobil Listrik*. Diakses 7 November 2022.
- Kern, D.Q. (1983) *Process Heat Transfer*. International Student Edition. Mc. Graw Hill Book Co.Inc. New York.
- Kholiq, I. (2015). Pemanfaatan Energi Alternatif sebagai Energi Terbarukan untuk Mendukung Substitusi BBM. *Current Opinion in Environmental Sustainability*, 4(1), i. [https://doi.org/10.1016/s1877-3435\(12\)00021-8](https://doi.org/10.1016/s1877-3435(12)00021-8)
- Kim, D. K., Susumu, Y., Zain, B. A., Yu-Tack, K., Kee-Yung, N. (2018) *Handbook on Battery Energy Storage System, Asian Development Bank*. Tersedia di: <https://www.adb.org/publications/battery-energy-storage-system-handbook>.
- Kouchachvili, L., Yaïci, W. and Entchev, E. (2018) ‘Hybrid battery/supercapacitor energy storage system for the electric vehicles’, *Journal of Power Sources*, 374(November 2017), hal. 237–248. doi: 10.1016/j.jpowsour.2017.11.040.
- Kumar, A., & Krishnan, R. Y. (2020). A Review on the Technology of Size Reduction Equipment. *International Journal of ChemTech Research*, 13(1), 48-54.
- Levenspiel, O. (1999) *Chemical reaction engineering, Industrial and Engineering Chemistry Research*. doi: 10.1021/ie990488g.
- Matches. (2014) <http://www.matche.com/equipcost/EquipmentIndex.html>.
- Maria, R., Lestiana, H., Sukristiyanti, Karningsih, N., Sutarman. (2007). Observasi Kualitas Air pada Waduk Jatiluhur’, hal. 119–123.
- Mhhe (2002) <http://www.mhhe.com/engcs/chemical/peters/data/ce.html>
- Misha, S., Mat, S., Ruslan, M. H., Sopian, K., & Salleh, E. (2013). Review on the application of a tray dryer system for agricultural products. *World applied sciences journal*, 22(3), 424-433.
- Molekula Group. Pluronic F-127 Safety Data Sheet ([molekula.com](http://molekula.com))
- Morin, M., Pécate, S., Hémati, M., Kara, Y. (2016) ‘Pyrolysis of biomass in a batch

- fluidized bed reactor: Effect of the pyrolysis conditions and the nature of the biomass on the physicochemical properties and the reactivity of char', *Journal of Physical and Chemistry of Solids*, 72 (01), hal. 17–23. doi: 10.1016/j.jaap.2016.10.002
- Motaung, T. E., Mochanem, M. J., Linganiso, Z. L., Mashigo, A. P. (2017) 'In-situ Polymerization of Nylon-Cellulose Nano composite', *Polymer science*, 03(01), hal. 1–8. doi: 10.4172/2471-9935.100017.
- Muslimin, S., Nawawi, Z., Suprpto, B. Y., Dewi, T. (2022) 'Comparison of Batteries Used in Electrical Vehicles', *Proceedings of the 5th FIRST T1 T2 2021 International Conference (FIRST-T1-T2 2021)*, 9, pp. 421–425. doi: 10.2991/ahe.k.220205.074.
- National Center for Biotechnology Information. (<https://pubchem.ncbi.nlm.nih.gov/>)
- NIST Chemistry Webbook. *NIST SRD Number 69*. DOI: <https://doi.org/10.18434/T4D303>
- Nguyen, T. P., Yang, S. H. (2018) 'Hybrid materials based on polymer nanocomposites for environmental applications', in *Polymer-based Nanocomposites for Energy and Environmental Applications*, hal. 507–551.
- Nurdiati, D., Astuti (2015) 'Sintesis Komposit PANi / Karbon dari Tempurung Kemiri ( Aleurites moluccana ) Sebagai Elektroda Kapasitor', *Jurnal Fisika Unand*, 4(1), hal. 51–57.
- Perrin, F. X., & Oueiny, C. (2018). Polyaniline-Based Thermoplastic Blends. In *Polyaniline Blends, Composites, and Nanocomposites* (hal. 117-147). Elsevier.
- Peter, M.S. dan Timmerhaus, K.D. (2003) 'Plant Design and Economics for Chemical Engineers', 4th ed., McGraw-Hill Book Company, New York (Chapter 6 dan 7)
- Prasetyo, I., Rochmadi, Ariyanto, T., Yunanto, R. (2013) 'Simple method to produce nanoporous carbon for various applications by pyrolysis of specially synthesized phenolic resin', *Indonesian Journal of Chemistry*, 13(2), hal. 95–100. doi: 10.22146/ijc.21290.
- Precedence Research, 2022. *Supercapacitors Market (By Product Type: Double-Layer Capacitor, Pseudocapacitors, Hybrid Capacitors; By Module Type; By Material Type: Activated Carbon, Carbide Derived Carbon, Carbon Aerogel, Others; By Application Type: Automotive, Industrial, Energy, Consumer Electronics, Aerospace and Defense) – Global Industry Analysis, Market Size, Share, Growth, Trends, Regional Outlook and Segment Forecasts 2022-2030*. Precedence Research. Dilihat pada 7 November 2022.

- Rajagopal, S., Vallikkattil, R. P., Ibrahim, M. M., Velev, D. G. (2022) ‘Electrode Materials for Supercapacitors in Hybrid Electric Vehicles: Challenges and Current Progress’, *Condensed Matter*, 7(1). doi: 10.3390/condmat7010006.
- Sapurina, I., Stejskal, J. (2008) ‘Review The mechanism of the oxidative polymerization of aniline and the formation of supramolecular polyaniline structures’, *Polym Int*, 57, hal. 1295–1325. doi: 10.1002/pi.
- Sari, F. P., Yanto, D. H. Y., Pari, G. (2019) ‘Activated Carbon Derived From OPEFB by One Step Steam Activation and Its Application for Dye Adsorption : Kinetics and Isothermal Studies’, *Reaktor*, 19(2), hal. 68–76. doi: 10.14710/reaktor.19.2.68-76.
- Sari, G. L., Hadining, A. F., dan Sudarjat, H. (2020). Analisis Karakteristik Fisik-Kimiawi Air Daerah Aliran Sungai Citarum di Waduk Jatiluhur. *Jurnal Teknik Lingkungan*, 6(1):1-9
- Setiawan, A. I., Cahyaningrum, P.R., dan Suwarno, D. (2016). Analisis Kualitas Air Baku Waduk terhadap Biaya Produksi Air Bersih Waste Water Treatment Plant (WTP) (Studi Kasus: Waduk Jatiluhur)
- Sharma, P., Pandey, P., Gupta, R., Roshan, S., Garg, A., Shulka, A., Pasi, A. (2013) ‘PHARMACEUTICAL’, (Agustus 2016).
- Sigma Aldrich. Polyaniline (Emeraldine Salt) Safety Data Sheet ([sigmaaldrich.com](http://sigmaaldrich.com))
- Sinnott, R. (2005). *Chemical engineering design* (Vol. 6). Elsevier.
- Sinnott, R. dan Towler, G. (2019) *Chemical Engineering Design, Chemical Engineering Design: SI Edition*. doi: 10.1016/B978-0-08-102599-4.09980-X.
- Šebenik, A., Osredkar, U., & Vizovišek, I. (1981). Study of the reaction between resorcinol and formaldehyde. *Polymer*, 22(6), 804-806.
- Singh, K. P. (2021) ‘Energy Storage Systems for Electric Vehicles’, *IEEE Industrial Electronics Magazine*, 15(4), pp. 93–94. doi: 10.1109/mie.2021.3117008.
- Siswanto, D. (2022). *Ketergantungan Energi Fosil, Indonesia Rentan Krisis Energi*. Kontan.co.id. Diakses 7 November 2022.
- Sudjoko, C., Sasongko, N.A., Utami, I., Maghfuri, A. (2021) ‘Utilization of electric vehicles as an energy alternative to reduce carbon emissions’, *IOP Conference Series: Earth and Environmental Science*, 926(1). doi: 10.1088/1755-1315/926/1/012094.
- Teo, S. H., Gan, H. L., Alias, A., Gan, L. M. (2018) ‘Internally Heated Screw Pyrolysis Reactor (IHSPR) heat transfer performance study’, *IOP Conference Series: Materials*

*Science and Engineering*, 342(1). doi: 10.1088/1757-899X/342/1/012096.

- Tim Sekretaris Jenderal Dewan Energi Nasional. (2019). Indonesia Energy Out Look 2019. *Journal of Chemical Information and Modeling*, 53(9), 1689–1699.
- Undang-Undang Republik Indonesia Nomor 36 Tahun 2008 Tentang Perubahan Atas Undang-Undang Nomor 7 Tahun 1983 Tentang Pajak Penghasilan
- Utami, S. S. (2020). Menilik Kebutuhan vs Cadangan Energi Nasional. <https://www.medcom.id/ekonomi/bisnis/JKRGwrQN-menilik-kebutuhan-vs-cadangan-energi-nasional>
- Van Xo, N., & Linh, N. K. (2020, May). Applications of Discrete Element Method (DEM) in modeling the impact of dynamic and technological parameters on the material movement on the vibrating screen surface. In *IOP Conference Series: Materials Science and Engineering* (Vol. 843, No. 1, p. 012024). IOP Publishing
- Wagenaar, B. M., Prins, W. and van Swaaij, W. P. M. (1994) ‘Pyrolysis of biomass in the rotating cone reactor: modelling and experimental justification’, *Chemical Engineering Science*, 49(24), pp. 5109–5126. doi: 10.1016/0009-2509(94)00392-0.
- Walas, S. M., Couper, J. R., Penney, W. R., & Fair, J. R. (2005). Chemical process equipment: selection and design. Gulf professional publishing.
- Waghuley, S. A. (2018) *Applications of Polyaniline-Based Blends, Composites, and Nanocomposites, Polyaniline Blends, Composites, and Nanocomposites*. Elsevier Inc. doi: 10.1016/b978-0-12-809551-5.00010-2.
- Wang, H., Lin, J. and Shen, Z. X. (2016) ‘Polyaniline (PANI) based electrode materials for energy storage and conversion’, *Journal of Science: Advanced Materials and Devices*, 1(3), hal. 225–255. doi: 10.1016/j.jsamd.2016.08.001.
- Willey, R.J. (2014). Layer of Protection Analysis. International Symposium of Safety Science and Technology.
- Yaici, W., Kouchachvili, L., Longo, M., Entchev, E. (2020) ‘Performance Analysis of Battery/Supercapacitor Hybrid Energy Source for the City Electric Buses and Electric Cars’, *Proceedings - 2020 IEEE International Conference on Environment and Electrical Engineering and 2020 IEEE Industrial and Commercial Power Systems Europe, IEEEIC / I and CPS Europe 2020*. doi: 10.1109/IEEEIC/ICPSEurope49358.2020.9160567
- Yaws, C. L. (1999). Chemical properties handbook. McGraw-Hill Education.