

## DAFTAR PUSTAKA

- Abdulle, Y. A., T. Nazir, S. Sayed, S. F. Mahmoud, M. Z. Majeed, H. M. U. Aslam, Z. Iqbal, M. S. Nisar, A. U. Keerio, H. Ali, D. Qi. 2021. Sub-Lethal Effects of *Lecanicillium lecanii* (Zimmermann)-derived partially purified protein and its potential implication in cotton (*Gossypium hirsutum* L.) defense against *Bemisia tabaci* Gennadius (Aleyrodidae: Hemiptera). Agriculture. 11(8):778.
- Alavo, T. B. C., H. Sermann & H. Bochow. 2004. Virulence of strains of the entomopathogenic fungus *Verticillium lecanii* to Aphids: Strain improvement. J. Arch. Phytopathol. Plant Protec. 34(6):379-398.
- Ali, M. Y., T. Naseem, M. Arshad, I. Ashraf, M. Rizwan, M. Tahir, M. Rizwan, S. Sayed, M. I. Ullah, R. R. Khan, M. B. Amir, M. Pan & T. Liu. 2021. Host-plant variations affect the biotic potential, survival, and population projection of *Myzus persicae* (Hemiptera: Aphididae). MDPI. 12(375): 1-13.
- Ali, A. & P. Q. Rizvi. 2010. Age and stage specific life table of *Coccinella septemmaculata* (Coleoptera: Coccinellidae) at varying temperature. World Journal of Agricultural Science 6(3): 268–273.
- Amanda, V. F., Yaherwandi, S. Efendi. 2020. Kelimpahan populasi *Helopeltis* sp. dan tingkat kerusakan buah kakao di kecamatan sitiung kabupaten dharmastraya. Agrika: Jurnal Ilmu-Ilmu Pertanian. 14(1): 33-46.
- Anggarawati, S. H., T. Santoso & R. Anwar. 2017. Penggunaan jamur entomopatogen *Beauveria bassiana* (balsamo) vuillemin dan *Lecanicillium lecanii* (zimm) zare & gams untuk mengendalikan *Helopeltis antonii* sign (hemiptera: miridae). Jurnal Silvikultur Tropika. 8: 197-202.
- Anggarawati, S. H. 2014. Upaya pengendalian hayati *Helopeltis* sp., hama penting tanaman *Acacia crassiparva* dengan jamur *Beauveria bassiana* dan *Lecanicillium lecanii*. Tesis. Sekolah Pascasarjana, Institut Pertanian Bogor, Bogor.
- Arif, M. J, M. D. Gogi, M. Sufyan, A. Nawaz & R. M. Sarfraz. 2017. Principles of insect pests management. Sustainable Insect Pest Management. 17–47.
- Ayala-Zermeño, M. A., A. Gallou, A. M. Berlanga-Padilla, G. Y. Andrade-Michel, J. C. Rodríguez-Rodríguez, H. C. Arredondo-Bernal & R. Montesinos-Matías. 2017. Viability, purity, and genetic stability of entomopathogenic fungi species using different preservation methods. Fungal Biology. 121(11): 920–928.
- BPS. 2017. Statistik Teh Indonesia. Badan Pusat Statistik, Jakarta.
- BSN. 2014. Agens Pengendali Hayati (APH) – Bagian 1: *Beauveria bassiana* Badan Standardisasi Nasional, Jakarta.
- Birch, L. C. 1948. The intrinsic rate of natural increase of an insect population. The Journal of Animal Ecology. 17(1): 15–26.

- Buurma, J. S. 2008. Stakeholder involvement in crop protection policy planning in the Netherlands. The Hague, The Netherland: ENDURE – RA3.5/SA4.5 Working Paper. LEI Wageningen UR.
- Cortez-Madrigal, H., R. Alatorre-Rosas, G. Mora-Aguilera, H. Bravo-Mojica, C. F. Ortiz-García & L. A. Aceves-Navarro. 2003. Characterization of multisporic and monosporic isolates of *Lecanicillium* (= *Verticillium*) *lecanii* for the management of *Toxoptera aurantii* in cocoa. *BioControl*. 3: 321–334.
- Das, G. M. 1965. Pest of tea in North-East India and their control (Memorandum No. 27). Jorhat Tocklai Experimental Station, Tea Research Association. 169-173.
- Effendi, D. S., M. SYakir, M. Yusron & Wiratno. 2010. Budidaya dan pascapanen teh. Pusat Penelitian dan Pengembangan Perkebunan, Badan Penelitian dan Pengembangan Pertanian Kementerian Pertanian, Bogor.
- Eilenberg, J., A. E. Hajek & Lomer, C. 2001. Suggestions for unifying the terminology in biological control. *BioControl*. 46: 387-400.
- FAO. 2015. World tea production and trade current and future development. Food and Agriculture Organization of the United Nations, Roma.
- Gabriel, B. P & Riyatno. 1989. *Metarhizium anisopliae* (Metch) Sor: taksonomi, patologi, produksi dan aplikasinya. Jakarta: Direktorat Perlindungan Tanaman Perkebunan, Departemen Pertanian.
- Gillot, C. 2005. Entomology. Canada: Springer Dordrecht.
- Gindin, G., N. U. Gesehtovt, B. Raccah & I. Barash. 2000. Pathogenicity of *Verticillium* to different developmental stages of the silverleaf whitefly *Bemisia argentifolii*. *Phytopar*. 28(3): 231-242.
- Goettel, M. S., M. Koike, J. J. Kim, D. Aiuchi, R. Shinya & J. Brodeur. 2008. Potential of *Lecanicillium* spp. for management of insects, nematodes and plant diseases. *Journal of Invertebrate Pathology*. 3: 256–261.
- Ghaffari, S., Karimi, J., Kamali, S. & Mehddikhani, E. 2017. Biocontrol of *Planococcus citri* (Hemiptera: Pseudococcidae) by *Lecanicillium longisporum* and *Lecanicillium lecanii* under laboratory and greenhouse conditions. *Journal of Asia-Pacific Entomology*. 20(2): 605–612.
- Hasan, S., Ahmad, A., Purwar, A., Khan, N., Kundan, R., & Gupta, G. 2013. Production of extracellular enzymes in the entomopathogenic fungus *Verticillium lecanii*. *Bioinformation*. 9: 238-242.
- Hidayat, P., Harleni, Maharani, Y. & Triwidodo, H. 2019. Biologi dan statistik demografi kutudaun *Rhopalosiphum rufiabdominale* (Sasaki) dan *Tetraneura nigriabdominalis* (Sasaki) (Hemiptera: Aphididae) di akar padi. *Jurnal entomologi Indonesia*. 16(3): 180-186.
- Hidayat, P., Harleni, Maharani, Y. & Triwidodo, H. 2020. Biologi dan Statistik Demografi Kutudaun *Rhopalosiphum rufiabdominale* (Sasaki) dan *Tetraneura nigriabdominalis* (Sasaki) (Hemiptera: Aphididae) di Akar Padi.

- Jurnal Entomologi Indonesia 16(3), 180–186. Humber, R. A. 1997. Fungi: Identification. Di dalam: Lacey L, editor. Manual of Techniques in Insect Pathology. California (US): Academic Press. 153- 185.
- Humber, R. A. 1997. Fungi: Identification. Di dalam: Manual of techniques in insect pathology. Academic Press. 153-185.
- Indriati, G & Soesanthy, F. 2014. Hama *Helopeltis* spp. dan teknik pengendaliannya pada pertanaman teh (*Camellia sinensis*). SIRINOV. 3: 189-198.
- Indriati, G., Samsudin & Maria, W. Potensi *Lecanicillium lecanii* untuk pengendalian *Helopeltis antonii* pada tanaman teh. J. TIDP. 2(2), 99-106
- Kurniawan, H. A. 2017. Siklus hidup dan statistik demografi kutukebul *Bemisia tabaci* (Gennadius) (Hemiptera: Aleyrodidae) biotipe B dan non-B pada tanaman cabai (*Capsicum annuum* L.). Jurnal Entomologi Indonesia. (14): 143–151.
- Lacey, L. A., S. P. Wraight & A. A. Kirk. 2008. Entomopathogenic fungi for control of *Bemisia tabaci* biotype B. Foreign Exploration Research and Implementation Biol Contr. 4: 33-69.
- Lestari, S., T. B. Ambarningrum & T. Pratiknyo. 2013. Tabel hidup *Spodoptera litura* Fabr. dengan Pemberian pakan buatan yang berbeda. Jurnal Veteriner Sains. 31(2): 166-179.
- Loureiro, E.S. & A. M. Moino A Jr. 2006. Pathogenicity of Hyphomycete fungi to aphids *Aphis gossypii* Glover and *Myzus persicae* (Sultzer) (Hemiptera: Aphididae). Neotropical Entomol. 35: 660-665.
- Maharani, Y., Rauf, A., Sartiami, D. & Anwar, R. 2016. Biologi dan neraca hayati kutu putih pepaya *Paracoccus marginatus* Williams & Granara de Willink (Hemiptera: Pseudococcidae) pada tiga jenis tumbuhan inang. Jurnal Hama dan Penyakit Tanaman Tropika. (16): 1–9.
- Melina, S., E. Martono, Y. A. Trisyono, S. Moechtar & R. Radek. 2016. Morphology of adult *Helopeltis bradyi* (Heteroptera: Miridae) of java, resolving a longstanding species uncertainty. North-western journal of zoology 12(1): 110-121.
- Nithya, P.R. & Reji, R. O. P. 2017. Evaluation of carrier materials for formulating entomopathogenic fungus *Lecanicillium Lecanii* (Zimmermann) Zare and Gams. Journal of Biological Control. 31(1): 50–55.
- Pasaru, F., A. Anshary, T. Kuswinanti, Mahfudz & Shahabuddin. 2014. Prospective of entomopathogenic fungi associated with *Helopeltis* spp. (Hemipter: Miridae) on cacao plantation. Int.J.Curr.Res.Aca.Rev. 11: 227-234.
- Prayogo, Y. 2013. Karakterisasi fisiologi jamur entomopatogen *Lecanicillium lecanii* sebagai calon bahan aktif bioinsektisida untuk pengendalian telur kepik coklat (*Riptortus linearis*) pada kedelai. Buletin Plasma Nutfah. 19: 33-44.

- Rahayu, T., Y. A. Trisyono & Witjaksono. Fitness of Asian corn borer, *Ostrinia furnacalis* (Lepidoptera: Crambidae) reared in an artificial diet. *Journal of Asia-Pacific Entomology*. 21: 823–828.
- Ramteke, B.D., Thakur, K.D., Bramhankar, S. P., Isokar, S. S. & Ramteke, D. 2022. Molecular characterization and Phylogenetic analysis of *Lecanicillium* spp. *The Pharma Innovation Journal*. 11(8): 1029-1032.
- Rao, G. N. 1970. *Helopeltis*: a breakthrough in its control. UPASI Tea Science Department Bulletin. 28: 21-24.
- Reddy, S. G. 2020. *Lecanicillium* spp. for the Management of Aphids, Whiteflies, Thrips, Scales and Mealy Bugs: Review. IntechOpen.
- Roy, S. 2008. Evaluation of the levels of insecticide susceptibility of *Helopeltis theivora* Waterhouse (Heteroptera: Miridae) and development of an efficacious strategy for management of the pest in Dooars tea plantation of North Bengal. North Bengal University.
- Rockstein, M. 1973. *The Physiology of insecta*. New York and London: Academic Press.
- Rustama, M. M., Melanie & B. Irawan. 2008. Patogenisitas jamur entomopatogen *Metarhizium anisopliae* terhadap *Crociodolomia pavonana* Fab. dalam kegiatan studi pengendalian hama terpadu tanaman kubis dengan menggunakan agensia hayati. Laporan Penelitian. Universitas Padjadjaran. Jawa Barat.
- Sari, K. P., & Y. F. Thursana. 2019. Efikasi *Lecanicillium lecanii*, *Metarhizium anisopliae*, dan *Beauveria bassiana* untuk pengendalian hama kepik hijau. Balai Penelitian Tanaman Kacang-kacangan dan Umbi-umbian. 680-686.
- Sari, K. K., Pramudi, M. I. & Soedijo, S. 2022. Neraca Kehidupan *Spodoptera pectinicornis* (Hampson) dengan Pakan Gulma Kayu Apu Pistia stratiotes Linn yang diberi Pupuk NPK dan AB Mix. *Jurnal Sains STIPER Amuntai*. 12(2): 89–96.
- Savopoulou-soultoni, M., D. G. Stavridis, A. Vassillou, J. E. Stafilidis & J. Irakiidis. 1994. Response of *Lobesia botrana* (Lepidoptera: Tortricidae) to levels of sugar and protein in artificial diets. Laboratory Of Applied Zoology and Parasitology Faculty of Geotechnical Science. Aristotelian University Of Thessalonik. Thessalonik Greece. 85-89.
- Sétamou, M., Schulthess, F., Bosque-Pérez, N.A., Poehling, H-M. & Borgemeister, C. 1999. Bionomics of *Mussidia nigrivenella* (Lepidoptera Pyralidae) on three host plants. *Bulletin of Entomological Research*. (89): 465–471.
- Shinde, S. V., K. G. Patel, M. S. Purohit, J. R. Pandya & A. N. Sabalpara. 2010. *Lecanicillium lecanii* (zimm.) zere and games” an important biocontrol agent for the management of insect pests – a review. *Indian Journals*. 31(4): 235-252.

- Soman, A. G., J. B. Gloer, R. F. Angawi, D. T. Wicklow & P. F. Dowd. 2001. Vertilecanins: new phenopicolinic acid analogues from *Verticillium lecanii*. J. Nat. Prod. 64: 189-192.
- Southwood, T. R. E & Henderson, P. A. 2000. Ecological methods. United Kingdom: Blackwell Science Ltd.
- Subramaniam, M. S. R., A. Babu & B. Deka. 2021. *Lecanicillium lecanii* (Zimmermann) Zare & Gams, as an efficient biocontrol agent of tea thrips, *Scirtothrips bispinosus* Bagnall (Thysanoptera: Thripidae). Egyptian Journal of Biological Pest Control. 31(1): 1-14.
- Sudhakaran, R. 2000. Studies in the Tea mosquito bug, *Helopeltis theivora* Waterhouse (Hemiptera: Miridae) infesting tea in Southern India', Coimbatore (India). Bharathiar University.
- Suganthi, M., K. N. Chandrashekara, S. Arvinth & R. R. Kumar. 2015. Molecular characterization of tea mosquito bug from tea growing. Mitochondrial DNA. 5: 3504-3506.
- Susi, M., E. Martono, Y. A. Trisyono. 2016. Confirmation that *Helopeltis* species attacking cacao in Yogyakarta is *Helopeltis bradyi* Waterhouse, not *Helopeltis antonii* Signoret (Heteroptera: Miridae). Jurnal Entomologi Indonesia. 13: 9-20.
- Shah, P.A. & J. K. Pell. 2003. Entomopathogenic fungi as biological control agents. Appl Microbiol Biotechnol 61: 413–423.
- Sheikh, A. A., N. Z. Rehman & R. Kumar. Diverse adaptations in insects: A Review. 2017. Journal of Entomology and Zoology Studies. 5(2): 343-350.
- Singh, P. 1982. The rearing of beneficial insects. New Zealand Entomologist. 7(3): 304-310.
- Spillane, J.J. 1992. Komoditi teh: Peranannya dalam perekonomian Indonesia. Kanisius, Jakarta.
- Srinivasnaik, S., M. Suganthi, S. Mohan Kumar & V. Jegadeeswar. 2016. Biology of *Toxoptera aurantii*, *Planococcus citri*, *Paracoccus marginatus* and *Helopeltis bradyi* infesting cocoa, *Theobroma cacao* L. New Agriculturist. 1: 211-215.
- Srikumar, K. K., P. S. Bhat, T. N. Raviprasad, K. Vanitha, N. K. Krishna Kumar, K. B. Rebijith, R. Asokan. 2013. Distribution of major sucking pest, *Helopeltis* spp. (Hemiptera: Miridae) of cashew in India. Proceedings of the Zoological Society. 68(1): 30-35.
- Srikumar, K. K., B. Radhakrishnan, B. S. Kumar & P. Prabhakaran. 2015. New record of *Helopeltis bradyi* Waterhouse and *Pachypeltis maesarum* Kirkaldy (Hemiptera: Miridae) on tea *Camellia sinensis* L.O. (Kuntze) in southern India. Current Biotica. 9(3): 281-284.
- Srikumar, K. K., B. Radhakrishnan, B. S. Kumar & S. Sukumaran. 2017. New record of *Helopeltis bradyi* Waterhouse and *Pachypeltis maesarum* Kirkaldy



(Hemiptera: Miridae) on tea *Camellia sinensis* L.O. (Kuntze) in southern India. *Journal of Central European Agriculture*. 18(1): 170-175.

- Stonedahl, G. M. 1991. The Oriental species of *Helopeltis* (Heteroptera: Miridae): a review of economic literature and guide to identification. *Bulletin of Entomological Research*. 81: 465-490.
- St. Leger, R. J., R. M. Cooper & A. K. Charnley. 1986. Cuticle-degrading enzymes of entomopathogenic fungi: Cuticle degradation in vitro by enzymes from entomopathogens. *Journal of Invertebrate Pathology*. 47(2): 167-177.
- St. Leger, R. J. S., A. K. Charnley & R. M. Cooper. 1987. Characterization of cuticle-degrading proteases produced by the entomopathogen *Metarhizium anisopliae*. *Archives of Biochemistry and Biophysics*. 253(1): 221-232.
- Syarkawi, Husni & Sayuthi, M. 2015. Pengaruh tinggi tempat terhadap tingkat serangan hama penggerek buah kakao (*Conopomorpha crameana* Snellen) di Kabupaten Pidie. *Jurnal Floratek*. 10(2): 52-60.
- Tarumingkeng, R. C. 1994. *Dinamika Populasi*. Jakarta, Indonesia: Pustaka Sinar Harapan dan Universitas Kristen Krida Wacana.
- Tormes, J. N & M. D. J. Mostoles. 2021. Mirid bug (*Helopeltis bakeri* P.) damage on cacao (*Theobroma cacao*) in the mainland provinces of bicol, Philippines. *Agrikultura*. 1(2): 14-22.
- Ortiz-Urquiza A, N. O. Keyhani. 2013. Action on the surface: entomopathogenic fungi versus the insect cuticle. *Insects*. 4(3): 357-74.
- Wang, D., J. Deng, Y. Pei, T. Li, Z. Jin, L. Liangde & X. Dong. 2017. Identification and virulence characterization of entomopathogenic fungus *Lecanicillium attenuatum* against the pea aphid *Acyrtosiphon pisum* (Hemiptera: Aphididae). *Applied Entomology and Zoology*. 52: 511-518.
- Wang, L. H. 2007. Toxicity and feeding deterrence of crude toxin extracts of *Lecanicillium* (*Verticillium*) *lecanii* (Hyphomycetes) against sweet potato whitefly, *Bemisia tabaci* (Homoptera: Aleyrodidae). *Pest Management Science*. 63: 381-38.
- Wibowo, L., Martono, E. & Yusuf, E. 1995. Laju Pertumbuhan Intrinsik *Nezara viridula* Pada Kedelai, Kacang Panjang, dan Buncis. Program Studi Ilmu Hama Tumbuhan. UGM. Yogyakarta
- Widayat, W & D.J. Rayati. 1993. Hasil penelitian jamur entomopatogenik lokal dan prospek penggunaannya sebagai insektisida hayati. Makalah Simposium Patologi Serangga. PEI Cabang Yogyakarta. Yogyakarta.
- White, T. C. R. 1970. Some aspects of the life history, host selection, dispersal and oviposition of adult *Cardiaspina densidextra*. *Australian J. Zool*. 18: 105-117.
- Yashin, A. Y., Nemzer, B. V., Combet, E & Yashin. 2015. Determination of the chemical composition of tea by chromatographic methods: a review. *Journal of Food Research*. 4: 56-87.

- Ye, Gong-Yin, Q. Xiao, M. Chen, Xue-xin Chen, Zhi-jun Yuan, D. W. Stanley & C. Hu. 2014. Tea: Biological control of insect and mite pests in China. Elsevier. 68: 73-91.
- Yeo, H., J. K. Pell, P. G. Alderson, S. J. Clark, B. J. Pye. 2003. Laboratory evaluation of temperature effects on the germination and growth of entomopathogenic fungi and on their pathogenicity to two aphid species. *Pest Management Science*. 59(2):156-165.