

Daftar Pustaka

- Abdelwahab, O. M. M., Ricci, G. F., De Girolamo, A. M., & Gentile, F. (2018). Modelling soil erosion in a Mediterranean watershed: Comparison between SWAT and AnnAGNPS models. *Environmental Research*, 166, 363–376. <https://doi.org/10.1016/j.envres.2018.06.029>
- Aboelkhair, H., Morsy, M., & El Afandi, G. (2019). Assessment of agroclimatology NASA POWER reanalysis datasets for temperature types and relative humidity at 2 m against ground observations over Egypt. *Advances in Space Research*, 64(1), 129–142. <https://doi.org/10.1016/j.asr.2019.03.032>
- Adibroto, T. A. (2002). Pengembangan Teknologi Lingkungan dalam Pengelolaan DAS yang Berkelanjutan. *Jurnal Teknologi Lingkungan*, 3(1), 33–42. <https://doi.org/10.29122/jtl.v3i1.234>
- Ainunisa, D., Halik, G., & Widiarti, W. Y. (2020). Pemodelan Perubahan Tataguna Lahan Terhadap Debit Banjir DAS Tanggul, Jember Menggunakan Model SWAT (Soil and Water Assessment Tool). *Rekayasa Sipil*, 14(2), 154–161. <https://doi.org/10.21776/ub.rekayasasipil.2020.014.02.10>
- Alie, M. E. R. (2015). Kajian Erosi Lahan pada DAS Dawas Kabupaten Musi Banyuasin - Sumatera Selatan. *Jurnal Teknik Sipil Dan Lingkungan*, 3(1), 749–754.
- Alitane, A., Essahlaoui, A., El Hafyani, M., El Hmaidi, A., El Ouali, A., Kassou, A., El Yousfi, Y., van Griensven, A., Chawanda, C. J., & Van Rompaey, A. (2022). Water Erosion Monitoring and Prediction in Response to the Effects of Climate Change Using RUSLE and SWAT Equations: Case of R'Dom Watershed in Morocco. *Land*, 11(1), 93. <https://doi.org/10.3390/land11010093>
- Amir, M., Khan, M., Rasul, M., Sharma, R., & Akram, F. (2014). Watershed Delineation and Cross-section Extraction from DEM for Flood Modelling. *19 Th Australasian Fluid Mechanics Conference*, 1–4. <http://hydrosheds.cr.usgs.gov>.
- Andriyani, I., Wahyuningsih, S., & Suryaningtias, S. (2019). Perubahan Tata Guna Lahan di Sub DAS Rembangan - Jember dan Dampaknya Terhadap Laju Erosi. *AgriTECH*, 39(2), 117. <https://doi.org/10.22146/agritech.42424>
- Antonelli, A., Kissling, W. D., Flantua, S. G. A., Bermúdez, M. A., Mulch, A., Muellner-Riehl, A. N., Kreft, H., Linder, H. P., Badgley, C., Fjeldsø, J., Fritz, S. A., Rahbek, C., Herman, F., Hooghiemstra, H., & Hoorn, C. (2018). Geological and Climatic Influences on Mountain Biodiversity. *Nature Geoscience*, 11(10), 718–725. <https://doi.org/10.1038/s41561-018-0236-z>
- Arnold, J. G., Kiniry, R., Srinivasan, Williams, J. R., Haney, E. B., & Neitsch, S. L. (2012). *Soil and Water Assessment Tool Input/Ouput Documentation* (1st ed., Vol. 1). Texas Water Resources Institute. <https://swatplus.gitbook.io/docs/download-docs>
- Arnold, J. G., Moriasi, D. N., Gassman, P. W., Abbaspour, K. C., White, M. J., Srinivasan, R., Santhi, C., Harmel, R. D., A. van Griensven, M. W. Van Liew, N. Kannan, & M. K. Jha. (2012). SWAT: Model Use, Calibration, and Validation. *Transactions of the ASABE*, 55(4), 1491–1508. <https://doi.org/10.13031/2013.42256>
- Arnold, J. G., Srinivasan, R., Muttiah, R. S., & Williams, J. R. (1998). Large Area Hydrologic Modeling and Assessment PART I: Model Development. *Journal of the*

- American Water Resources Association*, 34(1), 73–89.
<https://doi.org/10.1111/j.1752-1688.1998.tb05961.x>
- Arsyad, S. (2010). *Konservasi Tanah dan Air* (2nd ed.). IPB Press.
- Asdak, C. (2010). *Hidrologi dan Pengelolaan Daerah Aliran Sungai* (5th ed.). Gadjah Mada University Press.
- Ayele, G. T., Kuriqi, A., Jemberrie, M. A., Saia, S. M., Seka, A. M., Teshale, E. Z., Daba, M. H., Bhat, S. A., Demissie, S. S., Jeong, J., & Melesse, A. M. (2021). Sediment Yield and Reservoir Sedimentation in Highly Dynamic Watersheds: The Case of Koga Reservoir, Ethiopia Institute of Environment and Sustainable Development in Agriculture (IEDA). *Water*, 13(23), 3374. <https://doi.org/10.3390/w13233374>
- Bailey, R. G. (2009). *Ecosystem Geography from Ecoregions to Sites. Second Edition* (2nd ed., Vol. 2). Springer-Verlag New York. <https://doi.org/10.1007/978-0-387-89516-1>
- Banuwa, S. I. (2013). *Erosi* (1st ed.). Prenadamedia Group.
- Bekele, S., & Abate, B. (2020). Estimation of Sediment Yield using Swat Model: A Case of Soke River Watershed, Ethiopia Estimation of Sediment Yield using Swat Model: A Case of Soke River Watershed, Ethiopia. *International Journal of Engineering, Research & Technology (IJERT)*, 9(12), 685–695. www.ijert.org
- Bennour, A., Jia, L., Menenti, M., Zheng, C., Zeng, Y., Asenso Barnieh, B., & Jiang, M. (2022). Calibration and Validation of SWAT Model by Using Hydrological Remote Sensing Observables in the Lake Chad Basin. *Remote Sensing*, 14(6), 1511. <https://doi.org/10.3390/rs14061511>
- Bermana, I. (2008). Klasifikasi Geomorfologi Untuk Pemetaan Geologi Yang Telah Dibakukan. *Bulletin of Scientific Contribution*, 4(2), 161–173. <http://journal.unpad.ac.id/bsc/article/view/8125/3701>
- Bieger, K., Hörmann, G., & Fohrer, N. (2015). Detailed Spatial Analysis of SWAT-Simulated Surface Runoff and Sediment Yield in a Mountainous Watershed in China. *Hydrological Sciences Journal*, 1–17. <https://doi.org/10.1080/02626667.2014.965172>
- Black, P. E. (1997). Watershed Functions. *Journal of the American Water Resources Association*, 33(1), 1–11. <https://doi.org/10.1111/j.1752-1688.1997.tb04077.x>
- Bocco, G. (1991). Gully erosion: Processes and Models. *Progress in Physical Geography: Earth and Environment*, 15(4), 392–406. <https://doi.org/10.1177/030913339101500403>
- Boufala, M., El Hmaidf, A., Chadli, K., Essahlaoui, A., El Ouali, A., & Lahjouj, A. (2020). Assessment of The Risk of Soil Erosion Using RUSLE Method and SWAT Model at The M'dez Watershed, Middle Atlas, Morocco. *E3S Web of Conferences*, 150, 03014. <https://doi.org/10.1051/e3sconf/202015003014>
- Brontowiyono, W., Asmara, A. A., Jana, R., Yulianto, A., & Rahmawati, S. (2022). Land-Use Impact on Water Quality of the Opak Sub-Watershed, Yogyakarta, Indonesia. *Sustainability (Switzerland)*, 14(7). <https://doi.org/10.3390/su14074346>
- Christanto, N., Setiawan, M. A., Nurkholis, A., Istikhomah, S., Anajib, D. W., & Purnomo, A. D. (2019). Rainfall-Runoff and Sediment Yield Modelling in Volcanic catchment

- using SWAT, a Case Study in Opak Watershed. *IOP Conference Series: Earth and Environmental Science*, 256(1). <https://doi.org/10.1088/1755-1315/256/1/012015>
- Congalton, R., Gu, J., Yadav, K., Thenkabail, P., & Ozdogan, M. (2014). Global Land Cover Mapping: A Review and Uncertainty Analysis. *Remote Sensing*, 6(12), 12070–12093. <https://doi.org/10.3390/rs61212070>
- Copeland, O. L. (1961). Watershed Management and Reservoir Life. *Journal - American Water Works Association*, 53(5), 569–578. <https://doi.org/10.1002/j.1551-8833.1961.tb00697.x>
- Das, B., Jain, S., Singh, S., & Thakur, P. (2019). Evaluation of Multisite Performance of SWAT Model in The Gomti River Basin, India. *Applied Water Science*, 9(5), 134. <https://doi.org/10.1007/s13201-019-1013-x>
- Debela, S. K. (2022). Prioritization of Sediment Yield at Sub-Watershed Level Using SWAT Model in Finca'aa Watershed, Abay Basin, Ethiopia. *Journal of Sedimentary Environments*, 7(2), 305–315. <https://doi.org/10.1007/s43217-022-00099-2>
- Dhoke, M. E., Kusumandari, A., & Senawi, S. (2020). Tingkat Erosi dan Rancangan Teknik Konservasi Tanah dan Air di Sub DAS Waewoki, DAS Aesesa Kabupaten Ngada Provinsi Nusa Tenggara Timur. *Jurnal Manusia Dan Lingkungan*, 25(1), 7. <https://doi.org/10.22146/jml.23045>
- dos Santos, F. M., de Souza Pelinson, N., de Oliveira, R. P., & Di Lollo, J. A. (2023). Using the SWAT Model to Identify Erosion Prone Areas and to Estimate Soil Loss and Sediment Transport in Mogi Guaçu River Basin in Sao Paulo State, Brazil. *CATENA*, 222, 106872. <https://doi.org/10.1016/j.catena.2022.106872>
- Douglas-Mankin, K. R., Srinivasan, R., Arnold, J. G., Raghavan Srinivasan, K. ;, Member, A., & Douglas-Mankin, K. R. (2010). Soil and Water Assessment Tool (SWAT) Model: Current Developments and Applications. *Transaction of the American Society of Agricultural and Biological Engineers*, 53(5), 1423–1431. <https://doi.org/10.13031/2013.34915>
- Dutta, S., & Sen, D. (2018). Application of SWAT Model for Predicting Soil Erosion and Sediment Yield. *Sustainable Water Resources Management*, 4(3), 447–468. <https://doi.org/10.1007/s40899-017-0127-2>
- Ekawati, S., Donie, S., Cahyono, S. A., & Haryanti, N. (2005). Kelembagaan Rehabilitasi Lahan dan Konservasi Tanah Pada Tingkat Mikro DAS, Kabupaten dan Propinsi di Era Otonomi Daerah. *Jurnal Penelitian Sosial Dan Ekonomi Kehutanan*, 2(2), 141–153. <https://doi.org/https://doi.org/10.20886/jpsek.2005.2.2.195-206>
- Etikan, I. (2017). Sampling and Sampling Methods. *Biometrics & Biostatistics International Journal*, 5(6). <https://doi.org/10.15406/bbij.2017.05.00149>
- Fadhil, M., Monde, A., & Rahman, A. (2013). Tingkat Bahaya Erosi (TBE) pada Hutan dan Lahan Kakao di Desa Sejahtera, Kecamatan Palolo, Kabupaten Sigi. *Agrotekbis*, 1(3), 236–243.
- Febriarlita, L. (2013, May 1). *Pedestal*. LITA GEO's: The World in Your's Hands. <https://luciafebriarlita17.wordpress.com/2013/05/01/pedestal/>
- G. W. Feyereisen, T. C. Strickland, D. D. Bosch, & D. G. Sullivan. (2007). Evaluation of

- SWAT Manual Calibration and Input Parameter Sensitivity in the Little River Watershed. *Transactions of the ASABE*, 50(3), 843–855. <https://doi.org/10.13031/2013.23149>
- Gao, Y., Zhou, J., Li, Y., Xiao, Y., & Xie, D. (2019). Mapping Urban Low-Density Residential Areas by Integration of Object-Based Analysis and Knowledge-Based Classification From High-Resolution Imagery. *IEEE Transactions on Geoscience and Remote Sensing*, 57(5), 2856–2870.
- Gassman, P. W., Reyes, M. R., Green, C. H., & Arnold, J. G. (2007). The Soil and Water Assessment Tool: Historical Development, Applications, and Future Research Directions. *Transactions of the ASABE*, 50(4), 1211–1250. <https://doi.org/10.13031/2013.23637>
- Guo, Y., Zhang, Y., Zhang, T., Wang, K., Ding, J., & Gao, H. (2019). Surface Runoff. In X. Li & H. Vereecken (Eds.), *Observation and Measurement of Ecohydrological Processes* (pp. 241–306). Springer Berlin Heidelberg. https://doi.org/10.1007/978-3-662-48297-1_8
- H. Xie, E. Nkonya, & B. Wielgosz. (2011). Technical Note: Assessing the Risks of Soil Erosion and Small Reservoir Siltation in a Tropical River Basin in Mali Using the SWAT Model under Limited Data Condition. *Applied Engineering in Agriculture*, 27(6), 895–904. <https://doi.org/10.13031/2013.40628>
- Habib, H., Ngadisih, Tirtalistyani, R., Susanto, S., & Nurudin, M. (2021). Prediction of Surface Runoff and Erosion Rate Using SWAT (Soil Water Assessment Tool) Model in Selopamioro Catchment as Directions of Soil and Water Conservation. *IOP Conference Series: Earth and Environmental Science*, 653(1), 012120. <https://doi.org/10.1088/1755-1315/653/1/012120>
- Harahap, F. S., Oesman, R., Fadhillah, W., & Nasution, A. P. (2021). Penentuan Bulk Density Ultisol di Lahan Praktek Terbuka Universitas Labuhanbatu. *Agrovital : Jurnal Ilmu Pertanian*, 6(2).
- Harifa, A. C., Sholichin, M., & Prayogo, T. B. (2014). Analisa Pengaruh Perubahan Penutupan Lahan Terhadap Debit Sungai Sub-DAS Metro dengan Menggunakan Program Arcswat. *Teknik Pengairan*, 8(1), 1–14.
- Hassani, N. (2021, September 15). *3 Major Problems With Tree Roots in Gardens : When Tree Roots Become Hazards for Pipes, Pavements, and Sidewalks*. Plant Problems. <https://www.thespruce.com/problems-with-tree-roots-5116653>
- Hassen, S. M., Gebremariam, B., & Tenagashaw, D. Y. (2022). Sediment Yield Modeling and Evaluation of Best Management Practices Using the SWAT Model of the Daketa Watershed, Ethiopia. *Water Conservation Science and Engineering*. <https://doi.org/10.1007/s41101-022-00142-3>
- He, J., Li, X., Jia, L., Gong, H., & Cai, Q. (2014). Experimental Study of Rill Evolution Processes and Relationships between Runoff and Erosion on Clay Loam and Loess. *Soil Science Society of America Journal*, 78(5), 1716–1725. <https://doi.org/10.2136/sssaj2014.02.0063>
- Heidari, E., Mahmoudzadeh, A., & Mansouri Daneshvar, M. R. (2021). Urban Flood Susceptibility Evaluation and Prediction During 2010–2030 in The Southern

- Watersheds of Mashhad City, Iran. *Environmental Systems Research*, 10(1), 41. <https://doi.org/10.1186/s40068-021-00245-1>
- Hernandez-Ramirez, G. (2008). Emerging Markets for Ecosystem Services: A Case Study of the Panama Canal Watershed. *Journal of Environmental Quality*, 37(5), 1995–1995. <https://doi.org/10.2134/jeq2008.0010br>
- Hidayat, L., Sudira, P., Susanto, S., & Jayadi, R. (2017). Validasi Model Hidrologi SWAT di Daerah Tangkapan Air Waduk Mrica (Validation of The SWAT Hydrological Model on The Catchment Area of Mrica Reservoir). *Agritech*, 36(4), 467. <https://doi.org/10.22146/agritech.16772>
- Jayakrishnan, R., Srinivasan, R., Santhi, C., & Arnold, J. G. (2005). Advances in The Application of the SWAT Model for Water Resources Management. *Hydrological Processes*, 19(3), 749–762. <https://doi.org/10.1002/hyp.5624>
- Jodar-Abellan, A., Valdes-Abellan, J., Pla, C., & Gomariz-Castillo, F. (2019). Impact of Land Use Changes on Flash Flood Prediction Using a Sub-Daily SWAT Model in Five Mediterranean Ungauged Watersheds (SE Spain). *Science of The Total Environment*, 657, 1578–1591. <https://doi.org/10.1016/j.scitotenv.2018.12.034>
- Johnson, R. H. (2007). Soils and Landforms: An Integration of Geomorphology and Pedology by A. J. Gerrard. George Allen. *Geological Journal*, 17(3), 249–249. <https://doi.org/10.1002/gj.3350170313>
- Julien, P. Y. (2010). *Erosion and Sedimentation* (2nd ed., Vol. 1). Cambridge University Press. <https://doi.org/10.1017/CBO9780511806049>
- Keller, T., & Håkansson, I. (2010). Estimation of Reference Bulk Density from Soil Particle Size Distribution and Soil Organic Matter Content. *Geoderma*, 154(3–4), 398–406. <https://doi.org/10.1016/j.geoderma.2009.11.013>
- Ketema, A., & Dwarakish, G. S. (2021). Water Erosion Assessment Methods: a Review. In *ISH Journal of Hydraulic Engineering* (Vol. 27, Issue 4, pp. 434–441). Taylor and Francis Ltd. <https://doi.org/10.1080/09715010.2019.1567398>
- Kolli, M. K., Opp, C., & Groll, M. (2021). Estimation of Soil Erosion and Sediment Yield Concentration Across the Kolleru Lake Catchment Using GIS. *Environmental Earth Sciences*, 80(4), 161. <https://doi.org/10.1007/s12665-021-09443-7>
- Kou, X., Ge, J., Wang, Y., & Zhang, C. (2007). Validation of The Weather Generator CLIGEN With Daily Precipitation Data From The Loess Plateau, China. *Journal of Hydrology*, 347(3–4), 347–357. <https://doi.org/10.1016/j.jhydrol.2007.09.051>
- Kuncoro, W. R., & Yunianto, T. (2012). Distribusi Spasial Tingkat Kehilangan Tanah Di Daerah Aliran Sungai Petir. *Jurnal Bumi Indonesia*, 1(3), 222–239.
- Lal, R. (1990). *Soil Erosion in the Tropics: Principles and Management*. McGraw-Hill Publishing Company.
- Lal, R. (1999). Rationale for Watershed as a Basis for Sustainable Management of Soil and Water Resources. In R. Lal (Ed.), *Integrated Watershed Management in the Global Ecosystem* (1st ed., Vol. 1, pp. 3–16). CRC Press.
- Lanyala, A. A., & Hasanah, U. (2016). Prediction of Erosion Rate in Different Land use at Kawatuna Watershed-Central Sulawesi Province. *Agrotekbis*, 4(6), 633–641.

- Lehner, B., Messenger, M. L., Korver, M. C., & Linke, S. (2022). Global Hydro-Environmental Lake Characteristics at High Spatial Resolution. *Scientific Data*, 9(1), 351. <https://doi.org/10.1038/s41597-022-01425-z>
- Li, M., Di, Z., & Duan, Q. (2021). Effect of Sensitivity Analysis on Parameter Optimization: Case study Based on Streamflow Simulations Using the SWAT Model in China. *Journal of Hydrology*, 603, 126896. <https://doi.org/10.1016/j.jhydrol.2021.126896>
- Liu, J., Fang, P., Que, Y., Zhu, L.-J., Duan, Z., Tang, G., Liu, P., Ji, M., & Liu, Y. (2022). A dataset of Lake-Catchment Characteristics for The Tibetan Plateau. *Earth System Science Data*, 14(8), 3791–3805. <https://doi.org/10.5194/essd-14-3791-2022>
- Liu, Y., & Jiang, H. (2019). Sediment Yield Modeling Using SWAT Model: Case of Changjiang River Basin. *IOP Conference Series: Earth and Environmental Science*, 234(1). <https://doi.org/10.1088/1755-1315/234/1/012031>
- Lotspeich, F. B. (1980). Watersheds as the Basic Ecosystem: This Conceptual Framework Provides a Basis for a Natural Classification System. *JAWRA Journal of the American Water Resources Association*, 16(4), 581–586. <https://doi.org/10.1111/j.1752-1688.1980.tb02434.x>
- Luo, Y., Su, B., Yuan, J., Li, H., & Zhang, Q. (2011). GIS Techniques for Watershed Delineation of SWAT Model in Plain Polders. *Procedia Environmental Sciences*, 10, 2050–2057. <https://doi.org/10.1016/j.proenv.2011.09.321>
- Mararakanye, N., Le Roux, J. J., & Franke, A. C. (2020). Using Satellite-Based Weather Data as Input to SWAT in a Data Poor Catchment. *Physics and Chemistry of the Earth, Parts A/B/C*, 117, 102871. <https://doi.org/10.1016/j.pce.2020.102871>
- Maridi, Saputra, A., & Agustina, P. (2015). Kajian Potensi Vegetasi dalam Konservasi Air dan Tanah di Daerah Aliran Sungai (DAS): Studi Kasus di 3 Sub DAS Bengawan Solo (Keduang, Dengkeng, dan Samin). *Seminar Nasional Konservasi Dan Pemanfaatan Sumberdaya Alam*, 65–68. <https://jurnal.fkip.uns.ac.id/index.php/kpsda/article/view/5350>
- Meusburger, K., Steel, A., Panagos, P., Montanarella, L., & Alewell, C. (2012). Spatial and Temporal Variability of Rainfall Erosivity Factor for Switzerland. In *Hydrology and Earth System Sciences* (Vol. 16, Issue 1, pp. 167–177). <https://doi.org/10.5194/hess-16-167-2012>
- Monica, M., Binilang, R. A., Wuisan, E. M., & Halim, F. (2013). Analisis Erosi dan Sedimentasi Lahan di Sub-DAS Panasen Kabupaten Minahasa. *Jurnal Sipil Statik*, 1(5), 309–317.
- Morgan, R. P. C. (2009). *Soil Erosion and Conservation* (3rd ed., Vol. 1). Blackwell Publishing.
- Moriasi, D. N., Arnold, J. ., Van Liew, M. W., Bingner, R. L., Harmel, R. D., & Veith, T. L. (2008). Model Evaluation Guidelines for Systematic Quantification of Accuracy in Watershed Simulations. *Transactions of the ASABE*, 50(3), 885–900. <https://doi.org/10.13031/2013.23153>
- Mosbahi, M., & Benabdallah, S. (2020). Assessment of land management practices on soil erosion using SWAT model in a Tunisian semi-arid catchment. *Journal of Soils and*

- Sediments*, 20(2), 1129–1139. <https://doi.org/10.1007/s11368-019-02443-y>
- Mushi, C. A., Ndomba, P. M., Trigg, M. A., Tshimanga, R. M., & Mtaló, F. (2019). Assessment of Basin-Scale Soil Erosion Within the Congo River Basin: a Review. *CATENA*, 178, 64–76. <https://doi.org/10.1016/j.catena.2019.02.030>
- Natumanya, E., Ribeiro, N., Mwanjalolo, M. J. G., & Steinbruch, F. (2022). Using SWAT Model and Field Data to Determine Potential of NASA-POWER Data for Modelling Rainfall-Runoff in Incalae River Basin. *Computational Water, Energy, and Environmental Engineering*, 11(02), 65–83. <https://doi.org/10.4236/cweee.2022.112004>
- Nazari-Sharabian, M., Taheriyoun, M., & Karakouzian, M. (2020). Sensitivity Analysis of the DEM Resolution and Effective Parameters of Runoff Yield in the SWAT Model: A Case Study. *Journal of Water Supply: Research and Technology - AQUA*, 69(1), 39–54. <https://doi.org/10.2166/aqua.2019.044>
- Neitsch, S. ., Arnold, J. ., Kiniry, J. ., & Williams, J. . (2011). Soil & Water Assessment Tool Theoretical Documentation Version 2009. *Texas Water Resources Institute*, 406(1), 1–647. <https://doi.org/10.1016/j.scitotenv.2015.11.063>
- Nkonya, E., Mirzabaev, A., & von Braun, J. (2016). Economics of Land Degradation and Improvement: An Introduction and Overview. In E. Nkonya, A. Mirzabaev, & J. Von Braun (Eds.), *Economics of Land Degradation and Improvement – A Global Assessment for Sustainable Development* (1st ed., Vol. 1, pp. 1–14). Springer International Publishing. <https://doi.org/10.1007/978-3-319-19168-3>
- Nugroho, C., & Dibyosaputro, S. (2014). Pemetaan Tingkat Bahaya Erosi Menggunakan Model Revised Soil Loss Equation (RUSLE) di Daerah Aliran Sungai Petir Daerah Istimewa Yogyakarta. *Jurnal Bumi Indonesia*, 12(1), 71–82.
- Nurfaika. (2015). Analisis Karakteristik Morfometri Daerah Aliran Sungai Melalui Pemanfaatan Penginderaan Jauh dan Sistem Informasi Geografi (Studi Kasus di DAS Limboto Provinsi Gorontalo). *SEMINAR NASIONAL & PIT IGI XVIII*, 1–34.
- Nurgoho, S. P. (2003). Pergeseran Kebijakan dan Paradigma Baru dalam Pengelolaan Daerah Aliran Sungai di Indonesia. *Jurnal Teknologi Lingkungan*, 4(3), 136–142.
- Nurul, D., Arif, S., Hidayah, R. A., & Setiawan, D. G. E. (2022). Pendugaan Potensi Air Tanah Beserta Kedalamannya Dengan Metode Resistivitas Konfigurasi Shlumberger di Nglanggeran Kulon Kabupaten Gunung Kidul. *Jambura Physics Journal*, 4(1), 39–48. <https://doi.org/10.34312/jpj.v4i1.14016>
- Osman, K. T. (2018). Management of Soil Problems. In *Management of Soil Problems* (1st ed., Vol. 1). Springer International Publishing. <https://doi.org/10.1007/978-3-319-75527-4>
- Panda, C., Das, D. M., Raul, S. K., & Sahoo, B. C. (2021). Sediment Yield Prediction and Prioritization of Sub-Watersheds in the Upper Subarnarekha Basin (India) using SWAT. *Arabian Journal of Geosciences*, 14(9), 1–19. <https://doi.org/10.1007/s12517-021-07170-8>
- Parapat, A., Aristomo, D., & Sulistian, T. (2019). Analisis Akurasi Vertikal Digital Elevation Model Nasional (DEMNAS) Studi Kasus Kota Medan. *FIT ISI 2019 Dan ASEANFLAG 72nd COUNCIL MEETING*, 37–43.

- Permana, D., Hutaaruk, R., Supari, S., & Cho, J. (2021). Performa Produk Curah Hujan Harian dari Data Satelit dan Reanalisis di Indonesia. *Seminar Nasional Sains Atmosfer (SNSA) 2020*, 97–109.
- Poméon, T., Diekkrüger, B., Springer, A., Kusche, J., & Eicker, A. (2018). Multi-Objective Validation of SWAT for Sparsely-Gauged West African River Basins—A Remote Sensing Approach. *Water*, 10(4), 451. <https://doi.org/10.3390/w10040451>
- Potgieter, M., & Raselabe, B. (2011). *Determining the State of Erosion at Turfloop Nature Reserve*.
https://www.researchgate.net/publication/309610614_DETERMINING_THE_STATE_OF_EROSION_AT_TURFLOOP_NATURE_RESERVE
- Prajasa, R., & Pramumijoyo, S. (2015). Interpretasi Pergerakan Sesar Opak Pasca Gempa Yogyakarta 2006 Melalui Pendekatan Studi Geomorfologi Tektonik Pada Daerah Wonolelo dan Sekitarnya Kecamatan Pleret. *SEMINAR NASIONAL KEBUMIHAN KE-8 Academia-Industry Linkage*, 153–164.
- Priyono, C. N. S., & Cahyono, S. A. (2004). Teknologi Pengelolaan Daerah Aliran Sungai: Cakupan, Permasalahan, dan Upaya Penerapannya. *Multifungsi Pertanian Dan Konservasi Sumber Daya Lahan*, 93–103.
- Purnama, S., Suyono, S., & Sulaswono, B. (2016). Sistem Akuifer dan Potensi Airtanah Daerah Aliran Sungai (DAS) Opak. *Forum Geografi*, 21(2), 111. <https://doi.org/10.23917/forgeo.v21i2.2356>
- Purwono, N., Hartanto, P., Prihanto, Y., & Kardono, P. (2018). Teknik Filtering Model Elevasi Digital (DEM) Untuk Delineasi Batas Daerah Aliran Sungai (DAS). *Seminar Nasional Geografi UMS IX 2018*, 490–504.
- Qin, W., Guo, Q., Cao, W., Yin, Z., Yan, Q., Shan, Z., & Zheng, F. (2018). A New RUSLE Slope Length Factor and its Application to Soil Erosion Assessment in a Loess Plateau Watershed. *Soil and Tillage Research*, 182, 10–24. <https://doi.org/10.1016/j.still.2018.04.004>
- Rahim, S. E. (2012). *Pengendalian Erosi Tanah Dalam Rangka Pelestarian Lingkungan Hidup 2000* (5th ed., Vol. 1). Bumi Aksara.
- Rahmad, R., & Nurman, A. (2017). Integrasi Model SWAT dan SIG dalam Upaya Menekan Laju Erosi DAS Deli, Sumatera Utara. *Majalah Geografi Indonesia*, 31(1), 46. <https://doi.org/10.22146/mgi.24232>
- Rahmadiyah, R., Tanjung, F., & Hariance, R. (2020). Analisis Perbandingan Usahatani Padi Sawah Irigasi Dengan Padi Sawah Tadah Hujan Di Kecamatan Koto Tangah Kota Padang. *JOSETA: Journal of Socio-Economics on Tropical Agriculture*, 1(3). <https://doi.org/10.25077/joseta.v1i3.177>
- Rahman, M. R., Shi, Z. H., Chongfa, C., & Dun, Z. (2015). Assessing Soil Erosion Hazard-a Raster Based GIS Approach With Spatial Principal Component Analysis (SPCA). *Earth Science Informatics*, 8(4), 853–865. <https://doi.org/10.1007/s12145-015-0219-1>
- Richards, L. A., & Fireman, M. (1943). Pressure-Plate Apparatus for Measuring Moisture Sorption and Transmission by Soils. *Soil Science*, 56(6), 395–404. <https://doi.org/10.1097/00010694-194312000-00001>

- Richards L.A. (1947). Pressure Membrane Apparatus: Construction and Use. *Agric. Engineering*, 28, 451–454.
- Sadeghi, S. H., & Hazbavi, Z. (2022). Land Degradation in Iran. In R. Li, S. A. El-Swaify, E. Rienzi, T. L. Napier, & M. Sabir (Eds.), *Global Degradation of Soil and Water Resources* (1st ed., Vol. 1, pp. 287–314). Springer Nature Singapore. <https://doi.org/10.1007/978-981-16-7916-2>
- Salhi, C., Touaibia, B., Zeroual, A., Benblida, N., & Assani, A. (2022). Evaluation of Soil Erosion in Northern Algeria Watershed Using SWAT and RUSLE Models. *Geocarto International*, 37(26), 11559–11589. <https://doi.org/10.1080/10106049.2022.2060314>
- Samimi, M., Mirchi, A., Moriasi, D., Ahn, S., Alian, S., Taghvaeian, S., & Sheng, Z. (2020). Modeling Arid/Semi-Arid Irrigated Agricultural Watersheds with SWAT: Applications, Challenges, and Solution Strategies. *Journal of Hydrology*, 590, 125418. <https://doi.org/10.1016/j.jhydrol.2020.125418>
- Sánchez-Gómez, A., Martínez-Pérez, S., Pérez-Chavero, F. M., & Molina-Navarro, E. (2022). Optimization of a SWAT Model by Incorporating Geological Information Through Calibration Strategies. *Optimization and Engineering*, 23(4), 2203–2233. <https://doi.org/10.1007/s11081-022-09744-1>
- Sandhu, H. (2017). Ecosystem Functions and Management: Theory and Practice. In H. Sandhu (Ed.), *Ecosystem Functions and Management: Theory and Practice* (1st ed., Vol. 1). Springer International Publishing. <https://doi.org/10.1007/978-3-319-53967-6>
- Sari, A. N., Muliana, M., Yusra, Y., Khusrizal, K., & Akbar, H. (2022). Evaluasi Status Kesuburan Tanah Sawah Tadah Hujan dan Irigasi di Kecamatan Nisam Kabupaten Aceh Utara. *Jurnal Ilmiah Mahasiswa Agroekoteknologi*, 1(2), 49. <https://doi.org/10.29103/jimatek.v1i2.8467>
- Shepherd, J. M., Burian, S. J., Jin, M., Liu, C., & Johnson, B. (2020). *Two Decades of Urban Hydroclimatological Studies Have Yielded Discovery and Societal Benefits* (pp. 1055–1072). https://doi.org/10.1007/978-3-030-35798-6_29
- Soewarno. (1991). *Hidrologi Pengukuran dan Pengolahan Data Aliran Sungai (Hidrometri)* (20th ed.). Nova.
- Stocking, M., & Murnaghan, N. (2000). *Land Degradation-Guidelines for Field Assessment*. Overseas Development Group, University of East Anglia.
- Sudaryono, S. (2002). Pengelolaan Daerah Aliran Sungai (DAS) Terpadu, Konsep Pembangunan Berkelanjutan. *Jurnal Teknologi Lingkungan BPPT*, 3(2). <https://doi.org/10.29122/jtl.v3i2.249>
- Sunarto. (1986). Pendekatan Pedogeomorfologi Dalam Penelitian Arkeologi di Gunung Lanang dan Gunung Wingko (Bantul). *Berkala Arkeologi*, 7(1), 27–38. <https://doi.org/10.30883/jba.v7i1.449>
- Supriatna, A. H., Haneda, N. F., & Wahyudi, I. (2017). Sebaran Populasi, Persentase Serangan, dan Tingkat Kerusakan Akibat Hama Bektor Pada Tanaman Sengon: Pengaruh Umur, Diameter, dan Tinggi Pohon. *Journal of Tropical Silviculture*, 8(2), 79–87. <https://doi.org/10.29244/j-siltrop.8.2.79-87>

- Sutopo, Y., Utomo, K. S., Ghifari, S. Z., & Nurokhman. (2016). Perencanaan Sand Pocket Sebagai Bangunan Pengendali Aliran Sedimen di Kali Opak Yogyakarta. *Jurnal Teknik Sipil Dan Perencanaan*, 18(2), 107–114. <https://doi.org/10.15294/jtsp.v18i2.7478>
- Taddese, G. (2001). Land Degradation: A Challenge to Ethiopia. *Environmental Management*, 27(6), 815–824. <https://doi.org/10.1007/s002670010190>
- Taia, S., Erraioui, L., Mbrenge, N. C., Chao, J., El Mansouri, B., Haida, S., & Taj-Eddine, K. (2021). Assessment of soil erosion using two spatial approaches: RUSLE and SWAT Model. *E3S Web of Conferences*, 234, 00082. <https://doi.org/10.1051/e3sconf/202123400082>
- Tarigan, D. R., & Mardiatno, D. (2012). Pengaruh Erosivitas Dan Topografi Terhadap Kehilangan Tanah Pada Erosi Alur Di Daerah Aliran Sungai Secang Desa Hargotirto Kecamatan Kokap Kabupaten Kulonprogo the Influence of Erosivity and Topography on Soil Loss on Rill Erosion at Secang Watershed Harg. *Jurnal Bumi Indonesia*, 1(3).
- Tibebe, D., & Bewket, W. (2011). Surface Runoff and Soil Erosion Estimation using the SWAT Model in the Keleta Watershed, Ethiopia. *Land Degradation and Development*, 22(6), 551–564. <https://doi.org/10.1002/ldr.1034>
- Trirahadi, A., Bafdal, N., Amaru, K., & Ridwansyah, I. (2022). Perubahan Tata Guna Lahan Terhadap Limpasan Permukaan di Sub DAS Cimanuk Hulu Menggunakan Model Soil and Water Assesment Tool (SWAT). *Seminar Nasional LPPM UMMAT*, 1, 599–615.
- Tsegaye, L., & Bharti, R. (2022). Assessment of the Effects of Agricultural Management Practices on Soil Erosion and Sediment Yield in Rib watershed, Ethiopia. *International Journal of Environmental Science and Technology*. <https://doi.org/10.1007/s13762-022-04018-w>
- Valentin, C. (2018). The State and Future of Soils. In C. Valentin (Ed.), *Soils as a Key Component of the Critical Zone 5: Degradation and Rehabilitation* (5th ed., Vol. 1, pp. 1–20). ISTE Ltd. www.iste.co.uk
- Vandermeer, J. H., & Perfecto, I. (2005). *Breakfast of Biodiversity: The Political Ecology of Rain Forest Destruction* (Vol. 2). Food First Books.
- Vos, C., Don, A., Prietz, R., Heidkamp, A., & Freibauer, A. (2016). Field-Based Soil-Texture Estimates Could Replace Laboratory Analysis. *Geoderma*, 267, 215–219. <https://doi.org/10.1016/j.geoderma.2015.12.022>
- X. Wang, J. R. Williams, P. W. Gassman, C. Baffaut, R. C. Izaurralde, J. Jeong, & J. R. Kiniry. (2012). EPIC and APEX: Model Use, Calibration, and Validation. *Transactions of the ASABE*, 55(4), 1447–1462. <https://doi.org/10.13031/2013.42253>
- Zhao, Y., Liu, L., Kang, S., Ao, Y., Han, L., & Ma, C. (2021). Quantitative Analysis of Factors Influencing Spatial Distribution of Soil Erosion Based on Geo-Detector Model under Diverse Geomorphological Types. *Land*, 10(6), 604. <https://doi.org/10.3390/land10060604>
- Zhu, X., Yan, L., Wang, Q., & Gao, Y. (2013). Extraction of Urban Low-Density Residential Areas Based on High-Resolution Satellite Imagery. *International Journal of Remote Sensing*, 34(18), 6480–6496.