



DAFTAR PUSTAKA

- Ambarwati. 2007. Efektivitas zat antibakteri biji mimba (*Azadirachta indica*) untuk menghambat pertumbuhan *Salmonella thyposa* dan *Staphylococcus aureus*. *Biodiv. 3*: 320-325.
- Ambarwati, A. L. Sembiring, C. J. Soegihardjo. 2012. Antibiotic produced by streptomycetes associated with rhizosphere of purple nut sedge (*Cyperus rotundus* L.) in Surakarta, Indonesia. *Afr. J. Microbiol. Res. 6*: 52-57.
- Aghighi, S., G. H. S. Bonjar, R. Rawashdeh, S. Batayneh, I. Saadoun. 2004. First report of antifungal spectra of activity of iranian actinomycetes strains against *Alternaria solani*, *Alternaria alternate*, *Fusarium solani*, *Phytophthora megasperma*, *Verticillium dahliae* and *Saccharomyces cerevisiae*. *Asian J. Plant Sci. 3*:463-471.
- Ansari, M. Z., G. Yadav, R. S. Gokhale, D. Mohanty. 2004. NRPS-PKS: a knowledge-based resource for analysis of NRPS/PKS megasynthases. *Nucleic. Acids. Res. 32*: W405–W413.
- Ayuso-Sacido, A., O. Genilloud. 2005. New PCR primers for the screening of NRPS and PKS-I systems in actinomycetes: detection and distribution of these biosynthetic gene sequences in major taxonomic groups. *Microb. Ecol. 49*: 10–24.
- Barakate, M., Y. Ouhdouch, K. H. Oufdou, C. Beaulieu. 2002. Characterization of rhizospheric soil *Streptomyces* from Moroccan habitats and their antimicrobial activities. *World. J. Microbiol. Biotechnol. 18*: 49–54.
- Basil, A.J., L. Janice, S. Heather, M. K. Smith, D. L. Crawford. 2004. Studies on the microbial populations of the rhizosphere of big sagebrush (*Artemisia tridentata*). *J. Ind. Microbiol. Biotechnol. 31*: 278–288.
- Becker, W.M., L. J. Kleinsonth. 2000. The World of The Cell fourth edition. The Benjamins Cummings Publishing Company, New York.
- Cappucino, J. G. 1983. Microbiology: A Laboratory Manual. Addison Wesley Publishing Company.
- Casalinuovo, I. A., P. D. Framsesco, E. Garaci. 2004. Fluconazole resistance in *Candida albicans*: a review of mechanisms. *Eur. Rev. Med. Pharmacol. Sci. 8*: 69-77.
- Clark, D. P. 2010. Molecular Biology: Academic Cell Update, Academic Press, San Diego, California, USA.



- Daniel J. S., C. A. Hitchcock, C. M. Sibley. 1999. Current and Emerging Azole Antifungal Agents. *Clin. Microbiol. Rev.* 12: 40–79.
- Das, M., V. T. Royer, L. G. Leff. 2007. Diversity of fungi bacteria, and Actinomycetes on leaves decomposing in a stream. *Appl. Environ. Microbiol.* 3: 756-767.
- Dhanasekaran, D., S. Selvamani, A. Panneerselvam, N. Thajuddin. 2009. Isolation and characterization of *Streptomyces* in Vellar Estuary, Annagkoil, Tamil Nadu. *Afr. J. Biotechnol.* 8: 4159-4162.
- Dharmaraj, S. B. Ashokkumar, K. Dhevendaran. 2010. Isolation of marine *Streptomyces* and the evaluation of its bioactive potential. *Afr. J. Microbiol. Res.* 240-248.
- Denitsa, N. M. Naidenova. 2005. Screening the antimicrobial activity of actinomycetes strains isolated from Antarctica. *J. Cult. Collect.* 4: 29-35.
- Dwi, N. S., N. Hidayatun, Tasliah, K. Mulya. 2010. Keragaman bakteri endofit diisolasi dari empat varietas padi dengan metode ARDRA. *Berita Biologi.* 10: 241-248.
- Ellis, D. 2002. Amphotericin B: spectrum and resistance. *J. Antimicrob. Chemother.* 49 Suppl 1: 7–10.
- Farida, Y., J. Widada, E. Meiyanto. 2007. Combination methods for screening marine actinomycetes producing potential compound as anticancer. *I. J. Biotechnol.* 12: 988-997.
- Felsenstein. 1985. Confidence limits on phylogenies: An approach using the bootstrap. *Evolution* 39:783-791.
- Fu, P. P., Y. C. Yang, Q. Xia, M. C. Chou, Y. Y. Cui, G. Lin. 2002. Pyrrolizidine alkaloids-tumorigenic components in Chinese herbal medicines and dietary supplements. *J. Food Drug. Anal.* 4: 198-211.
- Germida, J. J., S. D. Sicilliano, R. J. de Freitas, A. M. Seib. 1998. Diversity of root-associated with field grown canola (*Brassica napus* L.) and wheat (*Triticum aestivum* L.). *FEMS Microbiol Ecol* 26:43–50.
- Hayakawa, M, K. Ishizawa, H. Nonomura. 1988. Distribution of rare actinomycetes in Japanese soils. *J. Ferment. Tech.* 66:367–373
- Henis, Y. 1986. Soil microorganisms, soil organic matter and soil fertility. In: Chen Y, Martinus Avnimelech (eds) The role of organic matter in modern agriculture. *Nijhoff, Dordrecht*, pp 159–168
- Huan, Q. D., J. Wang, Y. H. Xin, G. Pei, S. K. Tang, B. Ren, A. Ward, J. S. Ruan, W. J. Li, L. X. Zhang. 2010. *Verrucosipora sediminis* sp. nov., a cyclodipeptide-



producing actinomycetes from deep-sea sediment. *Int. J. Syst. Evol. Microbiol.* 60:1807-1812.

- Hwang, B. K., J. Y. Lee, B. S. Kim, S. W. Lim, S. S. Moon. 2001. Isolation and in vivo and in vitro antifungal activity of phenylacetic acid and sodium phenylacetate from *Streptomyces humidus*. *Appl. Environ. Microbiol.* 67: 3739-3745.
- Itokawa, H., Q. Shi, T. Akiyama, S. L. M. Natshcke, K. H. Lee. 2008. Recent advances in the investigation of curcuminoids. *Chin. Med.* 3: 11.
- Jensen, P. R., E. Gontang, C. Mafnas, T. J. Mincer, W. Fenical. 2005. Culturable marine actinomycete diversity from tropical Pacific Ocean sediments. *Appl. Environ. Microbiol.* 7: 1039-1048.
- Kawasaki, M., M. Toyoda, R. Teshima. 1994. In vitro antiallergenic activity of flavonoids in histamine-release assay using rat basophilic leukemia (RBL-2H3) cells. *J. Food Hyg. Soc.* 35: 497-503.
- Keller, N. P. G., G. Turner, J. W. Bennet. 2005. Fungal secondary metabolism – from biochemistry to genomics. *Nat. Rev. Microbiol.* 3: 937-947.
- Khamna, S., A. Yokota, S. Lumyong. 2009. Actinomycetes isolated from medicinal plant rhizosphere soils: diversity and screening of antifungal compounds, indole-3-acetic acid and siderophore production. *World. J. Microbiol. Biotechnol.* 25:649-655.
- Khosla, C., R. S. Gokhale, J. R. Jacobsen, D. E. Cane. 1999. Tolerance and specificity of polyketide synthases. *Annu. Rev. Biochem.* 68: 219-253.
- Krishnaveni, J., M. Radzom, A. Zeeck, V. Kishan. 2011. Taxonomy, fermentation, biological activities, isolation and characterization of metabolites obtained from a new strain of *Streptomyces noursei* (KC46). *India J. Biotechnol.* 10: 212-218.
- Lederberg, J. 2000. Encyclopedia of Microbiology, 2nd Ed. Vol 1A-C. Academic Press. California, 451-477.
- Louws, F. J., J. L. W Raemaker, F. J. de Bruijn. 1999. The three Ds of PCR-based genome analysis of phythobacteria: diversity, detection, and diagnosis. *Ann. Phytopathol. Soc.* 37: 81-125.
- Loqman, S., E. A. Barka, C. Clement, Y. Ouhdouch. 2009. Antagonistic Actinomycetes from Moroccan soil to control the grapevine gray mold. *World. J. Microbiol. Biotechnol.* 25: 81-91.
- Liu, W. Tso., T. L. Marsh, H. Cheng, L. J. Forney. 1997. Characterization of microbial diversity by determining terminal restriction fragment length



- polymorphisms of genes encoding 16S rRNA. *Appl. Environ. Microbiol.* 63: 4516-4522.
- Madigan, M. T., J. M. Martinko, J. Parker. 2003. Brock Biology of Microorganisms 11th Ed. Pearson Edition: New Jersey, 416-420.
- Manulis, S., L. Valinsky, A. Lichter, D. W. Gabriel. 1994. Sensitive and specific detection of *Xanthomonas campestris* pv. *pelargonii* with DNA primers and probes identified by random amplified polymorphic DNA analysis. *Appl. Environ. Microbiol.* 60: 4094-4099.
- Marsh, R. W. 1977. Systemic Fungicides, 2nd ed. Longman Group Unlimited, NY. 235-239.
- McLean, K. J., K. R. Marshall, A. Richmond, I. S. Hunter, K. Fowler, T. Kieser, S. S. Gurcha, G. S. Besra, A. W. Munro. 2002. Azole antifungals are potent inhibitors of cytochrome P450 mono-oxygenases and bacterial growth in mycobacteria and *Streptomyces*. *Microbiol.* 148: 2937-2949
- Miyadoh, S., M. Otoguro. 2004. Introduction of actinomycetes. Workshop on isolation methods and classification of Actinomycetes. Bogor: Biotechnology Center.
- Nadine K., H. Schuhmann, S. Morneweg, U. Linne, A. M. Mohamed. 2004. The linear pentadecapeptide gramicidin is assembled by four multimodular nonribosomal peptide synthetases that comprise 16 modules with 56 catalytic domains. *J. Biol. Chem.* 279: 7413-7419.
- Nibha, G., S. Mishra, U. C. Basak. 2009. Occurrence of different morphotypes of *streptomyces exfoliatus* in mangrove ecosystems of bhitarkanika, orissa, india. *J. Cult. Collect.* 6: 21-27.
- Nikolova, S. A., N. Tzekova, L. Yocheva. 2005. Taxonomy of *Streptomyces* sp. Strain 3B. *J. Cult. Collect.* 4: 36-42.
- Nishimura, T. 2002. An endophytic Actinomycetes, *Streptomyces* sp. AOK-30, isolated from mountain laurel and its antifungal activity. *J. Gen. Plant Pathol.* 68: 390-397.
- Osborn, A. M., C. J. Smith. 2005. Molecular Microbial Ecology. Taylor and Francis Group. New York.
- Oskay, M., A. Tamer, A. C. Usame. 2004. Antibacterial activity of some actinomycetes isolated from farming soils of Turkey. *Afr. J. Biotechnol.* 3: 441-446.
- Ouhdouch, Y., M. Barakate, C. Finance. 2001. Actinomycetes of moroccan habitats: isolation and screening for antifungal activities. *Eur. J. Soil Biol.* 37: 69-74.



- Ramakrishnan, J., M. Shunmugasundaram, M. Narayanan, 2009. *Streptomyces* sp. SCBT isolated from rhizosphere soil of medicinal plants is antagonistic to pathogenic bacteria. *Iranian J. Biotechnol.* 7: 75–81
- Saiki, R. K., D. H. Gelfand, S. Stoffel, S. J. Scharf, R. Higuchi, G. T. Horn, K. B. Mullis, H. A. Erlich. 1988. Primer-directed enzymatic amplification of DNA with a thermostable DNA-polymerase. *Sci.* 239: 487-491.
- Sambrook, J., E. F. Fritsch, T. Maniatis. 1989. *Molecular Cloning: A Laboratory Manual*, Cold Spring Harbor Laboratory Press. New York.
- Sanglier, J. J., H. Haag, T. A. Huck, T. Fehr. 1993. Novel bioactive compounds from actinomycetes: a short review (1988-1992). *Res. Microbiol.* 144: 633-642.
- Schneegurt, M. A., C. F. Kulpa. 1998. The application of molecular techniques in inveroental biotechnology for monitoring microbial systems. *Biotechnol. Appl. Biochem.* 27: 73-79.
- Shanmugam, V., K. Atri, S. Gupta, N. Kanoujia, D.S. Naruka. 2011. Selection and differentiation of *Bacillus* spp. Antagonistic to *Fusarium oxysporum* f.sp. lycopersici and *Alternaria solani* infecting Tomato. *Folia Microbiol.* 56:170-7.
- Shimizu, M., Y. Nakagawa, Y. Sato, T. Furumai, Y. Igaroshi, H. Onaka, R. Yoshida, H. Kunoh. 2000. Studies on endophytic actinomycetes I *Streptomyces* sp. isolated from Rododendron and its antifungal activity. *J Gen. Plant. Pathol.* 66: 360–366.
- Siswandono, B. Soekardjo. 1995. *Kimia Medisinal*. Airlangga University Press. Surabaya. 467-500.
- Suthindhiran, K., K. Kannabiran. 2009. Cytotoxic and antimicrobial potential of actinomycetes species *Saccharopolyspora salina* VITSDK4 isolated from the bay of bengal coast of India. *Am. J. Infect. Dis.* 5: 90-98.
- Tabassum, N., S. Chattervedi, S. Aggrawal, N. Ahmed. 2005. Hepatoprotective studies on *Phyllanthus niruri* paracetamol induced liver cell damage in albino mice. *Exp. Med.* 12: 211–212.
- Taechowisan, T., S. Lumyong. 2003. Activity of endophytic Actinomycetes from roots of *Zingiber officinale* and *Alpinia galanga* againts phytopathogenic fungi. *Ann. Microbiol.* 53: 291-298.
- Taechowisan, T., C. Lu, Y. Shen, S. Lumyong. 2005. Secondary metabolites from endophytic *Streptomyces aureofaciens* CMUAc 130 and their antifungal activity. *Microbiol.* 151: 1691-1695.



- Tewtrakul, S., S. Subhadhirasakul. 2007. Anti-allergic activity of some selected plants in the *Zingiberaceae* family. *J. Ethnopharmacol.* 109: 535-538.
- Toyoda, M., K. Tanaka, K. Hoshino, H. Akiyama, A. Tanimura, Y. Saito. 1997. Profiles of potentially antiallergic flavonoids in 27 kinds of health tea and green tea infusions. *J. Agric. Food Chem.* 45 : 2561–2564.
- Volpon, L., J. M. Lancelin. 2002. Solution NMR structure of five representative glycosylated polyene macrolide antibiotics with a sterol-dependent antifungal activity. *Eur. J. Biochem.* 269:4533-4541.
- Wael, N. H., G. Michael. 2007. *Streptomyces synnematoformans* sp. nov., a novel actinomycete isolated from a sand dune soil in Egypt. *Int. J. Syst. Evol. Microbiol.* 57: 2009-2013.
- Weingart, H. B. Volksch. 1997. Genetic fingerprinting of *Pseudomonas syringae* pathovars using ERIC-, REP-, IS-50 PCR. *J. Phytopathol.* 145:339-345.
- Wiest, A., D. Grzegorski, B. W. Xu, C. Goulard, S. Rebuffat, D. J. Ebbola, B. Bodo, C. Kenerley. 2002. Identification of peptaibols from *Trichoderma virens* and cloning of a peptaibol synthetase. *J. Biol. Chem.* 277: 20862–20868.
- Yamamura, H. M., Hayakawa, Y. Nakagawa, T. Tamura, T. Kohno, F. Komatsu, Y. Iimura. 2005. *Nocardia takedensis* sp. nov., isolated from moat sediment and scumming activated sludge. *Int. J. Syst. Evol. Microbiol.* 55:433-436.
- Yang, L., J. Xie, D. Jiang, Y. Fu, G. Li, F. Lin. 2007. Antifungal substances produced by *Penicillium oxalicum* strain PY-1 potential antibiotics against plant pathogenic fungi. *World J. Microbiol. Biotechnol.* 24: 909–915.
- Zhao, J., N. Yang, R. Zeng. 2008. Phylogenetic analysis of type I polyketide synthase and nonribosomal peptide synthetase genes in Antarctic sediment. *Extremophiles.* 12: 97-105.