

DAFTAR PUSTAKA

- Almawadi, I. (2022) *Indonesia targets to be the largest petrochemical producer country in Southeast Asia, VOI*. VOI.ID. Available at: <https://voi.id/en/economy/153074/indonesia-targets-to-be-the-largest-petrochemical-producer-country-in-southeast-asia> (Accessed: November 8, 2022).
- Altway, A., Susianto, S., Suprpto, S., Nurkhamidah, S., Nisa, N. I. F., Hardiyanto, F., Mulya, H. R., & Altway, S. (2015). Modeling and Simulation of CO₂ Absorption into Promoted Aqueous Potassium Carbonate Solution in Industrial Scale Packed Column. *Bulletin of Chemical Reaction Engineering & Catalysis*, 10(2), 111–124. <https://doi.org/10.9767/bcrec.10.2.7063.111-124>
- Aries, R. S., & Newton, R. D. (1954). *Chemical Engineering Cost Estimation*. New York: Mc Graw Hill Book Company Inc.
- Borhani, T. N., Azarpour, A., Akbari, V., Alwi, S. R. W., & Manan, Z. A. (2015). CO₂ capture with potassium carbonate solutions: A state-of-the-art review. *International Journal of Greenhouse Gas Control*, 41, 142–162. <https://doi.org/10.1016/j.ijggc.2015.06.026>
- Brownell, L. E., & Young, E. H. (1979). *Equipment Design Handbook*. New York: John Wiley and Sons, Inc.
- Couper, J. R., Penney, W. R., Fair, J. R., & Walas, S. M. (2005). *Chemical Process Equipment Selection and Design*. Burlington: Elsevier Inc.
- Evans, F. L. (1980). *Equipment Design Handbook*. Tokyo: Gulf Publishing Company
- Fenelon storage tank supplier and constructor of vessels, silos and steelworks* (no date) *Fenelon is a Storage Tank supplier and constructor of Vessels, Silos and Steelworks*. Available at: <https://fenelontanks.com/> (Accessed: November 30, 2022).
- Gardian, P.I. (2022) *Pemanfaatan DME Batu Bara: Ancaman Terhadap Ekonomi Hijau?, LCDI*. Kementerian PPN (Bapennas). Available at: <https://lcdi-indonesia.id/2022/07/13/pemanfaatan-dme-batubara-ancaman-terhadap-ekonomi-hijau/> (Accessed: November 8, 2022).
- Ghofar, A. et al. (2017) “SIMULATION AND ESTIMATION IN ENERGY NEEDS FOR GASIFIER SYSTEM USING COAL FROM SOUTH SUMATRA AND SOUTH KALIMANTAN AS RAW MATERIAL,” SIMULASI DAN ESTIMASI KEBUTUHAN ENERGI SISTEM GASIFIER DENGAN BAHAN BAKU BATUBARA SUMSEL DAN KALSEL, 11(1), pp. 61–68.
- He, C., Feng, X. and Chu, K.H. (2013) “Process modeling and thermodynamic analysis of Lurgi fixed-bed coal gasifier in an SNG plant,” *Applied Energy*, 111, pp. 742–757. Available at: <https://doi.org/10.1016/j.apenergy.2013.05.045>.
- Hicks, T. G. (1984). *Handbook of Mechanical Engineering Calculations*. <http://www.gbv.de/dms/bs/toc/504516329.pdf>

Huard, M. *et al.* (2010) “A review of rapid gas-solid separation techniques,” *International Journal of Chemical Reactor Engineering*, 8(1). Available at: <https://doi.org/10.2202/1542-6580.2069>.

Huda, M. *et al.* (2021) “Advantages of UCG Implementation in Indonesia,” in *International Seminar on Mineral and Coal Technology ISCMT 2021*. Kementerian ESDM. Available at: <https://seminar.tekmira.esdm.go.id> (Accessed: November 2, 2022).

Hudson, W. G. (1950). *Conveyors and related equipment*. In *Wiley, Chapman & Hall eBooks*. <http://ci.nii.ac.jp/ncid/BA23794596>

Investments, I. (2019) *Komoditas Batubara, Batu Bara Indonesia - Analisis Pertambangan Batubara / Indonesia Investments*. Available at: <https://www.indonesia-investments.com/id/bisnis/komoditas/batu-bara/item236> (Accessed: November 3, 2022).

Iswanto, T. *et al.* (2015) *Desain Pabrik Synthetic Gas (Syngas) dari Gasifikasi Batu Bara Kualitas Rendah sebagai Pasokan Gas PT. Pupuk Sriwidjaja*, 4(2). Available at: <https://doi.org/DOI:10.12962/j23373539.v4i2.9705>.

Jack Frederick. (no date) *New Thermal Water Storage Tank to open in April 2022, Duke Today*. Available at: <https://today.duke.edu/2021/08/new-thermal-water-storage-tank-open-april-2022> (Accessed: December 1, 2022).

Jang, D. S., Kim, H., Lee, C., & Kim, S. (2013). Kinetic analysis of catalytic coal gasification process in fixed bed condition using Aspen Plus. *International Journal of Hydrogen Energy*, 38(14), 6021–6026. <https://doi.org/10.1016/j.ijhydene.2013.01.167>

Ju, S. *et al.* (2010) “Preparation and desulfurization behavior of zinc oxide based sorbent for moderate temperature,” 2010 4th International Conference on Bioinformatics and Biomedical Engineering [Preprint]. Available at: <https://doi.org/10.1109/icbbe.2010.5516626>.

Kagramanov, Y. A., Ryzhkov, A. F., Tuponogov, V. G., & Nikitin, A. D. (2019). Determining kinetic constants for reactions of zinc oxide sorbents with syngas components. *Journal of Physics*, 1359, 012091. <https://doi.org/10.1088/1742-6596/1359/1/012091>

Karvatskii, A., Lazariev, T., Leleka, S., Mikulionok, I. O., & Ivanenko, O. (2020). Determination of parameters of the carboncontaining materials gasification process in the rotary kiln cooler drum. *Eastern-European Journal of Enterprise Technologies*. <https://doi.org/10.15587/1729-4061.2020.210767>

Kementerian Energi dan Sumber Daya Mineral *et al.* (2021) *HANDBOOK OF ENERGY & ECONOMIC STATISTICS OF INDONESIA 2021*. Jakarta, Indonesia: Pusat Data Kementerian Energi dan Sumber Daya Mineral Indonesia.

Kern, D. Q. (1965). *Process Heat Transfer*. New York: McGraw-Hill Book Company.

Kierzkowska-Pawlak, H. (2012). Determination of Kinetics in Gas-Liquid Reaction Systems. An overview. *Ecological Chemistry and Engineering*, 19(2), 175–196. <https://doi.org/10.2478/v10216-011-0014-y>

Kohl, A.L. and Nielsen, R.B. (1997) *Gas purification*. Houston: Gulf Professional Publ.

Kurniadi, B. *et al.* (2017) “Pengaruh LARUTAN Benfield, Laju ALIR gas proses, Dan Beban Reboiler Terhadap analisa Kinerja Kolom CO₂ Absorber Dengan Menggunakan Simulator Aspen Plus v. 8.6,” *Konversi*, 6(1), p. 1. Available at: <https://doi.org/10.20527/k.v6i1.2760>.

Lee, J.W. *et al.* (2018) “Partial slagging coal gasifier operational performance and product characteristics for energy sustainability in an integrated gasification combined cycle system,” *Journal of the Energy Institute*, 91(5), pp. 769–778. Available at: <https://doi.org/10.1016/j.joei.2017.05.004>.

Mustafa, N. F. A., Shariff, A. M., Tay, W. H., Halim, H. N. A., & Yusof, S. M. M. (2020). Mass Transfer Performance Study for CO₂ Absorption into Non-Precipitated Potassium Carbonate Promoted with Glycine Using Packed Absorption Column. *Sustainability*, 12(9), 3873. <https://doi.org/10.3390/su12093873>

Min, Z. and Haifeng, Z. (2019) “Discussion on the feasibility of industrial fuel gas prepared by Lurgi gasification which used anthracite as raw material,” *Sustainable Alternative Syngas Fuel [Working Title]* [Preprint]. Available at: <https://doi.org/10.5772/intechopen.85876>.

Mota, F.A.S., Carvalho, E.P. and Ravagnani, M.A.S.S. (2015) “Modeling and design of plate heat exchanger,” *Heat Transfer Studies and Applications* [Preprint]. Available at: <https://doi.org/10.5772/60885>.

Mota-Martinez, M. T., Hallett, J. P., & Mac Dowell, N. (2017). Solvent selection and design for CO₂ capture – how we might have been missing the point. *Sustainable Energy and Fuels*, 1(10), 2078–2090. <https://doi.org/10.1039/c7se00404d>

National Energy Technology Laboratory (2020) *High temperature winkler (HTW) gasifier*, *netl.doe.gov*. National Energy Technology Laboratory. Available at: <https://netl.doe.gov/research/Coal/energy-systems/gasification/gasifipedia/winkler> (Accessed: November 2, 2022).

Nielsen, S. B., Rode, C., Bunch-Nielsen, T., Hansen, K. A., Kunther, W., & Grell, B. (2019). Properties of magnesium oxide boards used as sheathing in exterior walls. *MATEC Web of Conferences*, 282, 02091. <https://doi.org/10.1051/mateconf>

- Nurkhamidah, S., Altway, A., Airlangga, B., & Emilia, D. P. (2017). Simulation and modeling CO₂ absorption in biogas with DEA promoted K₂CO₃ solution in packed column. In *Nucleation and Atmospheric Aerosols*. American Institute of Physics. <https://doi.org/10.1063/1.4982319>
- Perry, R. H., Green, D. W. (1977). *Perry's Chemical Engineers' Handbook* (7th ed.). McGraw-Hill Professional.
- Quyn, D. M., Rayer, A. V., Gouw, J., Indrawan, I., Mumford, K. A., Anderson, C., Hooper, B., & Stevens, G. W. (2013). Results from a Pilot Plant Using Un-promoted Potassium Carbonate for Carbon Capture. *Energy Procedia*, 37, 448–454. <https://doi.org/10.1016/j.egypro.2013.05.130>
- Saraçoğlu, M., Uslu, F., & Albayrak, U. (2020). Stress and displacement analysis of perforated circular plates. *Challenge Journal of Structural Mechanics*, 6(3), 150. <https://doi.org/10.20528/cjsmec.2020.03.006>
- Schwabauer, A., Mancini, M., Poyraz, Y., & Weber, R. (2021). On the Mathematical Modelling of a Moving-Bed Counter-Current Gasifier Fuelled with Wood-Pellets. *Energies*, 14(18), 5840. <https://doi.org/10.3390/en14185840>
- Shamsi, M., Ebrahim, H. A., & Azarhoosh, M. J. (2020). Simulation and optimization of coal gasification in a moving-bed reactor to produce synthesis gas suitable for methanol production unit. *Chemical and Biochemical Engineering Quarterly*. <https://doi.org/10.15255/cabeq.2019.1673>
- Singh, N. B., Raghavan, V., & Sundararajan, T. (2013). Mathematical modeling of gasification of high-ash Indian coals in moving bed gasification system. *International Journal of Energy Research*, 38(6), 737–754. <https://doi.org/10.1002/er.3078>
- Sinnot, R. K. (1999). *Coulson & Richardson's Chemical Engineering Volume 6 Third Edition*. Oxford: Butterworth-Heinemann.
- Skurygin, E. F., & Poroyko, T. A. (2020). Absorption of Carbon Dioxide with Hot Potassium Carbonate Solution: Modeling and Statistical Analysis of Known Experimental Data. *Chemical Engineering Transactions*, 81, 847–852. <https://doi.org/10.3303/cet2081142>
- Smith, J. M. (1970). *Chemical Engineering Kinetics Second Edition*. New York: McGraw-Hill Book.
- Sudiro, M., Pellizzaro, M., Bezzo, F., & Bertucco, A. (2010). Simulated moving bed technology applied to coal gasification. *Chemical Engineering Research & Design*, 88(4), 465–475. <https://doi.org/10.1016/j.cherd.2009.09.001>



UNIVERSITAS
GADJAH MADA

Suprpto, S.

Prarancangan Pabrik Syngas dari Batubara Kualitas Rendah dengan Proses Kering Kapasitas 800.000 Ton/Tahun

Noufal Risangsurya Prasetya, Ir. Suprihastuti Sri Rahayu, M.Sc.; Ir. Lisendra Marbelia, S.T., M.Sc., Ph.D.

Universitas Gadjah Mada, 2023 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Suprpto, S. and Nurhadi (2007) *PRODUCTION OF SYNTHESIS GAS FROM INDONESIAN LOW RANK COALS USING FLUIDIZED BED GASIFICATION REACTOR*, 10(08), pp. 10–17.

SZECHY, G. and SZEBENYI, I. (1995) *DEVELOPMENT OF COAL GASIFICATION TECHNOLOGIES*, 39(2), pp. 87–99.

Timmerhaus, K. D., & Peter, M. S. (2003). *Plant Design and Economics for Chemical Engineers*. New York: Mc.Graw Hill Book Company Inc.

Tingkat Partisipasi Angkatan Kerja (TPAK) Kabupaten Muara Enim, 2019-2021 (2021) BPS Kabupaten Muara Enim. Badan Pusat Statistik. Available at: <https://muaraenimkab.bps.go.id/> (Accessed: November 1, 2022).

Trifiananto, M. and Sudarmanta, B. (2015) *UPDRAFT COAL GASIFICATION CHARACTERIZATION WITH VARYING EQUIVALENCE RATIO*. dissertation.

Ulrich, G. D. (1984). *A Guide to Chemical Engineering Process Design and Economics*. New York: John Wiley & Sons, Inc.

Wagman, D. D. (1982). The NBS tables of chemical thermodynamic properties (Vol. 11). *Journal of Physical and Chemical Reference Data*

Wu, S. (2009) *Reciprocating pumps vs. multi-stage centrifugal pumps*, *Pumps and Systems Magazine*. Available at: <https://www.pumpsandsystems.com/reciprocating-pumps-vs-multi-stage-centrifugal-pumps> (Accessed: December 1, 2022).

Yaws, C. L. (1999). *Chemical Properties Handbook*. New York: Mc Graw Hill Book Co.