

DAFTAR PUSTAKA

1. I.M. Bugaje, Renewable energy for sustainable development in Africa: a review, *Renew. Sustain. Energy Rev.* 10 (2006) 603–612.
2. Roula Inglesi-Lotz, Eyup Dogan, The role of renewable versus non-renewable energy to the level of CO₂ emissions a panel analysis of sub-Saharan Africa's Big 10 electricity generators, *Renew. Energy* 123 (2018) 36–43.
3. Paris agreement, Available online: <https://unfccc.int/process-and-meetings/the-paris-agreement/the-paris-agreement>, 23/09/2022.
4. C.R. KumarJ, M.A. Majid, Renewable energy for sustainable development in India: current status, future prospects, challenges, employment, and investment opportunities, *Energy Sustain Soc* 10 (2020) 2, <https://doi.org/10.1186/s13705-019-0232-1>.
5. M. Alharthi, E. Dogan, D. Taskin, Analysis of CO₂ emissions and energy consumption by sources in MENA countries: evidence from quantile regressions, *Environ. Sci. Pollut. Res.* 28 (2021) 38901–38908, <https://doi.org/10.1007/s11356-021-13356-0>.
6. R. Ahshan, Potential and economic analysis of solar-to-hydrogen production in the Sultanate of Oman, *Sustainability* 13 (2021) 9516, <https://doi.org/10.3390/su13179516>.
7. tempe insights: a perspective on hydrogen investment, Market Development and Cost Competitiveness (February 2021). Available online: <https://hydrogencouncil.com/wp-content/uploads/2021/02/Hydrogen-Insights-2021-Report.pdf>, 25/5/2022.
8. H. Zhong, H. Wang, J.W. Liu, D.L. Sun, F. Fang, Q.A. Zhang, L.Z. Ouyang, M. Zhu, Enhanced hydrolysis properties and energy efficiency of MgH₂-base hydrides, *J. Alloys Compd.* 680 (2016) 419–426.
9. M. Zhu, Y.S. Lu, L.Z. Ouyang, H. Wang, Thermodynamic tuning of Mg-based hydrogen storage alloys, a review *Materials* 6 (2013) 4654–4674.
10. M. Rezaei, N. Naghdi-Khozani, N. Jafari, Wind energy utilization for hydrogen production in an underdeveloped country: an economic investigation, *Renew. Energy* 147 (2020) 1044–1057.

11. Weimann L, Gabrielli P, Boldrini A, Kramer GJ, Gazzani M. Optimal hydrogen production in a wind-dominated zero-emission energy system. *Advances in Applied Energy*. 2021; 3:100032.
12. Monforti Ferrario A, Bartolini A, Segura Manzano F, Vivas FJ, Comodi G, McPhail SJ, et al. A model-based parametric and optimal sizing of a battery/ hydrogen storage of a real hybrid microgrid supplying a residential load: Towards island operation. *Advances. Appl Energy* 2021; 3:100048. <https://doi.org/10.1016/j.adapen.2021.100048>.
13. Zhao N, You F. New York State's 100% renewable electricity transition planning under uncertainty using a data-driven multistage adaptive robust optimization approach with machine-learning. *Advances in Applied Energy*. 2021; 2:100019.
14. Wang Y, Yuan H, Martinez A, Hong P, Xu H, Bockmiller FR. Polymer electrolyte membrane fuel cell and hydrogen station networks for automobiles: Status, technology, and perspectives. *Advances in Applied Energy*. 2021; 2:100011. <https://doi.org/10.1016/j.adapen.2021.100011>.
15. Zhang H, Liang Y, Ma J, Qian C, Yan X. An MILP method for optimal offshore oilfield gathering system. *Ocean Eng* 2017; 141:25–34.
16. Zhang H, Liang Y, Ma J, Shen Y, Yan X, Yuan M. An improved PSO method for optimal design of subsea oil pipelines. *Ocean Eng* 2017; 141:154–63.
17. Indonesian, G., Kurniawan, D., & Tengker Juwadi Harjo Fabby Tumiwa Pamela Simamora, E. (n.d.). *IESR Green Hydrogen in Indonesia Stakeholders, Regulations and Business Prospects 2 Green Hydrogen Market Study*.
18. Giampieri, A., Ling-Chin, J., & Roskilly, A. P. (2023). Techno-economic assessment of offshore wind-to-hydrogen scenarios: A UK case study. *International Journal of Hydrogen Energy*. <https://doi.org/10.1016/j.ijhydene.2023.01.346>
19. Groenemans, H., Saur, G., Mittelsteadt, C., Lattimer, J., & Xu, H. (2022). Techno-economic analysis of offshore wind PEM water electrolysis for H₂ production. In *Current Opinion in Chemical Engineering* (Vol. 37). Elsevier Ltd. <https://doi.org/10.1016/j.coche.2022.100828>.
20. Yan, Y., Zhang, H., Liao, Q., Liang, Y., & Yan, J. (2021). Roadmap to hybrid offshore system with hydrogen and power co-generation. *Energy Conversion and Management*, 247. <https://doi.org/10.1016/j.enconman.2021.114690>
21. Touili, S., Merrouni, A. A., Hassouani, Y. el, Amrani, A. I., & Azouzoute, A. (2020). Techno-economic investigation of electricity and hydrogen production from wind

- energy in Casablanca, Morocco. *IOP Conference Series: Materials Science and Engineering*, 948(1). <https://doi.org/10.1088/1757-899X/948/1/012012>
22. McDonagh, S., Ahmed, S., Desmond, C., & Murphy, J. D. (2020). Hydrogen from offshore wind: Investor perspective on the profitability of a hybrid system including for curtailment. *Applied Energy*, 265.
23. PARK, J., KIM, C.-H., CHO, H.-S., KIM, S.-K., & CHO, W.-C. (2020). Techno-Economic Analysis of Green Hydrogen Production System Based on Renewable Energy Sources. *Transactions of the Korean Hydrogen and New Energy Society*, 31(4), 337–344. <https://doi.org/10.7316/khnes.2020.31.4.337>
24. Luo, Z., Wang, X., & Pei, A. (2021). *Hydrogen Sourced from Renewables and Clean Energy: A Feasibility Study of Achieving Large-scale Demonstration*. ERIA.
25. Siyal, S. H., Howells, M. I., Nerini, F. F., Traverso, A., Division of Energy Systems Analysis, & KTH. Skolan för industriell teknik och management (ITM). (n.d.). *Techno-economic assessment of wind energy for renewable hydrogen production in Sweden*.
26. Reksten, A. H., Thomassen, M. S., Møller-Holst, S., & Sundseth, K. (2022). Projecting the future cost of PEM and alkaline water electrolyzers; a CAPEX model including electrolyser plant size and technology development. *International Journal of Hydrogen Energy*, 47(90), 38106–38113. <https://doi.org/10.1016/j.ijhydene.2022.08.306>
27. Wei Tong. Wind power generation and wind turbine design. 2010.
28. Serban, A., Paraschiv, L. S., & Paraschiv, S. (2020). Assessment of wind energy potential based on Weibull and Rayleigh distribution models. *Energy Reports*, 6, 250–267. <https://doi.org/10.1016/j.egy.2020.08.048>
29. Muhammad Shoaib, Imran Siddiqui, Yousaf Muhammad Amir, Saif Ur Rehman. (2017). Evaluation of wind power potential in Baburband (Pakistan) using Weibull distribution function. *Rehman Renew Sustain Energy Rev*;70:1343–51
30. Mahmood, F. H., Resen, A. K., & Khamees, A. B. (2020). Wind characteristic analysis based on Weibull distribution of Al-Salman site, Iraq. *Energy Reports*, 6, 79–87. <https://doi.org/10.1016/j.egy.2019.10.021>
31. Gary, L. Johnson. Wind Energy Systems. s.l.: Manhattan, KS, 2006. pp. 2-30.
32. Gungor A, Gokcek M, Uçar H, Arabacı E, Akyüz A. (2020). Analysis of wind energy potential and Weibull parameter estimation methods: a case study from Turkey. *Int J Environ Sci Technol*;17(2020):1011-20

33. Kalmikov, A. (2017). *Wind Power Fundamentals*. Massachusetts Institute of Technology
34. Alawi, M. B. (2018). *The integration of wind turbines for generating sustainable energy in skyscrapers*. <https://www.researchgate.net/publication/333204326>.
35. Gustavo, M., & Enrique, P. (2011). Modelling and Control Design of Pitch-Controlled Variable Speed Wind Turbines. In *Wind Turbines*. InTech. <https://doi.org/10.5772/15880>
36. 2011 AWEA Small Wind Turbine Market Report. (2011) Office of Energy Efficiency & Renewable Energy
37. Cleveland, C.J & Morris, C. (2015). Dictionary of Energy (Second Edition). Elsevier. <https://doi.org/10.1016/B978-0-08-096811-7.50023-8>
38. Choi, N. J., Nam, S. H., Jeong, J. H., & Kim, K. C. (2014). CFD study on aerodynamic power output changes with inter-turbine spacing variation for a 6 MW offshore wind farm. *Energies*, 7(11), 7483–7498. <https://doi.org/10.3390/en7117483>
39. Grieken, M.V & Dower. B. (2017). Wind Turbines and Landscape. *Wind Energy Engineering*. <http://dx.doi.org/10.1016/B978-0-12-809451-8.00023-0>
40. Mazloomi, K., & Gomes, C. (2012). Hydrogen as an energy carrier: Prospects and challenges. In *Renewable and Sustainable Energy Reviews* (Vol. 16, Issue 5, pp. 3024–3033). <https://doi.org/10.1016/j.rser.2012.02.028>
41. Burton, N. A., Padilla, R. v., Rose, A., & Habibullah, H. (2021). Increasing the efficiency of hydrogen production from solar powered water electrolysis. In *Renewable and Sustainable Energy Reviews* (Vol. 135). Elsevier Ltd. <https://doi.org/10.1016/j.rser.2020.110255>
42. Xu X et al. (2022) The future of hydrogen energy: Bio-hydrogen production technology, International Journal of Hydrogen Energy, <https://doi.org/10.1016/j.ijhydene.07.261>
43. Yan, Y., Zhang, H., Liao, Q., Liang, Y., & Yan, J. (2021). Roadmap to hybrid offshore system with hydrogen and power co-generation. *Energy Conversion and Management*, 247. <https://doi.org/10.1016/j.enconman.2021.114690>
44. Guo, Y., Li, G., Zhou, J., & Liu, Y. (2019). Comparison between hydrogen production by alkaline water electrolysis and hydrogen production by PEM electrolysis. *IOP Conference Series: Earth and Environmental Science*, 371(4). <https://doi.org/10.1088/1755-1315/371/4/042022>

45. Shiva Kumar, S., & Himabindu, V. (2019). Hydrogen production by PEM water electrolysis – A review. In *Materials Science for Energy Technologies* (Vol. 2, Issue 3, pp. 442–454). KeAi Communications Co.
46. d'Amore-Domenech, R., Santiago, Ó., & Leo, T. J. (2020). Multicriteria analysis of seawater electrolysis technologies for green hydrogen production at sea. *Renewable and Sustainable Energy Reviews*, 133. <https://doi.org/10.1016/j.rser.2020.110166>.
47. Wind Farm costs. Wind farm costs – Guide to an offshore wind farm. (n.d.). Retrieved February 23, 2023, from <https://guidetoanoffshorewindfarm.com/wind-farm-costs>.
48. *Research into the Wind Industry*. Thunder Said Energy. (2023). Retrieved March 25, 2023, from <https://thundersaidenergy.com/downloads/category/wind/>
49. Nuttall LJ, Fickett AP, Titterington WA. (1975). Hydrogen Generation by Solid Polymer Electrolyte Water Electrolysis. In: Veziroglu ~ TN, editor. *Hydrogen Energy: Part A*. US, Boston, MA: Springer; p. 441–55.
50. Oi T, Wada K. (2004). Feasibility study on hydrogen refueling infrastructure for fuel cell vehicles using the off-peak power in Japan. *Int J Hydrogen Energy*;29: 347–54.
51. (IEA), I.E.A.. The future of hydrogen. 2019.
52. Miao B, Giordano L, Chan SH. (2021). Long-distance renewable hydrogen transmission via cables and pipelines. *Int J Hydrogen Energy*; 46:18699–718.
53. Kaiser MJ. (2017). Offshore pipeline construction cost in the U.S. Gulf of Mexico. *Marine Policy*; 82:147–66.
54. Kaiser MJ. Offshore pipeline construction cost in the U.S. Gulf of Mexico. *Marine Policy*. 2017;82:147–66.
55. Zhang C, Greenblatt JB, Wei M, Eichman J, Saxena S, Muratori M, et al. Flexible grid-based electrolysis hydrogen production for fuel cell vehicles reduces costs and greenhouse gas emissions. *Appl Energy* 2020;278:115651.
56. Han J-H, Ryu J-H, Lee I-B. Modeling the operation of hydrogen supply networks considering facility location. *Int J Hydrogen Energy* 2012;37:5328–46.
57. Argin, M., Yerci, V., Erdogan, N., Kucuksari, S., & Cali, U. (2019). Exploring the offshore wind energy potential of Turkey based on multi-criteria site selection. *Energy Strategy Reviews*, 23, 33–46. <https://doi.org/10.1016/j.esr.2018.12.005>
58. T. U. W. Energy, Wind energy industry-standard *software* (wasp).

59. *Tekniklepaspantai.itb.ac.id*. (n.d.). Retrieved April 23, 2023, from <https://tekniklepaspantai.itb.ac.id/wp-content/uploads/sites/441/2022/03/15511026-Rido-Nursyahid-M.pdf>
60. Leithead, W. E., Kazacoks, R., Amos, L. J., Amos, L., & Leithead, W. (n.d.). *Effect of wind flow direction on the loads at wind farm Variable Pitch Vertical Axis Wind Turbines View Project The Smart Rotor Wind Turbine View project Effect of wind flow direction on the loads at wind farm Effect of wind flow direction on the loads at wind farm*. <https://doi.org/10.1088/1742-6596/1356/1/012005/pdf>.
61. *Vestas Full Maintenance Concepts, 97% availability guaranteed*. Vestas full maintenance concepts, 97% availability guaranteed | Spares in Motion. (n.d.). Retrieved March 16, 2023, from <https://www.sparesinmotion.com/wind-turbine-services/wind-turbine-maintenance/vestas-full-maintenance-concepts-97-availability>.
62. *M series containerized pem electrolyzers*. Nel Hydrogen. (2022, June 2). Retrieved March 16, 2023, from <https://nelhydrogen.com/resources/m-series-containerized-pem-electrolyzers/>
63. Mathew, M. S., Kandukuri, S. T., & Omlin, C. W. (2022). *Estimation of Wind Turbine Performance Degradation with Deep Neural Networks*.
64. Keddar, M., da Conceicao, M., Zhang, Z., & Doumbia, M. L. (2022.). *Electrolyzer Degradation-Power Electronics One-Way Interaction Model*.
65. *Menteri ESDM Resmikan Pltgu Riau, Biaya Produksi Listrik Sumatera Lebih Murah Dan Bersih*. ESDM. (2022). Retrieved April 13, 2023, from <https://www.esdm.go.id/en/media-center/news-archives/menteri-esdm-resmikan-pltgu-riau-biaya-produksi-listrik-sumatera-lebih-murah-dan-bersih>.
66. Rousseau, N. (2022, June 28). Is green hydrogen energy viable and clean? Earth.Org. Retrieved March 26, 2023, from <https://earth.org/green-hydrogen-energy/>.