



REFERENSI

- Abraham, C. and Sheeran, P. (2014) ‘The health belief model’, *Cambridge Handbook of Psychology, Health and Medicine, Second Edition*, (June 2015), pp. 97–102. doi: 10.1017/CBO9780511543579.022.
- Ahmad, R. A., Richardus, J. H. and De Vlas, S. J. (2013) ‘Care-seeking behaviour among individuals with TB symptoms in Jogjakarta province, Indonesia: A community-based study’, *International Health*, 5(1), pp. 51–57. doi: 10.1093/inthealth/ihs002.
- Badan Penelitian dan Pengembangan Kesehatan (2019) *Laporan Propinsi DIY Riskesdas 2018*. Jakarta.
- Balqis Fadillah, dr. Yodi Mahendradhata, M.Sc., P. . (2019) ‘Evaluasi Program Posbindu Penyakit Tidak Menular Di Puskesmas Kabupaten Sleman’, *Universitas Gadjah Mada*.
- Basu, P. et al. (2019) ‘A pilot study to evaluate home-based screening for the common non-communicable diseases by a dedicated cadre of community health workers in a rural setting in India’, *BMC Public Health*, 19(1), pp. 1–12. doi: 10.1186/s12889-018-6350-4.
- Berry, K. M. et al. (2017) ‘Quantifying unmet need for hypertension care in South Africa through a care cascade: Evidence from the SANHANES, 2011-2012’, *BMJ Global Health*, 2(3), pp. 2011–2012. doi: 10.1136/bmjgh-2017-000348.
- Bhat, S. and Kumar, S. (2017) ‘Study on health care seeking behaviour among elderly in rural area’, *International Journal of Medical Science and Public Health*, 6(2), p. 1. doi: 10.5455/ijmsph.2017.26072016621.
- Bloom, D. E. et al. (2011) *The Global Economic Burden of Non-communicable Diseases*, World Economic Forum. Available at: <http://www.hspf.harvard.edu/pgda/working.htm>.
- Centers for Disease Control and Prevention (2001) *Updated guidelines for evaluating public health surveillance systems; recommendations from the Guidelines Working Group*. Atlanta. Available at: <https://stacks.cdc.gov/view/cdc/13376>.
- Chandrashekhar, P., Mark Fendrick, A. and Ganguli, I. (2021) ‘Stopping the flood: Reducing harmful cascades of care’, *American Journal of Managed Care*, 27(5), pp. 178–180. doi: 10.37765/ajmc.2021.88630.
- Chimberengwa, P. T. and Naidoo, M. (2018) ‘Knowledge, attitudes and practices related to hypertension among residents of a disadvantaged rural community in southern Zimbabwe’, *PLoS ONE*, 14(6). doi: 10.1371/JOURNAL.PONE.0215500.
- Chobanian, A. V. et al. (2003) ‘Seventh report of the Joint National Committee on



Prevention, Detection, Evaluation, and Treatment of High Blood Pressure',
Hypertension, 42(6), pp. 1206–1252. doi:
10.1161/01.HYP.0000107251.49515.c2.

Conner, M., & Norman, P. (2005) 'Predicting Health Behaviour: research and practice with social cognition model', *Predicting Health Behaviour*, pp. 1–402. Available at:
https://fhs.thums.ac.ir/sites/fhs/files/user31/P_R_E_D_I_C_T_I_N_G.pdf#page=98.

Dinas Kesehatan Gunungkidul (2021) *Rencana Strategis Perangkat Daerah Tahun 2021-2026*.

Dinkes Gunungkidul (2020) 'Profil Kesehatan Kabupaten Gunungkidul 2020'. Wonosari: Dinkes Kab. Gunungkidul.

Evrianisa Utami, G., Dwimawati, E. and Pujiati, S. (2021) 'Evaluasi Pelaksanaan Program Penyakit Hipertensi Di Puskesmas Bogor Utara Kota Bogor Provinsi Jawa Barat Tahun 2018', *Promotor*, 4(2), p. 134. doi: 10.32832/pro.v4i2.5580.

Fatin Binti Buang, N., Azlina Rahman, N. A. and Haque, M. (2019) 'Knowledge, attitude and practice regarding hypertension among residents in a housing area in Selangor, Malaysia', *Original Research MEDICINE AND PHARMACY REPORTS*, 92(2), pp. 145–152. doi: 10.15386/mpqr-1227.

Gaziano, T. A. et al. (2015) 'An assessment of community health workers' ability to screen for cardiovascular disease risk with a simple, non-invasive risk assessment instrument in Bangladesh, Guatemala, Mexico, and South Africa: An observational study', *The Lancet Global Health*, 3(9), pp. e556–e563. doi: 10.1016/S2214-109X(15)00143-6.

Gonfa, F. T., Lemu, Y. K. and Koricha, Z. B. (2021) 'Predictors of Women's awareness of common non-communicable diseases screening during preconception period in Manna District, Southwest Ethiopia: implication for wellness check-up', *BMC Health Services Research*, 21(1), pp. 1–10. doi: 10.1186/s12913-021-06067-2.

Haileamlak, A. (2018) 'What Factors Affect Health Seeking Behavior?', *Ethiopian journal of health sciences*, 28(2), p. 110. doi: 10.4314/ejhs.v28i2.1.

Han, H. et al. (2011) 'Development and Evaluation of a Hypertension Knowledge Test for Korean Hypertensive Patients', *The Journal of Clinical Hypertension*, 13(10), pp. 750–757. doi: 10.1111/j.1751-7176.2011.00497.x.

Irwan, A. M. et al. (2016) 'Self-care practices and health-seeking behavior among older persons in a developing country: Theories-based research', *International Journal of Nursing Sciences*, 3(1), pp. 11–23. doi: 10.1016/j.ijnss.2016.02.010.

Jane Ling, M. Y., Ahmad, N. and Aizuddin, A. N. (2023) 'Risk perception of non-communicable diseases: A systematic review on its assessment and associated



- factors’, *PloS one*, 18(6), p. e0286518. doi: 10.1371/journal.pone.0286518.
- Kanungo, S. *et al.* (2015) ‘Perceived morbidity, healthcare-seeking behavior and their determinants in a poor-resource setting: Observation from India’, *PLoS ONE*, 10(5), pp. 1–21. doi: 10.1371/journal.pone.0125865.
- Kemenkes RI (2012) ‘Petunjuk Teknis Pos Pembinaan Terpadu Penyakit Tidak Menular (Posbindu PTM)’, *Ditjen Pengendalian Penyakit dan Penyehatan Lingkungan, Kementerian Kesehatan RI*, pp. 1–39. Available at: <http://p2ptm.kemkes.go.id/uploads/2016/10/Petunjuk-Teknis-Pos-Pembinaan-Terpadu-Penyakit-Tidak-Menular-POSBINDU-PTM-2013.pdf>.
- Kemenkes RI (2015) ‘Petunjuk Teknis Surveilans Penyakit Tidak Menular’, *Kementerian Kesehatan RI Direktorat Jenderal Pengendalian Penyakit dan Penyehatan Lingkungan Direktorat Pengendalianpenyakit Tidak Menular*, p. 358. Available at: <http://p2ptm.kemkes.go.id/uploads/2016/10/Petunjuk-Teknis-Surveilans-Penyakit-Tidak-Menular.pdf>.
- Kemenkes RI (2020) *Buku Pedoman Manajemen Penyakit Tidak Menular*.
- Kementerian Kesehatan Republik Indonesia (2018) ‘Laporan Nasional RISKESDAS 2018’, *Kementerian Kesehatan RI*, pp. 1–582. Available at: <https://dinkes.kalbarprov.go.id/wp-content/uploads/2019/03/Laporan-Riskesdas-2018-Nasional.pdf>.
- Kementerian Kesehatan RI (2019) ‘Peraturan Menteri Kesehatan Republik Indonesia Nomor 4 Tahun 2019’, *Kemenkumham RI*.
- Kementerian Kesehatan RI (2021) *Petunjuk Teknis Pelaksanaan Posyandu Lanjut Usia dan Posbindu PTM Terintegrasi*. Jakarta: Kementerian Kesehatan RI.
- Kementerian Kesehatan RI (2014) *Peraturan Menteri Kesehatan No 45 Tahun 2014 tentang Penyelenggaraan Surveilans Kesehatan*.
- Kementerian Kesehatan RI (2016) *Permenkes No. 25 Tahun 2016 Tentang Rencana Aksi Nasional Kesehatan Lanjut Usia 2016-2019*.
- Kementerian Kesehatan RI (2019) ‘pedoman umum pos pembinaan terpadu penyakit tidak menular edisi satu cetakan ke dua kementerian kesehatan RI - Google Search’, *Edisi Satu Cetakan Ke Dua*, p. 28. Available at: <http://p2ptm.kemkes.go.id/uploads/2016/10/Pedoman-Umum-Pos-Pembinaan-Terpadu-Penyakit-Tidak-Menular.pdf>.
- Kotwani, P. *et al.* (2014) ‘Evaluating linkage to care for hypertension after community-based screening in rural Uganda’, *Tropical Medicine and International Health*, 19(4), pp. 459–468. doi: 10.1111/tmi.12273.
- Machaalani, M. *et al.* (2022) ‘Knowledge, Attitude, and Practice Toward Hypertension Among Hypertensive Patients Residing in Lebanon’. doi: 10.2147/VHRM.S367187.
- Mahduri, R. R. and Sulistiadi, W. (2020) ‘Evaluasi Program Pos Pembinaan



Terpadu Penyakit Tidak Menular (Posbindu PTM)', *JURNAL ILMIAH KESEHATAN MASYARAKAT : Media Komunikasi Komunitas Kesehatan Masyarakat*, 12(1), pp. 43–48. doi: 10.52022/jikm.v12i1.55.

Mold, J. W. and Stein, H. F. (1986) 'The Cascade Effect in The Clinical Care of Patients', *The New England Journal Of Medicine*, 314(8), pp. 512–514. doi: doi:10.1056/NEJM198602203140809.

Nguyen, T. N. T. et al. (2023) 'Putting non-communicable disease data to work in Vietnam: an investigation of community health surveillance capacity', *BMC Public Health*, 23(1), pp. 1–13. doi: 10.1186/s12889-023-14986-4.

Nisa, H., Syadidurrahmah, F. and Hermawan, M. (2021) 'Implementation of Hypertension Surveillance at Majalengka District Health Office in 2021', *JPK : Jurnal Proteksi Kesehatan*, 10(1), pp. 26–34. doi: 10.36929/jpk.v10i1.334.

Notoatmodjo, S. (2014) *Promosi Kesehatan dan Perilaku Kesehatan*. Edisi Revi. Jakarta: Rineka Cipta.

Pakpahan, M. et al. (2021) *Promosi Kesehatan dan Perilaku Kesehatan*. 1st edn. Yayasan Kita Menulis.

Parmar, P. et al. (2014) 'Study of knowledge, attitude and practice of general population of Gandhinagar towards hypertension', *Int J Curr Microbiol App Sci*, 3(8), pp. 680–685. Available at: http://www.ijcmas.com/vol-3-8/Pragnesh_Parmar, et al.pdf.

Perhimpunan Dokter Hipertensi Indonesia (PERHI) (2019) 'Konsensus Penatalaksanaan Hipertensi 2019', *Indonesian Society Hipertensi Indonesia*, pp. 1–90.

Prabhakar, T., Goel, M. K. and Acharya, A. S. (2023) 'Health-Seeking Behavior and its Determinants for Different Noncommunicable Diseases in Elderly', *Indian Journal of Community Medicine*, 48(1), pp. 161–6. doi: 10.4103/ijcm.ijcm_106_22.

Pradono, J., Kusumawardani, N. and Rachmalina, R. (2020) *Hipertensi: Pembunuhan Terselubung di Indonesia*. Jakarta: Lembaga Penerbit Badan Penelitian dan Pengembangan Kesehatan.

Pranandari, L. L., Arso, S. P. and Fatmasari, E. Y. (2017) 'Analisis Implementasi Program Pos Pembinaan Terpadu Penyakit Tidak Menular (Posbindu Pt) Di Kecamatan Banguntapan Kabupaten Bantul', *Jurnal Kesehatan Masyarakat (Undip)*, 5(4), pp. 76–84. Available at: <https://ejournal3.undip.ac.id/index.php/jkm/article/view/18319>.

Primiyani, Y., Masrul, M. and Hardisman, H. (2019) 'Analisis Pelaksanaan Program Pos Pembinaan Terpadu Penyakit Tidak Menular di Kota Solok', *Jurnal Kesehatan Andalas*, 8(2), p. 399. doi: 10.25077/jka.v8.i2.p399-406.2019.

Putri, R. E., . H. and . A. (2019) 'Evaluasi Proses Implementasi Posbindu PTM Di



Wilayah Kerja Puskesmas Simpang Sungai Duren Kecamatan Jambi Luar Kota Kabupaten Muaro Jambi Tahun 2017’, *Jurnal Kesmas Jambi*, 2(1), pp. 12–27. doi: 10.22437/jkmj.v2i1.6536.

Rahadjeng, E. and Nurhotimah, E. (2020) ‘Evaluasi Pelaksanaan Posbindu Penyakit Tidak Menular (Posbindu PtM) Di Lingkungan Tempat Tinggal’, *Jurnal Ekologi Kesehatan*, 19(2), pp. 134–147. doi: 10.22435/kek.v19i2.3653.

Rahajeng, E. and Wahidin, M. (2020) ‘Evaluasi Surveilans Faktor Risiko Penyakit Tidak Menular (PTM) Berbasis Data Kegiatan “Posbindu PTM”’, *Media Penelitian dan Pengembangan Kesehatan*, 30(3), pp. 241–256. doi: 10.22435/mpk.v30i3.3569.

Riyadina, W., Martha, E. and Anwar, A. (2019) ‘Perilaku Pencegahan Dan Pengendalian Hipertensi : Studi Pengetahuan, Sikap, Perilaku (Psp) Dan Kesehatan Lingkungan Pada Wanita Pasca Menopause Di Kota Bogor’, *Jurnal Ekologi Kesehatan*, 17(3), pp. 182–196. doi: 10.22435/kek.17.3.666.182-196.

Rusmadi, N., Pristianty, L. and Zairina, E. (2021) ‘Validitas dan Reliabilitas Kuesioner Kepatuhan Pengobatan Pasien Lansia dengan Hipertensi berdasarkan Teori Health Belief Model’, *Jurnal Sains Farmasi & Klinis*, 08(01), pp. 60–68. doi: 10.25077/jsfk.8.1.60-68.2021.

Saputra, M. H., Muhith, A. and Fardiansyah, A. (2017) ‘Analisis Sistem Infromasi Faktor Resiko Hipertensi Berbasis Posbindu Di Dinas Kesehatan Kabupaten Sidoarjo’, *Prosiding Seminar Nasional Seri Ke-1 Tahun 2017*, 1995, pp. 7–17.

Sari, D. W. R. and Savitri, M. (2018) ‘Faktor-faktor yang berhubungan dengan pemanfaatan posbindu penyakit tidak menular (PTM) di wilayah kerja puskesmas kecamatan Setiabudi kota Jakarta Selatan tahun 2018’, *Jurnal Kebijakan Kesehatan Indonesia : JKKI*, 7(2), pp. 49–56. Available at: <https://journal.ugm.ac.id/jkki/article/view/36849>.

Shahoud, J. S. and Aeddula, N. R. (2019) ‘Physiology, Arterial Pressure Regulation’, *StatPearls*, pp. 5–7. Available at: <http://www.ncbi.nlm.nih.gov/pubmed/30860744>.

Sicilia, G., Dewi, F. S. T. and Padmawati, R. S. (2018) ‘Qualitative evaluation of a Posbindu-based non-communicable disease program in the Muara Bungo I Community Health Center’, *Jurnal Kebijakan Kesehatan Indonesia JKCI*, 7(2), pp. 88–92. Available at: <https://journal.ugm.ac.id/jkci/article/download/36117/22614>.

Subbaraman, R. et al. (2019) ‘Constructing care cascades for active tuberculosis: A strategy for program monitoring and identifying gaps in quality of care’, *PLoS Medicine*, 16(2), pp. 1–18. doi: 10.1371/journal.pmed.1002754.

Sujarwoto and Maharani, A. (2022) ‘Participation in community-based healthcare interventions and non-communicable diseases early detection of general population in Indonesia’, *SSM - Population Health*, 19(May), p. 101236. doi:



10.1016/j.ssmph.2022.101236.

Sullivan, K. M. (2003) ‘Sample Size for a Proportion OpenEpi’, *OpenEpi Version 3, open source calculator*, p. 1. Available at: <http://www.openepi.com/SampleSize/SSPropor.htm>.

Sung-Heui, B. et al. (2022) ‘Risk Perceptions of Noncommunicable Diseases among Cambodian Adults: A Cross-Sectional Study’, *Journal of Korean Academy of Community Health Nursing*, 33(2), pp. 259–268. doi: 10.12799/jkachn.2022.33.2.259.

Supriyatna, E., Pertiwiwati, E. and Setiawan, H. (2020) ‘Faktor-Faktor Yang Mempengaruhi Pemanfaatan Posbindu Ptma Oleh Masyarakat Di Wilayah Kerja Puskesmas Martapura 2’, *Jurnal Publikasi Kesehatan Masyarakat Indonesia*, 7(1), p. 1. doi: 10.20527/jpkmi.v7i1.8670.

Swarjana, I. K. (2022) *Konsep Pengetahuan, Sikap, Perilaku, Persepsi, Stres, Kecemasan, Nyeri, Dukungan Sosial, Kepatuhan, Motivasi, Kepuasan, Pandemi Covid-19, Akses Layanan Kesehatan*. 1st edn. Yogyakarta: Penerbit Andi.

Unger, T. et al. (2020) ‘2020 International Society of Hypertension Global Hypertension Practice Guidelines’, *Hypertension*, 75(6), pp. 1334–1357. doi: 10.1161/HYPERTENSIONAHA.120.15026.

Wang, T. et al. (2022) ‘Health beliefs associated with preventive behaviors against noncommunicable diseases’, *Patient Education and Counseling*, 105(1), pp. 173–181. doi: 10.1016/j.pec.2021.05.024.

Ward, H., Mertens, T. E. and Thomas, C. (1997) ‘Health seeking behaviour and the control of sexually transmitted disease’, *Health Policy and Planning*, 12(1), pp. 19–28. doi: 10.1093/heapol/12.1.19.

WHO (2006) ‘Communicable disease surveillance and response systems. Guide to monitoring and evaluating’, *Epidemic and pandemic alert and response*, p. 90. Available at:

https://www.who.int/csr/resources/publications/surveillance/WHO_CDS_EPR_LYO_2006_2/en/http://www.who.int/csr/resources/publications/surveillance/WHO_CDS_EPR_LYO_2006_2/en/.

WHO (2021) *Hypertension*, World Health Organization. Available at: <https://www.who.int/news-room/fact-sheets/detail/hypertension> (Accessed: 17 January 2022).

World Health Organization (2010) ‘Global status report on noncommunicable diseases’, *World Health Organization*, 53(9), pp. 1689–1699. doi: 10.1017/CBO9781107415324.004.

Yandrizal, Y. et al. (2016) ‘The Empowerment of Integrated Development Post of Non-Communicable Diseases in Efforts to Prevent and Control Non-Communicable Diseases’, *International Journal of Public Health Science*



(*IJPHS*), 5(3), p. 294. doi: 10.11591/ijphs.v5i3.4799.

Zeng, Y. *et al.* (2020) ‘The influencing factors of health-seeking preference and community health service utilization among patients in primary care reform in Xiamen, China’, *Patient Preference and Adherence*, 14, pp. 653–662. doi: 10.2147/PPA.S242141.