



DAFTAR PUSTAKA

- Boateng, J.S., Matthews K.H., Stevens H.N.E., dan Eccleston G. M.. (2008) ‘Wound Healing Dressings and Drug Delivery Systems: A Review’, *Journal of Pharmaceutical Sciences*, 97(8), pp. 2892–2923. doi:10.1002/jps.21210.
- Brown Jr. R.M. (1992), ‘Emerging technologies and future prospects for industrialization of microbially derived cellulose’, in Ladisch M R and Bose A, eds, *Harnessing Biotechnology for the 21st Century*, Washington DC, American Chemical Society, 76-79.
- Chiaoprakobkij, N ., Sanchavanakit, N., Subbalekha, K., Pavasant, P., dan Phisalaphong, M. (2011) ‘Characterization and biocompatibility of bacterial cellulose/alginate composite sponges with human keratinocytes and gingival fibroblasts’, *Carbohydrate Polymers*, 85(3), pp. 548–553. doi:10.1016/j.carbpol.2011.03.011.
- Cummings, J. dan Stephen, A. (2007) ‘Carbohydrate terminology and classification’, *European Journal of Clinical Nutrition*, 61(S1). doi:10.1038/sj.ejcn.1602936.
- Dhivya, S., Padma, V.V. dan Santhini, E. (2015) ‘Wound dressings – a review’, *BioMedicine*, 5(4). doi:10.7603/s40681-015-0022-9.
- Direktorat Jendral Perkebunan 2021. Statistik Perkebunan Unggulan Nasional 2019-2021. Kementerian Pertanian Republik Indonesia.
- Edahwati, L. (2010) ‘Perpindahan Massa Karbohidrat Menjadi Glukosa Dari Buah Kersen Dengan Proses Hidrolisis’, *Jurnal Penelitian Ilmu Teknik*, 10(1), pp. 1–5.
- Firdaus, N.Z., Alda, A.A. dan Gunawan, I.S. (2020) ‘Potensi Kandungan Biji Anggur Dalam Mempercepat Penyembuhan Luka’, *Jurnal Penelitian Perawat Profesional*, 2(2), pp. 139–146. doi:10.37287/jppp.v2i2.85.
- He, X., Yang Y., Song H., Wang S., Zhao H., dan Wei D. (2020) ‘Polyanionic composite membranes based on bacterial cellulose and amino acid for antimicrobial application’, *ACS Applied Materials & Interfaces*, 12(13), pp. 14784–14796. doi:10.1021/acsami.9b20733.



Evaluasi Membran Selulosa Bakteri Dari Berbagai Sumber Karbon Sebagai Pembalut Luka dan Penghantar Obat (Drug Delivery)
Selva Susilowati L, Prof. Ir. Muslikhin Hidayat, S.T., M.T., Ph.D., IPU.; Prof. Ir. Harry Sulistyo, S.U., Ph.D., IPU.
Universitas Gadjah Mada, 2023 | Diunduh dari <http://etd.repository.ugm.ac.id/>
Isya Syamsu, A.S., Firdaus, S. dan Imran, A. (2015) ‘Pembuatan Nata de Rice Dari air Cucian Beras Dalam BEBERAPA Konsentrasi Dengan bakteri acetobacter xylinum’, Jurnal Ilmiah As-Syifaa, 7(1), pp. 85–92. doi:10.33096/jifa.v7i1.25.

Jonas, R. dan Farah, L.F. (1998) ‘Production and application of microbial cellulose’, *Polymer Degradation and Stability*, 59(1–3), pp. 101–106. doi:10.1016/s0141-3910(97)00197-3.

Ju, S., Zhang, F., Duan, J., dan Jiang, J. (2020). ‘Characterization of bacterial cellulose composite films incorporated with bulk chitosan and chitosan nanoparticles: A comparative study’, *Carbohydrate Polymers*, 237, p. 116167. doi:10.1016/j.carbpol.2020.116167.

Kittel, C. dan McEuen, P. (2005) *Introduction to solid state physics*. Hoboken, NJ, United States of America: Wiley (6th edition).

Maulani, T.R., Hakiki, D.N. dan Nursuciyyoni, N. (2018) ‘Karakteristik Sifat Fisikokimia Nata De Taro Talas Beneng Dengan perbedaan Konsentrasi Acetobacter xylinum dan Sumber Karbon’, *Jurnal Teknologi Industri Pertanian*, 28(3), pp. 295–300. doi:10.24961/j.tek.ind.pert.2018.28.3.296.

Mikkelsen, D., Flanagan, B.M., Dykes, G.A. dan Gidley, M.J. (2009) ‘Influence of different carbon sources on bacterial cellulose production by *gluconacetobacter xylinus* strain ATCC 53524’, *Journal of Applied Microbiology*, 107(2), pp. 576–583. doi:10.1111/j.1365-2672.2009.04226.x.

Mardina, P., Gunawan, A. dan Nugraha, M.I. (2012) ‘Penentuan Koefisien Transfer Massa Ekstraksi Kalium dari Abu Batang pisang’, Konversi, 1(1), p. 39. doi:10.20527/k.v1i1.116.

Molina-Ramírez, C., Castro, M., Osorio, M., Torres-Taborda, M., Gómez, B., Zuluaga, R., Gómez, C., Gañán, P., Rojas, O., Castro, C. (2017) ‘Effect of different carbon sources on bacterial nanocellulose production and structure using the low ph resistant strain *Komagataeibacter medellinensis*’, *Materials*, 10(6), p. 639. doi:10.3390/ma10060639.



Evaluasi Membran Selulosa Bakteri Dari Berbagai Sumber Karbon Sebagai Pembalut Luka dan Penghantar Obat (Drug Delivery)
Selva Susilowati L., Prof. Ir. Muslikhin Hidayat, S.T., M.T., Ph.D., IPU.; Prof. Ir. Harry Sulistyo, S.U., Ph.D., IPU.
Universitas Gadjah Mada, 2023 | Diunduh dari <http://etd.repository.ugm.ac.id/>
Nakai, T., Tonouchi, N., Konishi, T., Kojima, Y., Tsuchida, T., Yoshinaga, F., Sakai, F., dan Hayashi, T. (1999) ‘Enhancement of cellulose production by expression of sucrose synthase in *acetobacter xylinum*’, *Proceedings of the National Academy of Sciences*, 96(1), pp. 14–18. doi:10.1073/pnas.96.1.14.

Nayak, A.K., Ahmad, S.A., Beg, S., Ara, T.J., dan Hasnain, M.S. (2018) ‘Drug delivery’, *Applications of Nanocomposite Materials in Drug Delivery*, pp. 255–282. doi:10.1016/b978-0-12-813741-3.00012-1.

Noval, N. dan Malahayati, S. (2021) *Teknologi Penghantaran Obat Terkendali*. Purwokerto, Indonesia: Pena Persada.

Nurlidar, F., Hardiningsih, L., dan Darwis, D. (2013) ‘Sintesis dan Karakterisasi Selulosa Bakteri-Sitratkitosan Sebagai Pembalut Luka Antimikroba’, *Jurnal Kimia Terapan Indonesia*, 15(2), pp. 56–64. doi:10.14203/jkti.v15i2.164.

Ophardt, C.E. (2003) Sucrose, Carbohydrates - sucrose. <http://chemistryry.elmhurst.edu/vchembook.html> (Diakses: 06 Juli 2023).

Paryanto, P., Suri, A.K. dan Saputro, I.R. (2017) ‘Diffusion and mass transfer in extraction of tannin from mangrove fruit (*rhizophora stylosa*)’, *Rekayasa Bahan Alam dan Energi Berkelanjutan*, 1(2), pp. 42–48. doi:10.21776/ub.rbaet.2017.001.02.01.

Phillips, G.O. dan Williams, P.A. (2009) *Handbook of hydrocolloids*. Oxford, United Kingdom: Woodhead Publishing.

Potivara, K. dan Phisalaphong, M. (2019) ‘Development and characterization of bacterial cellulose reinforced with natural rubber’, *Materials*, 12(14), p. 2323. doi:10.3390/ma12142323.

Putri, S.N. Syaharani, W.F., Utami, C.V., Safitri, D.R., Arum, Z.N., Prihastari, Z.S., Sari, A.R. (2021) ‘Pengaruh mikroorganisme, Bahan Baku, Dan Waktu Inkubasi Pada Karakter Nata: Review’, *Jurnal Teknologi Hasil Pertanian*, 14(1), p. 62. doi:10.20961/jthp.v14i1.47654.



R. Rebelo, A., Archer, A.J., Chen, X., Liu, C., Yang, G., Liu, Y. (2018) ‘Dehydration of bacterial cellulose and the water content effects on its viscoelastic and electrochemical properties’, *Science and Technology of Advanced Materials*, 19(1), pp. 203–211. doi:10.1080/14686996.2018.1430981.

Rohaeti, E., Laksono FX, E.W. dan Rakhmawati, A. (2016) ‘Kemudahan biodegradasi selulosa bakteri dari limbah Cucian Beras Dengan Penambahan gliserol, Kitosan, Dan Nanopartikel perak’, *Jurnal Kimia VALENSI*, 2(1), pp. 35–44. doi:10.15408/jkv.v2i1.3083.

Sajjad, W., He, F., Ullah, M. W., Ikram, M., Shah, S. M., Khan, R., Khan, T., Khalid, A., Yang, G., & Wahid, F. (2020). ‘Fabrication of Bacterial Cellulose-Curcumin Nanocomposite as a Novel Dressing for Partial Thickness Skin Burn’, *Frontiers in bioengineering and biotechnology*, 8, 553037. <https://doi.org/10.3389/fbioe.2020.553037>

Sangadji, S., Mahulete, A.S. dan Marasabessy, D.A. (2022) ‘Studi produktifitas Tanaman Kelapa (Cocos nucifera L.) di Negeri tial Kecamatan salahutu Kabupaten Maluku Tengah’, *Jurnal Agrohut*, 13(2), pp. 87–96. doi:10.51135/agh.v13i2.176.

Sediawan, W.B., Prasetya, A. dan Syarif, T. (2021) *Pemodelan matematis Dan Penyelesaian Numeris Dalam Teknik Kimia Dengan program Bahasa Matlab*. D.I. Yogyakarta, Indonesia: Gadjah Mada University Press.

Stoica, A., Chircov, C. dan Grumezescu, A. (2020) ‘Nanomaterials for wound dressings: An up-to-date overview’, *Molecules*, 25(11), p. 2699. doi:10.3390/molecules25112699.

Susanti, D.Y. Sediawan, W.B., Fahrurrozi, M., Hidayat, M. (2019) ‘A mechanistic model of mass transfer in the extraction of bioactive compounds from intact sorghum pericarp’, *Processes*, 7(11), p. 837. doi:10.3390/pr7110837.

Swingler, S., Gupta A., Gibson H., Kowalcuk M., Heaselgrave W., Radecka I. (2021) ‘Recent advances and applications of bacterial cellulose in biomedicine’, *Polymers*, 13(3), p. 412. doi:10.3390/polym13030412.



Valerón Bergh, V and Tønnesen, H.. (2017) 'Evaluation of porphyrin loaded dry alginate foams containing poloxamer 407 and β -cyclodextrin-derivatives intended for wound treatment', *Pharmaceutical Development and Technology*, 23(8), pp. 761–770. doi:10.1080/10837450.2017.1314492.

Velnar, T., Bailey, T. dan Smrkolj, V. (2009) 'The wound healing process: An overview of the cellular and molecular mechanisms', *Journal of International Medical Research*, 37(5), pp. 1528–1542. doi:10.1177/147323000903700531.

Wang, S. S., Han, Y. H., Chen, J. L., Zhang, D. C., Shi, X. X., Ye, Y. X., Chen, D. L., dan Li, M. (2018) 'Insights into Bacterial Cellulose Biosynthesis from Different Carbon Sources and the Associated Biochemical Transformation Pathways in Komagataeibacter sp', *Wl. Polymers*, 10(9), 963. <https://doi.org/10.3390/polym10090963>

Wenten, I .G. 2000. *Teknologi Membran Industrial*. Bandung: Penerbit ITB.

Wibowo, N.A. dan Isroi (2016) 'Potensi in-vivo selulosa bakterial sebagai nano-filler karet elastomer thermoplastics', *Perspektif*, 14(2), p. 103. doi:10.21082/p.v14n2.2015.103-112.

Zheng, L., Li, S., Luo, J., Wang, X. (2020) 'Latest advances on bacterial cellulose-based antibacterial materials as wound dressings', *Frontiers in Bioengineering and Biotechnology*, 8. doi:10.3389/fbioe.2020.593768.