

DAFTAR RUJUKAN

- Abril, A.B., P.A. Torres, and E.H. Bucher. 2005. The importance of phyllosphere microbial populations in nitrogen cycling in the Chaco semi-arid woodland. *Journal of Tropical Ecology* 21 : 103-107.
- Anjasari, I.R.D., S. Rosniawaty, dan M. Ariyanti. 2007. Pengaruh Kombinasi Pupuk P dan Kompos Terhadap Pertumbuhan Tanaman Teh (*Camellia sinensis* (L.) O. Kuntze) Belum Menghasilkan Klon Gambung 7. Universitas Padjadjaran. Laporan Penelitian Litmud.
- Astika, W. dan D. Muchtar. 1976. Anjuran bahan tanaman teh tahun 1976. *Warta Balai Penelitian Teh dan Kina* 2: 317-324 (Abstr.).
- Astika, W. dan D. Muchtar. 1978. Anjuran bahan tanaman teh tahun 1978. *Warta Balai Penelitian Teh dan Kina* 4: 297-306 (Abstr.).
- Bali, A., G. Blanco, S. Hill, and C. Kennedy. 1992. Excretion of ammonium by a *nifL* mutant of *Azotobacter vinelandii* fixing nitrogen. *Appl. Environ. Microbiol.* 58 : 1711-1718.
- Behrendt, U., A. Ulrich, and P. Schumann. 2003. Fluorescent pseudomonads associated with the phyllosphere of grasses; *Pseudomonas trivialis* sp. Nov., *Pseudomonas poae* sp. Nov. and *Pseudomonas congelans* sp. Nov. *Int. J. Syst. Evol. Microbiol.* 53 : 1461-1469.
- Brandl, M.T., A.F. Haxo, A.H. Bates, and R.E. Mandrell. 2004. Comparison of survival of *Campylobacter jejuni* in the phyllosphere with that in the rhizosphere of spinach and radish plants. *Appl. Environ. Microbiol.* 70 : 1182-1189.
- Brighigna, L., P. Montaini, F. Favilli, and A.C. Trejo. 1992. Role of the nitrogen-fixing bacterial microflora in the epiphytism of tillandsia (Bromeliaceae). *Am. J. Bot.* 79 : 723-727.
- Brighigna, L. A. Gori, S. Gonnelli, and F. Favilli. 2000. The influence of air pollution on phyllosphere microflora composition of *Tillandsia* leaves (Bromeliaceae). *Rev. Bio. Trop.* 48 : 511-517.
- Cahyono, W.E. 2007. Pengaruh hujan asam pada biotik dan abiotik. *Berita Dirgantara* 8 : 48-51.
- Cao-Hoang, L., F. Dumont, P.A. Marechal, M. Le-Thanh, and P. Gervais. 2007. Rates of chilling to 0°C: implication for the survival of microorganisms and relationship with membrane fluidity modification. *Appl. Microbiol. Biotechnol.* 77:1379–1387.
- Carpa, R., C. Dobrotă, A. Keul-Butiuc, M.C. Maior, V. Muntean, and M. Drăgan-Bularda. 2010. Influence of pH on growth and nitrogen fixation in bacterial strains isolated from altitudinal vegetation zones of Parâng Mountains (Romania). *Tom. XVII* 1 : 76-83.
- Dalton, D.A. and A. Kramer. 2006. Nitrogen-Fixing Bacteria in Non-Legumes. *In*: S.S. Gnanamanickam (Ed.) *Plant-Associated Bacteria*. Springer, Netherlands, p: 105-130.
- De Costa, D.M. and R.M.S.P. Rathnayake. 2005. Microbial population dynamics of the phyllosphere of tea (*Camellia sinensis*) and its influence on *Exobasidium vexans*, the blister blight pathogen. *Sri Lankan J. Agric. Sci.* 42 : 94-104.

- Egamberdieva, D. 2008. Plant growth promoting properties of rhizobacteria isolated from wheat and pea grown in loamy sand soil. *Turk J. Biol.* 32 : 9-15.
- El-Said, A.H.M. 2001. Phyllosphere and phylloplane fungi of banana cultivated in upper egypt and their cellulolytic ability. *Mycobiol.* 29 : 210-217.
- Gnanamanickam, S.S. and J.E. Immanuel. 2006. Epiphytic Bacteria, Their Ecology and Functions. In: S.S. Gnanamanickam (Ed.) *Plant-Associated Bacteria*. Springer, Netherlands, p: 131-153.
- Gordon, A.S. and R.P. Weber. 1950. Colorimetric estimation of indole acetic acid. *Plant Physiol* : 192-196.
- Gupta, N. and S.J. Das. 2008. Phosphate solubilising fungi from mangroves of Bhitarkanika, Orissa. *Hayati Journal of Biosciences* 15 : 90-92.
- Hanum, C. 2008. Teknik Budidaya Tanaman. Departemen Pendidikan Nasional, Jakarta.
- Hashidoko, Y., E. Itoh, K. Yokota, T. Yoshida, and S. Tahara. 2002. Characterization of five phyllosphere bacteria isolated from *Rosa rugosa* leaves, and their phenotypic and metabolic properties. *Biosci. Biotechnol. Biochem.* 66: 2474-2478.
- Hubbell, D.H. and G. Kidder. 2003. Biological Nitrogen Fixation. Soil and Water Departement, Florida Cooperative Extension Service, Institute of Food and Agricultural Sciences, Florida.
- Iwata, K., S.S. Yu, N.N.A. Azlan, and T. Omori. 2011. Ammonia Accumulation of Novel Nitrogen-Fixing Bacteria. *Biotechnology – Molecular Studies and Novel Applications for Improved Quality of Human Life* p : 13-24.
- Jacobs, J.L. and G.W. Sundin. 2001. Effect of solar UV-B radiation on a phyllosphere bacterial community. *Appl. Environ. Microbiol.* 67 : 5488-5496.
- Kennedy, C. 2005. *Beijerinckia* In: G.M. Garrity, D.J. Brenner, N.R. Krieg, and J.T. Staley (Eds.) *Bergey's Manual of Systematic Bacteriology* 2nd Edition. Springer, Michigan, p: 423-432.
- Kim, B.H. and G.M. Gadd. 2008. *Bacterial Physiology and Metabolism*. Cambridge University Press, UK.
- Leonard, R.H. 1961. Quantitative range of Nessler's reaction with ammonia. *Clin. Chem.* 9 : 417-420.
- Lindow, S.E. and M.T. Brandl. 2003. Microbiology of the phyllosphere. *Appl. Environ. Microbiol.* 69: 1875-1883.
- Lehninger, A.L. 1982. *Principles of Biochemistry* (Dasar-dasar Biokimia, alih bahasa : M. Thenawijaya). Penerbit Erlangga, Jakarta.
- Mishra, P.K., P. Joshi, S.C. Bisht, J.K. Bisht, and G. Selvakumar. 2010. Cold-Tolerant Agriculturally Important Microorganisms. In: D.K. Maheshwari (Ed.) *Plant Growth and Health Promoting Bacteria*. Springer-Verlag, Berlin, p: 273-296.
- Moat, A.G., J.W. Foster, and M.P. Spector. 2002. *Microbial Physiology* 4th Edition. Wiley-Liss, Inc., New York.
- Mukhtar, I., S. Mushtaq, A. Ali, and I. Khokhar. 2010. Epiphytic and endophytic phyllosphere microflora of *Cassytha filiformis* L. and its hosts. *Ecoprint* 17 : 1-8.
- Mulyahati, S. 1989. Populasi Mikroorganisme Penambat Nitrogen dan Pelarut Fosfor pada Filosfer Tanaman Nanas (*Ananas comocus* Merr). Fakultas Pertanian UGM. Skripsi.

- Newton, W.E. 2000. Nitrogen Fixation in Prespective. *In* : F.O. Pedrosa, M. Hungria, M.G. Yates, and W.E. Newton (Eds.) Nitrogen Fixation : From Molecules to Crop Productivity. Kluwer Academic Publishers, Netherlands, p : 3-8.
- Patil, N.B., M. Gajbhiye, S.S. Ahiwale, A.B. Gunjal, and B.P. Kapadnis. 2010. Optimization of indole 3-acetic acid (IAA) production by *Acetobacter diazotrophicus* L1 isolated from sugarcane. International Journal of Environmental Sciences 2 : 295-302
- Rao, N.S.S. 1994. Soil Microorganisms and Plant Growth (Mikroorganisme Tanah dan Pertumbuhan Tanaman, alih bahasa : H. Susilo). UI Press, Jakarta.
- Redford, A.J., R.M. Bowers, R. Knight, Y. Linhart, and N. Fierer. 2010. The ecology of the phyllosphere : geographic and phylogenetic variability in the distribution of bacteria on tree leaves. Environ. Microbiol. 12 : 2885-2893.
- Rekosz-Burlaga, H. and M. Garbolinska. 2006. Characterization of selected groups of microorganisms occurring in soil rhizosphere and phyllosphere of oats. Polish Journal of Microbiology 55 : 227-235.
- Ruppel, S., A. Krumbein, and M. Schreiner. 2008. Composition of the phyllospheric microbial populations on vegetable plants with different glucosinolate and carotenoid compositions. Microb. Ecol. 56 : 364-372.
- Sachdev, D.P., H.G. Chaudhari, V.M. Kasture, D.D. Dhavale, and B.A. Chopade. 2009. Isolation and characterization of indole acetic acid (IAA) producing *Klebsiella pneumoniae* strains from rhizosphere of wheat (*Triticum aestivum*) and their effect on plant growth. Indian J. Exp. Biol. 47 : 993-1000.
- Semangun, H., M. Martosupono, dan I. Rusbandi. 1976. Indikator ketahanan tanaman teh dan ketahanan klon-klon terhadap penyakit cacar. Warta Balai Penelitian Teh dan Kina 2: 233-239 (Abstr.).
- Sengupta, B., A.S. Nandi, R.K. Samanta, D. Pal, D.N. Sengupta, and S.P. Sen. 1981. Nitrogen fixation in the phyllosphere of tropical plants : occurrence of phyllosphere nitrogen-fixing micro-organisms in Eastren India and their utility for the growth and nitrogen nutrition of host plants. Ann. Bot. 48 : 705-716.
- Setyamidjaja, D. 1988. Budidaya Teh. Yasaguna, Jakarta.
- Sherr, B.F., E.B. Sherr, and T. Berman. 1983. Grazing, growth, and ammonium excretion rate of a heterotrophic microflagellate fed with four species of bacteria. Appl. Environ. Microbiol. 45 : 1196-1201.
- Spaepen, S., J. Vanderleyden, and R. Remans. 2007. Indole-3-acetic acid in microbial and microorganism-plant signaling. FEMS Microbiol. Rev. : 1-24.
- Spillane, J.J. 1992. Komoditi Teh Peranannya dalam Perekonomian Indonesia. Penerbit Kanisius, Yogyakarta.
- Solano, B.R., J. Barriuso, and F.J.G. Manero. 2008. Physiological and molecular mechanisms of plant growth promoting rhizobacteria (PGPR) *In*: I. Ahmad, J. Pichtel, and S. Hayat (Eds.) Plant-Bacteria Interactions: Strategies and Techniques to Promote Plant Growth. Wiley-VCH Verlag Gmb H & Co. KgaA, Germany, p: 41-54.
- Stockwell, V.O. and J.E. Loper. 2005. The sigma factor RpoS is required for stress tolerance and environmental fitness of *Pseudomonas fluorescens* Pf-5. Microbiol. 151 : 3001-3009.
- Stockwell, V.O., K. Hockett, and J.E. Loper. 2005. Role of RpoS in stress tolerance and environmental fitness of the phyllosphere bacterium *Pseudomonas fluorescens* strain 122. Phytopathol. 99 : 689-695.

- Suryatmo, F.A., K. Bambang, dan F.A.S. Sumantri. 1998. Kemungkinan pengolahan beberapa klon teh menjadi teh hijau sistem uap air panas. Jurnal Penelitian Teh dan Kina 1 (Abstr.).
- Sutisna. 1996. Studi Kriteria Penentu Saat Pangkas Tanaman Teh (*Camellia sinensis* (L.) O. Kuntze) pada Dua Jenis Klon dan Siklus Pangkas yang Berbeda. Institut Pertanian Bogor. Skripsi.
- Taurian, T., M.S. Anzuay, J.G. Angelini, M.L. Tonelli, L. Ludueña, D. Pena, F. Ibáñez, and A. Fabra. 2010. Phosphate-solubilizing peanut associated bacteria : screening for plant growth-promoting activities. Plant Soil 329 : 421-431.
- Tennakoon, P.L.K. 2007. Studies on Plant Growth Promoting Rhizomicroorganisms of Tea (*Camellia sinensis* L. (O) Kuntze) Plants. University of Agricultural Sciences. Thesis.
- Tharek, M., K. Dzulaikha, S. Salwani, H.G. Amir, and N. Najimudin. 2011. Ascending endophytic migration of locally isolated diazotroph, *Enterobacter* sp. strain USML2 in rice. Biotechnol. 10 : 521-527.
- Thuler, D.S., E.I.S., Floh, W. Handro, and H.R. Barbosa. 2003. Beijerinckia derxii releases plant growth regulators and amino acids in synthetic media independent of nitrogenase activity. J. Appl. Microbiol. 95 : 799-806.
- Whipps JM, Hand P, Pink D, Bending GD, 2008. Phyllosphere microbiology with special reference to diversity and plant genotype. J. Appl. Microbiol. 105: 1744–1755.
- Woo-Jong Y., P.S. Chauhan, M. Madhaiyan, S.C. Tipayno, and Tong-Min S. Plant growth promontory attributes by 1-aminocyclopropane-1-carboxylate (ACC) deaminase producing *Methylobacterium oryzae* strains isolated from rice. 19th World Congress of Soil Science, Soil Solution for a Changing World, Brisbane, Australia p: 96-99.
- Yang, C.H., D. E. Crowley, J. Borneman, and N. T. Ken. 2001. Microbial phyllosphere population are more complex than previously realized. Proc. Natl. Acad. Sci. 98: 3889-3894.