

DAFTAR PUSTAKA

- Abriya, W., Simadibrata, M. dan Soemantri, D. (2022) “Adaptasi Kuesioner Satisfaction Scale for E-Learning Process Versi Indonesia: Evaluasi Kepuasan Mahasiswa terhadap Pembelajaran 4C/ID,” *eJournal Kedokteran Indonesia*, 9(3), hal. 169–77. Doi:10.23886/ejki.9.72.169-77.
- Aluri, S. dan Wrench, I.J. (2014) “Enhanced recovery from obstetric surgery: A UK survey of practice,” *International Journal of Obstetric Anesthesia*, 23(2), hal. 157–160. Doi:10.1016/j.ijoa.2013.11.006.
- Anthoine, E., Moret, L., Regnault, A., Sbille, V. dan Hardouin, J.B. (2014) “Sample size used to validate a scale: A review of publications on newly-developed patient reported outcomes measures,” *Health and Quality of Life Outcomes*, 12(1), hal. 1–10. Doi:10.1186/s12955-014-0176-2.
- Aryani, A.E. (2019) *Sikap Perawat Terkait Enhanced Recovery After Surgery (ERAS) Pra dan Pasca Continuing Nursing Education (CNE) di Ruang Cendana IRNA 1 RSUP Dr Sardjito*. Universitas Gadjah Mada : Yogyakarta.
- Attaway, N. (2021) “Clinical Guideline for the Neuraxial use of Morphine in Adult Patients : Royal Sussex County Hospital and Princess Royal Hospital; including Sussex Orthopaedic Treatment Centre (SOTC),” hal. 1–14.
- Azwar, S. (2013) “Sikap Manusia: Teori dan Pengukurannya,” *Sikap Manusia: Teori dan Pengukurannya* [Preprint]. Doi:10.1038/cddis.2011.1.
- Baluku, M., Bajunirwe, F., Ngonzi, J., Kiwanuka, J. dan Ttendo, S. (2020) “A randomized controlled trial of enhanced recovery after surgery versus standard of care recovery for emergency cesarean deliveries at Mbarara Hospital, Uganda,” *Anesthesia and Analgesia*, hal. 769–776. Doi:10.1213/ANE.0000000000004495.
- Bauchat, J.R., Weiniger, C.F., Sultan, P., Habib, A.S., Ando, K., Kowalczyk, J.J., Kato, R., George, R.B., Palmer, C.M. dan Carvalho, B. (2019) “Society for Obstetric Anesthesia and Perinatology Consensus Statement: Monitoring Recommendations for Prevention and Detection of Respiratory Depression Associated With Administration of Neuraxial Morphine for Cesarean Delivery Analgesia,” *Anesthesia and Analgesia*, 129(2), hal. 458–474. Doi:10.1213/ANE.0000000000004195.
- Beal, E.W., Reyes, J.P.C., Denham, Z., Rasoul, M.A., Rasoul, E. dan Humeidan, M.L. (2021) “Survey of provider perceptions of enhanced recovery after surgery and perioperative surgical home protocols at a tertiary care hospital,” *Medicine (United States)*, 100(24), hal. E26079. Doi:10.1097/MD.00000000000026079.
- Bohner, G. dan Dickel, N. (2011) “Attitudes and Attitude Change,” *Annual Review of Psychology* [Preprint]. Doi:10.1146/annurev.psych.121208.131609.
- Bollag, L., Lim, G., Sultan, P., Habib, A.S., Landau, R., Zakowski, M., Tiouririne, M., Bhambhani, S. dan Carvalho, B. (2021) “Society for Obstetric Anesthesia and Perinatology: Consensus Statement and Recommendations for Enhanced Recovery after Cesarean,” *Anesthesia and Analgesia*, 132(5), hal. 1362–1377. Doi:10.1213/ANE.0000000000005257.
- Bollag, L. dan Nelson, G. (2020) “Enhanced Recovery After Cesarean (ERAC) – Beyond The Pain Scores,” *International Journal of Obstetric Anesthesia*, 43(January), hal. 36–38. Doi:10.1016/j.ijoa.2020.05.006.
- Bowden, S.J., Dooley, W., Hanrahan, J., Kanu, C., Halder, S., Cormack, C., O’dwyer, S. dan Singh, N. (2019) “Fast-track pathway for elective caesarean section: A quality improvement initiative to promote day 1 discharge,” *BMJ Open Quality*, 8(2). Doi:10.1136/bmjopen-2018-000465.

- Burke, F.J.T. (2013) "Attitude.," *Dental update* [Preprint]. Doi:10.12968/denu.2013.40.2.81.
- Caughey, A.B., Wood, S.L., Macones, G.A., Wrench, I.J., Huang, J., Norman, M., Pettersson, K., Fawcett, W.J., Shalabi, M.M., Metcalfe, A., Gramlich, L., Nelson, G. dan Wilson, R.D. (2018) "Guidelines for intraoperative care in cesarean delivery: Enhanced Recovery After Surgery Society Recommendations (Part 2)," *American Journal of Obstetrics and Gynecology*, 219(6), hal. 533–544.
- Cohen, R. dan Gooberman-Hill, R. (2019) "Staff experiences of enhanced recovery after surgery: Systematic review of qualitative studies," *BMJ Open* [Preprint]. Doi:10.1136/bmjopen-2018-022259.
- Crano, W.D. dan Prislin, R. (2011) *Attitudes and attitude change, Attitudes and Attitude Change*. Doi:10.4324/9780203838068.
- Dagnachew, T.K., Woldegerima Berhe, Y., Yalew Mustofa, S. dan Birlie Chekol, W. (2023) "Clinicians' knowledge and attitude towards early mobilization in intensive care units in Ethiopian tertiary hospitals: A multi-centre study," *SAGE Open Medicine*, 11. Doi:10.1177/20503121231172348.
- Deniau, B., Bouhadjari, N., Faitot, V., Mortazavi, A., Kayem, G., Mandelbrot, L. dan Keita, H. (2016) "Evaluation of a continuous improvement programme of enhanced recovery after caesarean delivery under neuraxial anaesthesia," *Anaesthesia Critical Care and Pain Medicine* [Preprint]. Doi:10.1016/j.accpm.2015.11.009.
- Ditta, A.S., Strickland-hughes, C.M., Cheung, C. dan Wu, R. (2020) "Since January 2020 Elsevier has created a COVID-19 resource centre with free information in English and Mandarin on the novel coronavirus COVID- 19 . The COVID-19 resource centre is hosted on Elsevier Connect , the company ' s public news and information ,," (January).
- Gotlib Conn, L., McKenzie, M., Pearsall, E.A. dan McLeod, R.S. (2015) "Successful implementation of an enhanced recovery after surgery programme for elective colorectal surgery: A process evaluation of champions' experiences," *Implementation Science*, 10(1), hal. 1–11. Doi:10.1186/s13012-015-0289-y.
- Harzif, A.K., Wicaksono, M.D., Kallista, A., Emeraldi, M. dan Pratama, G. (2020) "Overview of risk factor and bacterial pattern in patient with surgical site infection after caesarean section in Ciptomangunkusumo Hospital from 2016 to 2018," *Infection Prevention in Practice*, 2(4), hal. 100090. Doi:10.1016/j.infpip.2020.100090.
- Heesen, M., Carvalho, B., Carvalho, J.C.A., Duvekot, J.J., Dyer, R.A., Lucas, D.N., McDonnell, N., Orbach-Zinger, S. dan Kinsella, S.M. (2019) "International consensus statement on the use of uterotonic agents during caesarean section," *Anaesthesia*, 74(10), hal. 1305–1319. Doi:10.1111/anae.14757.
- Herbert, G., Sutton, E., Burden, S., Lewis, S., Thomas, S., Ness, A. dan Atkinson, C. (2017) "Healthcare professionals' views of the enhanced recovery after surgery programme: A qualitative investigation," *BMC Health Services Research* [Preprint]. Doi:10.1186/s12913-017-2547-y.
- Hughes, M., Coolson, M.M.E., Aahlin, E.K., Harrison, E.M., McNally, S.J., Dejong, C.H.C., Lassen, K. dan Wigmore, S.J. (2015) "Attitudes of patients and care providers to enhanced recovery after surgery programs after major abdominal surgery," *Journal of Surgical Research*, 193(1), hal. 102–110. Doi:10.1016/j.jss.2014.06.032.
- Jacques, V., Vial, F., Lerintiu, M., Thilly, N., Mc Nelis, U., Raft, J. dan Bouaziz, H. (2013) "Enhanced recovery following uncomplicated elective caesarean section in France: A survey of national practice," *Annales Francaises d'Anesthesie et de Reanimation* [Preprint]. Doi:10.1016/j.annfar.2013.01.016.
- Jarraya, A., Boujelbene, M., Zghal, J., Laabidi, S., Smaoui, M. dan Kolsi, K. (2016) "Réhabilitation précoce post césarienne: Enquête de pratique auprès des maternités de

- la région de sfax en Tunisie,” *Pan African Medical Journal*, 23, hal. 1–6. Doi:10.11604/pamj.2016.23.215.7277.
- Jeo, W., Mazni, Y. dan Suryadi, A. (2020) “Evaluation of the Implementation of ERAS Protocol in Colorectal Surgery at dr. Cipto Mangunkusumo General Hospital, Jakarta,” *The New Ropanasuri: Journal of Surgery*, 5(1), hal. 16–19. Doi:10.7454/nrjs.v5i1.1073.
- Jeong, O. dan Kim, H.G. (2019) “Implementation of enhanced recovery after surgery (ERAS) program in perioperative management of gastric cancer surgery: A nationwide survey in korea,” *Journal of Gastric Cancer* [Preprint]. Doi:10.5230/jgc.2019.19.e3.
- Jin, J., Peng, L., Chen, Q., Zhang, D., Ren, L., Qin, P. dan Min, S. (2016) “Prevalence and risk factors for chronic pain following cesarean section: A prospective study,” *BMC Anesthesiology*, 16(1), hal. 1–11. Doi:10.1186/s12871-016-0270-6.
- Kadzielski, J., McCormick, F., Herndon, J.H., Rubash, H. dan Ring, D. (2015) “Surgeons’ Attitudes Are Associated With Reoperation and Readmission Rates,” *Clinical Orthopaedics and Related Research* [Preprint]. Doi:10.1007/s11999-014-3687-6.
- Kahokehr, A., Sammour, T., Zargar-Shoshtari, K., Thompson, L. dan Hill, A.G. (2009) “Implementation of ERAS and how to overcome the barriers,” *International Journal of Surgery* [Preprint]. Doi:10.1016/j.ijsu.2008.11.004.
- Kahokehr, A.A., Thompson, L., Thompson, M., Soop, M. dan Hill, A.G. (2012) “Enhanced Recovery after Surgery (ERAS) Workshop: Effect on Attitudes of the Perioperative Care Team,” *Journal of Perioperative Practice*, 22(7), hal. 237–241. Doi:10.1177/175045891202200705.
- Khaled, A., Siddiqua, A. dan Makki, S. (2020) “The knowledge and attitude of the community from the aseer region, saudi arabia, toward covid-19 and their precautionary measures against the disease,” *Risk Management and Healthcare Policy*, 13, hal. 1825–1834. Doi:10.2147/RMHP.S271899.
- Kinsella, S.M., Carvalho, B., Dyer, R.A., Fernando, R., McDonnell, N., Mercier, F.J., Palanisamy, A., Sia, A.T.H., Van de Velde, M. dan Vercueil, A. (2018) “International consensus statement on the management of hypotension with vasopressors during caesarean section under spinal anaesthesia,” *Anaesthesia*, 73(1), hal. 71–92. Doi:10.1111/anae.14080.
- Kripalani, S., Theobald, C.N., Anctil, B. dan Vasilevskis, E.E. (2014) “Reducing hospital readmission rates: Current strategies and future directions,” *Annual Review of Medicine* [Preprint]. Doi:10.1146/annurev-med-022613-090415.
- Laronche, A., Popescu, L. dan Benhamou, D. (2017) “An enhanced recovery programme after caesarean delivery increases maternal satisfaction and improves maternal-neonatal bonding: A case control study,” *European Journal of Obstetrics and Gynecology and Reproductive Biology*, 210, hal. 212–216. Doi:10.1016/j.ejogrb.2016.12.034.
- Lawless, K.A. (2004) “The Knowledge, Attitudes, & Behaviors Approach,” *Performance Improvement*, 43(9), hal. 8–15.
- Leibo, J.Z. dan Poggio, T. (2018) “Perception,” in *Living Machines: A Handbook of Research in Biomimetic and Biohybrid Systems*. Doi:10.1093/oso/9780199674923.003.0025.
- Liu, K.X., Lv, M., Liu, X.S., Wang, H.Q., Chen, Z.M. dan Xu, H.Z. (2023) “Knowledge, attitudes and practices of enhanced recovery after surgery among paediatric surgical nurses in China: A Cross-Sectional study,” *Nursing Open*, 10(3), hal. 1830–1839. Doi:10.1002/nop2.1443.
- Lyon, A., Solomon, M.J. dan Harrison, J.D. (2014) “A qualitative study assessing the barriers to implementation of enhanced recovery after surgery,” *World Journal of Surgery* [Preprint]. Doi:10.1007/s00268-013-2441-7.
- Marsanto, A.E., Kuntaman, K., Paraton, H. dan Prasetyo, B. (2019) “Pattern of disease and

- type of operation of Surgical Site Infection in obstetrics and gynecology at Dr Soetomo Hospital, Surabaya, Indonesia,” *Majalah Obstetri & Ginekologi* [Preprint]. Doi:10.20473/mog.v27i22019.49-55.
- Mathiesen, O., Wetterslev, J., Kontinen, V.K., Pommergaard, H.C., Nikolajsen, L., Rosenberg, J., Hansen, M.S., Hamunen, K., Kjer, J.J. dan Dahl, J.B. (2014) “Adverse effects of perioperative paracetamol, NSAIDs, glucocorticoids, gabapentinoids and their combinations: A topical review,” *Acta Anaesthesiologica Scandinavica* [Preprint]. Doi:10.1111/aas.12380.
- McDonald, S. dan Bott, A. (2020) “Surgical site infections,” *Surgery (United Kingdom)* [Preprint]. Doi:10.1016/j.mpsur.2020.01.001.
- Negash, T.T., Belete, K.G., Tilaye, W., Ayele, T.T. dan Oumer, K.E. (2022) “Knowledge, attitudes and practices of health professionals towards postoperative pain management at a referral hospital in Ethiopia,” *Annals of Medicine and Surgery*, 73(December 2021), hal. 103167. Doi:10.1016/J.AMSU.2021.103167.
- Ongün, P. dan Seyhan Ak, E. (2020) “Examination of Knowledge Levels of Nurses Working in Surgical Clinics About ERAS Protocol,” *Medical Journal of Bakirkoy* [Preprint], (October). Doi:10.5222/bmj.2020.81300.
- Panda, S., Begley, C. dan Daly, D. (2016) “Readmission following caesarean section: Outcomes for women in an Irish maternity hospital,” *British Journal of Midwifery* [Preprint]. Doi:10.12968/bjom.2016.24.5.322.
- Patel, K. dan Zakowski, M. (2021) “Enhanced Recovery After Cesarean: Current and Emerging Trends,” *Current Anesthesiology Reports*, 11(2), hal. 136–144.
- Peahl, A.F., Smith, R., Johnson, T.R.B., Morgan, D.M. dan Pearlman, M.D. (2019) “Better late than never: why obstetricians must implement enhanced recovery after cesarean,” *American Journal of Obstetrics and Gynecology*, 221(2), hal. 117.e1-117.e7. Doi:10.1016/j.ajog.2019.04.030.
- Peberdy, L., Young, J., Massey, D. dan Kearney, L. (2022) “Integrated review of the knowledge, attitudes, and practices of maternity health care professionals concerning umbilical cord clamping,” *Birth*, 49(4), hal. 595–615. Doi:10.1111/birt.12647.
- Petty, R.E. (2012) “Attitude Change,” in *Encyclopedia of Human Behavior: Second Edition*. Doi:10.1016/B978-0-12-375000-6.00040-9.
- Pujic, B., Kendrisic, M., Shotwell, M., Shi, Y. dan Baysinger, C.L. (2018) “Survey of enhanced recovery after surgery protocols for cesarean delivery in Serbia,” *Frontiers in Medicine*, 5(APR). Doi:10.3389/fmed.2018.00100.
- Rifa’i, A.S., Sari, G.M. dan Budipramana, V.S. (2020) “Pre-Operative Enhanced Recovery After Surgery (ERAS) Protocol Compliance Towards Major Surgery Patients at Dr. Soetomo General Hospital, Surabaya,” *Biomolecular and Health Science Journal*, 3(1), hal. 28. Doi:10.20473/bhsj.v3i1.19064.
- Rivai, F., Koentjoro, T. dan Utarini, A. (2013) “Determinan Infeksi Luka Operasi Pascabedah Sesar,” *Kesmas: National Public Health Journal* [Preprint]. Doi:10.21109/kesmas.v8i5.390.
- Rosyidah, R., Widyastuti, Y., Dewanto, A., Hapsari, E.D. dan Wicaksana, A.L. (2021) “The Attitude of Health Care Workers on Enhanced Recovery After Surgery for Cesarean Delivery: A Scoping Review,” *Journal of obstetrics and gynaecology Canada : JOGC = Journal d’obstetrique et gynecologie du Canada : JOGC* [Preprint]. Doi:10.1016/j.jogc.2021.03.011.
- Sapnas, K.G. dan Zeller, R.A.V.O.-10 (2002) “Minimizing Sample Size When Using Exploratory Factor Analysis for Measurement,” *J Nurs Meas*, 2(2), hal. 135–2002. Doi:10.1891/jnum.10.2.135.52552.
- Schrader, P.G. dan Lawless, K.A. (2004) “The knowledge, attitudes, & behaviors approach

- how to evaluate performance and learning in complex environments,” *Performance Improvement*, 43(9), hal. 8–15. Doi:10.1002/pfi.4140430905.
- Shi, J., Mo, X. dan Sun, Z. (2012) “[Content validity index in scale development].,” *Zhong nan da xue xue bao. Yi xue ban = Journal of Central South University. Medical sciences*, 37(2), hal. 152–155. Doi:10.3969/j.issn.1672-7347.2012.02.007.
- Short, H.L., Taylor, N., Thakore, M., Piper, K., Baxter, K., Heiss, K.F. dan Raval, M. V. (2018) “A survey of pediatric surgeons’ practices with enhanced recovery after children’s surgery,” *Journal of Pediatric Surgery* [Preprint]. Doi:10.1016/j.jpedsurg.2017.06.007.
- Sultan, P., Sharawi, N., Blake, L. dan Carvalho, B. (2020) “Enhanced recovery after caesarean delivery versus standard care studies: a systematic review of interventions and outcomes,” *International Journal of Obstetric Anesthesia*. Churchill Livingstone, hal. 72–86. Doi:10.1016/j.ijoa.2020.03.003.
- Sultan, P., Sharawi, N., Blake, L., Habib, A.S., Brookfield, K.F. dan Carvalho, B. (2021) “Impact of enhanced recovery after cesarean delivery on maternal outcomes: A systematic review and meta-analysis,” *Anaesthesia Critical Care and Pain Medicine*, 40(5), hal. 100935. Doi:10.1016/j.accpm.2021.100935.
- Walter, C.J., Smith, A. dan Guillou, P. (2006) “Perceptions of the application of fast-track surgical principles by general surgeons,” *Annals of the Royal College of Surgeons of England*, 88(2), hal. 191–195. Doi:10.1308/003588406X94940.
- Warui, J. (2022) *Knowledge, Compliance and Barriers to Implementation of Eras Guidelines by General Surgeons and Residents in Kenyatta National Hospital*. University of Nairobi.
- Wetzel, E., Böhnke, J.R. dan Brown, A. (2016) “Response Biases,” *The ITC International Handbook of Testing and Assessment*, (October 2015), hal. 349–363. Doi:10.1093/med:psych/9780199356942.003.0024.
- Wilson, R.D., Caughey, A.B., Wood, S.L., Macones, G.A., Wrench, I.J., Huang, J., Norman, M., Pettersson, K., Fawcett, W.J., Shalabi, M.M., Metcalfe, A., Gramlich, L. dan Nelson, G. (2018) “Guidelines for Antenatal and Preoperative care in Cesarean Delivery: Enhanced Recovery After Surgery Society Recommendations (Part 1),” *American Journal of Obstetrics and Gynecology*, 219(6), hal. 523.e1-523.e15. Doi:10.1016/j.ajog.2018.09.015.
- Wrench, I.J., Allison, A., Galimberti, A., Radley, S. dan Wilson, M.J. (2015) “Introduction of enhanced recovery for elective caesarean section enabling next day discharge: A tertiary centre experience,” *International Journal of Obstetric Anesthesia* [Preprint]. Doi:10.1016/j.ijoa.2015.01.003.
- Xue, B., Yu, H. dan Luo, X. (2022) “Knowledge of enhanced recovery after surgery and influencing factors among abdominal surgical nurses: a multi-center cross-sectional study,” *Contemporary Nurse*, 58(4), hal. 330–342. Doi:10.1080/10376178.2022.2112723.