



DAFTAR PUSTAKA

- Albacar, G. *et al.* (2010) ‘Thyroid function 48h after delivery as a marker for subsequent postpartum depression’, *Psychoneuroendocrinology*, 35, pp. 738–742. Available at: <https://doi.org/10.1016/j.psyneuen.2009.10.015>.
- American Psychiatric Association (APA) (2013) *Diagnostic and Statistical Manual of Mental Disorders, 5th ed. (DSM-5)*, American Psychiatric Publishing. Available at: <https://doi.org/10.1176/ajp.152.8.1228>.
- Amin and Sumendep, L.Y.S. (2022) *Model Pembelajaran Kontemporer*. Sleman: Pusat Penerbitan LPPM.
- Andriani, R.N. *et al.* (2021) ‘Diagnostic Accuracy of the Screening Instruments Used to Identify Postpartum Depression in the Primary Care Setting: Protocol for a Systematic Review and Meta-Analysis’, *Research Square* [Preprint]. Available at: <https://doi.org/https://orcid.org/0000-0003-4500-0197>.
- Anokye, R. *et al.* (2018) ‘Prevalence of postpartum depression and interventions utilized for its management’, *Annals of General Psychiatry*, 17(18), pp. 1–8. Available at: <https://doi.org/10.1186/s12991-018-0188-0>.
- Arteche, A. *et al.* (2011) ‘The effects of postnatal maternal depression and anxiety on the processing of infant faces’, *Journal of Affective Disorders*, 133, pp. 197–203. Available at: <https://doi.org/10.1016/j.jad.2011.04.015>.
- Azami, M., Badfar, G., Khalighi, Z., *et al.* (2019) ‘The association between anemia and postpartum depression: A systematic review and meta-analysis’, *Caspian Journal of Internal Medicine*, 10(2), pp. 115–124. Available at: <https://doi.org/10.22088/cjim.10.2.115>.
- Azami, M., Badfar, G., Soleymani, A., *et al.* (2019) ‘The association between gestational diabetes and postpartum depression: A systematic review and meta-analysis’, *Diabetes Research and Clinical Practice*, pp. 1–20. Available at: <https://doi.org/10.1016/j.diabres.2019.01.034>.
- Basri, A.H., Zulkifli, A. and Abdullah, M.T. (2014) ‘Efektivitas Psikoedukasi Terhadap Depresi Postpartum di RSIA Sitti Fatimah dan RSIA Pertiwi



Makassar Tahun 2014', *Universitas Hasanuddin*, pp. 1–12.

- Beck, C.T. and Gable, R.K. (2005) 'Screening Performance of the Postpartum Depression Screening Scale-Spanish Version', *Journal of Transcultural Nursing*, 16(4), pp. 331–338. Available at: <https://doi.org/10.1177/1043659605278940>.
- Bergink, V. *et al.* (2013) 'Immune system dysregulation in first-onset postpartum psychosis', *Biological Psychiatry*, 73, pp. 1000–1007. Available at: <https://doi.org/10.1016/j.biopsych.2012.11.006>.
- Berkeley (2021) *Who is considered a health care provider/practitioner?*
- Bosanquet, K. *et al.* (2015) 'Diagnostic accuracy of the Whooley questions for the identification of depression: A diagnostic meta-analysis', *BMJ Open*, 5, pp. 1–12. Available at: <https://doi.org/10.1136/bmjopen-2015-008913>.
- Boyd, R.C., Le, H.N. and Somberg, R. (2005) 'Review of screening instruments for postpartum depression', *Archives of Women's Mental Health*, 8(3), pp. 141–153. Available at: <https://doi.org/10.1007/s00737-005-0096-6>.
- Bränn, E. *et al.* (2017) 'Inflammatory markers in late pregnancy in association with postpartum depression—A nested case-control study', *Psychoneuroendocrinology*, 79, pp. 146–159. Available at: <https://doi.org/10.1016/j.psyneuen.2017.02.029>.
- Buttner, M.M., O'Hara, M.W. and Watson, D. (2012) 'The Structure of Women's Mood in the Early Postpartum', *Assessment*, 19(2), pp. 247–256. Available at: <https://doi.org/10.1177/1073191111429388>.
- Castro, R.T.A., Pataky, E.A. and Ehlert, U. (2018) 'Associations between premenstrual syndrome and postpartum depression: A systematic literature review', *Biological Psychology*, pp. 1–9. Available at: <https://doi.org/10.1016/j.biopsych.2018.10.014>.
- Chen, H.L. *et al.* (2018) 'Prenatal smoking and postpartum depression: a meta-analysis', *Journal of Psychosomatic Obstetrics and Gynecology*, pp. 1–10. Available at: <https://doi.org/10.1080/0167482X.2017.1415881>.
- Cheng, H.Y.K. *et al.* (2017) 'The Design and Validation of a Child Developmental e-Screening System', *Journal of Medical Systems*, 41(67), pp. 1–11.



Available at: <https://doi.org/10.1007/s10916-017-0701-z>.

- Clarke, Pamela J (2008) 'Validation of two postpartum depression screening scales with a sample of First Nations and Métis women.', *The Canadian journal of nursing research = Revue canadienne de recherche en sciences infirmières*, pp. 113–125.
- Clarke, Pamela J. (2008) 'Validation of Two Postpartum Depression Screening Scales with a Sample of First Nations and Métis Women', *Canadian Journal of Nursing Research*, 40(1), pp. 112–125.
- Couto, T.C. e et al. (2015) 'Postpartum depression: A systematic review of the genetics involved', *World Journal of Psychiatry*, 5(1), pp. 103–111. Available at: <https://doi.org/10.5498/wjp.v5.i1.103>.
- Cox, J.L., Holden, J.M. and Sagovsky, R. (1987) 'Detection of Postnatal Depression. Development of the 10-item Edinburgh Postnatal Depression Scale', *British Journal of Psychiatry*, 150(6), pp. 782–786. Available at: <https://doi.org/10.1192/bjp.150.6.782>.
- De Crescenzo, F. et al. (2014) 'Selective serotonin reuptake inhibitors (SSRIs) for post-partum depression (PPD): A systematic review of randomized clinical trials', *Journal of Affective Disorders*, 152–154(1), pp. 39–44. Available at: <https://doi.org/10.1016/j.jad.2013.09.019>.
- Dennis, C.-L. and Dowswell, T. (2013) 'Psychosocial and psychological interventions for preventing postpartum depression.', *Cochrane Database of Systematic Reviews*, (2), pp. 492–495. Available at: <https://doi.org/10.1002/14651858.CD001134.pub3.www.cochranelibrary.com>.
- Earls, M.F. et al. (2010) 'Clinical report - Incorporating recognition and management of perinatal and postpartum depression into pediatric practice', *American Academy of Pediatrics*, 126(5), pp. 1032–1039. Available at: <https://doi.org/10.1542/peds.2010-2348>.
- Eduardo, J.A.F.P. et al. (2019) 'Preterm birth as a risk factor for postpartum depression: A systematic review and meta-analysis', *Affect Disord*, 1(259). Available at: <https://doi.org/10.1016/j.jad.2019.08.069>.



- Eeles, E. *et al.* (2018) ‘e-Screening Revolution: A Novel Approach to Developing A Delirium Screening Tool in the Intensive Care Unit’, *Australasian Journal on Ageing*, pp. 1–7. Available at: <https://doi.org/10.2196/12108>.
- Erawati, T.A. and Hartono, R.K. (2022) ‘Pengembangan Standar Operasional Prosedur (SOP) Penerapan Ventilator Associated Pneumonia Bundle (VAPb) di Ruang Intensive Care Unit (ICU) Rumah Sakit’, *Jurnal Ilmu Kesehatan Masyarakat*, 11(5). Available at: <https://doi.org/10.33221>.
- Excellence, N.I. for H. and C. (2014) *Antenatal and postnatal mental health: clinical management and service guidance*, National Institute for Health and Care Excellence.
- Fellmeth, G. *et al.* (2019) ‘Identifying postnatal depression: Comparison of a self-reported depression item with Edinburgh Postnatal Depression Scale scores at three months postpartum’, *Journal of Affective Disorders*, 251, pp. 8–14. Available at: <https://doi.org/10.1016/j.jad.2019.03.002>.
- Field, T. (2010) ‘Postpartum Depression Effects on Early Interactions, Parenting, and Safety Practices: A Review’, *Infant Behav Dev*, 33(1), pp. 1–9. Available at: <https://doi.org/10.1016/j.infbeh.2009.10.005>.Postpartum.
- Ford, E. *et al.* (2017) ‘Recognition and management of perinatal depression and anxiety by general practitioners: A systematic review’, *Family Practice*, 34(1), pp. 11–19. Available at: <https://doi.org/10.1093/fampra/cmw101>.
- Garcia-Leal, C. *et al.* (2017) ‘The functioning of the hypothalamic-pituitary-adrenal (HPA) axis in postpartum depressive states: a systematic review’, *Expert Review of Endocrinology and Metabolism*, pp. 1–30. Available at: <https://doi.org/10.1080/17446651.2017.1347500>.
- Ghaedrahamti, M. *et al.* (2017) ‘Postpartum depression risk factors: A narrative review.’, *Journal of education and health promotion*, 6, p. 60. Available at: https://doi.org/10.4103/jehp.jehp_9_16.
- Gogtay, N.J. and Thatte, U.M. (2017) ‘Statistical evaluation of diagnostic tests (part 1): Sensitivity, specificity, positive and negative predictive values’, *Journal of Association of Physicians of India*, 65(JUNE), pp. 80–84.
- Hahn-Holbrook, J., Cornwell-Hinrichs, T. and Anaya, I. (2018) ‘Economic and



Health Predictors of National Postpartum Depression Prevalence: A Systematic Review, Meta-analysis, and Meta-Regression of 291 Studies from 56 Countries', *Frontiers in Psychiatry*, 8(248), pp. 1–23. Available at: <https://doi.org/10.3389/fpsyg.2017.00248>.

Hansotte, E., Payne, S.I. and Babich, S.M. (2017) 'Positive postpartum depression screening practices and subsequent mental health treatment for low-income women in Western countries: A systematic literature review', *Public Health Reviews*, 38(3), pp. 1–17. Available at: <https://doi.org/10.1186/s40985-017-0050-y>.

Health, N.I. of M. (no date) 'Postpartum Depression Facts', pp. 1–8.

Horowitz, J.A. et al. (2013) 'Nurse home visits improve maternal/infant interaction and decrease severity of postpartum depression', *JOGNN - Journal of Obstetric, Gynecologic, and Neonatal Nursing*, 42(3), pp. 287–300. Available at: <https://doi.org/10.1111/jogn.12038>.

Houston TK et al. (2001) 'Screening the public for depression Through the Internet', *Psychiatric Services*, 52(3), pp. 362–367.

Howard, L.M. et al. (2018) 'Accuracy of the Whooley questions and the Edinburgh Postnatal Depression Scale in identifying depression and other mental disorders in early pregnancy.', *The British journal of psychiatry: the journal of mental science*, 212(1), pp. 50–56. Available at: <https://doi.org/10.1192/bj.p.2017.9>.

Hymas, R. and Girard, L.C. (2019) 'Predicting postpartum depression among adolescent mothers: A systematic review of risk', *Journal of Affective Disorders*, 246, pp. 873–885. Available at: <https://doi.org/10.1016/j.jad.2018.12.041>.

Idaiani, S. and Basuki, B. (2012) 'Postpartum depression in Indonesia women: a national study', *Health Science Journal of Indonesia*, 3(1), pp. 3–8. Available at: <https://doi.org/10.22435/hsji.v3i1Jun.396.3-8>.

Indriasari W, S. (2017) 'Tingkat Depresi Pada Ibu Postpartum Di Puskesmas Morokrembangan Surabaya', *Dunia Keperawatan*, 5(1), pp. 43–49. Available at: <https://doi.org/10.20527/dk.v5i1.3646>.



- Jahangiry, L. *et al.* (2016) ‘Health-related quality of life among people participating in a metabolic syndrome e-screening program: A web-based study’, *International Journal of Preventive Medicine*, 6(7), pp. 1–7. Available at: <https://doi.org/10.4103/2008-7802.174893>.
- Jones, E. and Coast, E. (2012) ‘Social relationships and postpartum depression in South Asia: A systematic review’, *International Journal of Social Psychiatry*, 59(7), pp. 690–700. Available at: <https://doi.org/10.1177/0020764012453675>.
- Kang, J.W. and Nang, J.S. (2020) ‘Effects of Women’s Work-Family Multiple Role and Role Combination on Depressive Symptoms in Korea’, *International Journal Environment Public Health*, 17(4).
- Keller, J. *et al.* (2017) ‘HPA Axis in Major Depression: Cortisol, Clinical Symptomatology, and Genetic Variation Predict Cognition’, *Mol Psychiatry*, 22(4), pp. 527–536. Available at: <https://doi.org/10.1111/j.1467-968x.1860.tb00387.x>.
- Kementerian Kesehatan Republik Indonesia (2004) *Keputusan Menteri kesehatan Republik Indonesia No 284 tahun 2004*.
- Kementerian Kesehatan Republik Indonesia (2014) *PERATURAN MENTERI KESEHATAN REPUBLIK INDONESIA NOMOR 75 TAHUN 2014, PERATURAN MENTERI KESEHATAN*. Available at: <https://doi.org/10.1016/j.bbapap.2013.06.007>.
- Kementerian Kesehatan Republik Indonesia (2016) *Buku Kesehatan Ibu dan Anak*.
- Kim, S. *et al.* (2014) ‘Oxytocin and postpartum depression: Delivering on what’s known and what’s not’, *Brain Research*, 0, pp. 219–232. Available at: <https://doi.org/10.1016/j.brainres.2013.11.009>.
- Kingston, D. *et al.* (2014) ‘Comparing the feasibility, acceptability, clinical-, and cost-effectiveness of mental health e-screening to paper-based screening on the detection of depression, anxiety, and psychosocial risk in pregnant women: A study protocol of a randomized, parallel-’, *Trials*, 15(3), pp. 1–13. Available at: <https://doi.org/10.1186/1745-6215-15-3>.
- Kingston, D., Biringer, A., *et al.* (2017) ‘Pregnant Women’s Perceptions of the



Risks and Benefits of Disclosure During Web-Based Mental Health E-Screening Versus Paper-Based Screening: Randomized Controlled Trial’, *JMIR Mental Health*, 4(4), pp. 1–11. Available at: <https://doi.org/10.2196/mental.6888>.

Kingston, D., Austin, M.P., et al. (2017) ‘Pregnant women’s views on the feasibility and acceptability of web-based mental health e-screening versus paper-based screening: A randomized controlled trial’, *Journal of Medical Internet Research*, 19(4), pp. 1–18. Available at: <https://doi.org/10.2196/jmir.6866>.

KOMPAK, T.L.F.I.- (no date) *Modul penyusunan standar operasional prosedur - kesehatan*.

Kubota, C. et al. (2018) ‘Stable factor structure of the Edinburgh Postnatal Depression Scale during the whole peripartum period: Results from a Japanese prospective cohort study’, *Scientific Reports*, 8, pp. 1–7. Available at: <https://doi.org/10.1038/s41598-018-36101-z>.

Lapau, B. (2012) *Metode Penelitian Kesehatan (Metode Ilmiah Penulisan Skripsi, Tesis, dan Disertasi)*. Jakarta: Yayasan Pustaka Obor Indonesia. Available at: https://www.google.co.id/books/edition/Metode_Penelitian_Kesehatan/zX MbDAAAQBAJ?hl=id&gbpv=1&dq=Analisis+data+kualitatif+kesehatan &pg=PA95&printsec=frontcover.

Le, H.N., Perry, D.F. and Sheng, X. (2009) ‘Using the internet to screen for postpartum depression’, *Maternal and Child Health Journal*, 13(2), pp. 213–221. Available at: <https://doi.org/10.1007/s10995-008-0322-8>.

Legere, L.E. et al. (2017) ‘Approaches to health-care provider education and professional development in perinatal depression: a systematic review’, *BMC Pregnancy Childbirth*, 17(1). Available at: <https://doi.org/https://doi.org/10.1186/s12884-017-1431-4>.

Leight, K. et al. (2010) ‘Treatment of post-partum depression: a review of clinical, psychological and pharmacological options’, *International Journal of Women’s Health*, 3, pp. 1–14. Available at:



<https://doi.org/10.2147/ijwh.s6938>.

- Littlewood, E. *et al.* (2018) 'Identifying perinatal depression with case-finding instruments: a mixed-methods study (BaBY PaNDA – Born and Bred in Yorkshire PeriNatal Depression Diagnostic Accuracy)', *Health Services and Delivery Research*, 6(6), pp. 1–210. Available at: <https://doi.org/10.3310/hsdr06060>.
- Long, M.M. *et al.* (2019) 'A systematic review of interventions for healthcare professionals to improve screening and referral for perinatal mood and anxiety disorders', *Arch Womens Ment Health*, 22(1), pp. 25–36. Available at: <https://doi.org/10.1007/s00737-018-0876-4>.
- Machmudah (2010) *Pengaruh Persalinan dengan Komplikasi terhadap Kemungkinan Terjadinya Postpartum Blues di Kota Semarang*.
- Maes, M. (2011) 'Depression is an inflammatory disease, but cell-mediated immune activation is the key component of depression', *Progress in Neuro-Psychopharmacology and Biological Psychiatry*, 35(3), pp. 664–675. Available at: <https://doi.org/10.1016/j.pnpbp.2010.06.014>.
- Makkar, D. (2018) 'Postpartum Depression-An Overview', *Pan Asian J Obs Gyn*, 1(2), pp. 11–17. Available at: <https://doi.org/10.1002/j.1556-6676.1993.tb02219.x>.
- Mann, S., Adamson, J. and DPhil, S.M.G. (2012) 'Diagnostic accuracy of case-finding questions to identify perinatal depression', *CMAJ*, 184(8), pp. 424–430. Available at: https://doi.org/10.1007/978-3-319-91557-9_9.
- Martel, R.M. *et al.* (2019) 'Youthchat as a primary care e-screening tool for mental health issues among Te Tai Tokerau youth: Protocol for a co-design study', *Journal of Medical Internet Research*, 8(1), pp. 1–11. Available at: <https://doi.org/10.2196/12108>.
- Molyneaux, E. *et al.* (2014) 'Antidepressant treatment for postnatal depression (Review) SUMMARY OF FINDINGS FOR THE MAIN COMPARISON', *Cochrane Database of Systematic Reviews*, (9), pp. 1–108. Available at: <https://doi.org/10.1002/14651858.CD002018.pub2.www.cochranelibrary.com>.



- Moore Simas, T.A. *et al.* (2019) ‘The humanistic burden of postpartum depression: a systematic literature review’, *Current Medical Research and Opinion*, 35(3), pp. 383–393. Available at: <https://doi.org/10.1080/03007995.2018.1552039>.
- Myers, S. and Johns, S.E. (2018) ‘Postnatal depression is associated with detrimental life-long and multi-generational impacts on relationship quality’, *PeerJ*, 6, pp. 1–21. Available at: <https://doi.org/10.7717/peerj.4305>.
- Nakamura, A. *et al.* (2019) ‘Physical activity during pregnancy and postpartum depression: Systematic review and meta-analysis’, *Journal of Affective Disorders*, 246, pp. 29–41. Available at: <https://doi.org/10.1016/j.jad.2018.12.009>.
- Ncama, B.P. and Omisakin, F.D. (2011) ‘Self , self-care and self-management concepts : implications for self-management education’, *Educational Resesarch*, 2(12), pp. 1733–1737.
- Nemeroff, C.B. (2008) ‘Understanding the Pathophysiology of Postpartum Depression: Implications for the Development of Novel Treatments’, *Neuron*, 59(2), pp. 185–186. Available at: <https://doi.org/10.1016/j.neuron.2008.07.015>.
- Novinaldi, N. *et al.* (2020) ‘EPDSAp: Aplikasi Skrining Baby Blues Berbasis Android dengan Uji Sensitivitas dan Spesifisitas’, *Jurnal RESTI (Rekayasa Sistem dan Teknologi Informasi)*, 4(6), pp. 1135–1141. Available at: <https://doi.org/10.29207/resti.v4i6.2481>.
- Nunes, A.P. and Phipps, M.G. (2013) ‘Postpartum depression in adolescent and adult mothers: Comparing prenatal risk factors and predictive models’, *Maternal and Child Health Journal*, 17, pp. 1071–1079. Available at: <https://doi.org/10.1007/s10995-012-1089-5>.
- O’Connor, E. *et al.* (2016) ‘Primary care screening for and treatment of depression in pregnant and postpartum women evidence report and systematic review for the US preventive services task force’, *JAMA - Journal of the American Medical Association*, 315(4), pp. 388–406. Available at:



<https://doi.org/10.1001/jama.2015.18948>.

- O'Hara, M.W. and McCabe, J.E. (2013) 'Postpartum Depression: Current Status and Future Directions', *Annual Review of Clinical Psychology*, 9(1), pp. 379–407. Available at: <https://doi.org/10.1146/annurev-clinpsy-050212-185612>.
- Oringer, K.M. and Muzik, M. (2019) *Postpartum depression screening in primary care: How to make it a success.*, *Contemporary Pediatrics*.
- Putriarsih, R., Budihastuti, U.R. and Murti, B. (2018) 'Prevalence and Determinants of Postpartum Depression in Sukoharjo District, Central Java', *Journal of Maternal and Child Health*, 3(1), pp. 11–24. Available at: <https://doi.org/10.26911/thejmch.2017.03.01.02>.
- Rai, S., Pathak, A. and Sharma, I. (2015) 'Postpartum psychiatric disorders: Early diagnosis and management', *Indian Journal of Psychiatry*, 57(2), pp. 216–221. Available at: <https://doi.org/10.4103/0019-5545.161481>.
- Ramsberg, J., Asseburg, C. and Henriksson, M. (2012) 'Effectiveness and cost-effectiveness of antidepressants in primary care: A multiple treatment comparison meta-analysis and cost-effectiveness model', *PLoS ONE*, 7(8). Available at: <https://doi.org/10.1371/journal.pone.0042003>.
- Redzuan, S.A.M. et al. (2020) 'Prevalence and risk factors of postpartum depression, general depressive symptoms, anxiety and stress (PODSAS) among mothers during their 4-week postnatal follow-up in five public health clinics in Perak: A study protocol for a cross-sectional study', *BMJ Open*, 10(6).
- Rice, D.B. et al. (2016) 'Reporting completeness and transparency of meta-analyses of depression screening tool accuracy: A comparison of meta-analyses published before and after the PRISMA statement', *Journal of Psychosomatic Research*, 87, pp. 57–69. Available at: <https://doi.org/10.1016/j.jpsychores.2016.06.007>.
- Richard, A.A. and Shea, K. (2011) 'Delineation of Self-Care and Associated Concepts', *Journal of Nursing Scholarship*, 43(3), pp. 255–264. Available at: <https://doi.org/10.1111/j.1547-5069.2011.01404.x>.



- Roswiyani (2010) ‘Postpartum depression.’, *Temu Ilmiah Nasional II*, pp. 1–20.
- Safari, S., Bahadoran, P. and Oreizi, H. (2014) ‘Meta-analysis of the role of delivery mode in postpartum depression (Iran 1997-2011)’, *Journal of Education and Health Promotion*, 3(118), pp. 1–8. Available at: <https://doi.org/10.4103/2277-9531.145924>.
- Sanger, C. et al. (2014) ‘Associations between postnatal maternal depression and psychological outcomes in adolescent offspring: a systematic review’, *Archives of Women’s Mental Health*, pp. 1–16. Available at: <https://doi.org/10.1007/s00737-014-0463-2>.
- Schiller, C.E., Meltzer-Brody, S. and Rubinow, D.R. (2015) ‘The Role of Reproductive Hormones in Postpartum Depression Dr.. HHS Public Access’, *CNS Spectr*, 20(1), pp. 48–59. Available at: <https://doi.org/10.1017/S1092852914000480>.
- Sharma, V. and Sharma, P. (2012) ‘Postpartum Depression: Diagnostic and Treatment Issues’, *Journal of Obstetrics and Gynaecology Canada*, 34(5), pp. 436–442. Available at: [https://doi.org/10.1016/S1701-2163\(16\)35240-9](https://doi.org/10.1016/S1701-2163(16)35240-9).
- Shorey, S. et al. (2018) ‘Prevalence and incidence of postpartum depression among healthy mothers: A systematic review and meta-analysis’, *Journal of Psychiatric Research*, 104, pp. 235–248. Available at: <https://doi.org/10.1016/j.jpsychires.2018.08.001>.
- Simas, T.A.M. et al. (2019) ‘The humanistic burden of postpartum depression: a systematic literature review’, *Current Medical Research and Opinion*, 35(3), pp. 383–393. Available at: <https://doi.org/10.1080/03007995.2018.1552039>.
- Skalkidou, A. et al. (2012) ‘Biological aspects of postpartum depression’, *Women’s Health*, 8(6), pp. 659–672. Available at: <https://doi.org/10.2217/whe.12.55>.
- Skrundz, M. et al. (2011) ‘Plasma oxytocin concentration during pregnancy is associated with development of postpartum depression’, *Neuropsychopharmacology*, 36, pp. 1886–1893. Available at: <https://doi.org/10.1038/npp.2011.74>.



- Slomian, J. *et al.* (2019) ‘Consequences of maternal postpartum depression: A systematic review of maternal and infant outcomes’, *Women’s health*, 15, pp. 1–55. Available at: <https://doi.org/10.1177/1745506519844044>.
- Smith-Nielsen, J. *et al.* (2018) ‘Validation of the Edinburgh Postnatal Depression Scale against both DSM-5 and ICD-10 diagnostic criteria for depression’, *BMC Psychiatry*, 18(1), pp. 1–12. Available at: <https://doi.org/10.1186/s12888-018-1965-7>.
- Smith, E.K. *et al.* (2016) ‘Postpartum depression screening: A review for psychiatrists’, *Harvard Review of Psychiatry*, 24(3), pp. 173–187. Available at: <https://doi.org/10.1097/HRP.0000000000000103>.
- Spitzer, R.L. *et al.* (1994) ‘Utility of a new procedure for diagnosing mental disorders in primary care. The PRIME-MD 1000 study.’, *JAMA : the journal of the American Medical Association*, 272(22), pp. 1749–1756. Available at: <https://doi.org/10.1001/jama.1994.03520220043029>.
- Spix, C. and Blettner, M. (2012) ‘Screening Part 19 of a Series on Evaluation of Scientific Publications’, *Deutsches Arzteblatt International*, 109(21), pp. 385–390. Available at: <https://doi.org/10.3238/arztebl.2012.0385>.
- Stein, A. *et al.* (2008) ‘The influence of maternal depression, caregiving, and socioeconomic status in the post-natal year on children’s language development’, *Child: Care, Health and Development*, 34(5), pp. 603–612. Available at: <https://doi.org/10.1111/j.1365-2214.2008.00837.x>.
- Stein, A. *et al.* (2009) ‘The Influence of Postnatal Psychiatric Disorder on Child Development’, *Psychopathology*, 42(1), pp. 11–21. Available at: <https://doi.org/10.1159/000173699>.
- Stewart, D.E. *et al.* (2003) ‘Postpartum Depression: Literature review of risk factors and interventions’, *WHO publication*, pp. 1–289.
- Stewart, D.E. and Vigod, S. (2016) ‘Postpartum depression’, *The new england journal of medicine Clinical*, 375, pp. 2177–86. Available at: <https://doi.org/10.6224/JN.60.6.22>.
- Stewart, D.E. and Vigod, S.N. (2019) ‘Postpartum Depression: Pathophysiology, Treatment, and Emerging Therapeutics’, *Annual Review of Medicine*, 70(1),



pp. 183–196. Available at: <https://doi.org/10.1146/annurev-med-041217-011106>.

Studd, J. and Nappi, R.E. (2012) ‘Reproductive depression’, *Gynecological Endocrinology*, 28(1), pp. 42–45. Available at: <https://doi.org/10.3109/09513590.2012.651932>.

Students, U. of T. at C.S. of N.F.& (2016) *Theory Based Nursing Practice (TBNP)*.

Stuebe, A.M. *et al.* (2012) ‘Failed Lactation and Perinatal Depression: Common Problems with Shared Neuroendocrine Mechanisms?’, *Journal of Women’s Health*, 21(3), pp. 264–272. Available at: <https://doi.org/10.1089/jwh.2011.3083>.

Sukma, F., Hidayati, E. and Nurhasiyah Jamil, S. (2017) *Buku Ajar Asuhan Kebidanan Pada Masa Nifas*.

Thombs, B.D. *et al.* (2014a) ‘Depression screening and patient outcomes in pregnancy or postpartum: A systematic review’, *Journal of Psychosomatic Research*, 76, pp. 433–446. Available at: <https://doi.org/10.1016/j.jpsychores.2014.01.006>.

Thombs, B.D. *et al.* (2014b) ‘Depression screening and patient outcomes in pregnancy or postpartum: A systematic review’, *Journal of Psychosomatic Research*, 76(6), pp. 433–446. Available at: <https://doi.org/10.1016/j.jpsychores.2014.01.006>.

Thompson, K.S. and Fox, J.E. (2010) ‘Post-partum depression: A comprehensive approach to evaluation and treatment’, *Mental Health in Family Medicine*, 7, pp. 249–257.

Upadhyay, R.P. *et al.* (2017) ‘Postpartum depression in india: A systematic review and meta-analysis’, *Bulletin of the World Health Organization*, 95(10), pp. 706–717. Available at: <https://doi.org/10.2471/BLT.17.192237> LK - <http://vb3lk7eb4t.search.serialssolutions.com?sid=EMBASE&issn=15640604&id=doi:10.2471%2FBLT.17.192237&atitle=Postpartum+depression+in+india%3A+A+systematic+review+and+meta-analysis&ttitle=Bull.+WHO&title=Bulletin+of+the+World+Health+Organization&volume=95&issue=10&spage=706&epage=717&aulast=Upadhy>



ay&aufirst=Ravi+Prakash&auinit=R.P.&aufull=Upadhyay+R.P.&coden=BWHOA&isbn=&pages=706-717&date=2017&auinit1=R&auinitm=P.

Wahyuningsih, H.P. (2018) *Bahan Ajar Kebidanan Asuhan Kebidanan Nifas dan Menyusui*.

Wahyuntari, E. et al. (2019) ‘Korelasi cara bersalin dengan depresi postpartum’, *Jurnal Kebidanan dan Keperawatan Aisyiyah*, 15(1), pp. 22–30.

Wang, J. et al. (2018) ‘Association between vitamin D deficiency and antepartum and postpartum depression: a systematic review and meta-analysis of longitudinal studies’, *Archives of Gynecology and Obstetrics*, 298(6), pp. 1045–1059. Available at: <https://doi.org/10.1007/s00404-018-4902-6>.

WHO&UNICEF (2018) ‘A Vision for Primary Health Care in the 21St Century’, *World Health Organisation*, pp. 1–64.

Whooley, M.A. et al. (1997) ‘Case-Finding Instruments for Depression. Two Questions Are as Good as Many’, *J GEN INTERN MED*, 12, pp. 439–445.

Whooley, M.A. (2016) *Screening for depression—a tale of two questions*, *JAMA Internal Medicine*. Available at: <https://doi.org/10.1001/jama.2015.18948.5>.

Wilkinson, A., Anderson, S. and Wheeler, S.B. (2017) ‘Screening for and Treating Postpartum Depression and Psychosis: A Cost-Effectiveness Analysis’, *Maternal and Child Health Journal*, 21(4), pp. 903–914. Available at: <https://doi.org/10.1007/s10995-016-2192-9>.

Wilson, J.M.G. and Jungner, G. (1968) *Principles and Practice of Screening for Disease*. WHO Public Paper 34, Geneva: World Health Bibliography Organization.

Wilson, N., Lee, J.J. and Bei, B. (2019) *Postpartum fatigue and depression: A systematic review and meta-analysis*, *Journal of Affective Disorders*. Elsevier B.V. Available at: <https://doi.org/10.1016/j.jad.2018.12.032>.

Xu, H. et al. (2017) ‘Cesarean section and risk of postpartum depression: A meta-analysis’, *Journal of Psychosomatic Research*, pp. 1–40. Available at: <https://doi.org/10.1016/j.jpsychores.2017.04.016>.

Yim, I.S. et al. (2015) ‘Biological and Psychosocial Predictors of Postpartum



UNIVERSITAS
GADJAH MADA

Pengembangan Standar Operasional Prosedur (SOP) E-skrining Depresi Postpartum di Layanan Kesehatan

Primer

Russy Novita Andriani, Prof. dr. Moh Hakimi Sp.OG (K) Ph.D; Dr. dr. Wahyudi Istiono, M.Kes

Universitas Gadjah Mada, 2023 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Depression: Systematic Review and Call for Integration', *Annual Review of Clinical Psychology*, 11, pp. 99–137. Available at: <https://doi.org/10.1146/annurev-clinpsy-101414-020426>.

van der Zee-van den Berg, A.I. *et al.* (2017) 'Screening for Postpartum Depression in Well-Baby Care Settings: A Systematic Review', *Maternal and Child Health Journal*, 21(1), pp. 9–20. Available at: <https://doi.org/10.1007/s10995-016-2088-8>.

Zhang, S. *et al.* (2019) 'Maternal violence experiences and risk of postpartum depression: A meta-analysis of cohort studies', *European Psychiatry*, 55, pp. 90–101. Available at: <https://doi.org/10.1016/j.eurpsy.2018.10.005>.

Zheng, W. *et al.* (2019) 'Brexanolone for postpartum depression: A meta-analysis of randomized controlled studies', *Psychiatry Research*, 279(April), pp. 83–89. Available at: <https://doi.org/10.1016/j.psychres.2019.07.006>.