



## DAFTAR PUSTAKA

- Abbak, R. A., Ellmann, A., & Ustun, A. (2022). A practical software package for computing gravimetric geoid by the least squares modification of Hotine's formula. *Earth Science Informatics*, 15(1), 713–724. <https://doi.org/10.1007/s12145-021-00713-3>.
- Abbak, R. A., Erol, B., & Ustun, A. (2012). Comparison of the KTH and remove-compute-restore techniques to geoid modelling in a mountainous area. *Computers and Geosciences*, 48, 31–40. <https://doi.org/10.1016/j.cageo.2012.05.019>.
- Abd-Elmotaal, Hussein A. (2011). FFT versus least square collocation techniques for gravimetric geoid determination in Egypt. *Journal of Applied Geophysics*, 10(1), 121–133.
- Abd-Elmotaal, Husssein A. (2017). Gravimetric geoid for Egypt implementing Moho depths and optimal geoid fitting approach. *Studia Geophysica et Geodaetica*, 61, 657–674. <https://doi.org/10.1007/s11200-015-1258-2>.
- Ågren, J. (2004). The analytical continuation bias in geoid determination using potential coefficients and terrestrial gravity data. *Journal of Geodesy*, 78, 314–332. <https://doi.org/10.1007/s00190-004-0395-0>.
- Al-Ajami, H., Zaki, A., Rabah, M., & El-Ashquer, M. (2022). A High-Resolution Gravimetric Geoid Model for Kuwait Using the Least-Squares Collocation. *Frontiers in Earth Science*, 9(January), 1–9. <https://doi.org/10.3389/feart.2021.753269>.
- Albayrak, M., Özlüdemir, M. T., Aref, M. M., & Halicioglu, K. (2020). Determination of Istanbul geoid using GNSS/levelling and valley cross levelling data. *Geodesy and Geodynamics*, 11(3), 163–173. <https://doi.org/10.1016/j.geog.2020.01.003>.
- Alberts, B., & Klees, R. (2004). A comparison of methods for the inversion of airborne gravity data. *Journal of Geodesy*, 78(1–2), 55–65. <https://doi.org/10.1007/s00190-003-0366-x>.
- Alcantar-Elizondo, N., Garcia-Lopez, R. V., Vazquez-Becerra, G. E., & Torres-Carillo, X. G. (2021). Combining Global Geopotential Models, Digital Elevation Models, and GNSS/Leveling for Precise Local Geoid Determination in Some Mexico Urban Areas: Case Study. *ISPRS International Journal of Geo-Information*, 10(12). <https://doi.org/10.3390/ijgi10120819>.
- Aminah, H., & Anjasmara, I. M. (2021). Global Geopotential Model Evaluations and Local Geoid in Indonesia: A Review. *IOP Conference Series: Earth and Environmental Science*, 936(1). <https://doi.org/10.1088/1755-1315/936/1/012034>.
- Andersen, O. B., & Knudsen, P. (2020). The DTU17 global marine gravity field: First validation results. *International Association of Geodesy Symposia*, 150, 83–87. [https://doi.org/10.1007/1345\\_2019\\_65](https://doi.org/10.1007/1345_2019_65).
- Apeh, O. I., Moka, E. C., & Uzodinma, V. N. (2018). Evaluation of Gravity Data Derived from Global Gravity Field Models Using Terrestrial Gravity Data in Enugu State, Nigeria. *Journal of Geodetic Science*, 8(1), 145–153. <https://doi.org/10.1515/jogs-2018-0015>.
- Barthelmes, F. (2013). Definition of Functionals of the Geopotential and Their Calculation from Spherical Harmonic Models. In *Deutsches Geo-ForschungsZentrum GFZ* (Nomor Scientific Technical Report STR09/02). <https://doi.org/10.2312/GFZ.b103-0902-26>.



- Bayoud, F. A., & Sideris, M. G. (2003). Two different methodologies for geoid determination from ground and airborne gravity data. *Journal International of Geophysics*, 155(3), 914–922. <https://doi.org/10.1111/j.1365-246X.2003.02083.x>.
- Belay, E. Y., Godah, W., Szelachowska, M., & Tenzer, R. (2021a). ETH-GQS: An estimation of geoid-to-quasigeoid separation over Ethiopia. *Geodesy and Geodynamics*, 13(1), 31–37. <https://doi.org/10.1016/j.geog.2021.09.006>.
- Belay, E. Y., Godah, W., Szelachowska, M., & Tenzer, R. (2021b). ETH-GM21: A new gravimetric geoid model of Ethiopia developed using the least-squares collocation method. *Journal of African Earth Sciences*, 183(February), 104313. <https://doi.org/10.1016/j.jafrearsci.2021.104313>.
- Benahmed Daho, S. A., Mendas, A., Fairhead, J. D., & Derkaoui, A. (2009). Impact of the new GRACE Geopotential Model and SRTM data on the geoid modelling in Algeria. *Journal of Geodynamics*, 47(2–3), 63–71. <https://doi.org/10.1016/j.jog.2008.07.006>.
- BIG. (2021). *Product Information of INAGEOID2020 Version 2.0*. <http://www.big.go.id>.
- BIG. (2022). *Deskripsi Stasiun Pasang Surut* (Vol. 46, Nomor 021). <http://www.big.go.id>.
- Bjelotomić Oršulić, O., Markovinović, D., Varga, M., & Bašić, T. (2020). The impact of terrestrial gravity data density on geoid accuracy: case study Bilogora in Croatia. *Survey Review*, 52(373), 299–308. <https://doi.org/10.1080/00396265.2018.1562747>.
- Bolkas, D., Fotopoulos, G., & Sideris, M. G. (2013). Referencing regional geoid-based vertical datums to national tide gauge networks. *Journal of Geodetic Science*, 2(4). <https://doi.org/10.2478/v10156-011-0050-7>.
- Bolkas, Dimitrios, Fotopoulos, G., & Braun, A. (2016). On the impact of airborne gravity data to fused gravity field models. *Journal of Geodesy*, 90(6), 561–571. <https://doi.org/10.1007/s00190-016-0893-x>.
- Brown, N. (2016). Heighting Fundamentals and Ellipsoidal Height System. *PGSC Height Datum Workshop*.
- Burša, M., Kouba, J., Müller, A., Raděj, K., True, S. A., Vatrt, V., & Vojtíšková, M. (2001). Determination of geopotential differences between local vertical datums and realization of a world height system. *Studia Geophysica et Geodaetica*, 45(2), 127–132. <https://doi.org/10.1023/A:1021860126850>.
- Calman, J. (1987). INTRODUCTION TO SEA-SURFACE TOPOGRAPHY FROM SATELLITE ALTIMETRY. In *Johns Hopkins APL Technical Digest* (Vol. 2, Nomor 2).
- Chen, Y. Q., & Luo, Z. (2004). A hybrid method to determine a local geoid model - Case study. *Earth, Planets and Space*, 56(4), 419–427. <https://doi.org/10.1186/BF03352495>.
- Cheng, Y., Hao, Y., & Liu, F. (2007). The Simulation for the Downward Continuation of Airborne Gravity Data. *2nd IEEE Conference on Industrial Electronics and Applications*, 1712–1716.
- Cheng, Y., Luo, J., & Xiu, C. (2010). The research on Tikhonov regularization algorithm in airborne gravity data downward continuation. *Key Engineering Materials*, 439–440, 674–678. <https://doi.org/10.4028/www.scientific.net/KEM.439-440.674>.
- Corchete, V. (2010). The high-resolution gravimetric geoid of Italy: ITG2009. *Journal of*



*African Earth Sciences*, 58(3), 580–584. <https://doi.org/10.1016/j.jafrearsci.2010.05.010>.

Dawod, G. M., Mohamed, H. F., & Al-Krargy, E. M. (2019). Accuracy assessment of the PGM17 global geopotential model: a case study of Egypt and Northeast Africa. *Arabian Journal of Geosciences*, 12(7). <https://doi.org/10.1007/s12517-019-4418-9>.

Dayoub, N., Moore, P., Edwards, S., & Penna, N. (2011). The Geoid Geopotential Value for Unification of Vertical Datums. *FIG Working Week 2011*.

Eshagh, M., & Zoghi, S. (2016). Local error calibration of EGM08 geoid using GNSS/levelling data. *Journal of Applied Geophysics*, 130, 209–217. <https://doi.org/10.1016/j.jappgeo.2016.05.002>.

Ewing, C. E., & Mitchell, M. M. (1970). Introduction to Geodesy. In *Elsevier*. Elsevier. <https://doi.org/10.14288/bcs.v0i4.624>.

Fadhilah, F. Z. (2020). *Pemodelan Geoid Pulau Sulawesi Dengan Integral Hotine Menggunakan Data Airborne Gravity*. Master Thesis, Universitas Gadjah Mada.

Featherstone, W. E. (2013). Deterministic, stochastic, hybrid and band-limited modifications of Hotine's integral. *Journal of Geodesy*, 87(5), 487–500. <https://doi.org/10.1007/s00190-013-0612-9>.

Featherstone, W. E., Kirby, J. F., Kearsley, A. H. W., Gilliland, J. R., Johnston, G. M., Steed, J., Forsberg, R., & Sideris, M. G. (2001). The AUSGeoid98 geoid model of Australia: data treatment, computations and comparisons with GPS-levelling data. *Journal of Geodesy*, 75(5–6), 313–330. <https://doi.org/10.1007/s001900100177>.

Featherstone, W. E., McCubbine, J. C., Brown, N. J., Claessens, S. J., Filmer, M. S., & Kirby, J. F. (2018). The first Australian gravimetric quasigeoid model with location-specific uncertainty estimates. *Journal of Geodesy*, 92(2), 149–168. <https://doi.org/10.1007/s00190-017-1053-7>.

Fernandes, M. J., Lázaro, C., Nunes, A. L., & Scharroo, R. (2014). Atmospheric Corrections for Altimetry Studies over Inland Water. *Remote Sensing*, 6(6), 4952–4997. <https://doi.org/10.3390/rs6064952>.

Foroughi, I., Goli, M., Pagiatakis, S., Ferguson, S., & Novák, P. (2023). Data requirements for determination of the sub-centimetre geoid. *Earth-Science Reviews*. <https://doi.org/10.1016/j.earscirev.2023.104326>.

Foroughi, I., Vaníček, P., Novák, P., Kingdon, R. W., Sheng, M., & Santos, M. C. (2015). Optimal Combination of Satellite and Terrestrial Gravity Data for Regional Geoid Determination Using Stokes-Helmert's Method, the Auvergne Test Case. *International Association of Geodesy Symposia*, 145–153. <https://doi.org/10.1007/1345>.

Foroughi, I., Vaníček, P., Sheng, M., Kingdon, R. W., & Santos, M. C. (2017). In defense of the classical height system. *Geophysical Journal International*, 211(2), 1154–1161. <https://doi.org/10.1093/GJI/GGX366>.

Forsberg, R., & Tscherning, C. (2008). An overview manual for the GRAVSOFTE geodetic gravity field modelling programs. In *DTU* (Nomor September).

Forsberg, Rene, Olesen, A., Munkhtsetseg, D., & Amarzaya, B. (2007). Downward Continuation and Geoid Determination in Mongolia from Airborne and Surface Gravimetry and SRTM Topography. *International Forum on Strategic Technology*,



*IFOST*, 470–475. <https://doi.org/10.1109/IFOST.2007.4798634>.

- Forsberg, Rene, & Olesen, A. V. (2010). Airborne Gravity Field Determination. In Guochang Xu (Ed.), *Sciences of Geodesy - I: Advances and Future Directions* (hal. 1–487). Springer-Verlag. <https://doi.org/10.1007/978-3-642-11741-1>.
- Fotopoulos, G. (2003). *An Analysis on the Optimal Combination of Geoid, Orthometric and Ellipsoidal Height Data*. Doctor Thesis, University of Calgary.
- Fotopoulos, G., Kotsakis, C., & Sideris, M. G. (2003). How Accurately Can We Determine Orthometric Height Differences from GPS and Geoid Data? *Journal of Surveying Engineering*, 129(1), 1–10. [https://doi.org/10.1061/\(asce\)0733-9453\(2003\)129:1\(1\)](https://doi.org/10.1061/(asce)0733-9453(2003)129:1(1)).
- Francis, O. (2021). Performance assessment of the relative gravimeter Scintrex CG-6. *Journal of Geodesy*, 95(10), 116. <https://doi.org/10.1007/s00190-021-01572-y>.
- Fukuda, Y., Higashi, T., Takemoto, S., Abe, M., Dwipa, S., Kusuma, D. S., Andan, A., Doi, K., Imanishi, Y., & Arduino, G. (2004). The first absolute gravity measurements in Indonesia. *Journal of Geodynamics*, 38(3-5 SPEC.ISS.), 489–501. <https://doi.org/10.1016/j.jog.2004.07.009>.
- Gatchalian, R. C., Forsberg, R., & Olesen, A. V. (2021). A new Philippine geoid model from airborne and terrestrial gravity data. *Terrestrial, Atmospheric and Oceanic Sciences*, 32(5), 913–920. <https://doi.org/10.3319/TAO.2021.11.15.01>.
- Gerstenecker, C., Läufer, G., Steineck, D., Tiede, C., & Wrobel, B. (2005). Validation of digital elevation models around Merapi Volcano, Java, Indonesia. *Natural Hazards and Earth System Science*, 5(6), 863–876. <https://doi.org/10.5194/nhess-5-863-2005>.
- Ghanem, E., Jiancheng, L., & Jingnan, L. (2002). Models for fitting gravimetric geoids and gps results. *Geo-Spatial Information Science*, 5(1), 28–30. <https://doi.org/10.1007/BF02863491>.
- Ghilani, C. D. (2010a). *Adjustment Computations: Spatial Data Analysis*. John Wiley & Sons, Inc.
- Godah, W., & Krynski, J. (2015). A New Gravimetric Geoid Model for the Area of Sudan Using the Least Squares Collocation and a GOCE-Based GGM. *International Association of Geodesy Symposia*, 145–153. <https://doi.org/10.1007/1345>.
- Godah, W., Krynski, J., & Szelachowska, M. (2018). The use of absolute gravity data for the validation of Global Geopotential Models and for improving quasigeoid heights determined from satellite-only Global Geopotential Models. *Journal of Applied Geophysics*, 152, 38–47. <https://doi.org/10.1016/j.jappgeo.2018.03.002>.
- Gratiot, N., Anthony, E. J., Gardel, A., Gaucherel, C., Proisy, C., & Wells, J. T. (2008). Significant contribution of the 18.6 year tidal cycle to regional coastal changes. *Nature Geoscience*, 1(3), 169–172. <https://doi.org/10.1038/ngeo127>.
- Grzyb, M., Krynski, J., & Mank, M. (2006). The effect of topography and quality of a digital terrain model on the accuracy of terrain corrections for centimetre quasigeoid modelling. *Geodesy and Cartography*.
- Guimarães, G. D. N., Blitzkow, D., Matos, A., & Barzaghi, R. (2012). The Geoid Model in Brazil Using Three Different Methodologies. *EGU General Assembly 2012*, 14, 836.



- Hajkova, J., Mintourakis, I., & Delikaraoglou, D. (2010). Spectral decomposition and signal processing techniques of airborne gravity data for earthgravity field modelling - A case study for Taiwan. *4th International Conference from Scientific Computing to Computational Engineering*. <https://doi.org/10.13140/2.1.3050.5923>.
- Hartanto, P., & Chabibi, F. F. (2018). Uji Ketelitian Model Geospasial Global di Pulau Jawa dan Madura (The Evaluation of Global Geopotential Models in Java and Madura Island). *Seminar Nasional Geomatika*, 827–834.
- Hartanto, P., Huda, S., Putra, W., & Septiawan, I. (2019). PENGUKURAN GAYABERAT MENGGUNAKAN GRAVIMETER ABSOLUT A-10 Studi Kasus di Jakarta dan Makassar, Indonesia. *Geomatika*, 25(1), 27–36.
- Heiskanen, W. A., & Moritz, H. (1967). Physical geodesy. *Bulletin Géodésique (1946-1975)*, 86(1), 491–492. <https://doi.org/10.1007/BF02525647>.
- Heliani, L.S., Fukuda, Y., & Takemoto, S. (2004). Simulation of the Indonesian land gravity data using a digital terrain model data. *Earth, Planets and Space*, 56(1), 15–24. <https://doi.org/10.1186/BF03352487>.
- Heliani, Leni S. (2016). Evaluation of Global Geopotential Model and Its Application on Local Geoid Modelling of Java Island, Indonesia. *AIP Conference Proceedings: Advances of Science and Technology for Society*, 1755. <https://doi.org/10.1063/1.4958534>.
- Hirt, C., Featherstone, W. E., & Marti, U. (2010). Combining EGM2008 and SRTM/DTM2006.0 residual terrain model data to improve quasigeoid computations in mountainous areas devoid of gravity data. *Journal of Geodesy*, 84(9), 557–567. <https://doi.org/10.1007/s00190-010-0395-1>.
- Hofmann-Wellenhof, B., Lichtenegger, H., & Wasle, E. (2008). *GNSS - Global Navigation Satellite Systems: GPS, GLONASS, Galileo, and More*. Springer-Verlag.
- Hofmann-Wellenhof, B., & Moritz, H. (2006). *Physical Geodesy*. Springer, Vienna. <https://doi.org/10.1007/978-3-211-33545-1>.
- Hsiao, Y., & Hwang, C. (2010). Topography-Assisted downward Continuation of Airborne Gravity: An Application for Geoid Determination in Taiwan. *Terrestrial, Atmospheric and Oceanic Sciences*, 21(4). [https://doi.org/10.3319/TAO.2009.07.09.01\(T\)1](https://doi.org/10.3319/TAO.2009.07.09.01(T)1).
- Işık, M. S., Erol, B., Erol, S., & Sakil, F. F. (2021). High-resolution geoid modeling using least squares modification of Stokes and Hotine formulas in Colorado. *Journal of Geodesy*, 95(5). <https://doi.org/10.1007/s00190-021-01501-z>.
- Jalal, S. J., Musa, T. A., Din, A. H. M., Wan Aris, W. A., & Pa'suya, M. F. (2022). Improving the Accuracy of Local Gravimetric Geoid Modelling Using Simulated Terrestrial Gravity Data. *Pure and Applied Geophysics*, 179(8), 2869–2887. <https://doi.org/10.1007/s00024-022-03092-y>.
- Jalal, S. J., Musa, T. A., Md Din, A. H., Wan Aris, W. A., Shen, W. Bin, & Pa'suya, M. F. (2019). Influencing factors on the accuracy of local geoid model. *Geodesy and Geodynamics*, 10(6), 439–445. <https://doi.org/10.1016/j.geog.2019.07.003>.
- Jamil, H., Kadir, M., Forsberg, R., Olesen, A., Isa, M. N., Rasidi, S., Mohamed, A., Chihat, Z., Nielsen, E., Majid, F., Talib, K., & Aman, S. (2017). Airborne geoid mapping of land and sea areas of East Malaysia. *Journal of Geodetic Science*, 7(1), 84–93. <https://doi.org/10.1515/jogs-2017-0010>.



- Jiang, T. (2018). On the contribution of airborne gravity data to gravimetric quasigeoid modelling: A case study over Mu Us area, China. *Geophysical Journal International*, 215(2), 1308–1321. <https://doi.org/10.1093/GJI/GGY346>.
- Jiang, T., Dang, Y., & Zhang, C. (2020a). Gravimetric geoid modeling from the combination of satellite gravity model, terrestrial and airborne gravity data: a case study in the mountainous area, Colorado. *Earth, Planets and Space*, 72(1). <https://doi.org/10.1186/s40623-020-01287-y>.
- Jiang, T., Dang, Y., & Zhang, C. (2020b). Quantifying the contribution of airborne gravity data for geoid modeling: two case studies. *EGU General Assembly 2020*. <https://doi.org/10.5194/egusphere-egu2020-17734>.
- Kaplan, E. D., & Hegarty, C. J. (2017). *Understanding GPS/GNSS: Principles and Applications* (Third Edit). Artech House.
- Kavanagh, B. F., & Mastin, T. B. (2006). *Surveying: Principles and Applications* (Ninth Edit). Pearson.
- Kazama, T., Hayakawa, H., Higashi, T., Ohsono, S., Iwanami, S., Hanyu, T., Ohta, H., Doi, K., Aoyama, Y., Fukuda, Y., Nishijima, J., & Shibuya, K. (2013). Gravity measurements with a portable absolute gravimeter A10 in Syowa Station and Langhovde, East Antarctica. *Polar Science*, 7(3–4), 260–277. <https://doi.org/10.1016/j.polar.2013.07.001>.
- Kern, M., Schwarz, K. P., & Sneeuw, N. (2003). A study on the combination of satellite, airborne, and terrestrial gravity data. *Journal of Geodesy*, 77(3), 217–225. <https://doi.org/10.1007/s00190-003-0313-x>.
- Kiamehr, R. (2011). The new quasi-geoid model IRQG09 for Iran. *Journal of Applied Geophysics*, 73(1), 65–73. <https://doi.org/10.1016/j.jappgeo.2010.11.007>.
- Kiamehr, R., & Sjöberg, L. E. (2005). Effect of the SRTM global DEM on the determination of a high-resolution geoid model: A case study in Iran. *Journal of Geodesy*, 79(9), 540–551. <https://doi.org/10.1007/s00190-005-0006-8>.
- Kim, K. B., Yun, H. S., & Choi, H. J. (2020). Accuracy Evaluation of Geoid Heights in the National Control Points of South Korea Using High-Degree Geopotential Model. *Applied Sciences*, 10(4). <https://doi.org/10.3390/app10041466>.
- Knudsen, P., & Andersen, O. B. (2013). The DTU12MDT Global Mean Dynamic Topography and Ocean Circulation Model. *Proc. ESA Living Planet Symposium 2013*, 722(December), 28. <http://earth.esa.int/gut/>.
- Kotsakis, C., & Sideris, M. G. (1999). On the adjustment of combined GPS/levelling/geoid networks. *Journal of Geodesy*, 73(8), 412–421. <https://doi.org/10.1007/s001900050261>.
- Kryniski, J., Dykowski, P., Sekowski, M., & Mäkinen, J. (2014). On the Estimate of Accuracy and Reliability of the A10 Absolute Gravimeter. In C. Rizos & P. Willis (Ed.), *International Association of Geodesy Symposia* (Vol. 139). Springer-Verlag Berlin Heidelberg. <https://doi.org/10.1007/978-3-642-37222-3>.
- Kühtreiber, N., & Abd-Elmotaal, H. (2015). Towards an Alternative Geoid Fitting Technique. *International Association of Geodesy Symposia*, 2001, 145–153. <https://doi.org/10.1007/1345>.
- Kuroishi, Y. (2009). Improved geoid model determination for Japan from GRACE and a



regional gravity field model. *Earth Planets and Space*, 61, 807–813.

- Kvas, A., Brockmann, J. M., Krauss, S., Schubert, T., Gruber, T., Meyer, U., Mayer-gürr, T., Schuh, W., Jäggi, A., & Pail, R. (2021). GOCO06s – a satellite-only global gravity field model. *Earth System Science Data*, 13, 99–118. <https://doi.org/10.5194/essd-13-99-2021>.
- Lemoine, F. G., Kenyon, S. C., Factor, J. K., Trimmer, R. G., Pavlis, N. K., Chinn, D. S., Cox, C. M., Klosko, S. M., Luthcke, S. B., Torrence, M. H., Wang, Y. M., Williamson, R. G., Pavlis, E. C., Rapp, R. H., & Olson, T. R. (1998). *The Development of the Joint NASA GSFC and the National Imagery and Mapping Agency (NIMA) Geopotential Model EGM96* (Nomor July). [https://doi.org/10.1007/978-3-662-03482-8\\_62](https://doi.org/10.1007/978-3-662-03482-8_62).
- Li, J., & Sideris, M. G. (1997). Marine gravity and geoid determination by optimal combination of satellite altimetry and shipborne gravimetry data. *Journal of Geodesy*, 71(4), 209–216. <https://doi.org/10.1007/s001900050088>.
- Li, Jin, Shen, W. Bin, & Zhou, X. (2015). Direct regional quasi-geoid determination using EGM2008 and DEM: A case study for Mainland China and its vicinity areas. *Geodesy and Geodynamics*, 6(6), 437–443. <https://doi.org/10.1016/j.geog.2015.12.002>.
- Li, X., Huang, J., Klees, R., Forsberg, R., Willberg, M., Slobbe, D. C., Hwang, C., & Pail, R. (2022). Characterization and stabilization of the downward continuation problem for airborne gravity data. *Journal of Geodesy*, 96(4). <https://doi.org/10.1007/s00190-022-01607-y>.
- Liang, W., Li, J., Xu, X., Zhang, S., & Zhao, Y. (2020). A High-Resolution Earth's Gravity Field Model SGG-UGM-2 from GOCE, GRACE, Satellite Altimetry, and EGM2008. *Engineering*, 6(8), 860–878. <https://doi.org/10.1016/j.eng.2020.05.008>.
- Ligas, M., & Szombara, S. (2018). Geostatistical prediction of a local geometric geoid - kriging and cokriging with the use of EGM2008 geopotential model. *Studia Geophysica et Geodaetica*, 62(2), 187–205. <https://doi.org/10.1007/s11200-017-0713-7>.
- Liu, S., Feng, J., Wang, Q., Su, D., Li, C., & Wu, S. (2019, Maret). Investigation on the dynamic characteristics of CG-6 relative gravimeter for the micro-gravity network. *10th International Symposium on Precision Engineering Measurements and Instrumentation*. <https://doi.org/10.1117/12.2511622>.
- Märdla, S. (2017). *Regional Geoid Modelling by the Least Squares Modified Hotine Formula Using Gridded Gravity Disturbances*. Doctor Thesis, Tallinn University of Technology.
- Märdla, S., Ellmann, A., Ågren, J., & Sjöberg, L. E. (2018). Regional geoid computation by least squares modified Hotine's formula with additive corrections. *Journal of Geodesy*, 92(3), 253–270. <https://doi.org/10.1007/s00190-017-1061-7>.
- Martin, A., Anquela, A. B., Padín, J., & Berné, J. L. (2010). Ability of the EGM2008 High Degree Geopotential Model to Calculate a Local Geoid Model in Valencia, Eastern Spain. *Studia Geophysica et Geodaetica*, 54(3), 347–366. <https://doi.org/10.1007/s11200-010-0021-y>.
- Martinec, Z. (1996). Stability investigations of a discrete downward continuation problem for geoid determination in the Canadian Rocky Mountains. *Journal of Geodesy*, 70(11), 805–828. <https://doi.org/10.1007/BF00867158>.
- Matsuo, K., & Kuroishi, Y. (2020). Refinement of a gravimetric geoid model for Japan using GOCE and an updated regional gravity field model. *Earth, Planets and Space*, 72(1).



<https://doi.org/10.1186/s40623-020-01158-6>.

- McCubbine, J. C., Amos, M. J., Tontini, F. C., Smith, E., Winefield, R., Stagpoole, V., & Featherstone, W. E. (2018). The New Zealand gravimetric quasigeoid model 2017 that incorporates nationwide airborne gravimetry. *Journal of Geodesy*, 92(8), 923–937. <https://doi.org/10.1007/s00190-017-1103-1>.
- McCubbine, J. C., Stagpoole, V., Caratori Tontini, F., Amos, M., Smith, E., & Winefield, R. (2017). Gravity anomaly grids for the New Zealand region. *New Zealand Journal of Geology and Geophysics*, 60(4), 381–391. <https://doi.org/10.1080/00288306.2017.1346692>.
- Merry, C. L. (2003). DEM-induced errors in developing a quasi-geoid model for Africa. *Journal of Geodesy*, 537–542. <https://doi.org/10.1007/s00190-003-0353-2>.
- Meurers, B. (2018). Scintrex CG5 used for superconducting gravimeter calibration. *Geodesy and Geodynamics*, 9(3), 197–203. <https://doi.org/10.1016/j.geog.2017.02.009>.
- Micro-g Lacoste. (2006). *FG5 Absolute Gravimeter User's Manual*. Lafayette, Colorado.
- Micro-g LaCoste. (2008). *A-10 Portable Gravimeter User's Manual*. Lafayette, Colorado.
- Mishra, U. N., & Ghosh, J. K. (2017). Development of a Geoid Model by Geometric Method. *Journal of The Institution of Engineers (India): Series A*, 98(4), 437–442. <https://doi.org/10.1007/s40030-017-0250-y>.
- Mosayebzadeh, M., Ardalan, A. A., & Karimi, R. (2019). Regional improvement of global geopotential models using GPS/Leveling data. *Studia Geophysica et Geodaetica*, 63(2), 169–190. <https://doi.org/10.1007/s11200-017-1084-9>.
- Muhammad, R. P. K., Mutiara Anjasmara, I., & Maulidyan Pahlevi, A. (2022). Pembuatan Model Geoid Lokal Menggunakan Data Gayaberat Airborne dan Model Geoid Global (EGM2008) (Studi Kasus: Pulau Bali). *Geoid*, 18(1), 185–196.
- Mukherjee, S., Joshi, P. K., Mukherjee, S., Ghosh, A., Garg, R. D., & Mukhopadhyay, A. (2012). Evaluation of vertical accuracy of open source Digital Elevation Model (DEM). *International Journal of Applied Earth Observation and Geoinformation*, 21(1), 205–217. <https://doi.org/10.1016/j.jag.2012.09.004>.
- Novák, P., Kern, M., Schwarz, K.-P., Sideris, M. G., Heck, B., Ferguson, S., Hammada, Y., & Wei, M. (2003). On geoid determination from airborne gravity. *Journal of Geodesy*, 76, 510–522. <https://doi.org/10.1007/s00190-002-0284-3>.
- Nyoka, C. J., Din, A. H. M., Pa'suya, M. F., & Omar, A. H. (2022). Rigorous evaluation of global geopotential models for geoid modelling: A case study in Kenya. In *Journal of African Earth Sciences* (Vol. 194). <https://doi.org/10.1016/j.jafrearsci.2022.104612>.
- Ophaug, V., & Gerlach, C. (2020). Error propagation in regional geoid computation using spherical splines, least-squares collocation, and Stokes's formula. *Journal of Geodesy*, 94(12), 1–19. <https://doi.org/10.1007/s00190-020-01443-y>.
- Pa'suya, M. F., Din, A. H. M., Amin, Z. M., Rusli, N., Othman, A. H., Aziz, M. A. C., & Samad, M. A. A. (2017). Accuracy Assessment of TanDEM-X DEM and Global Geopotential Models for Geoid Modeling in the Southern Region of Peninsular Malaysia. *Proceedings of the Second International Conference on the Future of ASEAN (ICoFA) 2017*, 2. <https://doi.org/10.1007/978-981-10-8471-3>.



- Pa'suya, M. F., Din, A. H. M., Yusoff, M. Y. M., Abbak, R. A., & Hamden, M. H. (2021). Refinement of gravimetric geoid model by incorporating terrestrial, marine, and airborne gravity using KTH method. *Arabian Journal of Geosciences*, 14(19). <https://doi.org/10.1007/s12517-021-08247-0>.
- Pahlevi, A. M., Bramanto, B., Triarahmadhana, B., Huda, S., Pangastuti, D., Nur, A., Wijaya, D. D., Prijatna, K., Julianto, M., & Wijanarto, A. B. (2019). Airborne gravity survey, towards a precise Indonesian geoid model (case study: Sumatera Island). *IOP Conference Series: Earth and Environmental Science*, 389(1), 1–10. <https://doi.org/10.1088/1755-1315/389/1/012050>.
- Paramasivam, C. R., & Venkatramanan, S. (2019). An Introduction to Various Spatial Analysis Techniques. In S. Venkatramanan, M. V. Prasanna, & S. Y. Chung (Ed.), *GIS and Geostatistical Techniques for Groundwater Science* (hal. 23–30). Elsevier Inc. <https://doi.org/10.1016/B978-0-12-815413-7.00003-1>.
- Pavlis, N. K., Holmes, S. A., Kenyon, S. C., & Factor, J. K. (2012). The development and evaluation of the Earth Gravitational Model 2008 (EGM2008). *Journal of Geophysical Research*, 117, 1–38. <https://doi.org/10.1029/2011JB008916>.
- Perdana, A. D. P., & Heliani, L. S. (2017). Evaluation of Global Geopotential Model and Digital Terrain Model to the Accuration of Local Geoid Model (Case Study in Work Field of PT. Pertamina EP Asset 4 Field Cepu). *7th International Annual Engineering Seminar (InAES)*.
- Putra, W. (2021). *ASESMEN KUALITAS DATA GAYABERAT AIRBORNE (STUDI KASUS: PULAU BALI)*. Master Thesis, Institut Teknologi Bandung.
- Ramdani, D., Safi'i, A. N., Hartanto, P., Oktaviani, N., & Hariyono, M. I. (2021). Verification of the Jakarta Geoid Model from the Gravity Data of 2.5 km Resolution with Gravimetric Geoid. *IOP Conference Series: Earth and Environmental Science*, 873(1). <https://doi.org/10.1088/1755-1315/873/1/012045>.
- Ramouz, S., Afrasteh, Y., Reguzzoni, M., Safari, A., & Saadat, A. (2019). IRG2018: A regional geoid model in Iran using Least Squares Collocation. *Studia Geophysica et Geodaetica*, 63(2), 191–214. <https://doi.org/10.1007/s11200-018-0116-4>.
- Reguzzoni, M., Venuti, G., Lacy, M. C. De, Carrion, D., Barzaghi, R., Borque, M. J., Gil, A. J., & Vaquero, P. A. (2017). The Use of GNSS / Levelling and Gravity Data for the Spanish Height System Unification. *International Association of Geodesy Symposia*, 2. <https://doi.org/10.1007/1345>.
- Rosat, S., & Hinderer, J. (2018). Limits of Detection of Gravimetric Signals on Earth. *Scientific Reports*, 8(1), 1–8. <https://doi.org/10.1038/s41598-018-33717-z>.
- Sabri, L. M., Heliani, L. S., Sunantyo, T. A., & Widjajanti, N. (2019). Geoid determination with Hotine's integral based on terrestrial gravity data in Semarang city. *IOP Conference Series: Journal of Physics*, 1127(1). <https://doi.org/10.1088/1742-6596/1127/1/012047>.
- Sabri, L. M., Sudarsono, B., & Pahlevi, A. (2021). Geoid of South East Sulawesi from airborne gravity using Hotine approach. *IOP Conference Series: Earth and Environmental Science*, 731(1). <https://doi.org/10.1088/1755-1315/731/1/012014>.
- Saibi, H. (2018). Microgravity and Its Application in Geosciences. In T. Zouaghi (Ed.), *Gravity - Geoscience Applications, Industrial Technology, and Quantum Aspect*. IntechOpen.



<https://doi.org/10.5772/intechopen.68576>.

- Sakil, F. F., Erol, S., Ellmann, A., & Erol, B. (2021). Geoid modeling by the least squares modification of Hotine's and Stokes' formulae using non-gridded gravity data. *Computers and Geosciences*, 156(August), 104909. <https://doi.org/10.1016/j.cageo.2021.104909>.
- Sarsito, D. A., Wijaya, D. D., Syahrullah, M., Radjawane, I. M., & Trihantoro, N. F. (2019). Variability of sea surface topography in coastal area (study case: Indonesia). *IOP Conference Series: Earth and Environmental Science*, 339(1). <https://doi.org/10.1088/1755-1315/339/1/012030>.
- Schwarz, K., & Li, Y. C. (1996). What can airborne gravimetry contribute to geoid determination? *Journal of Geophysical Research*, 101, 873–881.
- Schwarz, K. P., Sideris, M. G., & Forsberg, R. (1990). The use of FFT techniques in physical geodesy. *Geophysical Journal International*, 100, 485–514.
- Shih, H. C., Hwang, C., Barriot, J. P., Mouyen, M., Corr ea, P., Lequeux, D., & Sichoix, L. (2015). High-resolution gravity and geoid models in Tahiti obtained from new airborne and land gravity observations: Data fusion by spectral combination Geodesy. *Earth, Planets and Space*, 67(1). <https://doi.org/10.1186/s40623-015-0297-9>.
- Sideris, M. G. (1994). Regional Geoid Determination. In P. Vani ek & N. T. Christou (Ed.), *Geoid and Its Geophysical Interpretations*. CRC Press. <https://doi.org/10.1201/9781003068068>.
- Sj berg, L. (2015). Rigorous geoid-from-quasigeoid correction using gravity disturbances. *Journal of Geodetic Science*, 5(1), 115–118. <https://doi.org/10.1515/jogs-2015-0012>.
- Sj berg, L. E., & Bagherbandi, M. (2012). Quasigeoid-to-geoid determination by EGM08. *Earth Science Informatics*, 5(2), 87–91. <https://doi.org/10.1007/s12145-012-0098-7>.
- Sj berg, L.E. (2013). The geoid or quasigeoid – which reference surface should be preferred for a national height system? *Journal of Geodetic Science*, 3(2), 103–109. <https://doi.org/10.2478/jogs-2013-0013>.
- Sj berg, L.E. (2018). On the geoid and orthometric height vs. quasigeoid and normal height. *Journal of Geodetic Science*, 8(1), 115–120. <https://doi.org/10.1515/jogs-2018-0011>.
- Sj berg, L E. (2005). A discussion on the approximations made in the practical implementation of the remove – compute – restore technique in regional geoid modelling. *Journal of Geodesy*, 78, 645–653. <https://doi.org/10.1007/s00190-004-0430-1>.
- Sj berg, Lars E. (2015). The secondary indirect topographic effect in physical geodesy. *Studia Geophysica et Geodaetica*, 59(2), 173–187. <https://doi.org/10.1007/s11200-014-1003-2>.
- Sj berg, Lars E. (2018). Topographic Effects in Geoid Determinations. *Geosciences*, 8(4). <https://doi.org/10.3390/geosciences8040143>.
- Sj berg, Lars E. (2022). Geoid model validation and topographic bias. *Journal of Geodetic Science*, 12(1), 38–41. <https://doi.org/10.1515/jogs-2022-0133>.
- Smith, D. A., & Roman, D. R. (2001). GEOID99 and G99SSS : 1-arc-minute geoid models for the United States. *Journal of Geodesy*, 75, 469–490.
- Sneeuw, N. (2006). Physical Geodesy. In *Lecture Notes*. Universitat Stuttgart.



- Song, H., L. Sadovski, A., & Jeffress, G. (2013). Kriging of Airborne Gravity Data in the Coastal Areas of the Gulf of Mexico. *Journal of Applied Mathematics and Physics*, 01(04), 63–67. <https://doi.org/10.4236/jamp.2013.14012>.
- Srimanee, C., Dumrongchai, P., & Duangdee, N. (2020). Airborne gravity data adjustment using a cross-over adjustment with constraints. *International Journal of Geoinformatics*, 16(1), 51–60.
- Ssengendo, R. (2015). *A Height Datum for Uganda Based On A Gravimetric Quasigeoid Model and GNSS/Levelling* [Doctoral Dissertation, Royal Institute of Technology (KTH)]. <https://doi.org/10.13140/RG.2.1.1242.3762>.
- Sugihara, M. (2004). Gravity monitoring with a CG5 Scintrex autogravimeter. *ASEG 17th Geophysical Conference and Exhibition*, 2004(1), 1–4. <https://doi.org/10.1071/aseg2004ab144>.
- Tenzer, R., Novák, P., Moore, P., Kuhn, M., & Vaníček, P. (2006). Explicit formula for the geoid-quasigeoid separation. *Studia Geophysica et Geodaetica*, 50(4), 607–618. <https://doi.org/10.1007/s11200-006-0038-4>.
- Timilsina, S., Willberg, M., & Pail, R. (2021). Regional geoid for Nepal using Least-Squares Collocation. *Terrestrial, Atmospheric and Oceanic Sciences*, 32(5), 847–856. <https://doi.org/10.3319/TAO.2021.08.23.02>.
- Timmen, L. (2010). Absolute and Relative Gravimetry. In G Xu (Ed.), *Sciences of Geodesy - I: Advances and Future Directions*. Springer-Verlag. <https://doi.org/10.1007/978-3-642-11741-1>.
- Torge, W. (2001). *Geodesy*. Walter de Gruyter, Berlin.
- Triarahmadhana, B., & Heliani, L. S. (2014). An Evaluation of the Use of SRTM Data to the Accuracy of Local Geoid Determination: A Case Study of Yogyakarta Region, Indonesia. *12th Biennial Conference of Pan Ocean Remote Sensing Conference (PORSEC 2014)*.
- Trojanowicz, M., Owczarek-Wesołowska, M., Wang, Y. M., & Jamroz, O. (2021). Quasi Geoid and Geoid Modeling with the Use of Terrestrial and Airborne Gravity Data by the GGI Method—A Case Study in the Mountainous Area of Colorado. *Remote Sensing*, 13(21). <https://doi.org/10.3390/rs13214217>.
- Tscherning, C. C., Radwan, A., Tealeb, A. A., Mahmoud, S. M., El-Monum, M. A., Hassan, R., El-Syaed, I., & Saker, K. (2001). Local geoid determination combining gravity disturbances and GPS/levelling: A case study in the Lake Nasser area, Aswan, Egypt. *Journal of Geodesy*, 75(7–8), 343–348. <https://doi.org/10.1007/s001900100185>.
- Udama, Z. A. (2022). *ANALISA KOMBINASI DATA GAYABERAT SATELIT, AIRBORNE, DAN TERESTRIS PADA PEMODELAN GEOID GRAVIMETRIK PULAU BALI*. Master Thesis, Institut Teknologi Sepuluh Nopember.
- Udama, Z. A., Anjasmara, I. M., Pahlevi, A. M., & Osman, A. S. M. (2021). Geoid Modelling of Kalimantan Island using Airborne Gravity Data and Global Geoid Model (EGM2008). *IOP Conference Series: Earth and Environmental Science*, 936(1). <https://doi.org/10.1088/1755-1315/936/1/012029>.
- Üstün, A., Abbak, R. A., & Zeray Öztürk, E. (2018). Height biases of SRTM DEM related to EGM96: from a global perspective to regional practice. *Survey Review*, 50(358), 26–35. <https://doi.org/10.1080/00396265.2016.1218159>.



- Vajda, P., Vaníček, P., & Meurers, B. (2004). On the removal of the effect of topography on gravity disturbance in gravity data inversion or interpretation. *Contributions to Geophysics and Geodesy*, 34(4), 339–369.
- Vaníček, P., Kingdon, R., & Santos, M. (2012). Geoid versus quasigeoid : a case of physics versus geometry. *Contributions to Geophysics and Geodesy*, 42(1), 101–118. <https://doi.org/10.2478/v10126-012-0004-9>.
- Verlinde, E. (2011). On the origin of gravity and the laws of Newton. *Journal of High Energy Physics*, 2011(4). [https://doi.org/10.1007/JHEP04\(2011\)029](https://doi.org/10.1007/JHEP04(2011)029).
- Vu, D. T., Bruinsma, S., & Bonvalot, S. (2019). A high-resolution gravimetric quasigeoid model for Vietnam. *Earth, Planets and Space*, 71(1). <https://doi.org/10.1186/s40623-019-1045-3>.
- Wang, L. S., Chen, C., Kaban, M. K., Du, J. S., Liang, Q., & Thomas, M. (2014). The use of the A10-022 absolute gravimeter to construct the relative gravimeter calibration baselines in China. *Metrologia*, 51(3), 203–211. <https://doi.org/10.1088/0026-1394/51/3/203>.
- Wang, W., Luo, C., Xue, Z., Li, D., Xing, X., Ma, J., & Zhang, H. (2015). Progress in the development of Laser Strapdown Airborne Gravimeter in China. *Gyroscopy and Navigation*, 6(4), 271–277. <https://doi.org/10.1134/S2075108715040161>.
- Wang, Y. M., Sánchez, L., Ågren, J., Huang, J., Forsberg, R., Abd-Elmotaal, H. A., Ahlgren, K., Barzaghi, R., Bašić, T., Carrion, D., Claessens, S., Erol, B., Erol, S., Filmer, M., Grigoriadis, V. N., Isik, M. S., Jiang, T., Koç, Ö., Krčmaric, J., ... Matsuo, K. (2021). Colorado geoid computation experiment: overview and summary. *Journal of Geodesy*, 95(127). <https://doi.org/10.1007/s00190-021-01567-9>.
- Weaver, B., Gillins, D. T., & Dennis, M. (2018). Hybrid Survey Networks : Combining Real-Time and Static GNSS Observations for Optimizing Height Modernization. *Journal of Surveying Engineering*, 144(1), 1–17. [https://doi.org/10.1061/\(ASCE\)SU.1943-5428.0000244](https://doi.org/10.1061/(ASCE)SU.1943-5428.0000244).
- Widiastawa, N., Purba, Y. E., Hartanto, B. D., & Rodiah, S. (2016). *Informasi Perkembangan Kawasan Hutan Provinsi Bali* (I. G. R. Wisnu (ed.)). Balai Pemantapan Kawasan Hutan (BPKH) Wilayah VIII Denpasar.
- Wijaya, D. D., Muhammad, N. A., Prijatna, K., Sadarviana, V., Sarsito, D. A., Pahlevi, A., Variandy, E. D., & Putra, W. (2019). pyGABEUR-ITB: A Free Software for Adjustment of Relative Gravimeter Data. *Jurnal Geomatika*, 25(2), 95–102.
- Wu, Q., Zhang, G., Wang, B., Zhong, L., & Xiao, F. (2023). Performance Comparison of Deterministic and Stochastic Modifications in Stokes's and Hotine's Formulas: The Case of Jilin Province, China. *Remote Sensing*, 15(376).
- Yakubu, C. I., Ferreira, V. G., & Asante, C. Y. (2017). Towards the Selection of an Optimal Global Geopotential Model for the Computation of the Long-Wavelength Contribution: A Case Study of Ghana. *Geosciences*, 7(4). <https://doi.org/10.3390/geosciences7040113>.
- Yang, C., Shaohua, J., Na, C., Shuang, C., & Jingyang, B. (2019). On the Establishment Method of Marine Vertical Datum Seamless System. *IOP Conference Series: Earth and Environmental Science*, 237. <https://doi.org/10.1088/1755-1315/237/3/032031>.
- Yang, H. J. (2013). *Geoid Determination Based on a Combination of Terrestrial and Airborne Gravity Data in South Korea*. Doctor Thesis, The Ohio State University.



- Yıldız, H., Forsberg, R., Ågren, J., Tscherning, C., & Sjöberg, L. (2012). Comparison of remove-compute-restore and least squares modification of Stokes' formula techniques to quasi-geoid determination over the Auvergne test area. *Journal of Geodetic Science*, 2(1), 53–64. <https://doi.org/10.2478/v10156-011-0024-9>.
- Yilmaz, I., Yilmaz, M., Güllü, M., & Turgut, B. (2010). Evaluation of recent global geopotential models based on GPS/levelling data over Afyonkarahisar (Turkey). *Scientific Research and Essays*, 5(5), 484–493.
- You, R.-J. (2006). Local Geoid Improvement Using GPS and Leveling Data: Case Study. *Journal of Surveying Engineering*, 132(3), 101–107. [https://doi.org/10.1061/\(asce\)0733-9453\(2006\)132:3\(101\)](https://doi.org/10.1061/(asce)0733-9453(2006)132:3(101)).
- Yun, H. S. (1999). Precision geoid determination by spherical FFT in and around the Korean peninsula. *Earth, Planets and Space*, 51(1), 13–18. <https://doi.org/10.1186/BF03352204>.
- Yushkin, V. D. (2011). Operating experience with CG5 gravimeters. *Measurement Techniques*, 54(5), 486–489. <https://doi.org/10.1007/s11018-011-9753-5>.
- Zhang, S., Andersen, O. B., Kong, X., & Li, H. (2020). Inversion and validation of improved marine gravity field recovery in South China sea by incorporating HY-2A altimeter waveform data. *Remote Sensing*, 12(5). <https://doi.org/10.3390/rs12050802>.