

DAFTAR PUSTAKA

- Abdou, A. A., Manaa, E. A., and Zaki, S. A. (2015): Synthetic rutile preparation from Egyptian Ilmenite using hydrochloric acid in the presence of cellulose as reducing agent, *International Journal of Multidisciplinary Research and Development*, 2(1), 443–451. <https://doi.org/doi.org/10.22271/ijmrd>.
- Agui, A., Mizumaki, M., Saitoh, Y., Matsushita, T., Nakatani, T., Fukaya, A., and Torikai, E. (2001): Soft X-Ray Absorption Spectra of Ilmenite Family, *Journal of Synchrotron Radiation*, 8(2), 907–909. <https://doi.org/10.1107/s0909049501000280>.
- Ahmad, A., Awan, G. H., and Aziz, S. (2013): Synthesis and Applications of TiO₂ Nanoparticles, *Pakistan Engineering Congress, 70th Annual Session Proceedings*, 405–412.
- Akahira, T., Sunose, T.: Joint Convention of four electrical institutes. Research report (Chiba Institute of Technology) Sci. Technol. 16, 22–31 (1971).
- Argex Titanium Inc (2017): *Argex now recognized as a trusted provider to the paint industry*, November 27, retrieved March 4, 2020, from internet: https://static.seekingalpha.com/uploads/sa_presentations/438/18438/original.pdf
- Aristanti, Y. (2015): *Analisis Parameter Fotokatalitik Sistem Oksida TiO₂-Fe₂O₃ Hasil Proses Fusi Kaustik Ilmenit Banten*, Institut teknologi Bandung, 1–109.
- Awwad, N. . S., and Ibrahim, H. A. (2013): Kinetic extraction of titanium (IV) from chloride solution containing Fe(III), Cr(III) and V(V) using the single drop technique, *Journal of Environmental Chemical Engineering*, 1(1–2), 65–72. <https://doi.org/10.1016/j.jece.2013.03.009>.
- Baba, A. A., Adekola, F. A., Arodola, O. A., Ibrahim, L., Bale, R. B., Ghosh, M. K., and Sheik, A. R. (2012): Simultaneous Recovery of Total Iron and Titanium From Ilmenite Ore by Hydrometallurgical Processing, *Metallurgical and Materials Engineering*, 18(1), 67–78.
- Baba, A. A., Adekola, F. A., Toye, E. E., and Bale, R. B. (2009): Dissolution Kinetics and Leaching of Rutile Ore in Hydrochloric Acid, *Journal of Minerals and Materials Characterization and Engineering*, 8(10), 787–801. <https://doi.org/10.4236/jmmce.2009.810068>.
- Barton, A. F. M., and McConnel, S. R. (1979): Rotating Disc Dissolution Rates of Ionic Solids, *Journal of the Chemical Society, Faraday Transactions 1: Physical Chemistry in Condensed Phases*, 75, 971–983. <https://doi.org/10.1039/F19797500971>.
- Biswas, R. K., Islam, M. F., and Habib, M. A. (1996): Processing ilmenite through salt-water vapour roasting and leaching. *Hydrometallurgy*, 42, 367–375.
- Borowiec, K., Grau, A. E., Gueguin, M., and Turgeon, J-F. (2003): TiO₂ containing product including rutile, pseudobrookite and ilmenite. US Patent No. 6 531 110.
- Chawengkijwanich, C., and Hayata, Y. (2008): Development of TiO₂ Powder-Coated Food Packaging Film and its Ability to Inactivate Escherichia Coli in vitro and in actual tests, *International Journal of Microbiology*, 123, 288–292. <https://doi.org/10.1016/foodmicro.2007.12.017>.
- Chen, L., Wen, S., Xu, G., and Xie, H. (2013): A Novel Process for Titanium Sand By Magnetic Separation and Gravity Concentration, *Mineral Processing and Extractive Metallurgy Review-An International Journal*, 34(3), 139–150. <https://doi.org/10.1080/08827508.2011.623749>.
- Chowlu, A.C.K., Reddy, P.K., and Ghoshal, A.K., 2009. Pyrolytic decomposition and

- model-free kinetics analysis of mixture of polypropylene (PP) and low density polyethylene (LDPE). *Thermochimica Acta*, 484(1–2): 41–47.
- Dang, J., Zhang, G., and Chou, K. (2015): Kinetics and mechanism of hydrogen reduction of ilmenite powders, *Journal Of Alloys And Compounds*, 619, 443–451. <https://doi.org/10.1016/j.jallcom.2014.09.057>.
- Das, G. K., Pranolo, Y., Zhu, Z., and Cheng, C. Y. (2013): Leaching of ilmenite ores by acidic chloride solutions, *Hydrometallurgy*, 133, 94–99. <https://doi.org/10.1016/j.hydromet.2012.12.006>.
- Dellimore, D., Tong, P., and Alexander, K.S., 1996. The kinetic interpretation of the decomposition of calcium carbonate by use of relationships other than the Arrhenius equation. *Thermochimica Acta*, 282/283: 13–27.
- De Matos, M., De Freitas, L. R., and Horta, R. D. M. (2002): Process for the production of titanium concentrate from anatase ores with high utilization of the iron contents of the ore. *US Patent No. : 6.346.223*.
- El-hazek, N., Lasheen, T. A., El-sheikh, R., and Zaki, S. A. (2007): Hydrometallurgical criteria for TiO₂ leaching from Rosetta ilmenite by hydrochloric acid, *Hydrometallurgy*, 87, 45–50. <https://doi.org/10.1016/j.hydromet.2007.01.003>.
- El-Tawil, S. Z., Morsi, I. M., Yehia, A., and Francis, A. A. (1996): Alkali reductive roasting of ilmenite ore. *Canadian Metallurgical Quarterly*, 35(1), 31–37.
- Ermawati, R., Naimah, S., and Ratnawati, E. (2011): Monitoring dan Ekstraksi TiO₂ dari Pasir Mineral, *Jurnal Kimia Dan Kemasan*, 33(2), 131. <https://doi.org/10.24817/jkk.v33i2.1841>.
- Firdiyono, F., Lalasari, L. H., Setiawan, I., and Indah, N. (2009): Pengaruh Derajat Keasaman (pH) pada Recovery TiO₂ dari larutan TiO(SO₄) Hasil Ekstraksi Bijih Ilmenit Bangka, *Prosiding Seminar Material Metalurgi 2009*, Pusat Penelitian Metalurgi - LIPI, 116–123.
- Flyn, J.H., and Wall, L.A., 1966. Gneral Treatment of the Thermogravimetry of Polymers, *Journal of Research of the National Bureau of Standards-A Physics and Chemistry*, Vol 70A, No.6, pp 487-523.
- Foley, E., and Mackinnon, K.P. (1970): Alkaline roasting of ilmenite. *Journal of Solid State Chemistry*, 1: 566–575.
- Friedman, H.L., 1964. Kinetics of thermal degradation of char-forming plastics from thermogravimetry. Application to a phenolic plastic. Volume 6(1), pp.183-195.
- Fujishima, A., Rao, T. N., and Tryk, D. A. (2000): Titanium Dioxide Photocatalysis, *Journal of Photochemistry and Photobiology*, 1(1), 1–21. [https://doi.org/https://doi.org/10.1016/S1389-5567\(00\)00002-2](https://doi.org/https://doi.org/10.1016/S1389-5567(00)00002-2).
- Gázquez, M. J., Bolívar, J. P., Garcia-tenorio, R., and Vaca, F. (2014): A Review of the Production Cycle of Titanium Dioxide Pigment, *Materials Scinces and Aplications*, 5(May), 441–458. <https://doi.org/10.4236/msa.2014.57048>.
- Gireesh, V. S., Vinod, V. P., Krishnan Nair, S., and Ninan, G. (2015): Catalytic leaching of ilmenite using hydrochloric acid: A kinetic approach, *International Journal of Mineral Processing*, 134, 36–40. <https://doi.org/10.1016/j.minpro.2014.11.004>.
- Gireesh, V. S., Vinod, V. P., Nair, S. K., and Ninan, G. (2013): Effect of Sulphate Ions on Leaching of Ilmenite with Hydrochloric Acid, *Journal of Academia and Industrial Research (JAIR)*, 2(7), 402–404.
- Gray, I. E., and Reid, A. F. (1975): The structure of pseudorutile and its role in the natural alteration of ilmenite, *American Mineralogist*, 60(9–10), 898–906.
- Guo, Y., Liu, S., Jiang, T., Qiu, G., and Chen, F. (2014): A process for producing synthetic rutile from Panzhihua titanium slag, *Hydrometallurgy*, 147–148, 134–141. <https://doi.org/10.1016/j.hydromet.2014.05.009>.

- Habashi, F. (1997): *Handbook of Extractive Metallurgy Volume II: Primary Metals, Secondary Metals, Light Metals*, WILEY-VCH, New York, II, 1129–1176.
- Habib, M. A., Biswas, R. K., Ali, M. R., and Hasan, A. K. M. (2006): Leaching of non-treated ilmenite by HCl-CH₃OH-H₂O mixture and its kinetics, *Indian Journal of Chemical Technology*, 13, 53–59.
- Han, K.N., Rubcumintara, T., and Fuerstenau, M. C. (1987): Leaching Behavior of Ilmenite with Sulfuric Acid, *Metallurgical Transactions B*, 18, 325–330. <https://doi.org/https://doi.org/10.1007/BF02656150>.
- Han, Kenneth N. (1992): New Trends and Challenges in Leaching Process New Trends and Challenges In Leaching Process, *Mineral Processing and Extractive Metallurgy Review: An International Journal*, 8(1–4), 57–72. <https://doi.org/10.1080/08827509208952678>.
- Hatakeyama, T., and Quin, F.X., (1999). Thermal Analysis: Fundamental Analysis and Applications to Polymer Science, 2nd ed, John Wiley and Sons, Chichester.
- Haverkamp, R. G., Kruger, D., and Rajashekar, R. (2016): The Digestion of New Zealand Ilmenite by Hydrochloric Acid, *Hydrometallurgy*, 163, 198–203. <https://doi.org/10.1016/j.hydromet.2016.04.015>.
- Hollit, M. J., McClelland, R. A., and Tuffley, J. R. (2003): Upgrading titaniferous materials. US Patent No. 20030129113.
- Jabit, N. A., and Senanayake, G. (2018): Characterization and Leaching Kinetics of Ilmenite in Hydrochloric Acid solution for Titanium Dioxide Production, *Journal of Physics: Conference Series*, 1082(1), 1–7. <https://doi.org/10.1088/1742-6596/1082/1/012089>.
- Jabit, Nurul Ain (2017): *Chemical and Electrochemical Leaching Studies Of Synthetic And Natural Ilmenite In Hydrochloric Acid Solutions*, Murdoch University, 1–303. <https://doi.org/102447688>.
- Janssen, A., and Putnis, A. (2011): Processes of oxidation and HCl-leaching of Tellnes ilmenite, *Hydrometallurgy*, 109(3–4), 194–201. <https://doi.org/10.1016/j.hydromet.2011.07.004>.
- Jayaweera, P. M., Jayaweera, P. V. V., Jayasundara, U. L., Jayaweera, C. D., Peiris, G. S., and Premalal, E. V. A. (2011): Photo induced reductive leaching of iron from ilmenite in hydrochloric acid solutions, *Mineral Processing and Extractive Metallurgy*, 120(3), 191–197. <https://doi.org/10.1179/1743285511Y.0000000018>.
- Jha, A., Kumari, E.J., and Lahiri, A. (2009): Titaniferous ore beneficiation. US Patent No. 7 494 631.
- Jha, A., and Tathavadkar, V.D. (2010): Process for the recovery of titanium dioxide from titanium-containing compositions. US Patent No. 7 771 679.
- Jia, L., Liang, B., Lü, L., Yuan, S., Zheng, L., Wang, X., and Li, C. (2014): Beneficiation of titania by sulfuric acid pressure leaching of Panzhihua ilmenite, *Hydrometallurgy*, 150, 92–98. <https://doi.org/10.1016/j.hydromet.2014.09.016>.
- Jin, D., Yu, X., Yue, L., and Wang, L., 2009. Decomposition kinetics study of AlOOH-coated calcium carbonate. *Materials Chemistry and Physics*, 115(1): 418–422.
- Jonglertjunya, W., and Rubcumintara, T. (2012): Titanium and iron dissolutions from ilmenite by acid leaching and microbiological oxidation techniques, *Asia-Pacific Journal of Chemical Engineering*, 8(3). <https://doi.org/10.1002/apj.1663>.
- Kalinnikov, V. T. T., and Nikolaev, A. I. I., (2002): Titanium-rare metal minerals of the Kola Peninsula – a source of both conventional and new materials, *Mineral Processing and Extractive Metallurgy Review An International Journal*, 22, 453–462.
- Karunadasa, K. S. P., Manoratne, C. H., Pitawala, H. M. T. G. A., & Rajapakse, R. M. G. (2019). Thermal decomposition of calcium carbonate (calcite polymorph) as

- examined by in-situ high-temperature X-ray powder diffraction. *Journal of Physics and Chemistry of Solids*, 134, 21–28.
- Kavitha, M., Gopinathan, C., and Pandi, P. (2013): Synthesis and Characterization of TiO₂ Nanopowders in Hydrothermal and Sol-Gel Method, *International Journal of Advancements in Research and Technology*, 2(4), 102–108.
- Khorsand Zak, A., Abd. Majid, W. H., Abrishami, M. E., and Yousefi, R. 2011. X-ray analysis of ZnO nanoparticles by Williamson-Hall and size-strain plot methods. *Solid State Sciences*, 13(1): 251–256.
- Kissinger, H.E., 1957. Reaction Kinetics in Differential Thermal Analysis, *Analytical Chemistry*, Vol. 29, No. 11, pp. 1702-1706.
- Kogel, J. E., Trivedi, N. C., Barker, J. M., and Krukowski, S. T. (2006): *Industrial Minerals and Rocks* (7th ed.), Littleton, Colorado, USA, 987–1003.
- Kronos Worldwide Inc (2018): *2018 Annual Report*, Washington, D.C., retrieved from internet: <http://www.annualreports.com/Company/kronos-worldwide-inc>, 1-F44.
- Lahiri, A., Kumari, E. J., and Jha, A. (2006): Kinetic studies on the soda-ash roasting of titaniferous ores for the extraction of TiO₂. *Proceedings of the Sohn International Symposium on Advanced Processing of Metals and Materials*. Vol. 1: Thermo and Physicochemical Principles: Non-Ferrous High-Temperature Processing, 115–123.
- Lalasari, L. H. (2009): *Sintesis Nanotube TiO₂ Menggunakan Proses Hydrothermal Untuk Penyisihan Zat Warna Methyl Orange*, Universitas Indoneisa.
- Lalasari, L. H. (2014): *Sintesis Material Mesopori Fe₂O₃-TiO₂ dari Mineral Ilmenit Bangka sebagai Fotokatalis*, Universitas Indonesia, retrieved from internet: <http://lib.ui.ac.id>.
- Lasheen, T. A. I. (2005): Chemical beneficiation of Rosetta ilmenite by direct reduction leaching, *Hydrometallurgy*, 76, 123–129. <https://doi.org/10.1016/j.hydromet.2004.10.002>.
- Li, C., Liang, B., and Guo, L. (2007): Dissolution of mechanically activated Panzhihua ilmenites in dilute solutions of sulphuric acid, *Hydrometallurgy*, 89, 1–10. <https://doi.org/10.1016/j.hydromet.2007.04.002>.
- Li, C., Liang, B., and Wang, H. (2008): Preparation of synthetic rutile by hydrochloric acid leaching of mechanically activated Panzhihua ilmenite, *Hydrometallurgy*, 91, 121–129. <https://doi.org/10.1016/j.hydromet.2007.11.013>.
- Li, C., Liang, B., Xu, J., and Wang, X. (2008): Preparation of porous rutile titania from ilmenite by mechanical activation and subsequent sulfuric acid leaching, *Microporous and Mesoporous Materials*, 115, 293–300. <https://doi.org/10.1016/j.micromeso.2008.01.045>.
- Li, Z., Guang-qiang, L. I., and Wu, Z. (2011): Synthesis of rutile from high titania slag by pyrometallurgical route, *Transactions of Nonferrous Metals Society of China*, 21(10), 2317–2322. [https://doi.org/10.1016/S1003-6326\(11\)61014-5](https://doi.org/10.1016/S1003-6326(11)61014-5).
- Liang, B., Li, C., Zhang, C., and Zhang, Y. (2005): Leaching kinetics of Panzhihua ilmenite in sulfuric acid, *Hydrometallurgy*, 76, 173–179. <https://doi.org/10.1016/j.hydromet.2004.10.006>.
- Liu, S., Zhu, K., Xiang, J., and Huang, P. (2015): Upgrading ilmenite by an oxidation-magnetic separation-pressure leaching process, *Bulgarian Chemical Communications*, 47(4), 1118–1123.
- Mackey, T. S. (1994): Upgrading Ilmenite into a High-Grade Synthetic Rutile, *JOM (The Journal of The Minerals, Metals and Material Society)*, 46, 59–64.
- Mahmoud, M. H. H., Afifi, A. A. I., and Ibrahim, I. A. (2004): Reductive leaching of ilmenite ore in hydrochloric acid for preparation of synthetic rutile, *Hydrometallurgy*, 73(1–2), 99–109.

- Manhique, A. J. (2012): *Titanium Recovery from Low-grade Titaniferous Minerals*, University of Pretoria, 1–128.
- Mehdilo, A., and Irannajad, M. (2012): Iron Removing From Titanium Slag for Synthetic Rutile Production, *Physicochemical Problems of Mineral Processing*, 48(2), 425–439. <https://doi.org/http://dx.doi.org/10.5277/ppmp120209>.
- Middlemas, S., Fang, Z. Z., and Fan, P. (2013): A new method for production of titanium dioxide pigment, *Hydrometallurgy*, 131–132, 107–113. <https://doi.org/10.1016/j.hydromet.2012.11.002>.
- Middlemas, S., Fang, Z. Z., and Fan, P. (2015): Life cycle assessment comparison of emerging and traditional Titanium dioxide manufacturing processes, *Journal of Cleaner Production*, 89, 137–147. <https://doi.org/10.1016/j.jclepro.2014.11.019>.
- Nalbandyan, V.B., Avdeev, V.B., and Lukov, V.V. (1998): New sodium titanium bronze and other nonstoichiometric phases of Na₄Ti₅O₁₂ Structure: Synthesis and characterization, *Russian Journal of Inorganic Chemistry*, 43(2), 148–153.
- Narayana, K. L., Swamy, K. M., Rao, K. S., and Murty, J. S. (1997): Leaching of Metals from Ores with Ultrasound, *Mineral Processing and Extractive Metallurgy Review: An International Journal*, 16(4), 239–259. <https://doi.org/http://dx.doi.org/10.1080/08827509708914137>.
- Nath, D., Singh, F. and Das, R., 2019. X-ray diffraction analysis by Williamson-Hall , Halder-Wagner and size-strain plot methods of CdSe nanoparticles- a comparative study. *Materials Chemistry and Physics*, 239: 122021.
- Nayl, A. A., and Aly, H. F. (2009): Acid leaching of ilmenite decomposed by KOH, *Hydrometallurgy*, 97(1–2), 86–93. <https://doi.org/10.1016/j.hydromet.2009.01.011>.
- Nguyen, T. H., and Lee, M. S. (2019): A Review on the Recovery of Titanium Dioxide from Ilmenite Ores by Direct Leaching Technologies, *Mineral Processing and Extractive Metallurgy Review*, 40(4), 231–247. <https://doi.org/10.1080/08827508.2018.1502668>.
- Okoye, C. C., Onukwuli, O. D., and Okey-Onyesolu, C. F. (2019): Dissolution Kinetics of Ilmenite Ore in A Binary Solution, *European Journal of Engineering Research and Science*, 4(7), 51–57. <https://doi.org/10.24018/ejers.2019.4.7.1425>.
- Olanipekun, E. (1999): A Kinetic study of the leaching of a Nigerian ilmenite ore by hydrochloric acid, *Hydrometallurgy*, 53(1), 1–10. [https://doi.org/10.1016/S0304-386X\(99\)00028-6](https://doi.org/10.1016/S0304-386X(99)00028-6).
- Ozawa, T., 1965. A New Method of Analyzing Thermogravimetric Data. *Bulletin of the Chemical Society of Japan*. Volume 38:11, 1881–1886.
- Parirenyatwa, S., Escudero-Castejon, L., Sanchez-Segado, S., Hara, Y., & Jha, A. (2016). Investigation of Molten Salt Phase Formation during Alkali Roasting of Titaniferous Minerals with Sodium and Potassium Hydroxide. In *Advances in Molten Slags, Fluxes, and Salts: Proceedings of the 10th International Conference on Molten Slags, Fluxes and Salts 2016*, 1253–1260.
- Pownceby, M. I., Sparrow, G. J., and Fisher-white, M. J. (2008): Mineralogical characterisation of Eucla Basin ilmenite concentrates – First results from a new global resource, *Mineral Engineering*, 21, 587–597. <https://doi.org/10.1016/j.mineng.2007.11.011>.
- PT Timah (2017): *Laporan Tahunan 2017 PT Timah*, 1–508.
- Purnama, E.F., Nikmatin, S., and Langenati, R. 2006. Pengaruh suhu reaksi terhadap derajat kristalinitas dan komposisi hidroksiapatit dibuat dengan media air dan cairan tubuh buatan (*shyntetic body fluid*). *Indonesian Journal of Materials Science*, vol.5, hal.154–162.

- Pusat Sumber Daya Mineral, Batubara dan Panas Bumi, Badan Geologi, Kementerian ESDM, retrieved April 27, 2022, from internet: <https://georima.esdm.go.id/>.
- Ramadan, A. M., Farghaly, M., Fathy, W. M., and Ahmed, M. M. (2016): Leaching and Kinetics Studies on Processing of Abu-Ghalaga Ilmenite Ore, *International Research Journal of Engineering and Technology (IRJET)*, 3(10), 46–53. <https://doi.org/10.4324/9781351186032-42>.
- Razavi, R., Sayed Mohammad Ali, H., and Mohammad, R. (2014): Production of Nanosized Synthetic Rutile from Ilmenite Concentrate by Sonochemical HCl and H₂SO₄ Leaching, *Iranian Journal of Chemistry and Chemical Engineering (IJCCE)*, retrieved from internet: http://www.ijcce.ac.ir/article_10749.html, 33(2), 29–36.
- Reid, A.F., and Sienko, M.J. (1967): Some characteristics of sodium titanium bronze and related compounds. *Journal of Inorganic Chemistry*, 6(2), 321–324.
- Rhee, K. I., and Sohn, H. Y. (1990): The Selective Chlorination of Iron from Ilmenite Ore by CO-Cl₂ Mixtures: Part I. Intrinsic Kinetics, *Metallurgical Transactions B*, 21, 321–330. <https://doi.org/10.1007/BF02664200>.
- Ribeiro, R. A. ., and De Lazaro, S. R. (2014): Structural, electronic and elastic properties of FeBO₃ (B=Ti, Sn, Si, Zr) ilmenite: a density functional theory study, *Journal RSC Advances*, 4, 59839–59846. <https://doi.org/10.1039/C4RA11320A>.
- Sadykhov, G. B., Reznichenko, V. A., Karyazin, I. A., and Naumova, L. O. (1994): Effect of soda on phase transformations when reducing titanomagnetite concentrate by hydrogen. *Izvetia Akademii Nauk SSSR (Metally)*, 1, 9–16.
- Sadykhov, G. B., Reznichenko, V. A., Karyazin, I. A., and Naumova, L. O. (1998): Behavior of oxide phases in the autoclave acidic decomposition of titanate products. *Izvetia Akademii Nauk SSSR (Metally)*, 4, 21–28.
- Samal, S. (2011): The dissolution of iron in the hydrochloric acid leach of titania slag obtained from plasma melt separation of metalized ilmenite, *Chemical Engineering Research and Design*, 89(10), 2190–2193. <https://doi.org/10.1016/j.cherd.2011.01.026>.
- Sardjono, P., Adi, W. A., dan Sudirman (2013): Sintesis Bahan Magnetik Pseudobrookite Fe₂TiO₅ Berbasis Sumber Daya Mineral Lokal, *Jurnal Sains Materi Indonesia*, 14(3), 209–213. <https://doi.org/http://dx.doi.org/10.17146/jsmi.2013.14.3.4416>.
- Sarker, M. K., Rashid, A. K. M. B., and Kurny, A. S. W. (2006): Kinetics of leaching of oxidized and reduced ilmenite in dilute hydrochloric acid solutions, *Mineral Processing*, 80, 223–228. <https://doi.org/10.1016/j.minpro.2006.04.005>.
- Sasikumar, C., Rao, D. S., Srikanth, S., Mukhopadhyay, N. K., and Mehrotra, S. P. (2007): Dissolution studies of mechanically activated Manavalakurichi ilmenite with HCl and H₂SO₄, *Hydrometallurgy*, 88, 154–169. <https://doi.org/10.1016/j.hydromet.2007.03.013>.
- Sbirrazzuoli, N., Vincent, L., Mija, A., & Guigo, N. (2009). Integral, differential and advanced isoconversional methods. *Chemometrics and Intelligent Laborator*.
- Setiawan, B. (2012): *Ekstraksi Titanium Dioksida Anatase dari Ilmenite Bangka Melalui Senyawa Anataara Ammonium Perokso Titanat dan Uji Awal Fotoreaktivitasnya, Skripsi Program Studi Kimia, Fakultas Matematika dan Ilmu Pengetahuan Alam, Universitas Indonesia*, 1–87.
- Setiawati, L. D., Rahman, T. P., Nugroho, D. W., Nofrizal, Suryandaru, Yuswono, Siswanto, Ikono, R., and Rochman, N. T. (2013): Ekstraksi Titanium Dioksida (TiO₂) Dari Pasir Besi Dengan Metode Hidrometalurgi, *Prosiding Semirata FMIPA Universitas Lampung*, 465–468.
- Setyani, A., and Wibowo, E. A. P. (2017): Fabrikasi Nanotubes Titanium Dioksida (TiO₂) Menggunakan Metode Hidrotermal, *Jurnal Kimia VALENSI: Jurnal Penelitian Dan*

- Subagja, R. (2016): Ekstraksi Titanium Dari Ilmenit Bangka Melalui Tahap Dekomposisi Dengan KOH dan Pelarutan Dengan Asam Sulfat, *Prosiding Seminar Nasional Sains dan Teknologi Fakultas Teknik Universitas Muhammadiyah Jakarta*, Jakarta, 1–8.
- Subagja, R., Andriyah, L., and Lalasari, L. H. (2013): Titanium Dissolution from Indonesian Ilmenite, *International Journal of Basic and Applied Sciences (IJBAS-IJENS)*, 13(04), 97–103.
- Swamy, K. M., Rao, K. S., Narayana, K. L., Murty, J. S., and Ray, H. . (1995): Application of Ultrasound in Leaching, *Mineral Processing and Extractive Metallurgy Review: An International Journal*, 14(3–4), 179–192. <https://doi.org/10.1080/08827509508914124>.
- Swanepoel, J. J., van Vuuren, D. S., and Heydenrych, M. (2011): Leachability of nitrated ilmenite in hydrochloric acid, *The Journal of The Southern African Institute of Mining and Metallurgy*, 111, 137–140.
- Tao, T. A. O., Qi-yuan, C., Hui-ping, H. U., Zhou-lan, Y. I. N., and Ying, C. (2012): TiO₂ nanoparticles prepared by hydrochloric acid leaching of mechanically activated and carbothermic reduced ilmenite, *Transactions of Nonferrous Metals Society of China*, 22(5), 1232–1238. [https://doi.org/10.1016/S1003-6326\(11\)61310-1](https://doi.org/10.1016/S1003-6326(11)61310-1).
- Teufer, G., and Temple, A. (1966): Pseudorutile - A New Mineral Intermediate between Ilmenite and Rutile in the Alteration of Ilmenite, *Nature*, 211, 179–181. <https://doi.org/10.1038/211179b0>.
- Trivana, L., Sugiarti, S., and Rohaeti, E. (2015): Sintesis dan karakterisasi natrium silikat (Na₂SiO₃) dari sekam padi. *Jurnal Sains & Teknologi Lingkungan*, 7(2), 66–75.
- Tsuchida, H., Narita, E., and Tekeuchi, H. (1982): Manufacture of High Pure Titanium(IV) Oxide by the Chloride Process. I. Kinetic Study on Leaching of Ilmenite Ore in Concentrated Hydrochloric Acid Solution, *CSJ Journals*, 55(6), 1934–1938. <https://doi.org/10.1246/bcsj.55.1934>.
- U.S.Geological Survey (2010): *Mineral Commodity Summaries 2010*, 193p. <https://doi.org/https://doi.org/10.3133/mineral2010>.
- U.S.Geological Survey (2020): *Mineral Commodity Summaries 2020*, 200p. <https://doi.org/https://doi.org/10.3133/mcs2020>. ISBN.
- Van Dyk, J. P., Vegter, N. M., and Pistorius, P. C. (2002): Kinetics of ilmenite dissolution in hydrochloric acid, *Hydrometallurgy*, 65, 31–36. [https://doi.org/10.1016/S0304-386X\(02\)00063-4](https://doi.org/10.1016/S0304-386X(02)00063-4).
- Van Vuuren, D. S., and Swanepoel, J. J. (2015): *US Patent No : 9.017.625B*.
- Vásquez, R, and Molina, A. (2008): Leaching of Ilmenite and Pre-Oxidized Ilmenite In Hydrochloric Acid to Obtain High Grade Titanium Dioxide, *Metal*, 13–15(5).
- Vásquez, Rafael, and Molina, A. (2012): Effects of thermal preoxidation on reductive leaching of ilmenite, *Minerals Engineering*, 39, 99–105. <https://doi.org/10.1016/j.mineng.2012.05.003>.
- Wahyuningsih, S., Pramono, E., Firdiyono, F., Sulistiyono, E., Rahardjo, S. B., Hidayattullah, H., and Anatolia, F. A. (2013): Decomposition of Ilmenite in Hydrochloric Acid to Obtain High Grade Titanium Dioxide, *Asian Journal of Chemistry*, 25(12), 6791–6794.
- Welham, N. J., and Llewellyn, D. J. (1998): Mechanical Enhancement of The Dissolution of Ilmenite, *Minerals Engineering*, 11(9), 827–841. [https://doi.org/10.1016/S0892-6875\(98\)00070-3](https://doi.org/10.1016/S0892-6875(98)00070-3).
- Wu, F., Li, X., Wang, Z., Wu, L., Guo, H., Xiong, X., Zhang, X., and Wang, X. (2011): Hydrogen peroxide leaching of hydrolyzed titania residue prepared from

- mechanically activated Panzhihua ilmenite leached by hydrochloric acid, *International Journal of Mineral Processing*, 98(1–2), 106–112. <https://doi.org/10.1016/j.minpro.2010.10.013>.
- Wu, F., Li, X., Wang, Z., Xu, C., He, H., Qi, A., Yin, X., and Guo, H. (2013): Preparation of High-Value TiO₂ nanowires by Leaching of Hydrolyzed Titania Residue from natural Ilmenite, *Hydrometallurgy*, 140, 82–88. <https://doi.org/10.1016/j.hydromet.2013.09.003>.
- Xue, T., Wang, L., Qi, T., Chu, J., Qu, J., and Liu, C. (2009): Decomposition kinetics of titanium slag in sodium hydroxide system, *Hydrometallurgy*, 95(1–2), 22–27. <https://doi.org/10.1016/j.hydromet.2008.04.004>.
- Yousef, L. A. (2015): Upgrading of TiO₂ Separated from Ilmenite Mineral, Rosetta, Black Sands of Egypt, *Arab Journal of Nuclear Science and Applications*, 48(4), 33–43.
- Zaki, S.A. (2017). Alkali Roasting of Titania Slag for Preparation of High Grade - TiO₂. *Inorganic Chemistry: An Indian Journal*, 12, 1-9.
- Zhang, L., Hu, H., Liao, Z., Chen, Q., and Tan, J. (2011): Hydrochloric acid leaching behavior of different treated Panxi ilmenite concentrations, *Hydrometallurgy*, 107(1–2), 40–47. <https://doi.org/10.1016/j.hydromet.2011.01.006>.
- Zhang, S., and Nicol, M. J. (2010): Kinetics of the dissolution of ilmenite in sulfuric acid solutions under reducing conditions, *Hydrometallurgy*, 103(1–4), 196–204. <https://doi.org/10.1016/j.hydromet.2010.03.019>.
- Zhang, W., Zhu, Z., and Cheng, C. Y. (2011): A literature review of titanium metallurgical processes, *Hydrometallurgy*, 108, 177–188. <https://doi.org/10.1016/j.hydromet.2011.04.005>.
- Zhang, X., 2021. Applications of Kinetic Methods in Thermal Analysis: A Review. *The Journal Engineering Science*, Vol 14. Pp 1-13.
- Zhely, N. H. M., & Widiastuti, N. (2012). Sintesis Zeolit X-karbon dari Abu Dasar Batubara dan Karakterisasinya sebagai Material Penyimpan Hidrogen. Prosiding KIMIA FMIPA–ITS.
- Zhu, Z., Zhang, W., and Cheng, C. Y. (2011): A literature review of titanium solvent extraction in chloride media, *Hydrometallurgy*, 105(3–4), 304–313. <https://doi.org/10.1016/j.hydromet.2010.11.006>.