



REFERENSI

- 1,4-Benzenedicarboxylic acid. (2022). Chemical & Physical Properties of Terephthalic Acid (CAS 100-21-0). <https://www.chemeo.com/cid/54-117-2/Terephthalic-acid>
- Abbas, A., & Romagnoli, J. A. (2007). Multiscale modeling, simulation and validation of batch cooling crystallization. *Separation and Purification Technology*, 53(2), 153–163. <https://doi.org/10.1016/j.seppur.2006.06.027>
- Abdullah, E. C., & Geldart, D. (1999). The use of bulk density measurements as flowability indicators. *Powder Technology*, 102(2), 151–165. [https://doi.org/10.1016/S0032-5910\(98\)00208-3](https://doi.org/10.1016/S0032-5910(98)00208-3)
- Abidin, S. Z., Ling, G. K. F., Abdullah, L. C., Ahmad, S., Yunus, R., & Choong, T. S. Y. (2009). Effects of Temperature and Cooling Modes on Yield , Purity and Particle Size Distribution of Dihydroxystearic Acid Crystals. *European Journal of Scientific Research*, 33(3), 471–479.
- Adkins, H. (1932). Comparison of chemical reactivity. *Journal of Chemical Education*, 9(11), 1865–1873. <https://doi.org/10.1021/ed009p1865>
- Agostini, I., Ciuffi, B., Gallorini, R., Rizzo, A. M., Chiaramonti, D., & Rosi, L. (2022). Recovery of Terephthalic Acid from Densified Post-consumer Plastic Mix by HTL Process. *Molecules*, 27, 7112. <https://doi.org/10.3390/molecules27207112>
- Ahmed, E., Karothu, D. P., Warren, M., & Naumov, P. (2019). Shape-memory effects in molecular crystals. *Nature Communications*, 10(1). <https://doi.org/10.1038/s41467-019-11612-z>
- Alatalo, H., Kohonen, J., Qu, H., & Hatakka, H. (2008). In-line monitoring of reactive crystallization process based on ATR – FTIR and Raman spectroscopy. *Journal of Chemometrics*, 22, 644–652. <https://doi.org/10.1002/cem.1161>
- Alatalo, H. M., Hatakka, H., Louhi-kultanen, M., Kohonen, J., & Reinikainen, S.-P. (2010). Closed-Loop Control of Reactive Crystallization . Part I : Supersaturation- Controlled Crystallization of L -Glutamic Acid. *Chemical Engineering & Technology*, 33(5), 743–750. <https://doi.org/10.1002/ceat.200900550>
- Altuna, F. I., Hoppe, C. E. C. E., & Williams, R. J. J. (2018). Epoxy Vitrimers: The Effect of Transesterification Reactions on the Network Structure. *Polymers*, 10(43), 43. <https://doi.org/10.1039/C6RA18010H>
- Amari, S., Sugawara, C., Kudo, S., & Takiyama, H. (2022). Investigation of Operation Strategy Based on Solution pH for Improving the Crystal Quality Formed during Reactive Crystallization of l-Aspartic Acid. *ACS Omega*, 7(3), 2989–2995. <https://doi.org/10.1021/acsomega.1c06015>
- Anand, M. V., Srivastava, V. C., Singh, S., Bhatnagar, R., & Mall, I. D. (2014). Electrochemical treatment of alkali decrement wastewater containing terephthalic acid using iron electrodes. *Journal of the Taiwan Institute of Chemical Engineers*, 45(3), 908–913. <https://doi.org/10.1016/j.jtice.2013.08.010>
- Aoun, M., Plasari, E., David, R., & Villermaux, J. (1999). A simultaneous determination of nucleation and growth rates from batch spontaneous precipitation. *Chemical Engineering Science*, 54(9), 1161–1180. [https://doi.org/10.1016/S0009-2509\(98\)00488-6](https://doi.org/10.1016/S0009-2509(98)00488-6)
- Azarpour, A., Rezaei, N., & Zendehboudi, S. (2020). Product quality control in hydropurification process by monitoring reactor feed impurities: Dynamic



- mathematical modeling. *Journal of Industrial and Engineering Chemistry*, 92, 62–76. <https://doi.org/10.1016/j.jiec.2020.08.020>
- Bai, L., Fan, H., Guo, X., Yan, J., & Chen, Y. (2019). Treatment of Microfiber Alkali Weight-Reduction Wastewater with High Salt Concentration by Fenton Oxidation and Bacterial Degradation. *Water and Environment Journal*, 34, 1–11. <https://doi.org/10.1111/wej.12527>
- Bailey, M., & Brown, C. J. (1967). The Crystal Structure of Terephthalic Acid. *Acta Crystallographica*, 22, 387–391. <https://doi.org/10.1107/S0365110X67000751>
- Bakhtiar, R., & Atmajaya, L. (2014). Pegaruh suhu terhadap depolimerisasi polietilen tereftalat dengan pelarut asam nitrat. *Jurnal Sains Dan Seni Pomits*, 2(1), 1–4.
- Bashta, B., Astakhova, O., Shyshchak, O., & Bratychak, M. (2014). Epoxy resins chemical modification by dibasic acids. *Chemistry & Chemical Technology*, 8(3), 309–316.
- Bernstein, J. (2002). Polymorphism in Molecular Crystals. In *IUCr Monographs on Crystallography*. 14. Oxford University Press.
- Bhoi, S., Lenka, M., & Sarkar, D. (2017). Particle engineering by optimization for the unseeded batch cooling crystallization of l-asparagine monohydrate. *CrystEngComm*, 19(May 2018), 6373–6382. <https://doi.org/10.1039/C7CE01291H>
- Bhola, R., Vaghani, H., Bhatt, K., & Ghumara, R. (2022). Drug Solubility and Dissolution Thermodynamic Approach in Various Solvents at Different Temperatures: *Biointerface Research in Applied Chemistry*, 12(4), 4374–4383. <https://doi.org/10.33263/BRIAC124.43744383>
- Blank, W. J., He, Z. A., & Picci, M. (2001). Catalysis of The Epoxy-Carboxyl Reaction. *International Waterborne, High-Solids and Powder Coatings Symposium*.
- Borissova, A., Jammoal, Y., Javed, K. H., Lai, X., Mahmud, T., Penchev, R., & Roberts, K. J. (2005). Modeling the Precipitation of L-Glutamic Acid via Acidification of Monosodium Glutamate. *Crystal Growth & Design*, 5(2), 845–854. <https://doi.org/10.1021/cg030087a>
- Braatz, R. D., & Hasebe, S. (2001). Particle Size and Shape Control in Crystallization Processes. In J. B. Rawlings, B. A. Ogunnaike, & J. W. Eaton (Eds.), *AIChE Symposium Series: Chemical Process Control-VI Assessment and New Directions for Research* (Issue 98, pp. 307–327).
- Bratychak, M., Astakhova, O., Mykhailiv, O., Stryzhachuk, A., & Shyshchak, O. (2012). Chemical Modification of ED-24 Epoxy Resin by Adipic Acid. *Chemistry & Chemical Technology*, 6(1), 51–57. <https://doi.org/10.23939/chcht06.01.051>
- Bratychak, M., Bashta, B., Astakhova, O., Shyshchak, O., & Zubal, O. (2019). Synthesis Mechanism and Properties of Epoxy Resins Modified with Adipic Acid. *Chemistry & Chemical Technology*, 13(1), 52–58. <https://doi.org/10.23939/chcht13.01.052>
- Buchowski, H., & Khiat, A. (1986). Solubility of solids in liquids: one-parameter solubility equation. *Fluid Phase Equilibria*, 25(3), 273–278. [https://doi.org/10.1016/0378-3812\(86\)80003-6](https://doi.org/10.1016/0378-3812(86)80003-6)
- Cao, J., Meng, C., Cheng, X., & Pan, X. (2019). Surface alkali deweighting and dyeing of polyester fabric by one-bath and one-step process. *Surface Innovations*, 7(2), 104–111. <https://doi.org/10.1680/jsuin.18.00049>
- Caro, J. A., Woldehaimanot, M., & Rasmussen, Å. C. (2014). Semibatch reaction crystallization of salicylic acid. *Chemical Engineering Research and Design*, 92(3), 522–533. <https://doi.org/10.1016/j.cherd.2013.09.009>
- Celikbilek, M., Ersundu, A. E., & Aydin, S. (2012). Crystallization kinetics of amorphous



- Materials. In *Advances in Crystallization Processes* (pp. 127–162). InTech. [https://doi.org/10.1016/0040-6031\(89\)87294-6](https://doi.org/10.1016/0040-6031(89)87294-6)
- Chaonan, L., Chunmei, G., Weihong, X., & Ping, C. (2010). Research of Purifying Terephthalic Acid and Recycling PET. *4th International Conference on Bioinformatics and Biomedical Engineering*, 1–4. <https://doi.org/10.1109/ICBBE.2010.5517647>
- Chaonan, L., & Jihua, C. (2007). The study of the recovery of highly purified terephthalic acid from alkali weight-reduction wastewater. *International Journal of Environment and Pollution*, 29(4), 484–494. <https://doi.org/10.1504/IJEP.2007.014234>
- Chaonan, L., & Weihong, X. (2011). Research of Purifying Alkali Weight-Reduction Wastewater to Recovery of Terephthalic Acid. *Advanced Materials Research*, 183–185, 110–114. <https://doi.org/10.4028/www.scientific.net/AMR.183-185.110>
- Che, Y., Qu, Y., & Wang, S. (2009). Solubilities of Terephthalic Acid , Phthalic Acid , and Isophthalic Acid in. *J. Chem. Eng. Data*, 54, 3130–3132. <https://doi.org/10.1021/je9001976>
- Chen, P. C., Cheng, G. Y., Kou, M. H., Shia, P. Y., & Chung, P. O. (2001). Nucleation and morphology of barium carbonate crystals in a semi-batch crystallizer. *Journal of Crystal Growth*, 226(4), 458–472. [https://doi.org/10.1016/S0022-0248\(01\)01408-7](https://doi.org/10.1016/S0022-0248(01)01408-7)
- Choe, E. K., Son, E. J., Lee, B. S., Jeong, S. H., Shin, H. C., & Choi, J. S. (2006). NF process for the recovery of caustic soda and concentration of disodium terephthalate from alkaline wastewater from polyester fabrics. *Desalination*, 186, 29–37. <https://doi.org/10.1016/j.desal.2005.04.056>
- Christian, G. D., Dasgupta, P. K., & Schug, K. A. (2013). *Analytical Chemistry* (Seventh). John Wiley & Sons.
- Cincotti, A., Orrù, R., & Cao, G. (1999). Kinetics and related engineering aspects of catalytic liquid-phase oxidation of p-xylene to terephthalic acid. *Catalysis Today*, 52(2–3), 331–347. [https://doi.org/10.1016/S0920-5861\(99\)00086-3](https://doi.org/10.1016/S0920-5861(99)00086-3)
- Clarke, E. C. W., & Glew, D. N. (1965). Evaluation of Thermodynamic Functions from Equilibrium Constants. *Trans. Faraday Soc.*, 62(134), 539–547.
- Davey, R. J., Maginn, S. J., Andrews, S. J., Black, S. N., Buckley, A. M., Cottier, D., Dempsey, P., Plowman, R., Rout, J. E., Stanley, D. R., & Taylor, A. (1994). Morphology and Polymorphism in Molecular Crystals : Terephthalic Acid. *J Chem. Soc. Faraday Trans*, 90(7), 1003–1009.
- Doszlop, S., Vargha, V., & Horkay, F. (1978). Reactions of Epoxy with Other Functional Groups and the Arising Sec-Hydroxyl Groups. *Periodica Polytechnica Chemical Engineering*, 22(3), 253–275.
- Dušek, K., & Matejka, L. (1984). Transesterification and Gelation of Polyhydroxy Esters Formed from Diepoxides and Dicarboxylic Acids. In C. K. Riew & J. K. Gillham (Eds.), *Rubber-Modified Thermoset Resins Vol. 208* (pp. 15–26). ACS. <https://doi.org/10.1021/ba-1984-0208.ch002>
- Elfakheri, R., & Burley, J. C. (2019). Investigation of potential amorphisation and co-amorphisation behaviour of the benzene di-carboxylic acids upon cryo-milling. *Molecules*, 24(21). <https://doi.org/10.3390/molecules24213990>
- Fan, L., Zhang, L., Shen, J., Wang, S., & Chen, H. (2007). Study on recovery and refining of TA from alkali reduction wastewater. *Desalination*, 206, 353–357. <https://doi.org/10.1016/j.desal.2006.03.573>
- Freitas, A., Zhang, G., & Mathews, R. (2017). *Water Footprint Assessment of Polyester*



and Viscose and Comparison to Cotton.

https://waterfootprint.org/resources/WFA_Polyester_and_Viscose_2017.pdf

- Ghamary, E., Nikje, M. M. A., Andabil, S. L. R., & Sarchami, L. (2018). Recovery of Terephthalic Acid by employing magnetic nanoparticles as a solid support. *Polimeros*, 28(1), 1–5. <https://doi.org/10.1590/0104-1428.2201>
- Guo, X., Cheng, Y., Wang, L., & Li, X. (2008). Solubility of Terephthalic Acid in Aqueous. *J. Chem. Eng. Data*, 53(7), 1421–1423. <https://doi.org/10.1021/je700635r>
- Gupta, D., Chaudhary, H., & Gupta, C. (2015). Topographical changes in polyester after chemical, physical and enzymatic hydrolysis. *The Journal of The Textile Institute*, 106(7), 690–698. <https://doi.org/10.1080/00405000.2014.934046>
- Hashmi, S. M. A., & Al-Luhaidan, S. (2010). *Process for Preparing Purified Terephthalic Acid* (Patent No. US 7,692,039 B2).
- Heftner, G. T., & Tomkins, R. P. T. (2003). *Wiley Series in Solution Chemistry 006: The Experimental Determination of Solubilities* (Vol. 6). John Wiley & Sons, Ltd.
- Hilal, N. M., Gomaa, S. H., & Elsisi, A. A. (2020). Improving dyeing parameters of polyester/cotton blended fabrics by caustic soda, chitosan, and their hybrid. *Egyptian Journal of Chemistry*, 63(6), 2381–2395. <https://doi.org/10.21608/ejchem.2020.25571.2498>
- Huang, Y., Lan, T., Zhang, J., Luo, M., & He, W. (2018). Determination and correlation of the solubility and thermodynamic parameters of 2,3,5,4'-tetrahydroxystilbene-2-O- β -D-glucoside in pure organic solvents. *Journal of Molecular Liquids*, 256, 344–351. <https://doi.org/10.1016/j.molliq.2018.02.046>
- Jin, S., Cui, X., Qi, Y., Shen, Y., & Li, H. (2019). Measurement and Correlation of the Solubility of β -Cyclodextrin in Different Solutions at Different. *Processes*, 7(3), 1–10. <https://www.mdpi.com/2227-9717/7/3/135>
- Jones, A. G. (2002). *Crystallization Process Systems* (1st ed.). Butterworth Heinemann.
- Karayannidis, G. P., & Achilias, D. S. (2007). Chemical Recycling of Poly (ethylene terephthalate). *Macromolecular Materials and Engineering*, 292, 128–146. <https://doi.org/10.1002/mame.200600341>
- Karothu, D. P., Weston, J., Desta, I. T., & Naumov, P. (2016). Shape-Memory and Self-Healing Effects in Mechanosensitive Molecular Crystals. *Journal of the American Chemical Society*, 138(40), 13298–13306. <https://doi.org/10.1021/jacs.6b07406>
- Karpinski, P. H., & Baldyga, J. (2019). Batch crystallization. In *Handbook of Industrial Crystallization* (pp. 346–379). <https://doi.org/10.1017/9781139026949.012>
- King, J. C., Li, H., Grover, M. A., Kawajiri, Y., & Rousseau, R. W. (2015). Optimization of two-stage cooling profile in unseeded batch crystallization. *IFAC ADCHEM-PapersOnLine*, 297–302. <https://doi.org/10.1016/j.ifacol.2015.08.197>
- Kosmidis, V. A., Achilias, D. S., & Karayannidis, G. P. (2001). Poly (ethylene terephthalate) Recycling and Recovery of Pure Terephthalic Acid. Kinetics of a Phase Transfer Catalyzed Alkaline Hydrolysis. *Macromolecular Materials and Engineering*, 286, 640–647. [https://doi.org/10.1002/1439-2054\(20011001\)286:10<640::AID-MAME640>3.0.CO;2-1](https://doi.org/10.1002/1439-2054(20011001)286:10<640::AID-MAME640>3.0.CO;2-1)
- Kramer, H. J. M., & Chianese, A. (2012). *Industrial Crystallization Process Monitoring and Control* (A. Chianese & H. J. M. Kramer (Eds.)).
- Kubota, N., Doki, N., Ito, M., Sasaki, S., & Yokota, M. (2002). Seeded Batch Multi-Stage Natural Cooling Crystallization of Potassium Alum. *Journal of Chemical Engineering of Japan*, 35(11), 1078–1082. <https://doi.org/10.1252/jcej.35.1078>



- Latta, B. M. (1984). Improved Tactile and Sorption Properties of Polyester Fabrics Through Caustic Treatment. *Textile Research Journal*, 54, 766–775. <https://doi.org/10.1177/004051758405401110>
- Lee, A. Y., Erdemir, D., & Myerson, A. S. (2019). Crystals and crystal growth. In *Handbook of Industrial Crystallization* (pp. 32–75). <https://doi.org/10.1017/9781139026949.002>
- Lee, D. K., Chang, T. S., & Shin, C. H. (2002a). Thermal Treatment of Crude Terephthalic Acid Recovered from Alkali Weight-Reduction Wastewater. *Journal of Industrial and Engineering Chemistry*, 8(5), 405–409.
- Lee, D. K., Chang, T. S., & Shin, C. H. (2002b). Thermal Treatment of Crude Terephthalic Acid Recovered from Alkali Weight Reduction Wastewater. *Journal of Industrial and Engineering Chemistry*, 8(5), 405–409.
- Lee, H. L., Chiu, C. W., & Lee, T. (2021). Engineering terephthalic acid product from recycling of PET bottles waste for downstream operations. *Chemical Engineering Journal Advances*, 5(October 2020), 100079. <https://doi.org/10.1016/j.cej.a.2020.100079>
- Lewis, A. E., Seckler, M. M., Kramer, H., & Van Rosmalen, G. (2015). Industrial crystallization: Fundamentals and applications. In *Industrial Crystallization: Fundamentals and Applications*. Cambridge University Press. <https://doi.org/10.1017/CBO9781107280427>
- Li, H., Kawajiri, Y., Grover, M. A., & Rousseau, R. W. (2017). Modeling of nucleation and growth kinetics for unseeded batch cooling crystallization. *Industrial & Engineering Chemistry Research*, 56(14), 4060–4070. <https://doi.org/10.1021/acs.iecr.6b04914>
- Li, W., Mu, B., & Yang, Y. (2019). Feasibility of industrial-scale treatment of dye wastewater via bio-adsorption technology. *Bioresource Technology*, 277(January), 157–170. <https://doi.org/10.1016/j.biortech.2019.01.002>
- Mancini, S. D., Schwartzman, J. A. S., Nogueira, A. R., Kagohara, D. A., & Zanin, M. (2010). Additional steps in mechanical recycling of PET. *Journal of Cleaner Production*, 18(1), 92–100. <https://doi.org/10.1016/j.jclepro.2009.09.004>
- Matějka, L., Pokorný, S., & Dušek, K. (1982). Network Formation Involving Epoxide and Carboxyl Groups. *Polymer Bulletin*, 7, 123–128.
- McDonald, M. A., Salami, H., Harris, P. R., Lagerman, C. E., Yang, X., Bommarius, A. S., Grover, M. A., & Rousseau, R. W. (2021). Reactive crystallization: A review. *Reaction Chemistry and Engineering*, 6(3), 364–400. <https://doi.org/10.1039/d0re00272k>
- Mersmann, A., Braund, B., David, R., Eble, A., Heyer, C., Hirasawa, I., Klein, J., Lahav, M., Leiserowitz, L., Rennie, F. W., Rohani, S., Toyokura, K., Weissbuch, I., Wellinghoff, G., & Wintermantel, K. (2001). *Crystallization Technology Handbook* (A. Mersmann (Ed.); 2nd ed.). Marcel Dekker, Inc.
- Mingming, C., & Peisheng, M. (2003). Solid Liquid Equilibrium of TA.pdf. *Chinese Journal of Chemical Engineering*, 11(3), 334–337.
- Mohrig, J. R., Hammond, C. N., & Schatz, P. F. (2010). Techniques in Organic Chemistry. In *Nature* (Third, Vol. 180, Issue 4586). W. H. Freeman and Company. <https://doi.org/10.1038/180567a0>
- Mullin, J. W. (2001). *Crystallization* (4th ed.). Butterworth Heinemann.
- Myerson, A. S., Anderson, S. R., Bennett, R. C., Green, D., & Karpinski, P. (2002). Handbook of Industrial Crystallization. In A. S. Myerson (Ed.), *Handbook of*



- Industrial Crystallization* (2nd ed.). Butterworth-Heinemann.
<https://doi.org/10.1017/9781139026949>
- Nageswar, P., Sabavath, R. G. K., Rao, P. N., Sabavath, G. K., & Paul, S. N. (2021). Impact of MTA blend % in melt spinning process and polyester properties. *SN Applied Sciences*, 3(2). <https://doi.org/10.1007/s42452-020-04090-2>
- Nagy, Z. K., Fujiwara, M., & Braatz, R. D. (2019). Monitoring and advanced control of crystallization processes. In *Handbook of Industrial Crystallization*.
<https://doi.org/10.1017/9781139026949.011>
- Park, C., & Sheehan, R. J. (2000). Phthalic Acids and Other Benzenopolycarboxylic Acids. In *Kirk-Othmer Encyclopedia of Chemical Technology*. John Wiley & Son.
<https://doi.org/10.1002/0471238961.1608200816011811.a01>
- Pascoe, A. R., Gu, Q., Rothmann, M. U., Li, W., Zhang, Y., Scully, A. D., Lin, X., Spiccia, L., Bach, U., & Cheng, Y. B. (2017). Directing nucleation and growth kinetics in solution-processed hybrid perovskite thin-films. *Science China Materials*, 60(7), 617–628. <https://doi.org/10.1007/s40843-017-9043-y>
- Peisheng, M., & Qing, X. (2001). Determination and correlation for solubility of aromatic acids in solvents. In *Chinese Journal of Chemical Engineering* (Vol. 9, Issue 1, pp. 39–44).
- Pitt, K., Peña, R., Tew, J. D., Pal, K., Smith, R., Nagy, Z. K., & Litster, J. D. (2018). Particle design via spherical agglomeration: A critical review of controlling parameters, rate processes and modelling. *Powder Technology*, 326, 327–343. <https://doi.org/10.1016/j.powtec.2017.11.052>
- Poutrel, Q., Blaker, J. J., Soutis, C., Gresil, M., Poutrel, Q., Blaker, J. J., Soutis, C., Tournilhac, F., & Gre-, M. (2020). Dicarboxylic acid-epoxy vitrifiers: influence of the off-stoichiometric acid content on cure reactions and thermo-mechanical properties To cite this version : HAL Id : hal-02967637 cure reactions and thermo-mechanical properties. *Polymer Chemistry*, 11(33), 5327–5338.
<https://doi.org/10.1039/d0py00342e>
- Ramkrishna, D. (2000). *Population Balances : Theory and Applications to Particulate Systems in Engineering*. Academic Press.
- Randolph, A. D., & Larson, M. A. (1988). *Theory of Particulate Processes Analysis and Techniques of Continuous Crystallization* (2nd ed.). Academic Press, Inc.
- Rewatkar, K., Shende, D. Z., & Wasewar, K. L. (2018). Reactive crystallization of calcium oxalate: Population balance modeling. *Chemical and Biochemical Engineering Quarterly*, 32(1), 11–18. <https://doi.org/10.15255/CABEQ.2016.953>
- Rezazadeh, A., Thomsen, K., Gavala, H. N., Skiadas, I. V., & Fosbøl, P. L. (2021). Solubility and Freezing Points of Disodium Terephthalate in Water-Ethylene Glycol Mixtures. *Journal of Chemical and Engineering Data*, 66(5), 2143–2152. <https://doi.org/10.1021/acs.jced.1c00052>
- Rhodes, M. (2008). Introduction to Particle Technology. In *Introduction to Particle Technology: Second Edition* (Second). John Wiley & Sons, Ltd.
<https://doi.org/10.1002/9780470727102.ch10>
- Romadhona, R., Rochmadi, Ariyanto, T., & Hartanto, D. T. (2022). Kinetic Study of Polymerization Reaction of Bisphenol a Diglycidyl Ether and Terephthalic Acid. *Materials Science Forum*, 1067, 79–84. <https://doi.org/10.4028/p-3757ja>
- Saska, M., & Myerson, A. S. (1987). Crystal Aging and Crystal Habit of Terephthalic Acid. *AICHE Journal*, 33(5), 848–852. <https://doi.org/10.1002/aic.690330518>



- Sato, E., Seki, Y., & Takiyama, H. (2019). Control of reaction crystallization of organic compounds using the supersaturation profile. *Journal of Chemical Engineering of Japan*, 52(7), 599–604. <https://doi.org/10.1252/jcej.19we017>
- Scheirs, J. (1998). Recycling of PET. In *Polymer Recycling: Science, Technology and Applications* (p. 594). John Wiley & Sons, Ltd.
- Schröder, B., Santos, L. M. N. B. F., Marrucho, I. M., & Coutinho, J. A. P. (2010). Prediction of aqueous solubilities of solid carboxylic acids with COSMO-RS. *Fluid Phase Equilibria*, 289(2), 140–147. <https://doi.org/10.1016/j.fluid.2009.11.018>
- Shahidi, S., Wiener, J., & Ghoranneviss, M. (2013). Surface modification methods for improving the dyeability of textile fabrics. In M. Gunay (Ed.), *Eco-Friendly Textile Dyeing and Finishing*. InTech.
- Singh, S., Sharma, S., Umar, A., Mehta, S. K., Bhatti, M. S., & Kansal, S. K. (2018). Recycling of Waste Poly(ethylene terephthalate) Bottles by Alkaline Hydrolysis and Recovery of Pure Nanospindle-Shaped Terephthalic Acid. *Journal of Nanoscience and Nanotechnology*, 18(8), 5804–5809. <https://doi.org/10.1166/jnn.2018.15363>
- Slapnik, J., Kraft, G., Wilhelm, T., & Lobnik, A. (2019). Purification of Recycled Terephthalic Acid and Synthesis Of Polyethylene Terephthalate. *The 1st International Conference on Circular Packaging*, 151–159. <https://doi.org/10.5281/zenodo.3430180>
- SNI 06-2153-1991. (1991). *SNI 06-2153-1991* (p. 24).
- Spaseska, D., & Civkaroska, M. (2010). Alkaline Hydrolysis of Poly(Ethylene Terephthalate) Recycled from the Postconsumer Soft-Drink Bottles. *Journal of the University of Chemical Technology and Metallurgy*, 45(4), 379–384.
- Tai, C. Y., & Chen, P. C. (1995). Crystal Growth and Agglomeration of Calcium Sulfite Hemihydrate Crystals. *Industrial and Engineering Chemistry Research*, 34(4), 1342–1351. <https://doi.org/10.1021/ie00043a040>
- Textile Exchange. (2021). *Preferred Fiber & Materials Market Report 2021*. https://textileexchange.org/wp-content/uploads/2021/08/Textile-Exchange_PREFERRED-Fiber-and-Materials-Market-Report_2021.pdf
- Urwin, S. J., Yerdelen, S., Houson, I., & Horst, J. H. (2021). Impact of Impurities on Crystallization and Product Quality: A Case Study with Paracetamol. *Crystals*, 11(1344). <https://doi.org/10.3390/crust11111344>
- Utomo, J., Asakuma, Y., Maynard, N., Maeda, K., Fukui, K., & Tadé, M. O. (2010). Semi-batch reactive crystallisation of mono-ammonium phosphate: An experimental study. *Chemical Engineering Journal*, 156(3), 594–600. <https://doi.org/10.1016/j.cej.2009.04.055>
- Wang, Q., Cheng, Y., Wang, L., Xu, H., & Li, X. (2008). Isothermal Seeded Semicontinuous Reactive Crystallization of Crude Terephthalic Acid Crystals. *Industrial & Engineering Chemistry Research*, 47, 5861–5870. <https://doi.org/10.1021/ie061595v>
- Wang, Z., Xue, M., Huang, K., & Liu, Z. (2011). Textile Dyeing Wastewater Treatment. In P. P. Hauser (Ed.), *Advances in Treating Textile Effluent* (pp. 91–116). InTech. <http://www.intechopen.com/books/advances-in-treating-textile-effluent/textile-dyeing-wastewater-treatment>
- Wen, Y., Tong, S., Zheng, K., Wang, L., Lv, J., & Lin, J. (2006). Removal of terephthalic acid in alkalized wastewater by ferric chloride. 138, 169–172. <https://doi.org/10.1016/j.jhazmat.2006.05.070>
- Wiley-VCH. (2016). *Ullmann's Polymer and Plastics* (B. Elvers (Ed.); Vol. 13, Issue 1).



Wiley-VCH Verlag GmbH & Co. KGaA.

- Wiratni, B., & Sediawan, W. udi. (1998). Evaluasi kecepatan pertumbuhan kristal pada reaksi diikuti kristalisasi pada pembuatan ammonium sulfat dari amonia dan asam sulfat. *Forum Teknik*, 22(2), 245–254.
- Wu, S.-C., Cheng, Z.-M., Wang, S.-D., & Shan, X.-L. (2011). Recovery of Terephthalic Acid from Alkali Reduction Wastewater by Cooling Crystallization. *Chemical Engineering Technology*, 34(10), 1614–1618. <https://doi.org/10.1002/ceat.201100096>
- Yang, B., Wang, Q., Ye, J., Xu, H., Liu, Y., Li, F., & Song, X. (2019). Performance and microbial protein expression during anaerobic treatment of alkali-decrement wastewater using a strengthened circulation anaerobic reactor. *Bioresource Technology*, 273, 40–48. <https://doi.org/10.1016/j.biortech.2018.10.055>
- Yang, B., Xu, H., Wang, J., Yan, D., Zhong, Q., & Yu, H. (2018a). Performance evaluation of anaerobic baffled reactor (ABR) for treating alkali-decrement wastewater of polyester fabrics at incremental organic loading rates Bo Yang , Hui Xu , Junfeng Wang , Dengming Yan , Qijun Zhong. *Water Science and Technology*, 77(10), 2445–2453. <https://doi.org/10.2166/wst.2018.194>
- Yang, B., Xu, H., Wang, J., Yan, D., Zhong, Q., & Yu, H. (2018b). Performance evaluation of anaerobic baffled reactor (ABR) for treating alkali-decrement wastewater of polyester fabrics at incremental organic loading rates. *Water Science and Technology*, 77(10), 2445–2453. <https://doi.org/10.2166/wst.2018.194>
- Youwei, C., Ge, P., Bianhua, W., Xia, G., & Xi, L. (2011). Thermodynamic Study on the Adduct Crystallization of Terephthalic Acid with Amides. *Journal of Chemical and Engineering Data*, 56, 1020–1024.
- Zauner, R., & Jones, A. G. (2000). Mixing effects on product particle characteristics from semi-batch crystal precipitation. *Chemical Engineering Research and Design*, 78(6), 894–902. <https://doi.org/10.1205/026387600527969>