

DAFTAR PUSTAKA

- Al-Ryalat, N.T., Al Ryalat, S.A.S., Mahafza, W.S., Samara, O.A., Ryalat, A.T. & Al-Hadidy, A.M. (2017). Myelopathy associated with age-related cervical disc herniation: A retrospective review of magnetic resonance images. *Annals of Saudi Medicine*. 37 (2) p.pp. 130–137.
- Asai, T., Sakuma, E., Mizutani, T., Ishizaka, Y., Ori, K. & Ueki, T. (2022). Sex- and Age-related Differences in Spinal Degeneration: An Anatomical and Magnetic Resonance Imaging Study of the Human Spine. *Progress in Rehabilitation Medicine*. 7 (0). p.p. n/a.
- Bakhsheshian, J., Mehta, V.A. & Liu, J.C. (2017). Current Diagnosis and Management of Cervical Spondylotic Myelopathy. *Global Spine Journal*. 7 (6) p.pp. 572–586.
- Bechar, M., Front, D., Bornstein, B. & Matz, S. (1971). Cervical Myelopathy Caused by Narrowing of the Cervical Spinal Canal. The Value of X-Ray Examination of The Cervical Spinal Column in Extension
- Boogaarts, H.D. & Bartels, R.H.M.A. (2015). Prevalence of cervical spondylotic myelopathy. *European Spine Journal*. 24 (S2). p.pp. 139–141.
- Cook, C., Brown, C., Isaacs, R., Roman, M., Davis, S. & Richardson, W. (2010). Clustered clinical findings for diagnosis of cervical spine myelopathy. *Journal of Manual and Manipulative Therapy*. 18 (4). p.pp. 175–180.
- DeSai C, Reddy V & Agarwal A. (2022). *Treasure Island (FL): Anatomy, Back, Vertebral Column*. 8 August 2022. StatPearls Publishing.
- Ferreira, P., Auger, L.M., Zubizarreta, K.K., Chinchon, G. & Herrera, G. (2021). *Pla A, et al. MRI findings in cervical spondylotic myelopathy with gadolinium enhancement: Review of seven cases MRI findings in cervical spondylotic myelopathy with gadolinium enhancement: Review of seven cases*.
- Fouyas, I.P., Statham, P.F.X. & Sandercock, P.A.G. (2002). Cochrane Review on the Role of Surgery in Cervical Spondylotic Radiculomyelopathy. *Spine*. 27 (7). p.pp. 736–747.
- Harrop, J.S., Hanna, A., Silva, M.T. & Sharan, A. (2007). Neurological Manifestations of Cervical Spondylosis. *Neurosurgery*. 60 (1). p.pp. S1-14.
- Hartman, J. (2014). Anatomy and clinical significance of the uncinat process and uncovertebral joint: A comprehensive review. *Clinical Anatomy*. 27 (3). p.pp. 431–440.
- Kalsi-Ryan, S., Karadimas, S.K. & Fehlings, M.G. (2013). Cervical spondylotic myelopathy: The clinical phenomenon and the current pathobiology of an increasingly prevalent and devastating disorder. *Neuroscientist*. 19 (4). p.pp. 409–421.
- Kang, Y., Lee, J.W., Koh, Y.H., Hur, S., Kim, S.J., Chai, J.W. & Kang, H.S. (2011). New MRI grading system for the cervical canal stenosis. *American Journal of Roentgenology*. 197 (1).
- Kokubun, S., Sato, T., Ishii, Y. & Tanaka, Y. (1996). Cervical Myelopathy in the Japanese. *Clinical Orthopaedics and Related Research*. 323. p.pp. 129–138.
- Krishna Chaitanya Reddy, D., Ericson Lingamdenne, P., L N Moorthy, N. & Madan, S. (2020a). Measurement of cervical spinal canal diameter by radiographs to study the

- degree of cervical spinal canal stenosis in an Indian population; Predictive value of Torg's ratio to assess cervical spinal canal stenosis. *Indian Journal of Clinical Anatomy and Physiology*. 7 (1). p.pp. 91–97.
- Krishna Chaitanya Reddy, D., Ericson Lingamdenne, P., L N Moorthy, N. & Madan, S. (2020b). Measurement of cervical spinal canal diameter by radiographs to study the degree of cervical spinal canal stenosis in an Indian population; Predictive value of Torg's ratio to assess cervical spinal canal stenosis. *Indian Journal of Clinical Anatomy and Physiology*. 7 (1). p.pp. 91–97.
- Lebl, D.R., Hughes, A., Cammisa Frank P., J.P. & O'Leary, P.F. (2011a). Cervical Spondylotic Myelopathy: Pathophysiology, Clinical Presentation, and Treatment. *HSS Journal*. 7 (2) p.pp. 170–178.
- Lebl, D.R., Hughes, A., Cammisa Frank P., J.P. & O'Leary, P.F. (2011b). Cervical Spondylotic Myelopathy: Pathophysiology, Clinical Presentation, and Treatment. *HSS Journal*. 7 (2) p.pp. 170–178.
- Lee, M.J., Aronberg, R., Manganaro, M.S., Ibrahim, M. & Parmar, H.A. (2019). Diagnostic approach to intrinsic abnormality of spinal cord signal intensity. *Radiographics*. 39 (6). p.pp. 1824–1839.
- Lennard A, Nadalo. (2007). *Spinal stenosis imaging*. 2007. E Med Radiol.
- Lindeire, S. & Hauser, J.M. (2022). *Anatomy, Back, Artery Of Adamkiewicz*.
- Longatti, P., Fiorindi, A., Marton, E., Sala, F. & Feletti, A. (2022). Where the central canal begins: endoscopic in vivo description. *Journal of Neurosurgery*. 136 (3). p.pp. 895–904.
- Lou C, Chen H, Mei L, Yu W, Zhu K, Liu F, Chen Z, Xiang G, Chen M, Weng Q, He D. Association between menopause and lumbar disc degeneration: an MRI study of 1,566 women and 1,382 men. *Menopause*. 2017 Oct;24(10):1136-1144. doi: 10.1097/GME.0000000000000902. PMID: 28609385.
- M. Takahashi, Y. Sakamoto, M. Miyawaki & H. Bussaka (1987). Increased MR Signal Intensity Secondary to Chronic Cervical Cord Compression. *Neuroradiology*. 29 (6). p.pp. 550–556.
- McCormick, J.R., Sama, A.J., Schiller, N.C., Butler, A.J. & Donnally, C.J. (2020a). Cervical spondylotic myelopathy: A guide to diagnosis and management. *Journal of the American Board of Family Medicine*. 33 (2) p.pp. 303–313.
- McCormick, J.R., Sama, A.J., Schiller, N.C., Butler, A.J. & Donnally, C.J. (2020b). Cervical spondylotic myelopathy: A guide to diagnosis and management. *Journal of the American Board of Family Medicine*. 33 (2) p.pp. 303–313.
- Moore, A.P. & Blumhardt, L.D. (1997). A prospective survey of the causes of non-traumatic spastic paraparesis and tetraparesis in 585 patients. *Spinal Cord*. 35 (6). p.pp. 361–367.
- Morishita, Y., Naito, M., Hymanson, H., Miyazaki, M., Wu, G. & Wang, J.C. (2009). The relationship between the cervical spinal canal diameter and the pathological changes in the cervical spine. *European Spine Journal*. 18 (6). p.pp. 877–883.
- Nell, C., Bülow, R., Hosten, N., Schmidt, C.O. & Hegenscheid, K. (2019). Reference values for the cervical spinal canal and the vertebral bodies by MRI in a general population. *PLoS ONE*. 14 (9).
- Northover, J.R., Wild, J.B., Braybrooke, J. & Blanco, J. (2012). The epidemiology of cervical spondylotic myelopathy. *Skeletal Radiology*. 41 (12). p.pp. 1543–1546.

- Nouri, A., Martin, A.R., Tetreault, L., Nater, A., Kato, S., Nakashima, H., Nagoshi, N., Reihani-Kermani, H. & Fehlings, M.G. (2017). MRI Analysis of the Combined Prospectively Collected AOSpine North America and International Data. *Spine*. 42 (14). p.pp. 1058–1067.
- Sadasivan, K.K., Reddy, R.P. & Albright, J.A. (1993). The natural history of cervical spondylotic myelopathy. *The Yale journal of biology and medicine*. 66 (3). p.pp. 235–42.
- Sastroasmoro, S. & Ismael, S. (2011). *Dasar-dasar metodologi penelitian klinis*. 4th Ed. Jakarta: Sagung Seto.
- Singh, S., Kumar, D., Kumar, S. & Rajav, S. (2014). Risk factors in cervical spondylosis. *Journal of Clinical Orthopaedics and Trauma*. 5 (4). p.pp. 221–226.
- Suk, K.S., Kim, K.T., Lee, J.H., Lee, S.H., Kim, J.S. & Kim, J.Y. (2009). Reevaluation of the Pavlov ratio in patients with cervical myelopathy. *Clinics in orthopedic surgery*. 1 (1). p.pp. 6–10.
- Tetreault, L., Kopjar, B., Nouri, A., Arnold, P., Barbagallo, G., Bartels, R., Qiang, Z., Singh, A., Zileli, M., Vaccaro, A. & Fehlings, M.G. (2017). The modified Japanese Orthopaedic Association scale: establishing criteria for mild, moderate and severe impairment in patients with degenerative cervical myelopathy. *European Spine Journal*. 26 (1). p.pp. 78–84.
- Waxenbaum, J.A., Reddy, V. & Futterman, B. (2022). *Anatomy, Back, Intervertebral Discs*.
- Wu, J.-C., Ko, C.-C., Yen, Y.-S., Huang, W.-C., Chen, Y.-C., Liu, L., Tu, T.-H., Lo, S.-S. & Cheng, H. (2013). Epidemiology of cervical spondylotic myelopathy and its risk of causing spinal cord injury: a national cohort study. *Neurosurgical Focus*. 35 (1). p.p. E10.
- Yamaguchi, S., Mitsuhara, T., Abiko, M., Takeda, M. & Kurisu, K. (2018). Epidemiology and Overview of the Clinical Spectrum of Degenerative Cervical Myelopathy. *Neurosurgery Clinics of North America*. 29 (1) p.pp. 1–12.