

DAFTAR PUSTAKA

- Abbasi-Oshaghi Ebrahim, Fatemeh Mirzaei, Farhad Farahani, Iraj Khodadadi, Heidar Tayebinia; Diagnosis and treatment of coronavirus disease 2019 (COVID-19): Laboratory, PCR, and chest CT imaging findings, *International Journal of Surgery* 79 (2020) 143–153.
- Agyeman AA, Lee Chin K, Landersdorfer CB, Liew D, OforiAsensonR. 2020. Smell and taste dysfunction in patients with COVID-19: a systematic review and meta-analysis. *Mayo Clin Proc* 95(8):1621–31.
- Al Harbi Mariam, Al Kaabi Nawal, Al Nuaimi Asma, Abdalla Jihad, Tehmina Khan, Huda Gasmelseed, Asad Khan, Osama Hamdoun & Stefan Weber. Clinical and laboratory characteristics of patients hospitalised with COVID-19: clinical outcomes in Abu Dhabi, United Arab Emirates. *BMC Infectious Diseases* volume 22, Article number: 136 (2022)
- A.R. Sahin, A. Erdogan, P.M. Agaoglu, Y. Dineri, A.Y. Cakirci, M.E. Senel, et al., Novel Coronavirus (COVID-19) outbreak: a review of the current literature, *Eur. J. Med. Oncol.* 4 (2019) 1–7, <https://doi.org/10.14744/ejmo.2020.12220> 2020
- Backer JA, Klinkenberg D, Wallinga J. Incubation period of 2019 novel coronavirus (2019-nCoV) infections among travellers from Wuhan, China, 2028 January 2020. *Euro Surveill.* 2020;25(5):2000062.
- Belouzard S, Chu VC, Whittaker GR. Activation of the SARS coronavirus spike protein via sequential proteolytic cleavage at two distinct sites. *Proc Natl Acad Sci USA* 106: 5871–5876, 2009. doi:10. 1073/pnas.0809524106.
- Bertram S, Glowacka I, Müller MA, Lavender H, Gnirss K, Nehlmeier I, Niemeyer D, He Y, Simmons G, Drosten C, Soilleux EJ, Jahn O, Steffen I, Pöhlmann S. Cleavage and activation of the severe acute respiratory syndrome coronavirus spike protein by human airway trypsin-like protease. *J Virol* 85: 13363–13372, 2011. doi:10.1128/JVI.05300-11.
- Brann JH, Firestein SJ. 2014. A lifetime of neurogenesis in the olfactory system. *Front Neurosci* 8:182. doi:10.3389/ fnins.2014.00182
- Bujang Mohamad Adam, Sa'at Nadiah, Sidik Abu Bakar, Tg Ikhwan Mohamad, Joo Lim Chien. Sample Size Guidelines for Logistic Regression from Observational Studies with Large Population: Emphasis on the Accuracy Between Statistics and Parameters Based on Real Life Clinical Data. *Malays J Med Sci.* 2018;25(4):122–130. <https://doi.org/10.21315/mjms2018.25.4.12>
- Burki NK, Lee LY. Mechanisms of dyspnea. *Chest.* 2010;138(5):1196- 1201.

- Bwire, George., Coronavirus: Why Men are More Vulnerable to Covid-19 Than Women?. SN Comprehensive Clinical Medicine volume 2, pages 874–876 (2020).
- Cadegiani Flavio, Zimelman A. Ricardo, de Souza Brubno Campello, et al. The AndroCoV Clinical Scoring for COVID-19 Diagnosis: A Prompt, Feasible, Costless, and Highly Sensitive Diagnostic Tool for COVID-19 Based on a 1757-Patient Cohort. Cureus 13(1): e12565. DOI 10.7759/cureus.12565
- Cao Y, Wang J, Jian F, Xiao T, Song W, Yisimayi A, et al. Omicron escapes the majority of existing SARS-CoV-2 neutralizing antibodies. Nature. 2022;602:657–663.
- Chan JFW, Kok KH, Zhu Z, Chu H, To KKW, Yuan S, Yuen KY. Genomic characterization of the 2019 novel human-pathogenic coronavirus isolated from a patient with atypical pneumonia after visiting Wuhan. Emerg Microbes Infect 9: 221–236, 2020. doi: 10.1080/22221751.2020.1719902. A correction for this article is available at <https://doi.org/10.1080/22221751.2020.1737364>.
- Chen N, Zhou M, Dong X, Qu J, Gong F, Han Y, Qiu Y, Wang J, Liu Y, Wei Y, Xia J, Yu T, Zhang X, Zhang L. Epidemiological and clinical characteristics of 99 cases of 2019 novel coronavirus pneumonia in Wuhan, China: a descriptive study. Lancet. 2020;395:507–513.
- Chen SG, Chen JY, Yang YP, Chien CS, Wang ML, Lin LT. Use of radiographic features in COVID19 diagnosis: Challenges and perspectives. J Chin Med Assoc 2020; 83: 644-647 [PMID: 32349032 DOI: 10.1097/JCMA.0000000000000336]
- Chen T, Wu D, Chen H, et al. Clinical characteristics of 113 deceased patients with coronavirus disease 2019: retrospective study. Bmj. 2020;368:m1091
- Chen Y, Guo Y, Pan Y, Zhao ZJ. Structure analysis of the receptor binding of 2019-nCoV. Biochem Biophys Res Commun 525: 135–140, 2020. doi: 10.1016/j.bbrc.2020.02.071.
- Chung M, Bernheim A, Mei X, et al. CT imaging features of 2019 novel coronavirus (2019-nCoV). Radiology 2020;295:202-7.
- Couzin- Frankel J. The mystery of the pandemic's 'happy hypoxia'. Science. 2020;368(6490):455- 456.
- Cui J., Li F., Shi Z.-L. Origin and evolution of pathogenic coronaviruses. Nat. Rev. Microbiol. 2019;17:181–192. doi: 10.1038/s41579-018-0118-9.

- Dahlan, M. Sopiudin, dr. M. Epid. Penelitian Diagnostik, Validitas dan Reliabilitas: Dasar-dasar Teoretis dan Aplikasi dengan Program SPSS dan Stata. Jakarta: Edisi 2, 2018
- Dahlan, M. Sopiudin, dr. M. Epid. Penelitian Prognostik dan Sistem **Skoring**: Disertai Praktik dengan SPSS dan Stata. Jakarta: Edisi 1, 2011
- de Wit E, van Doremalen N, Falzarano D, Munster VJ. SARS and MERS: recent insights into emerging coronaviruses. *Nat Rev Microbiol* 14: 523–534, 2016. doi:10.1038/nrmicro.2016.81.
- Doty RL, Mishra A. 2001. Olfaction and its alteration by nasal obstruction, rhinitis, and rhinosinusitis. *Laryngoscope* 111(3):409–23. doi:10.1097/00005537-200103000-00008
- Fang B, Meng QH. The laboratory's role in combating COVID-19. *Crit Rev Clin Lab Sci* 17: 1–15, 2020. doi:10.1080/10408363.2020.1776675.
- Fang L, Karakiulakis G, Roth M. Are patients with hypertension and diabetes mellitus at increased risk for COVID-19 infection?. *Lancet Respir Med*. 2020;8(4):e21
- Fang Y, Zhang H, Xie J, et al. Sensitivity of Chest CT for COVID-19: Comparison to RT-PCR. *Radiology*. 2020:200432.
- Farias LPG, Fonseca EKUN, Strabelli DG, Loureiro BMC, Neves YCS, Rodrigues TP, Chate RC, Nomura CH, Sawamura MVY, Cerri GG. Imaging findings in COVID-19 pneumonia. *Clinics (Sao Paulo)* 2020;75:e2027
- Feng Wei, Zong Wei, Wang Feng, Ju Shaoqing. Severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2): a review. *BMC medical Journal Molecular Cancer* (2020) 19:100,
- F. Pan, T. Ye, P. Sun, S. Gui, B. Liang, L. Li, et al., Time course of lung changes on chest CT during recovery from 2019 novel coronavirus (COVID-19) pneumonia, *Radiology* (2020) 200370, <https://doi.org/10.1148/radiol.2020200370> ([Epub ahead of print]).
- Goudouris Ekaterini S. Laboratory diagnosis of COVID-19. *Journal Pediatrics Rio J*, 2021 January-February; 97(1): 7–12. doi: 10.1016/j.jped.2020.08.001
- Guan W-j, Ni Z-y, Hu Y, Liang W-h, Ou C-q, He J-x et al., Clinical characteristics of 2019 novel coronavirus infection in China. *medRxiv*. <https://doi.org/10.1101/2020.02.06.20020974>
- Guyenet PG, Bayliss DA. Neural Control of Breathing and CO₂ Homeostasis. *Neuron*. 2015;87(5):946- 961

- Hani C, Trieu NH, Saab I, Dangeard S, Bennani S, Chassagnon G, Revel MP. COVID-19 pneumonia: A review of typical CT findings and differential diagnosis. *Diagn Interv Imaging* 2020; 101: 263-268
- Higham A, Singh D. Increased ACE2 expression in bronchial epithelium of COPD patients who are overweight. *Obesity (Silver Spring)* 2020; 28:1586–1589.
- Huang C, Wang Y, Li X, Ren L, Zhao J, Hu Y, Zhang L, Fan G, Xu J, Gu X, Cheng Z, Yu T, Xia J, Wei Y, Wu W, Xie X, Yin W, Li H, Liu M, Xiao Y, Gao H, Guo L, Xie J, Wang G, Jiang R, Gao Z, Jin Q, Wang J, Cao B. Clinical features of patients infected with 2019 novel coronavirus in Wuhan, China. *Lancet* 395: 497–506, 2020. doi:10.1016/S0140-6736(20)30183-5. (33, 89, 105).
- Huang Dong, Wang Ting, Chen Zhu, Yang Huan, Yao Rong, Liang Zongan. A novel risk score to predict diagnosis with Coronavirus Disease 2019 (COVID-19) in suspected patients: A retrospective, multi-center, observational study. *J Med Virol.* 2020 Nov;92(11):2709-2717. doi: 10.1002/jmv.26143.
- Hummel T, Whitcroft KL, Andrews P, Altundag A, Cinghi C, Costanzo RM, and others. 2017. Position paper on olfactory dysfunction. *Rhinol Suppl* 54(26):1–30. doi:10.4193/Rhino16.248
- Iacobucci G. COVID-19: runny nose, headache, and fatigue are commonest symptoms of Omicron, early data show. *BMJ.* 2021;375:n3103.
- J. Wu, J. Liu, X. Zhao, C. Liu, W. Wang, D. Wang, et al., Clinical characteristics of imported cases of covid-19 in jiangsu province: a multicenter descriptive study, *Clin. Infect. Dis.* (2020), <https://doi.org/10.1093/cid/ciaa199> [Epub ahead of print].
- Jacobi A, Chung M, Bernheim A, Eber C. Portable chest X-ray in coronavirus disease-19 (COVID-19): A pictorial review. *Clin Imaging.* 2020;64:35–42.
- Javanmard Shaghayegh, Noushin Mohammadifard, Maryam Nasirian, Golnaz Vaseghi, Kamal Heidari, Behrouz Kelidari, Tahereh Changiz and Nizal Sarrafzadegan. Noncommunicable disease, clinical course and COVID-19 prognosis: results based on I-CORE Registry. *EMHJ – Vol. 27 No. 11 – 2021*
- Kabak M., Çil B., Hocanlı I. Relationship between leukocyte, neutrophil, lymphocyte, platelet counts, and neutrophil to lymphocyte ratio and polymerase chain reaction positivity. *International Immunopharmacology* 93 (2021) 107390

- Khailany R.A., Safdar M., Ozaslan M. Genomic characterization of a novel SARS-CoV-2. *Gene Rep.* 2020;19 doi: 10.1016/j.genrep.2020.100682.
- Kory Pierre, MD MPA, Meduri G. Umberto, Iglesias Jose, DO, Varon Joseph, Marik Paul E., MD. Clinical and Scientific Rationale for the “MATH+” Hospital Treatment Protocol for COVID-19. *Journal of Intensive Care Medicine* 1-22 (2020).
<https://journals.sagepub.com/doi/10.1177/0885066620973585>
- Kurniawan Heri, Rumende Martin C, Setiati siti, Kumalawaty Juli, Deshlanty Belinda. Diagnostic Model of Covid-19 for Resource-Limited Countries Based on The Combination Of Clinical Symptoms, Chest Radiography and Laboratory Test., 2020. Jakarta
- Lai CC, Shih TP, Ko WC, Tang HJ, Hsueh PR. Severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) and coronavirus disease-2019 (COVID-19): the epidemic and the challenges. *Int J Antimicrob Agents.* 2020;55:105924.
- Lauer SA, Grantz KH, Bi Q, Jones FK, Zheng Q, Meredith HR, Azman AS, Reich NG, Lessler J. The incubation period of coronavirus disease 2019 (COVID-19) from publicly reported confirmed cases: estimation and application. *Ann Intern Med.* 2020;172(9):577–82.
- Lawi D, Dupuis EL, Berra G, Allali G, Similowski T, Adler D. Experimental dyspnea interferes with locomotion and cognition: a randomised trial. *Eur Respir J.* 2020 (In press).
- Lessler J, Reich NG, Brookmeyer R, Perl TM, Nelson KE, Cummings DA: Incubation periods of acute respiratory viral infections: a systematic review. *Lancet Infect Dis.* 2009;9:291–300.
- Letko M, Marzi A, Munster V. Functional assessment of cell entry and receptor usage for SARSCoV-2 and other lineage B betacoronaviruses. *Nat Microbiol* 5: 562–569, 2020. doi:10.1038/s41564-020-0688-y.
- Li F. Evidence for a common evolutionary origin of coronavirus spike protein receptor-binding subunits. *J Virol* 86: 2856–2858, 2012. doi:10.1128/JVI.06882-11.
- Liang F. 2020. Sustentacular cell enwrapment of olfactory receptor neuronal dendrites: an update. *Genes (Basel).* 11:493. doi:10.3390/genes11050493
- Li MY, Li L, Zhang Y, Wang XS. Expression of the SARS-CoV-2 cell receptor gene ACE2 in a wide variety of human tissues. *Infect Dis Poverty* 9: 45, 2020. doi:10.1186/s40249-020-00662-x.

- Lippi G, Plebani M. Laboratory abnormalities in patients with COVID-2019 infection. *Clin Chem Lab Med* 58: 1131–1134, 2020. doi:10.1515/cclm2020-0198.
- Liu Y, Du X, Chen J, Jin Y, Peng L, Wang HHX, Luo M, Chen L, Zhao Y. Neutrophil-to-lymphocyte ratio as an independent risk factor for mortality in hospitalized patients with COVID-19. *J Infect* 81: e6–e12, 2020. doi:10.1016/j.jinf.2020. 04.002.
- Li XC, Zhang J, Zhuo JL. The vasoprotective axes of the renin-angiotensin system: physiological relevance and therapeutic implications in cardiovascular, hypertensive and kidney diseases. *Pharmacol Res.* 2017;125:21–38.
- Li Y, Xia L. Coronavirus Disease 2019 (COVID-19): Role of Chest CT in Diagnosis and Management. *AJR American journal of roentgenology.* 2020:1–7
- Mao L, Jin H, Wang M, Yu H, Chen Sm He Q, and others. 2020. Neurologic manifestations of hospitalized patients with coronavirus disease 2019 in Wuhan China. *JAMA Neurol* 77(6):1–9. doi:10.1001/jamaneurol.2020.1127
- María Churruca, Elisa Martínez-Besteiro, Felipe Couñago, Pedro Landete. COVID-19 pneumonia: Typical radiological characteristics. *World J Radiol* 2021 October 28; 13(10): 327-343
- Mark James Rawle, Deborah Lee Bertfield, Simon Edward Brill. Atypical Presentations of COVID-19 in Care Home Residents presenting to Secondary Care: A UK Single Centre Study. *AGING MEDICINE* doi: 10.1002/agm2.12126
- Mary Kathryn Bohn, Alexandra Hall, Lusía Sepiashvili, Benjamin Jung, Shannon Steele, and Khosrow Adeli. Pathophysiology of COVID-19: Mechanisms Underlying Disease Severity and Progression, 2021. *PHYSIOLOGY* 35: 288–301, 2020. Published August 12, 2020; doi:10.1152/physiol.00019.2020
- Masters PS. The molecular biology of coronaviruses. *Adv Virus Res* 66: 193–292, 2006. doi:10. 1016/S0065-3527(06)66005-3.
- Matsuyama S, Ujike M, Morikawa S, Tashiro M, Taguchi F. Protease-mediated enhancement of severe acute respiratory syndrome coronavirus infection. *Proc Natl Acad Sci USA* 102: 12543– 12547, 2005. doi:10.1073/pnas.0503203102.

- Mehta P, McAuley DF, Brown M, et al., Collaboration HAS . COVID-19: consider cytokine storm syndromes and immunosuppression. *Lancet*. 2020;395(10229):1033.
- Millet JK, Whittaker GR. Host cell entry of Middle East respiratory syndrome coronavirus after twostep, furin-mediated activation of the spike protein. *Proc Natl Acad Sci USA* 111: 15214–15219, 2014. doi:10.1073/pnas.1407087111
- Oliveira B.A., Oliveira L.C., Sabino E.C., Okay T.S. SARS-CoV-2 and the COVID-19 disease: a mini review on diagnostic methods. *Rev Inst Med Trop São Paulo*. 2020;62:e44
- Padhye N.S. Reconstructed diagnostic sensitivity and specificity of the RT-PCR test for COVID-19. *medRxiv*. 2020 preprint. doi: 10.1101/2020.04.24.20078949
- Perhimpunan Dokter Spesialis Penyakit Dalam Indonesia. Buku Pedoman Tatalaksana COVID-19 Edisi 4. Jakarta: 2020
- Perlman S, Netland J. Coronaviruses post-SARS: update on replication and pathogenesis. *Nat Rev Microbiol* 7: 439–450, 2009. doi:10.1038/nrmicro2147.
- Petersen Maria Skaalum, Kongsstovu Sunnvør í, Eliassen Eina H., Sólrún Larsen, Jóhanna Ljósá Hansen, Nicolina Vest, et al., Clinical characteristics of the Omicron variant - results from a Nationwide Symptoms Survey in the Faroe Islands. *Int J Infect Dis*. 2022 Sep; 122: 636–643.
- P. Habibzadeh, E.K. Stoneman, The novel coronavirus: a bird's eye View, *Int. J. Occup. Environ. Med.* 11 (2020) 65, <https://doi.org/10.15171/ijoem.2020.1921>.
- Qin C, Zhou L, Hu Z, et al. Dysregulation of immune response in patients with COVID-19 in Wuhan, China. *Clin Infect Dis*. 2020.
- Rafal Butowt, L. Rydygier, von Bartheld CS. Anosmia in COVID-19: Underlying Mechanisms and Assessment of an Olfactory Route to Brain Infection. *The Neuroscientist*. 2020; 1–22. DOI: 10.1177/1073858420956905
- Revel MP, Parkar AP, Prosch H, Silva M, Sverzellati N, Gleeson F, Brady A European Society of Radiology (ESR) and the European Society of Thoracic Imaging (ESTI) COVID-19 patients and the radiology department - advice from the European Society of Radiology (ESR) and the European Society of Thoracic Imaging (ESTI) *Eur Radiol*. 2020;30:4903–4909.
- R. Mardani, A. Ahmadi Vasmehjani, F. Zali, A. Gholami, S.D. Mousavi Nasab, H. Kaghazian, et al., Laboratory Parameters in detection of COVID-19

- patients with positive RT-PCR; a diagnostic accuracy study, Arch. Acad. Emerg. Med. 8 (2020) e43, <https://doi.org/10.22037/aaem.v8i1.632.g775>.
- Rodrigo da Rosa Mesquita, Luiz Carlos Francelino Silva Junior, Fernanda Mayara Santos Santana, Tatiana Farias de Oliveira, Rafaela Campos Alcântara Gabriel Monteiro Arnozo, Etvaldo Rodrigues da Silva Filho, Aisla Graciele Galdino dos Santos, Euclides José Oliveira da Cunha, Saulo Henrique Salgueiro de Aquino, Carlos Dornels Freire de Souza. Clinical manifestations of COVID-19 in the general population: systematic review. *Wien Klin Wochenschr* 133, pages 377–382 (2021)
- Rosales-Mendoza S., Márquez-Escobar V.A., González-Ortega O., Nieto-Gómez R., Arévalo-Villalobos J.I. What Does Plant-based vaccine technology offer to the fight against COVID-19? *Vaccines*. 2020;8:183. doi: 10.3390/vaccines8020183.
- Salehi S, Abedi A, Balakrishnan S, Gholamrezanezhad A. Coronavirus Disease 2019 (COVID-19): A Systematic Review of Imaging Findings in 919 Patients. *AJR Am J Roentgenol* 2020; 215: 87-93 [PMID: 32174129 DOI: 10.2214/AJR.20.23034]
- Selanno Yunianingsih, Widaningsih Yuyun, Esa Tenri, Arif Mansyur. Analysis of Neutrophil Lymphocyte Ratio and Absolute Lymphocyte Count as Predictors of Severity of COVID-19 Patients. *Indonesian Journal of Clinical Pathology and Medical Laboratory*, 2021 March, 27 (2) : 184 - 189
- Sethuraman N., Jeremiah S.S., Ryo A. Interpreting diagnostic tests for SARS-CoV-2. *JAMA*. 2020;323:2249–2251
- S.F. Ahmed, A.A. Quadeer, M.R. McKay, Preliminary identification of potential vaccine targets for the COVID-19 coronavirus (SARS-CoV-2) based on SARS CoV immunological studies, *Viruses* 12 (2020) 254, <https://doi.org/10.3390/v12030254>.
- Sighn Dave, Mathioudakis Alexander G., Higham Andrew. Chronic obstructive pulmonary disease and COVID-19: interrelationships. *Lancet Respir Med*. 2020 Apr; 8(4): e21. doi: 10.1016/S2213-2600(20)30116-8
- Soy M, Keser G, Atagündüz P, Tabak F, Atagündüz I, Kayhan S. Cytokine storm in COVID-19: pathogenesis and overview of anti-inflammatory agents used in treatment. *Clin Rheumatol* 39: 2085–2094, 2020. doi:10.1007/s10067-020-05190-5. 61, 130, 132, 149
- Shukla SD, Mahmood MQ, Weston S, et al.. The main rhinovirus respiratory tract adhesion site (ICAM-1) is upregulated in smokers and patients with chronic airflow limitation (CAL). *Respir Res* 2017; 18:6.

- Stephany, Shum Thomas, Cleveland Heather, R. Challa Suryanarayana, Allison Herring, Francine L. Jacobson, Hiroto Hatabu, Suzanne C. Byrne, Kumar Shashi, Tetsuro Araki, Jose A. Hernandez, Charles S. White. Rydhwana Hossain, Andetta R. Hunsaker, Mark M. Hammer. Determinants of Chest Radiography Sensitivity for COVID19: A Multi-Institutional Study in the United State. *Radiology: Cardiothoracic Imaging* 2021; 2(5):e200337 doi.org/10.1148/ryct.2020200337
- Tahamtan A., Ardebili A. Real-time RT-PCR in COVID-19 detection: issues affecting the results. *Expert Rev Mol Diagn.* 2020;20:453–454
- Tay MZ, Poh CM, Rénia L, MacAry PA, Ng LFP. The trinity of COVID-19: immunity, inflammation and intervention. *Nat Rev Immunol* 20: 363–374, 2020. [doi:10.1038/s41577-020-0311-8](https://doi.org/10.1038/s41577-020-0311-8)
- Udugama B., Kadhiresan P., Kozlowski H.N., Malekjahani A., Osborne M., Li V.Y.C. Diagnosing COVID-19: the disease and tools for detection. *Nano ACS.* 2020;14:3822–3835
- Vaira LA, Salzano G, Fois AG, Piombino P, de Riu G. 2020c. Potential pathogenesis of ageusia and anosmia in COVID19 patients. *Int Forum Allergy Rhinol.* Epub April 27. [doi:10.1002/alr.22593](https://doi.org/10.1002/alr.22593)
- Wang Z, Zhou J, Marshall B, Rekaya R, Ye K, Liu H-X. 2020e. SARS-CoV-2 receptor ACE2 is enriched in a subpopulation of mouse tongue epithelial cells in nongustatory papillae but not in taste buds or embryonic oral epithelium. *ACS Pharmacol Transl Sci* 3(4):749–58. [doi:10.1021/acsptsci.0c00062](https://doi.org/10.1021/acsptsci.0c00062)
- Wei XS, Wang X, Niu YR, Ye LL, Peng WB, Wang ZH, Yang WB, Yang BH, Zhang JC, Ma WL, et al. Diarrhea is associated with prolonged symptoms and viral carriage in COVID-19. *Clin Gastroenterol Hepatol.* 2020; S15423565(20)30526–7
- Williams E., Bond K., Zhang B., Putland M., Williamson D.A. Saliva as a noninvasive specimen for detection of SARS-CoV-2. *J Clin Microbiol.* 2020;58:e0076–20
- Wolfel R., Corman V.M., Guggemos W., Seilmaier M., Zange S., Muller M.A. Virological assessment of hospitalized patients with COVID-2019. *Nature.* 2020;581:465–469
- Wu C, Chen X, Cai Y, et al. Risk factors associated with acute respiratory distress syndrome and death in patients with coronavirus disease 2019 pneumonia in Wuhan, China. *JAMA Intern Med.* 2020;180:934.
- Xu Panyang, Zhou Qi, Xu Jiancheng. Mechanism of thrombocytopenia in COVID-19 patients. *Annals of Hematology* (2020) 99:1205–1208

- Xu X, Chen P, Wang J, Feng J, Zhou H, Li X, Zhong W, Hao P. Evolution of the novel coronavirus from the ongoing Wuhan outbreak and modeling of its spike protein for risk of human transmission. *Sci China Life Sci* 63: 457–460, 2020. doi:10.1007/s11427-020-1637-5.
- Xu Z, Shi L, Wang Y, Zhang J, Huang L, Zhang C, Liu S, Zhao P, Liu H, Zhu L, Tai Y, Bai C, Gao T, Song J, Xia P, Dong J, Zhao J, Wang FS. Pathological findings of COVID-19 associated with acute respiratory distress syndrome. *Lancet Respir Med* 8: 420–422, 2020. doi:10.1016/S2213-2600(20)30076-X.
- Yang Y., Yang M., Shen C., Wang F., Yuan J., Li J. Evaluating the accuracy of different respiratory specimens in the laboratory diagnosis and monitoring the viral shedding of 2019-nCoV infections. *medRxiv*. 2020 preprint. doi: 0.1101/2020.02.11.20021493
- Y. Chen, Q. Liu, D. Guo, Emerging coronaviruses: genome structure, replication, and pathogenesis, *J. Med. Virol.* 92 (2020) 418–423, <https://doi.org/10.1002/jmv.25681>.
- Y.H. Jin, L. Cai, Z.S. Cheng, H. Cheng, T. Deng, Y.P. Fan, et al., A rapid advice guideline for the diagnosis and treatment of 2019 novel coronavirus (2019-nCoV) infected pneumonia (standard version), *Mil. Med. Res.* 7 (2020) 4, <https://doi.org/10.1186/s40779-020-0233-6>.
- Z.D. Guo, Z.Y. Wang, S.F. Zhang, X. Li, L. Li, C. Li, et al., Aerosol and surface distribution of severe acute respiratory syndrome coronavirus 2 in hospital wards, Wuhan, China, *Emerg. Infect. Dis.* 26 (2020) (2020), <https://doi.org/10.3201/eid2607.200885> [Epub ahead of print].
- Zhao W, Zhong Z, Xie X, Yu Q, Liu J. Relation Between Chest CT Findings and Clinical Conditions of Coronavirus Disease (COVID-19) Pneumonia: A Multicenter Study. *AJR Am J Roentgenol* 2020; 214: 1072-1077 [PMID: 32125873 DOI: 10.2214/AJR.20.22976]
- Zhu N., Zhang D., Wang W., Li X., Yang B., Song J., Zhao X., Huang B., Shi W., Lu R., Niu P., Zhan F., Ma X., Wang D., Xu W., Wu G., Gao G.F., Tan W. A novel Coronavirus from patients with Pneumonia in China, 2019. *N. Engl. J. Med.* 2020;382:727–733. doi: 10.1056/NEJMoa2001017.
- Zou X, Chen K, Zou J, Han P, Hao J, Han Z. Single-cell RNA-seq data analysis on the receptor ACE2 expression reveals the potential risk of different human organs vulnerable to 2019-nCoV infection. *Front Med* 14: 185–192, 2020. doi:10.1007/s11684-020-0754-0.

Z.Y. Zu, M.D. Jiang, P.P. Xu, W. Chen, Q.Q. Ni, G.M. Lu, et al., Coronavirus disease 2019 (COVID-19): a perspective from China, Radiology (2020) 200490, <https://doi.org/10.1148/radiol.2020200490>