



## PUSTAKA

- Albrecht, B., Staiger, P.K., Hall, K., Miller, P., Best, D. & Lubman, D.I., 2014, Benzodiazepine use and aggressive behaviour: A systematic review, *Australian and New Zealand Journal of Psychiatry*, 48, 12, 1096–1114.
- Anderson, P.D. & Bokor, G., 2012, Forensic aspects of drug-induced violence, *Journal of Pharmacy Practice*, 25, 1, 41–49.
- Anggoro, P., Genjik, B. & Rustiyarso, 2017, *Faktor Penyebab Penyalahgunaan NAPZA di Kalangan Remaja Instalasi Rehabilitasi Wisma Sirih, Pontianak*.
- Azhar KMS, A., Novyar Satriawan, F., Arfiani Siregar, V. & Apriyanto, M., 2021, PENCEGAHAN, PEMBERANTASAN, PENYALAHGUNAAN, DAN PEREDARAN GELAP NARKOTIKA (P4GN) PADA PESANTREN, *Jurnal Inovasi Penelitian*.
- Badan Narkotika Nasional, 2022, *Indonesia Drugs Report 2022*, PUSAT PENELITIAN, DATA, DAN INFORMASI ADAN NARKOTIKA NASIONAL .
- Brecht, M.L. & Herbeck, D.M., 2013, Methamphetamine use and violent behavior: User perceptions and Predictors, *Journal of Drug Issues*, 43, 4, 468–482.
- Bresin, K., Mekawi, Y., Stevens, J.S., Hinrichs, R., Fani, N., Michopoulos, V. & Powers, A., 2022, From alcohol to aggression: Examining the structure and nomological network of dysregulated behaviors in a trauma-exposed community sample, *Journal of Clinical Psychology*, 78, 6, 1220–1239.
- Chiappini, S., Mosca, A., Miuli, A., Semeraro, F.M., Mancusi, G., Santovito, M.C., di Carlo, F., Pettorusso, M., Guirguis, A., Corkery, J.M., Martinotti, G., Schifano, F. & di Giannantonio, M., 2022, Misuse of Anticholinergic Medications: A Systematic Review, *Biomedicines*, 10, 2.
- Cunha, O., Peixoto, M., Cruz, A.R. & Gonçalves, R.A., *Buss-Perry Aggression Questionnaire: Factor Structure and Measurement Invariance among Portuguese Male Perpetrators of Intimate Partner Violence*,
- Damayanti Saleh, H., Rokhmah, D. & Nafikandini, 2014, *The Phenomenon of Substance Abuse among Adolescents Based on Symbolic Interactionism Theory in Jember Regency* ),
- Dellazizzo, L., Potvin, S., Athanassiou, M. & Dumais, A., 2020, Violence and Cannabis Use: A Focused Review of a Forgotten Aspect in the Era of Liberalizing Cannabis, *Frontiers in Psychiatry*, 11.



- Denson, T.F., Blundell, K.A., Schofield, T.P., Schira, M.M. & Krämer, U.M., 2018, The neural correlates of alcohol-related aggression, *Cognitive, Affective and Behavioral Neuroscience*, 18, 2, 203–215.
- Deputi Bidang Pencegahan BNN RI, 2018, *Awas Narkoba Masuk Desa*, Jakarta.
- Fauziah, I., Mohamad, M.S., Chong, S.T. & Manaf, A.A., 2012, Substance abuse and aggressive behavior among adolescents, *Asian Social Science*, 8, 9, 92–97.
- Ferdiansa, G. & S, N., 2020, Analisis Perilaku Agresif Siswa, *Jurnal Riset Tindakan Indonesia*, 5.
- Gallagher, J.M. & Ashford, J.B., 2016, Buss–Perry Aggression Questionnaire: Testing Alternative Measurement Models With Assaultive Misdemeanor Offenders, *Criminal Justice and Behavior*, 43, 11, 1639–1652.
- Håkansson, A. & Jesionowska, V., 2018, Associations between substance use and type of crime in prisoners with substance use problems &ndash; a focus on violence and fatal violence, *Substance Abuse and Rehabilitation*, Volume 9, 1–9.
- Hyun, J., Han, J., Lee, C., Yoon, M. & Jung, Y., 2021, Pathophysiological aspects of alcohol metabolism in the liver, *International Journal of Molecular Sciences*, 22, 11.
- Indonesia, 1997, *UNDANG-UNDANG REPUBLIK INDONESIA NOMOR 22 TAHUN 1997*, [www.bphn.go.id](http://www.bphn.go.id).
- Jiang, Y., Zhang, T., Kusumanchi, P., Han, S., Yang, Z. & Liangpunsakul, S., 2020, Alcohol metabolizing enzymes, microsomal ethanol oxidizing system, cytochrome P450 2E1, catalase, and aldehyde dehydrogenase in alcohol-associated liver disease, *Biomedicines*, 8, 3.
- Jilani, T.N., Sabir, S. & Sharma, S., 2022, Trihexyphenidyl, *Litt's Drug Eruptions & Reactions Manual*, 603–610. <https://www.ncbi.nlm.nih.gov/books/NBK519488/>, diakses 9 November 2022.
- Katzung, B.G., Masters, S.B. & Trevor, A.J., 2012, *Basic & Clinical Pharmacology*, <http://www.usdoj.gov/dea/pubs/scheduling.html>.
- Khaninah, A.N. & Widjanarko, M., 2016, PERILAKU AGRESIF YANG DIALAMI KORBAN KEKERASAN DALAM PACARAN Anik Nur Khaninah, Mochamad Widjanarko, *Jurnal Psikologi*, 15, 2, 151–160.
- Khizer, U., Shafique, M. & Nawab, S., 2021, The Level of Impulsivity and Aggression among Crystal Meth and Cannabis Users, *Journal of Development and Social Sciences*, 2, IV, 428–439.



- Khusna, M. & Hardianto, B., 2021, *Prodi Hubungan Internasional FISIP UPN "Veteran" Jakarta Kebijakan Indonesia Dalam Penanganan Peredaran Narkoba Di Segitiga Emas Asean Pada Masa Pandemi Covid-19*, <https://bnn.go.id/pengertian-narkoba->
- Kolla, N.J. & Mishra, A., 2018, The endocannabinoid system, aggression, and the violence of synthetic cannabinoid use, borderline personality disorder, antisocial personality disorder, and other psychiatric disorders, *Frontiers in Behavioral Neuroscience*, 12.
- Legas, G., Belete, H. & Asnakew, S., 2022, Prevalence and determinants of aggressive behavior among adults with problematic substance use in Northwest Ethiopia: a cross-sectional survey, *BMC Psychiatry*, 22, 1.
- Li, H., Toth, E. & Cherrington, N.J., 2018, Alcohol metabolism in the progression of human nonalcoholic steatohepatitis, *Toxicological Sciences*, 164, 2, 428–438.
- Liu, M., Pu, L., Liu, T., Zhang, X., Shen, H., Deng, Q., Wang, Y., Li, W., Fu, X., Yang, C., Fang, T., Potenza, M.N. & Hao, W., 2022, Correlates of Aggression in Men With Methamphetamine Use Disorder: Childhood Trauma and Methamphetamine-Use Characteristics, *Frontiers in Psychiatry*, 13.
- Mahal, P., Nishanth, K.N., Mahapatra, A., Sarkar, S. & Balhara, Y.P.S., 2018, Trihexyphenidyl Misuse in Delusional Disorder, *Journal of Neurosciences in Rural Practice*, 9, 3, 428. [/pmc/articles/PMC6050776/](https://pubmed.ncbi.nlm.nih.gov/3540776/), diakses 9 November 2022.
- Malik, S., Manalu, L. & Juniarti, R., 2020, *Legalisasi Ganja Dalam Sektor Medis Perspektif Hukum*, <https://id.wikipedia.org/wiki/Ganja>.
- Mancuso, C.E., Tanzi, M.G. & Gabay, M., 2004, Paradoxical reactions to benzodiazepines: Literature review and treatment options, *Pharmacotherapy*, 24, 9, 1177–1185.
- Mcketin, R., Lubman, D.I., Najman, J.M., Dawe, S., Butterworth, P. & Baker, A.L., 2014, Does methamphetamine use increase violent behaviour? Evidence from a prospective longitudinal study, *Addiction*, 109, 5, 798–806.
- Miczek, K.A., Debold, J.F., Hwa, L.S., Newman, E.L. & de Almeida, R.M.M., 2015, Alcohol and violence: Neuropeptidergic modulation of monoamine systems, *Annals of the New York Academy of Sciences*, 1349, 1, 96–118.
- Nappo, S.A., de Oliveira, L.G., van der Meer Sanchez, Z. & de Araújo Carlini, E., 2005, Trihexyphenidyl (Artane®): A Brazilian study of its abuse, *Substance Use and Misuse*, 40, 4, 473–482.
- Nasution, H.H., Lubis, W.H. & Sudibrata, A., 2013, *PENYALAHGUNAAN NAPZA*,



- Nielsen, S., Bruno, R., Frei, M., Jones, K.A. & Lubman, D.I., 2011, *The source and diversion of pharmaceutical drugs for non-medical use: A review of what we know* View project Supporting partners of individuals with problem AOD use through online counselling View project Violence Benzodiazepines Their role in aggression and why GPs should prescribe with caution, <https://www.researchgate.net/publication/51775603>,.
- Nikolov, R. & Koleva, K., 2021, *Experimental Serotonin Syndrome: Effects of GABAergic Medications and 5-HT 2-Antagonists*, [www.intechopen.com](http://www.intechopen.com),.
- Novita Eleanor, F., 2011, Bahaya Penyalahgunaan Narkoba serta Usaha Pencegahan dan Penanggulangannya, *Jurnal Hukum Fakultas Hukum UNISULLA*, XXV.
- Nurmaya, A., 2016, Penyalahgunaan napza di kalangan remaja (studi kasus pada 2 Siswa di MAN 2 Kota Bima), *Jurnal Psikologi Pendidikan & Konseling*, 2, 26–32. <http://ojs.unm.ac.id/index.php/JPPK>,.
- Park, S.C., Oh, H.S., Tripathi, A., Kallivayalil, R.A., Avasthi, A., Grover, S., Tanra, A.J., Kanba, S., Kato, T.A., Inada, T., Chee, K.Y., Chong, M.Y., Lin, S.K., Sim, K., Xiang, Y.T., Tan, C.H., Javed, A., Sartorius, N., Shinfuku, N. & Park, Y.C., 2019, Cannabis use correlates with aggressive behavior and long-acting injectable antipsychotic treatment in Asian patients with schizophrenia, *Nordic Journal of Psychiatry*, 73, 6, 323–330.
- Paton, C., 2002, Benzodiazepines and disinhibition: A review, *Psychiatric Bulletin*, 26, 12, 460–462.
- Payer, D.E., Lieberman, M.D. & London, E.D., 2011, Neural correlates of affect processing and aggression in methamphetamine dependence, *Archives of General Psychiatry*, 68, 3, 271–282.
- Reyna, C., Lello, M.G., Sanchez, A. & Brussino, S., 2011, *The Buss-Perry Aggression Questionnaire: Construct validity and gender invariance among Argentinean adolescents*,
- Saïas, T. & Gallarda, T., 2008, Réactions d'agressivité sous benzodiazépines : une revue de la littérature, *Encephale*, 34, 4, 330–336.
- Saladino, V., Mosca, O., Petruccelli, F., Hoelzlhammer, L., Lauriola, M., Verrastro, V. & Cabras, C., 2021, The Vicious Cycle: Problematic Family Relations, Substance Abuse, and Crime in Adolescence: A Narrative Review, *Frontiers in Psychology*, 12.
- Soetrisno, Muhammad Trimulya, D. & Riyanto, S., 2014, *HUBUNGAN PEMBELAJARAN KESEHATAN REPRODUKSI REMAJA DENGAN PENGETAHUAN TENTANG NAPZA SISWA SMU DI SURAKARTA*,



- Sokolov, B.P. & Cadet, J.L., 2006, Methamphetamine causes alterations in the MAP kinase-related pathways in the brains of mice that display increased aggressiveness, *Neuropsychopharmacology*, 31, 5, 956–966.
- Sontate, K. v., Rahim Kamaluddin, M., Naina Mohamed, I., Mohamed, R.M.P., Shaikh, M.F., Kamal, H. & Kumar, J., 2021, Alcohol, Aggression, and Violence: From Public Health to Neuroscience, *Frontiers in Psychology*, 12.
- de Sousa Fernandes Perna, E.B., Theunissen, E.L., Kuypers, K.P.C., Toennes, S.W. & Ramaekers, J.G., 2016, Subjective aggression during alcohol and cannabis intoxication before and after aggression exposure, *Psychopharmacology*, 233, 18, 3331–3340.
- Tanjung Aryasa, I.W., Rahayu Artini, N.P., Risky V.A., D.P. & Dwi Hendrayana, I.M., 2019, *KADAR ALKOHOL PADA MINUMAN TUAH DESA SANDA KECAMATAN PUPUAN KABUPATEN TABANAN BALI MENGGUNAKAN METODE KROMATOGRAFI GAS*,
- Valdivia-Peralta, M., Fonseca-Pedrero, E., González-Bravo, L. & Lemos-Giráldez, S., 2014, Propiedades psicométricas de la Escala de Agresividad AQ en estudiantes chilenos, *Psicothema*, 26, 1, 39–46.
- Woro, I., Dan, U., 56, N.A., Hukum, J., Kesehatan, E., Utami, I.W. & Arfiani, N., 2022, *PENGUNAAN GANJA MEDIS DALAM PENGOBATAN RASIONAL DAN PENGATURANNYA DI INDONESIA*,
- Yanti, A., Mursiti, S., Widiarti, N., Nurcahyo, B. & Alauhdin, M., 2019, *Optimalisasi Metode Penentuan Kadar Etanol dan Metanol pada Minuman Keras Oplosan Menggunakan Kromatografi Gas (KG)*, <http://journal.unnes.ac.id/sju/index.php/ijcs>,
- Zahara, S., Roro, R., Fabiani, M., Zahra, T. & Humaedi, S., 2020, *PENYALAHGUNAAN NAPZA DALAM DUNIA ENTERTAINMENT 1*,
- Zhong, S., Yu, R. & Fazel, S., 2020, Drug Use Disorders and Violence: Associations with Individual Drug Categories, *Epidemiologic Reviews*, 42, 1, 103–116.
- Zivari-Rahman, M., Lesani, M. & Shokouhi-Moqaddam, S., 2012, *Comparison of Mental Health, Aggression and Hopefulness between Student Drug-Users and Healthy Students (A Study in Iran)*,



## LAMPIRAN

### Lampiran 1. Hubungan antara riwayat kekerasan dari orang tua semasa anak-anak terhadap penyalahgunaan NAPZA

RiwayatKekerasanORTU * Agresif Crosstabulation			Agresif		Total
			Agresif	NonAgresif	
RiwayatKekerasanORTU	MendapatKekerasan	Count	46	27	73
		Expected Count	45.02.00	27.08.00	73.00.00
	TidakMendapatKekerasan	Count	74	47	121
		Expected Count	74.08.00	46.02.00	121.00.00
Total		Count	120	74	194
		Expected Count	120.00.00	74.00.00	194.00.00

Chi-Square Tests					
	Value	df	Asymptotic Significance (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.067a	1	.796		
Continuity Correction <sup>b</sup>	.011	1	.916		
Likelihood Ratio	.067	1	.796		
Fisher's Exact Test				.879	.459
Linear-by-Linear Association	.066	1	.797		
N of Valid Cases	194				
a 0 cells (.0%) have expected count less than 5. The minimum expected count is 27.85.					
b Computed only for a 2x2 table					
Mantel-Haenszel Common Odds Ratio Estimate					
Estimate			1.082		
ln(Estimate)			.079		
Standard Error of ln(Estimate)			.306		
Asymptotic Significance (2-sided)			.796		
Asymptotic 95% Confidence Interval	Common Odds Ratio	Lower Bound	.594		
		Upper Bound	1.971		
	ln(Common Odds Ratio)	Lower Bound	-.521		
		Upper Bound	.678		

### Lampiran 2. Hubungan antara riwayat kekerasan dari orang tua semasa anak-anak terhadap penyalahgunaan alkohol

RiwayatKekerasanSewaktuAnak * Alkohol Crosstabulation			
Count		Alkohol	
		ya	tidak
RiwayatKekerasanSewaktuAnak	ya	52	35
	tidak	49	65
Total		101	100



Count					
<b>Chi-Square Tests</b>					
	Value	df	Asymptotic Significance (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
<b>Pearson Chi-Square</b>	5.563a	1	.018		
<b>Continuity Correction<sup>b</sup></b>	4.911	1	.027		
<b>Likelihood Ratio</b>	5.591	1	.018		
<b>Fisher's Exact Test</b>				.023	.013
<b>Linear-by-Linear Association</b>	5.535	1	.019		
<b>N of Valid Cases</b>	201				
<p><b>a 0 cells (0.0%) have expected count less than 5. The minimum expected count is 43.28.</b>  <b>b Computed only for a 2x2 table</b></p>					

<b>Mantel-Haenszel Common Odds Ratio Estimate</b>			
Estimate			1.971
In(Estimate)			.678
Standard Error of In(Estimate)			.289
Asymptotic Significance (2-sided)			.019
Asymptotic 95% Confidence Interval	Common Odds Ratio	Lower Bound	1.118
		Upper Bound	3.473
	In(Common Odds Ratio)	Lower Bound	.112
		Upper Bound	1.245

**Lampiran 3.** Hubungan antara riwayat kekerasan dari orang tua semasa anak-anak terhadap penyalahgunaan alprazolam

<b>RiwayatKekerasanSewaktuAnak * Alprazolam Crosstabulation</b>				
Count		Alprazolam		Total
		ya	tidak	
RiwayatKekerasanSewaktuAnak	ya	8	79	87
	tidak	3	111	114
Total		11	190	201
<b>Chi-Square Tests</b>				



	Value	df	Asymptotic Significance (2- sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	4.109a	1	.043		
Continuity Correction <sup>b</sup>	2.939	1	.086		
Likelihood Ratio	4.136	1	.042		
Fisher's Exact Test				.059	.043
Linear-by-Linear Association	4.089	1	.043		
N of Valid Cases	201				

a 1 cells (25.0%) have expected count less than 5. The minimum expected count is 4.76.  
 b Computed only for a 2x2 table

**Mantel-Haenszel Common Odds Ratio Estimate**

Estimate			3.747
ln(Estimate)			1.321
Standard Error of ln(Estimate)			.693
Asymptotic Significance (2-sided)			.057
Asymptotic 95% Confidence Interval	Common Odds Ratio	Lower Bound	.964
		Upper Bound	14.568
	ln(Common Odds Ratio)	Lower Bound	-.037
		Upper Bound	2.679

**Lampiran 4.** Analisis multivariat hubungan antara pemakaian NAPZA dan jenis-jenisnya dengan kemunculan agresi setelah diprovokasi verbal

<b>Variables not in the Equation</b>					
	Variables		Score	df	Sig.
Step 0		Alkohol	3.627	1	.057
		Alprazolam	1.689	1	.194
		Metamfetamin	6.969	1	.008
		THPKoplo	1.355	1	.244
		Ganja	10.226	1	.001
	Overall Statistics		20.601	5	.001

  

<b>Model Summary</b>				<b>Model Summary</b>
Step	-2 Log likelihood	Cox & Snell R Square	Nagelkerke R Square	Step



1	253.009a	.115	.153	1
---	----------	------	------	---

**Variables in the Equation**

		B	S.E.	Wald	df	Sig.	Exp(B)	95% C.I.for EXP(B)	
								Lower	Upper
Step 1a	Alkohol	.513	.300	2.919	1	.088	1.671	.927	3.010
	Alprazolam	1.089	.700	2.418	1	.120	2.971	.753	11.721
	Metamfetamin	1.425	.671	4.513	1	.034	4.156	1.117	15.470
	THPKoplo	-.866	1.173	.544	1	.461	.421	.042	4.197
	Ganja	2.584	1.058	5.962	1	.015	13.250	1.665	105.436
	Constant	-9.117	3.844	5.626	1	.018	.000		

a Variable(s) entered on step 1: Alkohol, Alprazolam, Metamfetamin, THPKoplo, Ganja.

**Lampiran 5. Analisis multivariat hubungan antara pemakaian NAPZA dan jenis-jenisnya dengan kemunculan agresi setelah diprovokasi fisik**

**Variables not in the Equation**

Step 0	Variables		Score	df	Sig.
	Alprazolam	1.737	1	.188	
	Metamfetamin	8.305	1	.004	
	THPKoplo	.245	1	.621	
	Ganja	3.843	1	.050	
	Overall Statistics	19.489	5	.002	

**Model Summary**

Step	-2 Log likelihood	Cox & Snell R Square	Nagelkerke R Square
1	240.859a	.111	.152

a Estimation terminated at iteration number 6 because parameter estimates changed by less than .001.

**Variables in the Equation**

		B	S.E.	Wald	df	Sig.	Exp(B)	95% C.I.for EXP(B)	
								Lower	Upper
Step 1a	Alkohol	.798	.312	6.542	1	.011	2.222	1.205	4.096
	Alprazolam	1.237	.808	2.343	1	.126	3.445	.707	16.784
	Metamfetamin	2.346	1.052	4.977	1	.026	10.449	1.330	82.103
	THPKoplo	1.047	1.180	.788	1	.375	2.850	.282	28.791
	Ganja	1.407	.804	3.066	1	.080	4.084	.845	19.732
	Constant	-13.554	4.054	11.179	1	.001	.000		

a Variable(s) entered on step 1: Alkohol, Alprazolam, Metamfetamin, THPKoplo, Ganja.

**Lampiran 6. Analisis multivariat hubungan antara pemakaian NAPZA dan jenis-jenisnya dengan tingkat agresifitas BPAQ**



<b>Variables not in the Equation</b>					
Step 0	Variables		Score	df	Sig.
		Alkohol	.043	1	.836
		Alprazolam	3.563	1	.059
		Metamfetamin	1.363	1	.243
		THPKoplo	1.177	1	.278
		Ganja	.765	1	.382
	Overall Statistics		7.460	5	.189

<b>Model Summary</b>			
Step	-2 Log likelihood	Cox & Snell R Square	Nagelkerke R Square
1	205.961a	.038	.058

a Estimation terminated at iteration number 20 because maximum iterations has been reached. Final solution cannot be found.

<b>Variables in the Equation</b>								
		B	S.E.	Wald	df	Sig.	Exp(B)	95% C.I. for EXP(B) Lower Upper
Step 1a	Alkohol	.150	.347	.187	1	.665	1.162	.589 2.295
	Alprazolam	-1.158	.637	3.302	1	.069	.314	.090 1.095
	Metamfetamin	-.817	.553	2.180	1	.140	.442	.149 1.307
	THPKoplo	19.908	20.089.031	.000	1	.999	##### #	.000 .
	Ganja	.791	.801	.976	1	.323	2.206	.459 10.596
	Constant	-39.009	40.178.063	.000	1	.999	.000	

a Variable(s) entered on step 1:  
 Alkohol, Alprazolam,  
 Metamfetamin, THPKoplo,  
 Ganja.

**Lampiran 7.** Analisis multivariat hubungan antara pemakaian NAPZA dan jenis-jenisnya dengan komponen fisik BPAQ

<b>Variables not in the Equation</b>					
Step 0	Variables		Score	df	Sig.
		Alkohol	.151	1	.698
		Alprazolam	.022	1	.883
		Metamfetamin	.130	1	.719
		THPKoplo	.067	1	.796
		Ganja	.000	1	.992
	Overall Statistics		.332	5	.997



<b>Model Summary</b>									
Step	-2 Log likelihood	Cox & Snell R Square	Nagelkerke R Square						
1	200.272a	.002	.003						
a Estimation terminated at iteration number 4 because parameter estimates changed by less than .001.									

  

<b>Variables in the Equation</b>		B	S.E.	Wald	df	Sig.	Exp(B)	95% C.I. for EXP(B)	
								Lower	Upper
Step 1a	Alkohol	.119	.357	.111	1	.739	1.126	.560	2.265
	Alprazolam	.123	.807	.023	1	.879	1.130	.233	5.495
	Metamfetamin	.224	.673	.111	1	.739	1.251	.335	4.676
	THPKoplo	-.248	1.175	.045	1	.833	.780	.078	7.800
	Ganja	-.049	.683	.005	1	.943	.952	.250	3.631
	Constant	-1.655	3.505	.223	1	.637	.191		
a Variable(s) entered on step 1: Alkohol, Alprazolam, Metamfetamin, THPKoplo, Ganja.									

**Lampiran 8.** Analisis multivariat hubungan antara pemakaian NAPZA dan jenis-jenisnya dengan respon agresi terprovokasi verbal

<b>Variables not in the Equation</b>			Score	df	Sig.
Step 0	Variables	Alkohol	3.627	1	.057
		Alprazolam	1.689	1	.194
		Metamfetamin	6.969	1	.008
		THPKoplo	1.355	1	.244
		Ganja	10.226	1	.001
	Overall Statistics		20.601	5	.001

  

<b>Model Summary</b>				
Step	-2 Log likelihood	Cox & Snell R Square	Nagelkerke R Square	
1	253.009a	.115	.153	
a Estimation terminated at iteration number 6 because parameter estimates changed by less than .001.				

  

<b>Variables in the Equation</b>	
----------------------------------	--



		B	S.E.	Wald	df	Sig.	Exp(B)	95% C.I.for EXP(B)	
								Lower	Upper
Step 1a	Alkohol	.513	.300	2.919	1	.088	1.671	.927	3.010
	Alprazolam	1.089	.700	2.418	1	.120	2.971	.753	11.721
	Metamfetamin	1.425	.671	4.513	1	.034	4.156	1.117	15.470
	THPKoplo	-.866	1.173	.544	1	.461	.421	.042	4.197
	Ganja	2.584	1.058	5.962	1	.015	13.250	1.665	105.436
	Constant	-9.117	3.844	5.626	1	.018	.000		

a Variable(s) entered on step 1: Alkohol, Alprazolam, Metamfetamin, THPKoplo, Ganja.

**Lampiran 9.** Analisis multivariat hubungan antara pemakaian NAPZA dan jenis-jenisnya dengan respon agresi terprovokasi fisik

Variables not in the Equation					
			Score	df	Sig.
Step 0	Variables	Alkohol	7.216	1	.007
		Alprazolam	1.737	1	.188
		Metamfetamin	8.305	1	.004
		THPKoplo	.245	1	.621
		Ganja	3.843	1	.050
	Overall Statistics		19.489	5	.002

Model Summary			
Step	-2 Log likelihood	Cox & Snell R Square	Nagelkerke R Square
1	240.859a	.111	.152

a Estimation terminated at iteration number 6 because parameter estimates changed by less than .001.

Variables in the Equation									
		B	S.E.	Wald	df	Sig.	Exp(B)	95% C.I.for EXP(B)	
								Lower	Upper
Step 1a	Alkohol	.798	.312	6.542	1	.011	2.222	1.205	4.096
	Alprazolam	1.237	.808	2.343	1	.126	3.445	.707	16.784
	Metamfetamin	2.346	1.052	4.977	1	.026	10.449	1.330	82.103
	THPKoplo	1.047	1.180	.788	1	.375	2.850	.282	28.791
	Ganja	1.407	.804	3.066	1	.080	4.084	.845	19.732
	Constant	-	4.054	11.179	1	.001	.000		

a Variable(s) entered on step 1: Alkohol, Alprazolam, Metamfetamin, THPKoplo, Ganja.