

DAFTAR PUSTAKA

- Aguilera, M., Arias, B., Wichers, M., Barrantes, V.N., Moya, J., Villa, H., *et al.*, 2009. Early adversity and 5-HTT/BDNF genes: New evidence of gene-environment interactions on depressive symptoms in a general population. *Psychol. Med.* 39(9):1425–1432.
- Anand, K., Dhikav, V., 2012. Hippocampus in health and disease: *Ann. Indian. Acad. Neurol.* 15(4):239–246.
- Andersen, P., Morris, R., Amaral, D., Bliss, T., O’Keefe, J., The hippocampus book. Oxford: Oxford UP. 2007
- Arfian, N., Budiharjo, S., Wibisono, D.P., Setyaningsih, W.A.W., Romi, M.M., Saputri, R.L.A.A.W., *et al.*, 2020. Vitamin D Ameliorates Kidney Ischemia Reperfusion Injury via Reduction of Inflammation and Myofibroblast Expansion. *Kobe J Med Sci.* 65(4):138-143.
- Arfian, N., Kusuma, M.H.H., Anggorowati, N., Nugroho, D.B., Jeffilano, A., Suzuki, Y., *et al.*, 2018. Vitamin D upregulates endothelin-1, ETBR, eNOS mRNA expression and attenuates vascular remodelling and ischemia in kidney fibrosis model in mice. *Physiol.* 67:137–147.
- Arfian, N., Muflikhah, K., Soeyono, S.K., Sari, D.C., Tranggono, U., Anggorowati, N. *et al.*, 2016. Vitamin D Attenuates Kidney Fibrosis via Reducing Fibroblast Expansion, Inflammation, and Epithelial Cell Apoptosis. *Kobe J Med Sci.* 5:62(2):38-44.
- Awooda, H.A., 2019. Pathophysiology of Cerebral Ischemia: Role of Oxidative/Nitrosative Stress. *J. Biosci. Med.* 07(03):20–28.
- Barouch, R.; Appel, E.; Kazimirsky, G.; Brodie, C., 2001. Macrophages express neurotrophins and neurotrophin receptors. *J. Neuroimmunol.* 112:72 77.
- Bikle, D., 2009. Nonclassic actions of vitamin D. *J. Clin Endocrinol. Metab.* 94(1):26–34.
- Bono, F., Lamarche, I., Bornia, J., Savi, P., Valle, G., Della, H.J.M., 1999. Nerve growth factor (NGF) exerts its pro-apoptotic via the P75 NTR receptor in a cell cycle-dependent manner. *FEBS Lett.* 457:93–97
- Budni, J., Tatiani, B.S., Francielle M., F., Garcez, M.L., Zugno, A.I., 2015. The involvement of BDNF, NGF and GDNF in aging and Alzheimer’s disease. *Aging. Dis.* 6(5):331–341.
- Bear, M.F., Barry W., Connors., Michael, A.P., 2016. Neuroscience: Exploring the Brain surveys the organization and function of the human nervous system. *WKL.* 21:20-16.
- Bye, C.M., Hong, N.S., Moore, K., Deibel, S.H., McDonald, R.J., 2019. The effects of pool shape manipulations on rat spatial memory acquired in the Morris water maze. *Learn. Behav.* 47(1):29–37.
- Center of Disease Control and Prevention (CDC). 2018. Stroke Signs and Symptoms. Diambil dari: https://www.cdc.gov/stroke/signs_symptoms .htm. Diakses tanggal 01 januari 2023.
- Calabrese, F., Guidotti, G., Racagni, G., Riva, M.A., 2013. Reduced neuroplasticity in aged rats: A role for the neurotrophin brain-derived

- neurotrophic factor. *Neurobiol. Aging*. 34(12):2768–2776.
- Campbell, B.C.V., De Silva, D.A., Macleod, M.R., Coutts, S.B., Schwamm, L.H., *et al.*, 2019. Ischaemic stroke. *Nat. Rev. Dis. Pri.* 5(1):70-92.
- Carolina, L.M.L., Rolando, C.A., David, R.C.J., Horacio, D.J.S., 2020. Challenges and improvements of developing an ischemia mouse model through bilateral common carotid artery occlusion. *j. stroke. cerebrovas. dis.* 29(5):1–13.
- Chamorro, Á., Dirnagl, U., Urra, X., Planas, A. M., 2016. Neuroprotection in acute stroke: targeting excitotoxicity, oxidative and nitrosative stress, and inflammation. *Lanc. Neurol.* 15:869–881.
- Chao, M.V., 2003. Neurotrophins and their receptors: A convergence point for many signalling pathways. *Nat. Rev. Neurosci.* 4:299–309.
- Cheng, Z., Zheng, Y.Z., Li, Y.Q., Wong, C.S., 2017. Cellular senescence in mouse hippocampus after irradiation and the role of p53 and p21. *J. Neuropathol. Exp. Neurol.* 76(4):260–269.
- Conner, J.M., Franks, K.M., Titterness, A.K., Russell, K., Merrill, D.A., Christie, B.R., *et al.*, 2009. NGF is essential for hippocampal plasticity and learning. *J. Neurosci.* 29(35):10883–10889.
- Connie W.T., 2021. Heart Disease and Stroke statistic-Thr report :A report from the A mrican heart associaton. *J Am Heart Assoc.* 10:1-5.
- Cooke, N.E., Haddad, J.G., 1989. Vitamin d binding protein (gc-globulin). *Endocr. Rev.* 10(3):294–307.
- Coppé, J.P., Rodier, F., Patil, C.K., Freund, A., Desprez, P.Y., Campisi, J., 2011. Tumor suppressor and aging biomarker p16 INK4a induces cellular senescence without the associated inflammatory secretory phenotype. *J. Biol. Chem.* 286(42):36396–36403.
- Curdt, N., Schmitt, F.W., Bouter, C., Iseni, T., Weile, H.C., Altunok, B., *et al.*, 2022. Search strategy analysis of Tg4 - 42 Alzheimer Mice in the Morris Water Maze reveals early spatial navigation deficits. *Sci. Rep.* 1–14.
- Davalli, P., Mitic, T., Caporali, A., Lauriola, A., D'Arca, D., 2016. ROS, Cell Senescence, and novel molecular mechanisms in aging and age-related diseases. *Oxid. med. cell. longev.* 35:65127.
- Deluca, G.C., Kimball, S.M., Kolasinski, J., Ramagopalan, S. V., Ebers, G.C., 2013. Review: The role of vitamin D in nervous system health and disease. *Neuropathol. App. Neurobiol.* 39(5):458–484.
- Debette, S., Seshadri, S., Beiser, A., Au, R., Himali, J.J., Palumbo, C., *et al.*, 2011. Midlife vascular risk factor exposure accelerates structural brain aging and cognitive decline. *Neurol.* 77(5):461–468.
- De, J.C.A., Oulhaj, A., Jacoby, R., Refsum, H., Smith, A.D., 2012. Cognitive and clinical outcomes of homocysteine-lowering B-vitamin treatment in mild cognitive impairment: A randomized controlled trial. *Int. J. Geriatr. Psychiatry.* 27(6):592–600.
- Dominguez, L.J., Farruggia, M., Veronese, N., Barbagallo, M., 2021 Vitamin D Sources, Metabolism, and Deficiency: Available Compounds and Guidelines for Its Treatment. *Metabolism.* 11(4):255.
- Duvernoy, H.M., The human hippocampus functional anatomy, vascularization,

- and serial sections with MR. ed. New York: Springer-Verlag Berlin Hiedelborg, 2005.
- Eichenbaum, H., 2017. Prefrontal–hippocampal interactions in episodic memory. *Nat Rev Neurosci* 18:547–558.
- Emilio, S.D., Estefani, Y., Hernández-Cruz., José, P.C., 2022. The role of vitamin D on redox regulation and cellular senescence Abbreviations. *Free Radical Biol. Med.* 193:253–273.
- Eriksdotter, J.M., Linderöth, B., Lind, G., Aladellie, L., Almkvist, O., Andreasen, N., *et al.*, 2012. Encapsulated cell biodelivery of nerve growth factor to the basal forebrain in patients with Alzheimer’s disease. *Dement. Geriatr. Cogn. Disord.* 33:18–28.
- Eyles, D.W., Smith, S., Kinobe, R., Hewison, M., McGrath, J.J., 2005. Distribution of the Vitamin D receptor and 1 α -hydroxylase in human brain. *J. Chem. Neuroanat.* 29:21–30.
- Evilia, W., Ayu, A., Wahyuni, S., Aju, I., Wardani, K., Gede, I.W., *et al.*, 2023. Effect of probiotics as adjuvant therapy of antidepressants in male Wistar rats with anhedonia behavior. *JPS.* 12(2):1334–1341.
- Fagagna, D.D.F., 2008. Living on a break: Cellular senescence as a DNA-damage response. *Nat. Rev. Cancer.* 8(7):512–522.
- Feigin, V.L., Brainin, M., Norrving, B., Martins, S., Sacco, R.L., Hacke, W., *et al.*, 2022. World Stroke Organization (WSO): Global Stroke Fact Sheet 2022. *Int J Stroke.* 17(1):18-29.
- Fields, J., Dumaop, W., Langford, T.D., Rockenstein, E., Masliah, E., 2014. Role of Neurotrophic Factor alterations in the neurodegenerative process in HIV associated neurocognitive disorders. *J. Neuroimmune Pharmacol.* 9:102.
- Fitzgerald, A.L., Osman, A.A., Xie, T.X., Patel, A., Skinner, H., Sandulache, V., *et al.*, 2015. Reactive oxygen species and p21Waf1/Cip1 are both essential for p53-mediated senescence of head and neck cancer cells. *Cell Death. Dis.* 6(3):1–10.
- Fluri, F., Schuhmann, M.K., Kleinschnitz, C., 2015. Animal models of ischemic stroke and their application in clinical research. *Drug Des. Dev. Ther.* 9:3445–3454.
- Frielingsdorf, H., Simpson, D.R., Thal, L.J., Pizzo, D.P., 2007. Nerve growth factor promotes survival of new neurons in the adult hippocampus. *Neurobiol. Dis.* 26(1):47–55.
- Frisoni, G.B., Fox, N.C., Jack, C.R., Scheltens, P., Thompson, P.M., 2010. The clinical use of structural MRI in Alzheimer disease. *Nat. Rev. Neurol.* 6(2):67–77.
- Gáll, Z., Székely, O., 2021. Role of vitamin d in cognitive dysfunction: New molecular concepts and discrepancies between animal and human findings. *Nutrients.* 13:36-72.
- Gehring, T.V., Luksys, G., Sandi, C., Vasilaki, E., 2015. Detailed classification of swimming paths in the Morris Water Maze : multiple strategies within one trial. *Nat. Pub. Group.* 1–15.
- Gezen-Ak, D., Dursun, E., Yilmazer, S., 2014. Hippokampal nöronlardaki sinir büyüme faktörü (NGF) salı{dotless}ni{dotless}mi{dotless} üzerine vitamin

- D'nin etkisi. *Noropsikiyatri Arsivi* 51(2):157–162.
- Haines, D.E., & Mihailoff, G.A. *Fundamental Neuroscience for Basic and Clinical Applications*, Ed. 5th. Elsevier Inc. 2018.
- Handayani, E.S., Nurmasitoh, T., Akhmad, S.A., Fauziah, A.N., Rizani, R., Rahmawati, R.Y., *et al.*, 2018. Effect of BCCAO duration and animal models sex on brain ischemic volume after 24 hours reperfusion. *Bangladesh J. Med. Sci.* 17(1):129–137.
- Hartley, T., Lever, C., Burgess, N., O'Keefe, J., 2014. Space in the brain: How the hippocampal formation supports spatial cognition. *Phil. Trans. R. Soc. B, Biol. Sci.* 369:1635.
- Hermawati, E.R.Y., Arfian, N., Mustofa, M., Partadiredja, G., 2018. Spatial memory disturbance following transient brain ischemia is associated with vascular remodeling in hippocampus. *Kobe J. Med. Sci.* 64(3):93–106.
- Higaki, A., Mogi, M., Iwanami, J., Min, L.J., Bai, H.Y., Shan, B.S., *et al.*, 2018. Predicting outcome of Morris water maze test in vascular dementia mouse model with deep learning. *PLoS ONE*. 13(2):1–12.
- Hockenbery, H., Oltvai, Z., Yin, X., Millman, C., Korsmeyer, S., 1993. Bcl-2 functions in an antioxidant pathway to prevent apoptosis. *Cell*. 75(2):241–51.
- Huang, E.J., & Reichardt, L.F., 2001. Neurotrophins: Roles in neuronal development and function. *Annu. Rev. Neurosci.* 24:677–736.
- Ibi, M., Sawada, H., Nakanishi, M., Kume, T., Katsuki, H., Kaneko, S., *et al.*, 2001. Protective effects of 1 alpha, 25-(OH)(2)D(3) against the neurotoxicity of glutamate and reactive oxygen species in mesencephalic culture. *Neuropharmacology*. 40(6):761–71
- Inagaki, T., & Etgen, A.M., 2013. Neuroprotective action of acute estrogens: animal models of brain ischemia and clinical implications. *Steroids*. 78: 597–606.
- Ito, H.T., & Schuman, E.M., 2012. Functional division of hippocampal area CA1 via modulatory gating of entorhinal cortical inputs. *Hippocampus*. 22(2):372–387.
- Ittel, M.E., Baas, D., Pru, K., 2000. Rat Oligodendrocytes Express the Vitamin D3 Receptor and Respond to 1,25-Dihydroxyvitamin D3. *Neurosci. Lett.* 68(3):59–68.
- Jung, J.E., Kim, G.S., Chen, H., Maier, C.M., Narasimhan, P., Song, Y.S., *et al.*, 2010. Reperfusion and neurovascular dysfunction in stroke: from basic mechanisms to potential strategies for neuroprotection. *Mol Neurobiol.* 41: 172–9.
- Kalogeris, T., Bao, Y., Korthuis, R. J., 2014. Mitochondrial reactive oxygen species: a double edged sword in ischemia/reperfusion vs preconditioning. *Redox Biol.* 2: 702–14
- Kandel, E.R., Squire, L.R., 2001. Neuroscience: Breaking down scientific barriers to the study of brain and mind. *Ann. New York Acad. Sciences.* 935:118–135.
- Kerr, K.M., Agster, K.L., Furtak, S.C., Burwell, R.D., 2007. Functional Neuroanatomy of the Parahippocampal Region: The Lateral and Medial Entorhinal Areas. *Wiley-Liss. Inc.* 708:697–708.

- Khairy, E.Y., Attia, M.M., 2021. Protective effects of vitamin D on neurophysiologic alterations in brain aging: role of brain-derived neurotrophic factor (BDNF). *Nutr. Neurosci.* 24(8):650–659.
- Kim, B., Ahn, J.H., Kim, D.W., Lee, T.K., Kim, Y.S., Shin, M.C., *et al.*, 2021. Transient forebrain ischemia under hyperthermic condition accelerates memory impairment and neuronal death in the gerbil hippocampus by increasing NMDAR1 expression. *Mol. med. rep.*, 23(4):256.
- Kiraly, S.J., Kiraly, M.A., Hawe, R.D., Makhani, N., 2006. Vitamin D as a neuroactive substance: *Rev. Sci. World J.* 6:125–139.
- Kjonigsen, L.J., Leergaard, T.B., Witter, M.P., Bjaalie, J.G., 2011. Digital atlas of anatomical subdivisions and boundaries of the rat hippocampal region. *Front. Neuroinform.* 5:1–7.
- Kovalenko, T., Osadchenko, I., Nikonenko, A., Lushnikova, I., Voronin, K., Nikonenko, I., Muller, D., Skibo, G., 2006. Ischemia-induced modifications in hippocampal CA1 stratum radiatum excitatory synapses. *Hippocampus.* 16: 814-25.
- Kumar, A., Pareek, V., Faiq, M.A., Kumar, P., Raza, K., Prasoon, P., *et al.*, 2017. Regulatory role of NGFs in neurocognitive functions. *Rev. Neurosci.* 28:649–673.
- Lason, W., Jantas, D., Leskiewicz, M., Regulska, M., Basta-Kaim, A., 2022. Vitamin D3 and ischemic stroke: a narrative review. *antioxidants.* 11:1–28.
- Lakhan, S. E., Kirchgessner, A., Hofer., M., 2009. Inflammatory mechanisms in ischemic stroke: therapeutic approaches. *J. trans. med.* 7-97
- Landfield, P.W., & Cadwallader-Neal, L., 1998. Long-term treatment with calcitriol (1,25(OH) 2 vit D3) retards a biomarker of hippocampal aging in rats. *Neurobiol Aging.* 19(5): 469-77.
- Landel, V., Annweiler, C., Millet, P., Morello, M., Feron, F., 2016. Vitamin D, Cognition and Alzheimer's Disease: The Therapeutic Benefit is in the D-Tails. *J. Alzheimers. Dis.* 53(2):419–444.
- Latimer, C.S., Brewer, L.D., Searcy, J.L., Chen, K., Popovi, J., *et al.*, 2014. Vitamin D prevents cognitive decline and enhances hippocampal synaptic function in aging rats. *Proc. Natl. Acad. Sci. USA.* 111(41):4359–4366.
- Lee, S.J., Baek, J.H., Kim, Y.H., 2015. Brain-derived Neurotrophic Factor Is Associated with Cognitive Impairment in Elderly Korean Individuals. *Clin. Psychopharm. Neurosci.* 13:283.
- Lee, E., Son, H., 2009. Adult hippocampal neurogenesis and related neurotrophic factors. *BMB Rep.* 42:239–244.
- León-Moreno, L.C., Castañeda-Arellano, R., Rivas-Carrillo, J.D., Dueñas-Jiménez, S.H., 2020. Challenges and Improvements of Developing an Ischemia Mouse Model Through Bilateral Common Carotid Artery Occlusion. *J. Stroke Cerebrovas Dis.* 29(5):1-13.
- Lin, A.M.Y., Fan, S.F., Yang, D.M., Hsu, L.L., Yang, C.H.J., 2003. Zinc-induced apoptosis in substantia nigra of rat brain: neuroprotection by vitamin D3. *Free Radic Biol Med.* 34(11):16-25.
- Lin, L., Wang, X., Yu, Z., 2016. Ischemia-reperfusion Injury in the Brain: Mechanisms and Potential Therapeutic Strategies. *Biochem. Pharmacol.*

5(4):1–16.

- Lupo, G., Gaetani, S., Cacci, E., Biagioni, S., Negri, R., 2019. Molecular Signatures of the Aging Brain: Finding the Links Between Genes and Phenotypes. *Neurotherapeutics*. 16(3):543–553.
- Madduri, S., Papaloizos, M., Gander, B., 2009. Synergistic effect of GDNF and NGF on axonal branching and elongation in vitro. *Neuroscience Research* 65(1):88–97.
- Markham, A., Cameron, I., Bains, R., Franklin, P., Kiss, J.P., Schwendimann, L., et al., 2012. Brain-derived neurotrophic factor-mediated effects on mitochondrial respiratory coupling and neuroprotection share the same molecular signalling pathways. *Eur J Neurosci* 35(3):366–74.
- Martínez-Cué, C., & Rueda, N., 2020. Cellular Senescence in Neurodegenerative Diseases. *Front. Cell. Neurosci.* 14:16.
- Martínez-Miguel, P., Valdivielso, J.M., Medrano-Andrés, D., Román-García, P., Cano-Peñalver, J.L., Rodríguez-Puyol, M., et al., 2014. The active form of vitamin D, calcitriol, induces a complex dual upregulation of endothelin and nitric oxide in cultured endothelial cells. *Am. J. Physiol. Endocrinol. Metab.* 307(12):1085–1096
- Mehri, N., Haddadi, R., Ganji, M., Shahidi, S., Soleimani A.S., Taheri Azandariani, M., et al., 2020. Effects of vitamin D in an animal model of Alzheimer's disease: Behavioral assessment with biochemical investigation of Hippocampus and serum. *Metab. Brain Dis.* 35:263–274.
- Mehta, S.L., Manhas, N., Raghubir, R., 2007. Molecular targets in cerebral ischemia for developing novel therapeutics. *Brain Res Rev.* 54: 34-66.
- Ming, G., Song, H., 2011. Adult neurogenesis in the mammalian brain: Significant answers and significant questions. *Neuron* 70:687–702.
- Moghaddasi, M., Taati, M., Asadian, P., Khalatbary, A.R., Asaei, R., Pajouhi, N., et al., 2017. The effects of two-stage carotid occlusion on spatial memory and pro-inflammatory markers in the hippocampus of rats. *J. Physiol. Sci.* 67(3):415-423.
- Mohr, J.P., Wolf, P.A., Grotta, J.C., Moskowitz, M.A., Mayberg, M., von Kummer, R., 2011. Stroke: Pathophysiology, Diagnosis, and Management. 5th edn. Elsevier, Philadelphia
- Movassaghi, S., Nadia S.Z., Soleimani, M., Joghataii, M.T., Hashemi, M., Shafaroodi, H., 2012. Effect of Pentoxifylline on Ischemia- induced Brain Damage and Spatial Memory Impairment in Rat. *Iran J Basic Med Sci.* 15: 1083-90.
- Muñoz-Espín, D., & Serrano, M., 2014. Cellular senescence: From physiology to pathology. *Nat. Rev. Mol. Cell Biol.* 15(7):482–496.
- Nade, V.S., Kawale, L.A., Dwivedi, S., Yadav, A.V., 2010. Neuroprotective effect of Hibiscus rosa sinensis in an oxidative stress model of cerebral post-ischemic reperfusion injury in rats. *Pharm Biol.* 48(4):822–827.
- Naveilhan, P., Neveu, I., Baudet, C., Funakoshi, H., Wion, D., Brachet, P., 1996. 1,25-Dihydroxyvitamin D3 regulates the expression of the low-affinity neurotrophin receptor. *Brain Res Mol Brain Res.* 41:259–268.
- Nikonenko, A.G., Radenovic, L., Andjus, P.R., Skibo, G.G., 2009. Structural

- features of ischemic damage in the hippocampus. *Anat Rec.* 292: 1914-21.
- Patel, P., Shah, J., 2022. Vitamin - D 3 supplementation ameliorates cognitive impairment and alters neurodegenerative and inflammatory markers in scopolamine induced rat model. *Metab Brain Dis.* 2653–2667.
- Pilz, S., Zittermann, A., Trummer, C., Theiler-Schwetz, V., Lerchbaum, E., Keppel, M.H., et al., 2019. Vitamin D testing and treatment: a narrative review of current evidence. *Endocr Connect.* 8(2):27-43.
- Pitts, A.F., Miller, M.W., 2000. Expression of nerve growth factor, brain-derived neurotrophic factor, and neurotrophin-3 in the somatosensory cortex of the mature rat: coexpression with high-affinity neurotrophin receptors. *J. Comp. Neurol.* 418:241–54.
- Purves, D., George, J.A., David, F., William, C.H., Anthony-Samuel, L.R.D.M., Michael, L.P., et.al., *Neuroscience*. 6th Ed. New York: Sinauer Associates, 2018
- Qian, J., Wang, X., Cao, J., Zhang, W., Lu, C., et al., 2021. Dihydromyricetin attenuates D-galactose-induced brain aging of mice via inhibiting oxidative stress and neuroinflammation. *Neurosci. Lett.* 756:135-963.
- Rafieva, L.M., Gasanov, E.V., 2016. Neurotrophin propeptides: biological functions and molecular mechanisms. *Curr Protein Pept Sci.* 17:298–305.
- Rastegar-Moghaddam, S.H., Hosseini, M., Alipour, F., Rajabian, A., Ebrahimzadeh Bideskan, A., 2022. The effects of vitamin D on learning and memory of hypothyroid juvenile rats and brain tissue acetylcholinesterase activity and oxidative stress indicators. *Naunyn-Schmiedeb. Arch. Pharmacol.* 395(3):337–351.
- Reddy, P.H., 2009. Amyloid beta, mitochondrial structural and functional dynamics in Alzheimer's disease. *Exp. Neurol.* 218(2):286–292.
- Rodriguez, M., Martinez-Moreno, J.M., Rodríguez-Ortiz, M.E., Munoz-Castaneda, J.R., Almaden, Y., 2011. Vitamin D and vascular calcification in chronic kidney disease. *Kidney Blood Press. Res.* 34(4):261-268.
- Rosenzweig, E.S., Barnes, C.A., 2003. Impact of aging on hippocampal function: Plasticity, network dynamics, and cognition. *Prog. Neurobiol.* 69(3):143-179
- Salama, R., Sadaie, M., Hoare, M., Narita, M., 2014. Cellular senescence and its effector programs. *Genes Dev.* 28(2):99–114.
- Salminen, A., Anu, K., Kai, K., 2012. Emerging role of NF-κB signaling in the induction of senescence-associated secretory phenotype (SASP), Cellular Signalling. *Mol Neurobiol.* 24(4): 835-845.
- Sanderson, T.H., Reynolds, C.A., Kumar, R., Przyklenk, K., Huttemann, M., 2013. Molecular mechanisms of ischemia-reperfusion injury in brain: pivotal role of the mitochondrial membrane potential in reactive oxygen species generation. *Mol Neurobiol.* 47: 9-23.
- Sasi, N., Hwang, M., Jaboin, J., Csiki, I., Lu, B., 2009. Regulated cell death pathways: new twists in modulation of BCL2 family function. *Mol Cancer Ther.* 8(9): 14-21.
- Sherwood L. Fisiologi Manusia dari Sel ke Sistem. Ed 8. Jakarta: EGC; 2016: 182-3
- Shi, S., Shao, S., Yuan, B., Pan, F. and Li, Z., 2010 Acute stress and chronic stress

change brain derived neurotrophic factor (BDNF) and tyrosine kinase coupled receptor (TrkB) expression in both young and aged rats hippocampus. *Yonsei Med J.* 51(5):661-71.

Standring, S. Gray's anatomy the anatomical basis of clinical practice. Ed. Philadelphia: Elsevier Churchill Livingstone, 2005.

Susnik, N., Sen, P., Melk, A., Schmitt, R., 2017. Aging, Cellular Senescence, and Kidney Fibrosis. *Curr. Pathobiol. Rep.* 123–131.

Torres-Querol, C., Torres, P., Vidal, N., Portero-Otín, M., Arque, G., Purroy, F., 2021. Acute ischemic stroke triggers a cellular senescence-associated secretory phenotype. *Sci. Rep.* 11(1):1–9.

Travaglia, A., Reto, B., Emmanuel, C., and Cristina, M.A., 2016. Developmental changes in plasticity, synaptic, glia and connectivity protein levels in rat dorsal hippocampus. *Physiol. Behav.* 176(1):139–148.

Victor, M., Angevine, J.B., Mancall, E.L., Fisher, C.M., 1961. Memory loss with lesions of hippocampal formation. Report of a case with some remarks on the anatomical basis of memory. *Arch. Neurol.* 5:244–263.

Vorhees, C.V., Williams M.T., 2006. Morris water maze: procedures for assessing spatial and related forms of learning and memory. *Nat Protoc.* 1(2):848-58.

Vorhees, C.V., Williams, M.T., 2014. Assessing spatial learning and memory in rodents. *ILAR J.* 55(2):310–332.

Wang, H.K., Chen, J.S., Hsu, C.Y., Su, Y.T., Sung, T.C., Liang, C.L., *et al.*, 2021. A Novel NGF Receptor Agonist B355252 Ameliorates Neuronal Loss and Inflammatory Responses in a Rat Model of Cerebral Ischemia. *J Inflamm Res.* 2021;14:2363-2376

Williams, L.R., Rylett, R.J., Moises, H.C., Tang, A.H., 2019. Exogenous NGF Affects Cholinergic Transmitter Function and Y-Maze Behavior in Aged Fischer 344 Male Rats. *Can. J. Neurol. Sci.* 18:403–407.

Winkler, J., Ramirez, G.A., Thal, L.J., dan Waite, J.J., 2000. Nerve Growth Factor (NGF) Augments Cortical and Hippocampal Cholinergic Functioning after p75NGF Receptor-Mediated Deafferentation But Impairs Inhibitory Avoidance and Induces Fear-Related Behaviors *J. Neurosci.* 20, 834–844.

Wiseman H., 1993. Vitamin D is A Membrane Antioxidant: Ability to Inhibit Iron-Dependent Lipid Peroxidation in Liposomes Compared to Cholesterol, Ergosterol and Tamoxifen and Relevance to Anticancer Action. *FEBS Lett.* 326 (1-3): 285-8.

Winters, L., Winters, T., Gorup, D., Mitrecic, D., Curlin, M., Kriz, J., 2013. Expression analysis of genes involved in TLR2-related signaling pathway: Inflammation and apoptosis after ischemic brain injury. *Neuroscience.* 238: 87-96.

Wu, W., Brickman, A.M., Luchsinger, J., Ferrazzano, P., Pichiule, P., Yoshita, M., *et al.*, 2008. The brain in the age of old: The hippocampal formation is targeted differentially by diseases of late life. *An Neurol.* 64(6):698–706.

Xavier, G.F., Costa, V.C.I., 2009. Dentate gyrus and spatial behaviour. *Prog. Neuropsychopharm. Biol. Psychiatry.* 33(5):762–773.

Yang, Y., Paspalas, C.D., Jin, L.E., Picciotto, M.R., Arnsten, A.F.T., Wang, M., 2013. Nicotinic $\alpha 7$ receptors enhance NMDA cognitive circuits in

- dorsolateral prefrontal cortex. *Proc Natl Acad Sci USA*, 110:12078-12083.
- Yang, S.T., Shi, Y., Wang, Q. *et al.*, 2014. Neuronal representation of working memory in the medial prefrontal cortex of rats. *Mol Brain*. 7:61.
- Yousefian, Z., Khaleghian, A., Parsaei, H., Vafaei, A.A., Rashidy-Pour, A., Sedaghat, K., 2018. Effect of Vitamin D on Hippocampus Brain-Derived Neurotrophic Factor Level in Chronic Mild Stress Model of Depression in Rats. *Middle East J. Rehabil. Health*. 5(2): 63901.
- Zorin, A., Chernyuk, D., Vlasova, O., Bolsunovskaya, M., Bezprozvanny, I., 2020. Software for analyzing the behavioural test 'morris Water Maze'. *Web. Conf.* 203:1-10.
- Zorrilla, V.R.I., McKenzie, T., Palacios, B.E., Hu, J., 2022. Nuclear hormone receptors in demyelinating diseases. *J. Neuroendocrinol.* 34:13-71.
- Zhu, J., Song, W., Li, L., Fan, X., 2016. Endothelial nitric oxide synthase: A potential therapeutic target for cerebrovascular diseases. *Mol. Brain*. 9(30):1-8.