

BIBLIOGRAPHY

- Astbury, B., & Leeuw, F. L. (2010). Unpacking Black Boxes: Mechanisms and Theory Building in Evaluation. *American Journal of Evaluation*, 31(3), 363–381. <https://doi.org/10.1177/1098214010371972>
- Ayakaka, I., Ackerman, S., Ggita, J. M., Kajubi, P., Dowdy, D., Haberer, J. E., Fair, E., Hopewell, P., Handley, M. A., Cattamanchi, A., Katamba, A., & Davis, J. L. (2017). Identifying barriers to and facilitators of tuberculosis contact investigation in Kampala, Uganda: A behavioral approach. *Implementation Science*, 12(1), 1–13. <https://doi.org/10.1186/s13012-017-0561-4>
- Berg, R., & Denison, E. (2012). *Methodological strengths and limitations of the realist synthesis approach to systematic reviews—a promising methodology for the Cochrane Collaboration?* John Wiley & Sons. <https://abstracts.cochrane.org/2012-auckland/methodological-strengths-and-limitations-realist-synthesis-approach-systematic-reviews>
- Biermann, O., Dixit, K., Rai, B., Caws, M., Lönnroth, K., & Viney, K. (2021). Building on facilitators and overcoming barriers to implement active tuberculosis case-finding in Nepal, experiences of community health workers and people with tuberculosis. *BMC Health Services Research*, 21(1), 1–13. <https://doi.org/10.1186/s12913-021-06290-x>
- Biermann, O., Lönnroth, K., Caws, M., & Viney, K. (2019). Factors influencing active tuberculosis case-finding policy development and implementation: A scoping review. *BMJ Open*, 9(12), 1–12. <https://doi.org/10.1136/bmjopen-2019-031284>
- Biermann, O., Tran, P. B., Viney, K., Caws, M., Lönnroth, K., & Annerstedt, K. S. (2020). Active case-finding policy development, implementation and scale-up in high-burden countries: A mixed-methods survey with National Tuberculosis Programme managers and document review. *PLoS ONE*, 15(10 October), 1–17. <https://doi.org/10.1371/journal.pone.0240696>
- Bothamley, G. H., Ditiu, L., Migliori, G. B., Lange, C., Hafizi, H., Mezhlumyan, N., Mamedova, S., Wanlin, M., Zutic, H., Stefanova, D., Simunovic, A., Hadjianastassiou, C., Falzon, D., Salakaia, A., Georgia, S., Blöndal, T., Chemtob, D., Khasanovna, B. K., Elmira, A., ... Ergonul, O. (2008). Active case finding of tuberculosis in Europe: A Tuberculosis Network European Trials Group (TBNET) survey. *European Respiratory Journal*, 32(4), 1023–1030. <https://doi.org/10.1183/09031936.00011708>
- Brownson, R. C., Colditz, G. A., & Proctor, E. K. (2012). Dissemination and Implementation Research in Health: Translating Science to Practice. In *Oxford University Press*. Oxford University Press.
- Burnard, P., Gill, P., Stewart, K., Treasure, E., & Chadwick, B. (2008). Analysing and presenting qualitative data. *British Dental Journal*, 204(8), 429–432. <https://doi.org/10.1038/sj.bdj.2008.292>
- Bustos, M., Luu, K., Lau, L. L., & Dodd, W. (2021). Addressing tuberculosis through complex community-based socioeconomic interventions in low- and middle-income countries: A systematic realist review. *Global Public Health*, 0(0), 1–21. <https://doi.org/10.1080/17441692.2021.1966487>
- Cattamanchi, A., Miller, C. R., Tapley, A., Haguma, P., Ochom, E., Ackerman, S., Davis, J. L., Katamba, A., & Handley, M. A. (2015). Health worker perspectives on barriers to delivery of routine tuberculosis diagnostic evaluation services in Uganda: A qualitative study to guide clinic-based interventions. *BMC Health Services Research*, 15(1), 1–10. <https://doi.org/10.1186/s12913-014-0668-0>
- Chakaya, J., Khan, M., Ntoumi, F., Aklillu, E., Fatima, R., Mwaba, P., Kapata, N., Mfinanga,

- S., Hasnain, S. E., Katoto, P. D. M. C., Bulabula, A. N. H., Sam-Agudu, N. A., Nachega, J. B., Tiberi, S., McHugh, T. D., Abubakar, I., & Zumla, A. (2021). Global Tuberculosis Report 2020 – Reflections on the Global TB burden, treatment and prevention efforts. *International Journal of Infectious Diseases*, 113, S7–S12. <https://doi.org/10.1016/j.ijid.2021.02.107>
- Chan, G., Triasih, R., Nababan, B., du Cros, P., Wilks, N., Main, S., Huang, G. K. L., Lin, D., Graham, S. M., Majumdar, S. S., Bakker, M., Khan, A., Khan, F. A., & Dwihardiani, B. (2021). Adapting active case-finding for TB during the COVID-19 pandemic in Yogyakarta, Indonesia. *Public Health Action*, 11(2), 41–49. <https://doi.org/10.5588/pha.20.0071>
- Codlin, A. J., Monyrath, C., Ky, M., Gerstel, L., Creswell, J., & Eang, M. T. (2018). Results from a roving, active case finding initiative to improve tuberculosis detection among older people in rural cambodia using the Xpert MTB/RIF assay and chest X-ray. *Journal of Clinical Tuberculosis and Other Mycobacterial Diseases*, 13(October), 22–27. <https://doi.org/10.1016/j.jctube.2018.11.001>
- Contreras, C. C., Millones, A. K., Cruz, J. S., Aguilar, M., Clendenes, M., Toranzo, M., Llaro, K., Lecca, L., Becerra, M. C., & Yuen, C. M. (2017). Addressing tuberculosis patients medical and socio-economic needs: a comprehensive programmatic approach. *Tropical Medicine and International Health*, 22(4), 505–511. <https://doi.org/10.1111/tmi.12844>
- Creswell, J. W., & Poth, C. N. (2018). *Qualitative Inquiry and Research Design* (4th ed.). SAGE Publications.
- de Souza, D. E. (2013). Elaborating the Context-Mechanism-Outcome configuration (CMOc) in realist evaluation: A critical realist perspective. *Evaluation*, 19(2), 141–154. <https://doi.org/10.1177/1356389013485194>
- De Wit, K., Curran, J., Thoma, B., Dowling, S., Lang, E., Kuljic, N., Perry, J. J., & Morrison, L. (2018). Review of implementation strategies to change healthcare provider behaviour in the emergency department. *Canadian Journal of Emergency Medicine*, 20(3), 453–460. <https://doi.org/10.1017/cem.2017.432>
- Drisko, J. W., & Maschi, T. (2016). *Content Analysis*. Oxford University Press.
- Eang, M. T., Satha, P., Yadav, R. P., Morishita, F., Nishikiori, N., Van-Maaren, P., & Weezenbeek, C. L. Van. (2012). Early detection of tuberculosis through community-based active case finding in Cambodia. *BMC Public Health*, 12(1), 1. <https://doi.org/10.1186/1471-2458-12-469>
- Fleiszer, A. R., Semenic, S. E., Ritchie, J. A., Richer, M. C., & Denis, J. L. (2015). The sustainability of healthcare innovations: A concept analysis. *Journal of Advanced Nursing*, 71(7), 1484–1498. <https://doi.org/10.1111/jan.12633>
- Flynn, R., Mrklas, K., Campbell, A., & Wasylak, T. (2021). *Contextual Factors and Mechanisms that Influence Sustainability: a Realist Evaluation of Two Provincially Scaled Evidence-Based Initiatives*. 1–16.
- Garg, T., Bhardwaj, M., & Deo, S. (2020). Role of community health workers in improving cost efficiency in an active case finding tuberculosis programme: an operational research study from rural Bihar, India. *BMJ Open*, 10(10), e036625. <https://doi.org/10.1136/bmjopen-2019-036625>
- Glasgow, R. E., Harden, S. M., Gaglio, B., Rabin, B., Smith, M. L., Porter, G. C., Ory, M. G., & Estabrooks, P. A. (2019). RE-AIM planning and evaluation framework: Adapting to new science and practice with a 20-year review. *Frontiers in Public Health*, 7(MAR). <https://doi.org/10.3389/fpubh.2019.00064>
- Glasgow, R. E., Vogt, T. M., & Boles, S. M. (1999). Evaluating the public health impact of health promotion interventions: The RE-AIM framework. In *American Journal of Public*

- Gomes, I., Dong, C., Vandewalle, P., Khan, A., Creswell, J., Dowdy, D., & Sohn, H. (2022). Comparative assessment of the cost-effectiveness of Tuberculosis (TB) active case-finding interventions: A systematic analysis of TB REACH wave 5 projects. *PLoS ONE*, 17(9 September), 1–17. <https://doi.org/10.1371/journal.pone.0270816>
- Gruen, R. L., Elliott, J. H., Nolan, M. L., Lawton, P. D., Parkhill, A., McLaren, C. J., & Lavis, J. N. (2008). Sustainability science: an integrated approach for health-programme planning. *The Lancet*, 372(9649), 1579–1589. [https://doi.org/10.1016/S0140-6736\(08\)61659-1](https://doi.org/10.1016/S0140-6736(08)61659-1)
- Holtrop, J. S., Rabin, B. A., & Glasgow, R. E. (2018). Qualitative approaches to use of the RE-AIM framework: Rationale and methods. *BMC Health Services Research*, 18(1), 1–10. <https://doi.org/10.1186/s12913-018-2938-8>
- Hoseinpoor, R., Karami, M., Mohammadi, Y., & Soltanian, A. (2017). Evaluation of active case finding (ACF) of tuberculosis in slums population in North of Iran. *International Journal of Pediatrics*, 5(5), 4867–4875. <https://doi.org/10.22038/ijp.2017.21977.1837>
- Iwelunmor, J., Blackstone, S., Veira, D., Nwaozuru, U., Airhihenbuwa, C., Munodawafa, D., Kalipeni, E., Jutal, A., Shelley, D., & Ogedegbe, G. (2016). Toward the sustainability of health interventions implemented in sub-Saharan Africa: A systematic review and conceptual framework. *Implementation Science*, 11(1). <https://doi.org/10.1186/s13012-016-0392-8>
- John, S., Gidado, M., Dahiru, T., Fanning, A., Codlin, A. J., & Creswell, J. (2015). Tuberculosis among nomads in Adamawa, Nigeria: Outcomes from two years of active case finding. *International Journal of Tuberculosis and Lung Disease*, 19(4), 463–468. <https://doi.org/10.5588/ijtld.14.0679>
- Kak, N., Chakraborty, K., Sadaphal, S., Almossawi, H. J., Calnan, M., & Vikarunnessa, B. (2020). Strategic priorities for TB control in Bangladesh, Indonesia, and the Philippines - Comparative analysis of national TB prevalence surveys. *BMC Public Health*, 20(1), 1–7. <https://doi.org/10.1186/s12889-020-08675-9>
- Kim, H. Y., Zishiri, V., Page-Shipp, L., Makgopa, S., Churchyard, G. J., Dowdy, D., Charalambous, S., & Hoffmann, C. J. (2020). Symptom and digital chest X-ray TB screening in South African prisons: Yield and cost-effectiveness. *International Journal of Tuberculosis and Lung Disease*, 24(3), 295–302. <https://doi.org/10.5588/ijtld.19.0214>
- Kuznetsov, V. N., Grjibovski, A. M., Mariandyshev, A. O., Johansson, E., & Bjune, G. A. (2014). A comparison between passive and active case finding in TB control in the arkhangel'sk region. *International Journal of Circumpolar Health*, 73, 1–10. <https://doi.org/10.3402/ijch.v73.23515>
- Lennox, L., Maher, L., & Reed, J. (2018). Navigating the sustainability landscape: A systematic review of sustainability approaches in healthcare. *Implementation Science*, 13(1), 1–17. <https://doi.org/10.1186/s13012-017-0707-4>
- Lestari, T., Graham, S., Van den Boogard, C., Triasih, R., Poespoprodjo, J. R., Ubra, R. R., Kenangalem, E., Mahendradhata, Y., Anstey, N. M., Bailie, R. S., & Ralph, A. P. (2019). Bridging the knowledge-practice gap in tuberculosis contact management in a high-burden setting: a mixed-methods protocol for a multicenter health system strengthening study. *Implementation Science*, 14(1), 1–15. <https://doi.org/10.1186/s13012-019-0870-x>
- Lewis, C. C., Boyd, M. R., Walsh-Bailey, C., Lyon, A. R., Beidas, R., Mittman, B., Aarons, G. A., Weiner, B. J., & Chambers, D. A. (2020). A systematic review of empirical studies examining mechanisms of implementation in health. *Implementation Science*, 15(1), 1–25. <https://doi.org/10.1186/s13012-020-00983-3>
- Luke, D. A., Calhoun, A., Robichaux, C. B., Moreland-Russell, S., & Elliott, M. B. (2014).

- The program sustainability assessment tool: A new instrument for public health programs. *Preventing Chronic Disease*, 11(2014), 1–11.
<https://doi.org/10.5888/pcd11.130184>
- Manzano, A. (2016). The craft of interviewing in realist evaluation. *Evaluation*, 22(3), 342–360. <https://doi.org/10.1177/1356389016638615>
- Ministry of Health Indonesia. (2020). *National TB Report* (Vol. 4, Issue 3). https://www.m-culture.go.th/mculture_th/download/king9/Glossary_about_HM_King_Bhumibol_Adulyadej's_Funeral.pdf%0Ahttps://doi.org/10.1016/j.ecoser.2017.05.015%0Ahttps://doi.org/10.1016/j.jaut.2020.102434
- Morrow, E., Robert, G., & Maben, J. (2014). Exploring the nature and impact of leadership on the local implementation of The Productive Ward Releasing Time to Care™. *Journal of Health, Organisation and Management*, 28(2), 154–176.
<https://doi.org/10.1108/JHOM-01-2013-0001>
- Mukumbang, F. C., van Belle, S., Marchal, B., & van Wyk, B. (2016). Erratum: Towards developing an initial programme theory: Programme designers and managers assumptions on the antiretroviral treatment adherence club programme in primary health care facilities in the metropolitan area of Western Cape Province, South Africa. *PLoS ONE*, 11(11), 1–31. <https://doi.org/10.1371/journal.pone.0166507>
- Muyoyeta, M., Maduskar, P., Moyo, M., Kasese, N., Milimo, D., Spooner, R., Kapata, N., Hogeweg, L., Van Ginneken, B., & Ayles, H. (2014). The sensitivity and specificity of using a computer aided diagnosis program for automatically scoring chest X-rays of presumptive TB patients compared with Xpert MTB/RIF in Lusaka Zambia. *PLoS ONE*, 9(4), 16–18. <https://doi.org/10.1371/journal.pone.0093757>
- Myint, O., Saw, S., Isaakidis, P., Khogali, M., Reid, A., Hoa, N. B., Kyaw, T. T., Zaw, K. K., Khaing, T. M. M., & Aung, S. T. (2017). Active case-finding for tuberculosis by mobile teams in Myanmar: Yield and treatment outcomes. *Infectious Diseases of Poverty*, 6(1), 1–8. <https://doi.org/10.1186/s40249-017-0291-5>
- Nadalin Penno, L., Davies, B., Graham, I. D., Backman, C., MacDonald, I., Bain, J., Johnson, A. M., Moore, J., & Squires, J. (2019). Identifying relevant concepts and factors for the sustainability of evidence-based practices within acute care contexts: A systematic review and theory analysis of selected sustainability frameworks. *Implementation Science*, 14(1), 1–16. <https://doi.org/10.1186/s13012-019-0952-9>
- Nagaraja, S. B., Satyanarayana, S., & Shastri, S. (2018). Active tuberculosis case finding in India: need for introspection. *Public Health Action*, 7(4), 307–307.
<https://doi.org/10.5588/pha.17.0074>
- Nguyen, L. H., Codlin, A. J., Vo, L. N. Q., Dao, T., Tran, D., Forse, R. J., Vu, T. N., Le, G. T., Luu, T., Do, G. C., Van Truong, V., Minh, H. D. T., Nguyen, H. H., Creswell, J., Caws, M., Nguyen, H. B., & Nguyen, N. V. (2020). An Evaluation of Programmatic Community-Based Chest X-ray Screening for Tuberculosis in Ho Chi Minh City, Vietnam. *Tropical Medicine and Infectious Disease*, 5(4).
<https://doi.org/10.3390/tropicalmed5040185>
- Noviyani, A., Nopsopon, T., & Pongpirul, K. (2021). Variation of tuberculosis prevalence across diagnostic approaches and geographical areas of Indonesia. *PLoS ONE*, 16(10 October), 1–12. <https://doi.org/10.1371/journal.pone.0258809>
- Pande, T., Vasquez, N. A., Cazabon, D., Creswell, J., Brouwer, M., Ramis, O., Stevens, R. H., Ananthakrishnan, R., Qayyum, S., Alphonsus, C., Oga-Omenka, C., Nafade, V., Sen, P., & Pai, M. (2020). Finding the missing millions: Lessons from 10 active case finding interventions in high tuberculosis burden countries. *BMJ Global Health*, 5(12), 1–5.
<https://doi.org/10.1136/bmjgh-2020-003835>
- Pawson, R., & Tilley, N. (1998). Realistic Evaluation. In *Evaluation* (Vol. 4, Issue 2). SAGE

- Prasad, B. M., Satyanarayana, S., Chadha, S. S., Das, A., Thapa, B., Mohanty, S., Pandurangan, S., Babu, E. R., Tonsing, J., & Sachdeva, K. S. (2016). Experience of active tuberculosis case finding in nearly 5 million households in India. *Public Health Action*, 6(1), 15–18. <https://doi.org/10.5588/pha.15.0035>
- Qin, Z. Z., Barrett, R., del Mar Castro, M., Zaidi, S., Codlin, A. J., Creswell, J., & Denking, C. M. (2023). Early user experience and lessons learned using ultra-portable digital X-ray with computer-aided detection (DXR-CAD) products: A qualitative study from the perspective of healthcare providers. *PLoS ONE*, 18(2 February), 1–19. <https://doi.org/10.1371/journal.pone.0277843>
- Rie, A. Van, & Hanrahan, C. (2014). Active case finding for tuberculosis: what is the most informative measure for policy makers? *International Journal of Tuberculosis and Lung Disease*, 18(3), 377.
- Schell, S. F., Luke, D. A., Schooley, M. W., Elliott, M. B., Herbers, S. H., Mueller, N. B., & Bunker, A. C. (2013). Public health program capacity for sustainability: A new framework. *Implementation Science*, 8(1), 1–9. <https://doi.org/10.1186/1748-5908-8-15>
- Shewade, H. D., Gupta, V., Satyanarayana, S., Kumar, S., Pandey, P., Bajpai, U. N., Tripathy, J. P., Kathirvel, S., Pandurangan, S., Mohanty, S., Ghule, V. H., Sagili, K. D., Prasad, B. M., Singh, P., Singh, K., Jayaraman, G., Rajeswaran, P., Biswas, M., Mallick, G., ... Chadha, S. S. (2019). Active versus passive case finding for tuberculosis in marginalised and vulnerable populations in India: comparison of treatment outcomes. *Global Health Action*, 12(1). <https://doi.org/10.1080/16549716.2019.1656451>
- Singh, A. A., Creswell, J., & Bhatia, V. (2021). Framework for planning and monitoring active TB case finding interventions to meet the global targets in the COVID-19 era and beyond: South-East Asia perspective. *PLOS Global Public Health*, 1(11), e0000073. <https://doi.org/10.1371/journal.pgph.0000073>
- Smith, S. N., Almirall, D., Prenovost, K., Goodrich, D. E., Abraham, K. M., Liebrecht, C., & Kilbourne, A. M. (2018). Organizational culture and climate as moderators of enhanced outreach for persons with serious mental illness: Results from a cluster-randomized trial of adaptive implementation strategies. *Implementation Science*, 13(1), 1–15. <https://doi.org/10.1186/s13012-018-0787-9>
- Tuot, S., Teo, A. K. J., Cazabon, D., Sok, S., Ung, M., Ly, S., Choub, S. C., & Yi, S. (2019). Acceptability of active case finding with a seed-and-recruit model to improve tuberculosis case detection and linkage to treatment in Cambodia: A qualitative study. *PLoS ONE*, 14(7), 1–14. <https://doi.org/10.1371/journal.pone.0210919>
- WHO. (2015a). A Global Action Framework for TB Research in Support of the Third Pillar of WHO's End TB Strategy. In *Document WHO/HTM/TB/2015.26*. WHO Library. Geneva, Switzerland. <https://www.who.int/tb/publications/global-framework-research/en/>
- WHO. (2015b). Implementing The End TB Strategy. *Antimicrobial Agents and Chemotherapy*, 58(12), 7250–7257. https://www.cambridge.org/core/product/identifier/CBO9781107415324A009/type/book_part%0Ahttp://arxiv.org/abs/1011.1669%0Ahttp://dx.doi.org/10.1088/1751-8113/44/8/085201%0Ahttp://www.ncbi.nlm.nih.gov/pubmed/25246403%0Ahttp://www.pubmedcentral.nih.gov/artic
- WHO. (2015c). *Systematic screening for active tuberculosis*. WHO Press.
- WHO. (2016). Chest Radiography in Tuberculosis. In *World Health Organization*.
- WHO. (2020). Operational handbook on tuberculosis. In *Module 3: Diagnosis Rapid diagnostics for tuberculosis diagnosis*. <https://apps.who.int/iris/bitstream/handle/10665/340256/9789240022614-eng.pdf>



UNIVERSITAS
GADJAH MADA

**REALIST EVALUATION OF COMMUNITY-BASED TUBERCULOSIS ACTIVE CASE FINDING IN
YOGYAKARTA AND KULON
PROGO, INDONESIA**

Immanuel Billy Brilliandi, Prof Ari Natalia Probandari, dr., MPH, Ph.D. ; Dr. Dra. Retna Siwi Padmawati, M.A.

Universitas Gadjah Mada, 2023 | Diunduh dari <http://etd.repository.ugm.ac.id/>

- WHO. (2021). *Global Tuberculosis Report 2021*. World Health Organization.
- Wong, G., Westhorp, G., Manzano, A., Greenhalgh, J., Jagosh, J., & Greenhalgh, T. (2016). RAMESES II reporting standards for realist evaluations. *BMC Medicine*, 14(1), 1–18. <https://doi.org/10.1186/s12916-016-0643-1>
- Yin, R. K. (2014). *Case Study Research Design and Methods* (5th ed., Vol. 59). SAGE Publications.
- Yuen, C. M., Amanullah, F., Dharmadhikari, A., Nardell, E. A., Seddon, J. A., Vasilyeva, I., Zhao, Y., Keshavjee, S., & Becerra, M. C. (2015). Turning off the tap: Stopping tuberculosis transmission through active case-finding and prompt effective treatment. *The Lancet*, 386(10010), 2334–2343. [https://doi.org/10.1016/S0140-6736\(15\)00322-0](https://doi.org/10.1016/S0140-6736(15)00322-0)
- Yuen, C. M., Puma, D., Millones, A. K., Galea, J. T., Tzelios, C., Calderon, R. I., Brooks, M. B., Jimenez, J., Contreras, C., Nichols, T. C., Nicholson, T., Lecca, L., Becerra, M. C., & Keshavjee, S. (2021). Identifying barriers and facilitators to implementation of community-based tuberculosis active case finding with mobile X-ray units in Lima, Peru: A RE-AIM evaluation. *BMJ Open*, 11(7). <https://doi.org/10.1136/bmjopen-2021-050314>
- Zachariah, R., Teck, R., Harries, A. D., & Humblet, P. (2004). Implementing joint TB and HIV interventions in a rural district of Malawi: Is there a role for an international non-governmental organisation? *International Journal of Tuberculosis and Lung Disease*, 8(9), 1058–1064.