



DAFTAR PUSTAKA

- Abbaszadeh, S., Alwi, S.R.W., Ghasemi, N., Nodeh, H.R., Webb, C., and Muhamad, I.I., 2015, Use of pristine papaya peel to remove Pb(II) from aqueous solution, *Chem. Eng. Trans.*, 45, 961–966.
- Abdul Khalil, H.P.S., Bhat, A.H., and Ireana Yusra, A.F., 2012, Green composites from sustainable cellulose nanofibrils: A review, *Carbohydr. Polym.*, 87, 963–979.
- Alghamdi, A.A., Al-Odayni, A.-B., Saeed, W.S., Al-Kahtani, A., Alharthi, F.A., and Aouak, T., 2019, Efficient adsorption of lead (II) from aqueous phase solutions using polypyrrole-based activated carbon, *Materials (Basel)*., 12, 2020.
- Ali, R.M., Hamad, H.A., Hussein, M.M., and Malash, G.F., 2016, Potential of using green adsorbent of heavy metal removal from aqueous solutions: Adsorption kinetics, isotherm, thermodynamic, mechanism and economic analysis, *Ecol. Eng.*, 91, 317–332.
- Alipoyo, J.C., Magoncia, V.E.B., Perido, A.A.M., Gapusan, R.B., and Balela, M.D.L., 2021, Optimization of hydrolysis of polyacrylonitrile-kapok fiber composite for the adsorption of lead ions in aqueous solution, *Environ. Nanotechnology, Monit. Manag.*, 16, 100566.
- Alswat, A.A., Ahmad, M. Bin, and Saleh, T.A., 2016, Zeolite modified with copper oxide and iron oxide for lead and arsenic adsorption from aqueous solutions, *J. Water Supply Res. Technol. - AQUA*, 65, 465–479.
- Banerjee, S., Sen, R., Pandey, R.A., Chakrabarti, T., Satpute, D., Giri, B.S., and Mudliar, S., 2009, Evaluation of wet air oxidation as a pretreatment strategy for bioethanol production from rice husk and process optimization, *Biomass and Bioenergy*, 33, 1680–1686.
- Bashir, A., Malik, L.A., Ahad, S., Manzoor, T., Bhat, M.A., Dar, G.N., and Pandith, A.H., 2019, Removal of heavy metal ions from aqueous system by ion-exchange and biosorption methods, *Environ. Chem. Lett.*, 17, 729–754.
- Baunsele, A.B. and Missa, H., 2020, Kajian Kinetika Adsorpsi Metilen Biru Menggunakan Adsorben Sabut Kelapa, *Akta Kim. Indones.*, 5, 76.
- Bayu, A., Nandiyanto, D., Chelvina, G., Girsang, S., Maryanti, R., Ragadhita, R., Anggraeni, S., Fauzi, M., Sakinah, P., Astuti, A.P., Usdiyana, D., Fiandini, M., Dewi, W., and Al-Obaidi, S.M., 2020, Isotherm adsorption characteristics of carbon microparticles prepared from pineapple peel waste, *Commun. Sci. Technol.*, 5, 31–39.
- Bayuo, J., Abukari, M.A., and Pelig-Ba, K.B., 2020, Desorption of chromium (VI) and lead (II) ions and regeneration of the exhausted adsorbent, *Appl. Water Sci.*, 10, 1–6.



- Biesheuvel, P.M., Porada, S., Elimelech, M., and Dykstra, J.E., 2022, Tutorial review of reverse osmosis and electrodialysis, *J. Memb. Sci.*, 647, 120221.
- Carolin, C.F., Kumar, P.S., Saravanan, A., Joshiba, G.J., and Naushad, M., 2017, Efficient techniques for the removal of toxic heavy metals from aquatic environment: A review, *J. Environ. Chem. Eng.*, 5, 2782–2799.
- Chamidy, H.N., 2021, Pemisahan Lignin dari Kapuk (Ceiba Pentandra) untuk Memperoleh Selulosa Kadar Tinggi, *Pros. 12th Ind. Res. Work. Natl. Semin.*, 827–832.
- Chen, J., Su, M., Chen, R., Hong, J., and Cheng, R., 2015, Effects of salt on homogeneous succinylation of lignocellulosic fibers in dimethyl sulfoxide/tetraethylammonium chloride under mild condition, *J. Appl. Polym. Sci.*, 132, 41912.
- Chen, M., Chen, C., Liu, C., and Sun, R., 2013, Homogeneous modification of sugarcane bagasse with maleic anhydride in 1-butyl-3-methylimidazolium chloride without any catalysts, *Ind. Crops Prod.*, 46, 380–385.
- Chung, B.Y., Cho, J.Y., Lee, M.H., Wi, S.G., Kim, J.H., Kim, J.S., Kang, P.H., and Nho, Y.C., 2008, Adsorption of heavy metal ions onto chemically oxidized Ceiba pentandra (L.) Gaertn. (Kapok) fibers, *J. Appl. Biol. Chem.*, 51, 28–35.
- Dada, A.O., Olalekan, A.P., Olatunya, A.M., and Dada, O., 2012, Langmuir, Freundlich, Temkin and Dubinin--Radushkevich isotherms studies of equilibrium sorption of Zn^{2+} unto phosphoric acid modified rice husk, *IOSR J. Appl. Chem.*, 3, 38–45.
- Demirbas, A., 2008, Heavy metal adsorption onto agro-based waste materials: A review, *J. Hazard. Mater.*, 157, 220–229.
- Desta, M.B., 2013, Batch sorption experiments: Langmuir and Freundlich isotherm studies for the adsorption of textile metal ions onto teff straw (Eragrostis tef) agricultural waste, *J. Thermodyn.*, 2013, 6.
- Efome, J.E., Rana, D., Matsuura, T., and Lan, C.Q., 2019, Effects of operating parameters and coexisting ions on the efficiency of heavy metal ions removal by nano-fibrous metal-organic framework membrane filtration process, *Sci. Total Environ.*, 674, 355–362.
- El-Naas, M.H. and Alhaija, M.A., 2013, Modelling of adsorption processes, *Math. Model.*, 579–600.
- Emsley, A.M. and Stevens, G.C., 1994, Kinetics and mechanisms of the low-temperature degradation of cellulose, *Cellulose*, 1, 26–56.
- Fumagalli, C., 2000, Succinic acid and succinic anhydride, *Kirk-Othmer Encycl. Chem. Technol.*, 0, 1–20.
- Funasaka, K., Tojo, T., Kaneko, S., and Takaoka, M., 2013, Different chemical properties of lead in atmospheric particles from urban roadside and residential areas, *Atmos. Pollut. Res.*, 4, 362–369.



- Futalan, C.M., Choi, A.E.S., Soriano, H.G.O., Cabacungan, M.K.B., and Millare, J.C., 2022, Modification Strategies of Kapok Fiber Composites and Its Application in the Adsorption of Heavy Metal Ions and Dyes from Aqueous Solutions: A Systematic Review, *Int. J. Environ. Res. Public Health*, 19, 2703.
- Gapusan, R.B. and Balela, M.D.L., 2020, Adsorption of anionic methyl orange dye and lead(II) heavy metal ion by polyaniline-kapok fiber nanocomposite, *Mater. Chem. Phys.*, 243, 122682.
- Gurgel, L.V.A., Freitas, R.P. de, and Gil, L.F., 2008, Adsorption of Cu(II), Cd(II), and Pb(II) from aqueous single metal solutions by sugarcane bagasse and mercerized sugarcane bagasse chemically modified with succinic anhydride, *Carbohydr. Polym.*, 74, 922–929.
- Hashem, A., Fletcher, A.J., Younis, H., Mauof, H., and Abou-Okeil, A., 2020, Adsorption of Pb(II) ions from contaminated water by 1,2,3,4-butanetetracarboxylic acid-modified microcrystalline cellulose: Isotherms, kinetics, and thermodynamic studies, *Int. J. Biol. Macromol.*, 164, 3193–3203.
- Hashemzadeh, M., Nilchi, A., and Hassani, A.H., 2019, Synthesis of novel surface-modified hematite nanoparticles for lead ions removal from aqueous solution, *Mater. Chem. Phys.*, 227, 279–290.
- Hokkanen, S., Repo, E., and Sillanpää, M., 2013, Removal of heavy metals from aqueous solutions by succinic anhydride modified mercerized nanocellulose, *Chem. Eng. J.*, 223, 40–47.
- Hon, D.N.S., 1994, Cellulose: a random walk along its historical path, *Cellulose*, 1, 1–25.
- Hu, L., Wang, F., Xu, G., and Xu, B., 2017, Unique microstructure of kapok fibers in longitudinal microscopic images, *Text. Res. J.*, 87, 2255–2262.
- Indriyani, L.A., Arif, Z., Lindab, R., Purwaningsih, H., and Rafi, M., 2019, Pengoptimuman Kondisi Adsorpsi Cd(II) oleh Adsorben Berbasis Silika Termodifikasi Glisina Menggunakan Central Composite Design, *J. Kim. Sains dan Apl.*, 22, 184–191.
- Inglezakis, V.J. and Poulopoulos, S.G., 2006, Adsorption, Ion Exchange, and Catalysis, *Adsorpt. Ion Exch. Catal.*, 31–56.
- Ishee, C., 2008, Hot weather concreting., In, *Developments in the Formulation and Reinforcement of Concrete*. Elsevier, pp. 114–135.
- Jaihan, W., Mohdee, V., Sanongraj, S., Pancharoen, U., and Nootong, K., 2022, Biosorption of lead (II) from aqueous solution using Cellulose-based Bio-adsorbents prepared from unripe papaya (*Carica papaya*) peel waste: Removal Efficiency, Thermodynamics, kinetics and isotherm analysis, *Arab. J. Chem.*, 15, 103883.
- Jayakumar, R., Balaji, R., and Nanjundan, S., 2000, Studies on copolymers of 2-(N-phthalimido)ethyl methacrylate with methyl methacrylate, *Eur. Polym. J.*, 36, 1659–1666.



- Kang, P.H., Jeun, J.P., Chung, B.Y., Kim, J.S., and Nho, Y.C., 2007, Preparation and characterization of glycidyl methacrylate (GMA) grafted Kapok fiber by using radiation induced-grafting technique, *J. Ind. Eng. Chem.*, 13, 956–958.
- Klemm, D., Heublein, B., Fink, H.P., and Bohn, A., 2005, Cellulose: Fascinating biopolymer and sustainable raw material, *Angew. Chemie - Int. Ed.*, 44, 3358–3393.
- Kobayashi, Y., Ogata, F., Saenjum, C., Nakamura, T., and Kawasaki, N., 2020, Removal of Pb²⁺ from aqueous solutions using K-type zeolite synthesized from coal fly ash, *Water*, 12, 2375.
- Kocherbitov, V., Ulvenlund, S., Kober, M., Jarring, K., and Arnebran, T., 2008, Hydration of microcrystalline cellulose and milled cellulose studied by sorption calorimetry, *J. Phys. Chem. B*, 112, 3728–3734.
- Kong, Q., Shi, X., Ma, W., Zhang, F., Yu, T., Zhao, F., Zhao, D., and Wei, C., 2021, Strategies to improve the adsorption properties of graphene-based adsorbent towards heavy metal ions and their compound pollutants: A review, *J. Hazard. Mater.*, 415, 125690.
- Kumar, A., Nidheesh, P. V., and Suresh Kumar, M., 2018, Composite wastewater treatment by aerated electrocoagulation and modified peroxy-coagulation processes, *Chemosphere*, 205, 587–593.
- Kushwaha, J. and Singh, R., 2023, Cellulose hydrogel and its derivatives: A review of application in heavy metal adsorption, *Inorg. Chem. Commun.*, 152, 110721.
- Langmuir, I., 1917, The constitution and fundamental properties of solids and liquids. II. Liquids., *J. Am. Chem. Soc.*, 39, 1848–1906.
- Li, G., Li, H., Mi, X., and Zhao, W., 2019, Enhanced adsorption of Orange II on bagasse-derived biochar by direct addition of CTAB, *Korean J. Chem. Eng.*, 36, 1274–1280.
- Liu, B., Liu, H., Xi, Y., Huang, Y., Su, Z., Zhang, Z., Peng, Z., Xu, W., Zhang, C., and Li, X., 2023, Adsorption of lead ions by activated carbon doped sodium alginate/sodium polyacrylate hydrogel beads and their in-situ recycle as sustainable photocatalysts, *J. Colloid Interface Sci.*, 645, 133–145.
- Liu, C.F., Sun, R.C., Zhang, A.P., Ren, J.L., Wang, X.A., Qin, M.H., Chao, Z.N., and Luo, W., 2007, Homogeneous modification of sugarcane bagasse cellulose with succinic anhydride using a ionic liquid as reaction medium, *Carbohydr. Res.*, 342, 919–926.
- Liu, Y., Wang, J., Zheng, Y., and Wang, A., 2012, Adsorption of Methylene Blue by Kapok Fiber Treated by Sodium Chlorite Optimized with Response Surface Methodology, *Chem. Eng. J.*, 184, 248–255.
- M'barek, I., Slimi, H., AlSukaibi, A.K.D., Alimi, F., Lajimi, R.H., Mechti, L., ben Salem, R., and Moussaoui, Y., 2022, Cellulose from *Tamarix aphylla*'s stem via acetocell for cadmium adsorption, *Arab. J. Chem.*, 15, 103679.



- Mujiyanti, D.R., Irawati, U., and Akhir, N.M., 2020, Co (II) desorption from silica gel and mercapto-silica hybrid, *IOP Conf. Ser. Mater. Sci. Eng.*, 980, 012018.
- Naaz, S. and Pandey, S.N., 2010, Effects of industrial waste water on heavy metal accumulation, growth and biochemical responses of lettuce (*Lactuca sativa L.*), *J. Environ. Biol.*, 31, 273–276.
- Neskoromnaya, E.A., Khamizov, R.K., Melezhyk, A. V., Memetova, A.E., Mkrtchan, E.S., and Babkin, A. V., 2022, Adsorption of lead ions (Pb^{2+}) from wastewater using effective nanocomposite GO/CMC/FeNPs: Kinetic, isotherm, and desorption studies, *Colloids Surfaces A Physicochem. Eng. Asp.*, 655, 130224.
- O'Connell, D.W., Birkinshaw, C., and O'Dwyer, T.F., 2008, Heavy metal adsorbents prepared from the modification of cellulose: A review, *Bioresour. Technol.*, 99, 6709–6724.
- Obeng-Gyasi, E., 2019, Sources of lead exposure in various countries, *Rev. Environ. Health*, 34, 25–34.
- Palonen, H., Thomsen, A.B., Tenkanen, M., Schmidt, A.S., and Viikari, L., 2004, Evaluation of Wet Oxidation Pretreatment for Enzymatic Hydrolysis of Softwood, *Appl. Biochem. Biotechnol.*, 117, 01–18.
- Panda, H., Tiadi, N., Mohanty, M., and Mohanty, C.R., 2017, Studies on adsorption behavior of an industrial waste for removal of chromium from aqueous solution, *South African J. Chem. Eng.*, 23, 132–138.
- Patrulea, V., Negrulescu, A., Mincea, M.M., Pitulice, L.D., Spiridon, O.B., and Ostafe, V., 2013, Optimization of the Removal of Copper(II) Ions from Aqueous Solution on Chitosan and Cross-Linked Chitosan Beads, *BioResources*, 8, 1147–1165.
- Peng, L., Qin, P., Lei, M., Zeng, Q., Song, H., Yang, J., Shao, J., Liao, B., and Gu, J., 2012, Modifying Fe_3O_4 nanoparticles with humic acid for removal of Rhodamine B in water, *J. Hazard. Mater.*, 209–210, 193–198.
- Priyantini, H.R., Riadi, L., Effendi, C., Effendi, F., and Mitayani, A., 2019, Effects of initial concentration, adsorbent mass, pH and temperature to personal care products waste removal with activated carbon as adsorbent, *IOP Conf. Ser. Mater. Sci. Eng.*, 703, 012015.
- Proctor, A. and Toro-Vazquez, J.F., 2009, The Freundlich Isotherm in Studying Adsorption in Oil Processing, Second Edi. American Oil Chemists' Society.
- Purnawati, R., Febrianto, F., J Wistara, I.N., Nikmatin, S., Hidayat, W., Lee, S.H., Kim, N.H., and others, 2018, Physical and chemical properties of kapok (*Ceiba pentandra*) and balsa (*Ochroma pyramidalis*) fibers, *J. Korean Wood Sci. Technol.*, 46, 393–401.
- Qian, H., Wang, J., and Yan, L., 2020, Synthesis of lignin-poly(N-methylaniline)-reduced graphene oxide hydrogel for organic dye and lead ions removal, *J. Bioresour. Bioprod.*, 5, 204–210.



- Righetti, P.G. and Boschetti, E., 2013, Detailed Methodologies and Protocols, *Low-Abundance Proteome Discov.*, 263–319.
- Roy, H., Islam, M.S., Arifin, M.T., and Firoz, S.H., 2022, Chitosan-ZnO decorated *Moringa oleifera* seed biochar for sequestration of methylene blue: Isotherms, kinetics, and response surface analysis, *Environ. Nanotechnology, Monit. Manag.*, 18, 100752.
- Sangalang, R.H., 2021, Kapok Fiber- Structure, Characteristics and Applications: A Review, *Orient. J. Chem.*, 37, 513–523.
- Shang, W., Sheng, Z., Shen, Y., Ai, B., Zheng, L., Yang, J., and Xu, Z., 2016, Study on oil absorbency of succinic anhydride modified banana cellulose in ionic liquid, *Carbohydr. Polym.*, 141, 135–142.
- Subedi, N., Lähde, A., Abu-Danso, E., Iqbal, J., and Bhatnagar, A., 2019, A comparative study of magnetic chitosan (Chi@Fe₃O₄) and graphene oxide modified magnetic chitosan (Chi@Fe₃O₄GO) nanocomposites for efficient removal of Cr(VI) from water, *Int. J. Biol. Macromol.*, 137, 948–959.
- Suhas, Gupta, V.K., Carrott, P.J.M., Singh, R., Chaudhary, M., and Kushwaha, S., 2016, Cellulose: A review as natural, modified and activated carbon adsorbent, *Bioresour. Technol.*, 216, 1066–1076.
- Sun, R. and Tomkinson, J., 2005, Separation and Characterization of Cellulose from Wheat Straw, *Sep. Sci. Technol.*, 39, 391–411.
- Varank, G., Demir, A., Yetilmezsoy, K., Top, S., Sekman, E., and Bilgili, M.S., 2012, Removal of 4-nitrophenol from aqueous solution by natural low-cost adsorbents, *Indian J. Chem. Technol.*, 19, 7–25.
- Wang, R., Shin, C.H., Kim, D., Ryu, M., and Park, J.S., 2016, Adsorption of heavy metals and organic contaminants from aqueous stream with chemically enhanced kapok fibers, *Environ. Earth Sci.*, 75, 1–6.
- Wankasi, D., Horsfall, M., and Spiff, A.I., 2005, Desorption of Pb²⁺ and Cu²⁺ from Nipa palm (*Nypa fruticans* Wurmb) biomass, *African J. Biotechnol.*, 4, 923–927.
- Xu, N., Li, M., Tian, K., Liang, P., and Zhou, Y., 2023, Efficient removal of Pb(II) by iminodiacetic acid modified magnetic mesoporous carbon, *Mater. Chem. Phys.*, 301, 127662.
- Yang, W., Chen, Z., Jiang, X., Hu, Y., Li, Y., Shi, Y., and Wang, J., 2013, Solubility of succinic anhydride in different pure solvents and binary solvent mixtures with the temperature range from 278.15 to 333.15 K, *J. Mol. Liq.*, 180, 7–11.
- Yin, X., Yu, C., Zhang, X., Yang, J., Lin, Q., Wang, J., and Zhu, Q., 2011, Comparison of succinylation methods for bacterial cellulose and adsorption capacities of bacterial cellulose derivatives for Cu²⁺ ion, *Polym. Bull.*, 67, 401–412.
- Yu, X., Tong, S., Ge, M., Wu, L., Zuo, J., Cao, C., and Song, W., 2013, Adsorption



UNIVERSITAS
GADJAH MADA

Pemanfaatan Selulosa Serat Kapuk Termodifikasi Asam Suksinat sebagai Adsorben dalam Penghilangan Ion Logam Pb(II)

Shawab Az Zaha, Drs. Dwi Siswanta, M.Eng., Ph.D.;Dr.rer.nat. Adhitasari Suratman, S.Si., M.Si.

Universitas Gadjah Mada, 2023 | Diunduh dari <http://etd.repository.ugm.ac.id/>

of heavy metal ions from aqueous solution by carboxylated cellulose nanocrystals, *J. Environ. Sci. (China)*, 25, 933–943.

Zhang, Y., Liu, Y., Wang, X., Sun, Z., Ma, J., Wu, T., Xing, F., and Gao, J., 2014, Porous graphene oxide/carboxymethyl cellulose monoliths, with high metal ion adsorption, *Carbohydr. Polym.*, 101, 392–400.