

Daftar Pustaka

- Ahangarpour, A., Mohammadian, M., & Dianat, M. (2012). Antidiabetic effect of hydroalcoholic *urtica dioica* leaf extract in male rats with fructose-induced insulin resistance. *Iran. J. Med. Sci.* 37 : 181–186.
- Ahmad, M., Ullah, E., & Waseem, H.M. (2009). Hypoglycemic action of the flavonoid fraction of *cuminum nigrum* seeds. *Med. Forum Mon.* 20 : 47–51.
- Al-Ishaq, R.K., Abotaleb, M., Kubatka, P., Kajo, K., & Büsselberg, D. (2019). Flavonoids and their anti-diabetic effects: Cellular mechanisms and effects to improve blood sugar levels. *Biomolecules* 9.
- Ayoubi, A., Omid, A., Valizade, R., & Mousaei, A. (2013). Effect of hydroalcoholic extract of *Aloe vera* and *Teucrium* on serum glucose and lipid profile in streptozotocin diabetic male rats. *Yektaweb* 20 : 144–152.
- Bauer, J.A., Zámocká, M., Majtán, J., & Bauerová-Hlinková, V. (2022). Glucose Oxidase, an Enzyme “Ferrari”: Its Structure, Function, Production and Properties in the Light of Various Industrial and Biotechnological Applications. *Biomolecules* 12.
- Bhusal, K.K., Magar, S.K., Thapa, R., Lamsal, A., Bhandari, S., Maharjan, R., *et al.* (2022). Nutritional and pharmacological importance of stinging nettle (*Urtica dioica* L.): A review. *Heliyon* 8 : e09717.
- Bnouham, M., Ziyat, A., Mekhfi, H., Tahri, A., & Legssyer, A. (2006). Medicinal plants with potential antidiabetic activity - A review of ten years of herbal medicine research (1990-2000). *Int. J. Diabetes Metab.* 14 : 1–25.
- Bratanova-Tochkova, T.K., Cheng, H., Daniel, S., Gunawardana, S., Liu, Y.J., Mulvaney-Musa, J., *et al.* (2002). Triggering and augmentation mechanisms, granule pools, and biphasic insulin secretion. *Diabetes* 51 : 12–15.
- Cătoi, A.F., Pârvu, A., Mureșan, A., & Busetto, L. (2015). Metabolic Mechanisms in Obesity and Type 2 Diabetes: Insights from Bariatric/Metabolic Surgery. *Obes. Facts* 8 : 350–363.
- Coskun, O., Kanter, M., Korkmaz, A., & Oter, S. (2005). Quercetin, a flavonoid antioxidant, prevents and protects streptozotocin-induced oxidative stress and β -cell damage in rat pancreas. *Pharmacol. Res.* 51 : 117–123.
- Dhouibi, R., Affes, H., Ben Salem, M., Hammami, S., Sahnoun, Z., Zeghal, K.M., *et al.* (2020). Screening of pharmacological uses of *Urtica dioica* and others benefits. *Prog. Biophys. Mol. Biol.* 150 : 67–77.
- Di Virgilio, N., Papazoglou, E.G., Jankauskiene, Z., Di Lonardo, S., Praczyk, M., & Wielgusz, K. (2015). The potential of stinging nettle (*Urtica dioica* L.) as a crop with multiple uses. *Ind. Crops Prod.* 68 : 42–49.

- Ellerbrock, J., Spaanderman, B., van Drongelen, J., Mulder, E., van Balen, V.L., Schiffer, V., *et al.* (2022). Role of Beta Cell Function and Insulin Resistance in the Development of Gestational Diabetes Mellitus. *Nutrients* 14 : 1–10.
- Fadilah, N.N., & Susanti (2020). HIJP : HEALTH INFORMATION JURNAL PENELITIAN Aktivitas Antihiperurisemia Ekstrak Tanaman Jelatang (*Urtica dioica* L.) pada Mencit 1 12.
- Fain, J.N., Madan, A.K., Hiler, M.L., Cheema, P., & Bahouth, S.W. (2004). Comparison of the release of adipokines by adipose tissue, adipose tissue matrix, and adipocytes from visceral and subcutaneous abdominal adipose tissues of obese humans. *Endocrinology* 145 : 2273–2282.
- Fakhira, D.E. (2022). Studi Literatur Aktivitas Antidiabetes Tanaman Suku Cucurbitaceae. *J. Ilm. Farm. Farmasyifa* 5 : 140–151.
- Fan, S., Raychaudhuri, S., Kraus, O., Shahinozzaman, M., Lofti, L., & Obanda, D.N. (2020). *Urtica dioica* whole vegetable as a functional food targeting fat accumulation and insulin resistance-a preliminary study in a mouse pre-diabetic model. *Nutrients* 12 : 1–15.
- Fruh, S.M. (2017). Obesity: Risk factors, complications, and strategies for sustainable long-term weight management. *J. Am. Assoc. Nurse Pract.* 29 : S3–S14.
- Fuentes, E., Fuentes, F., Vilahur, G., Badimon, L., & Palomo, I. (2013). Mechanisms of chronic state of inflammation as mediators that link obese adipose tissue and metabolic syndrome. *Mediators Inflamm.* 2013.
- Ghalavand, A., Motamedi, P., Delaramnasab, M., & Khodadoust, M. (2017). The Effect of Interval Training and Nettle Supplement on Glycemic Control and Blood Pressure in Men With Type 2 Diabetes. *Int. J. Basic Sci. Med.* 2 : 33–40.
- Gohari, A., Noorafshan, A., Akmal, M., Zamani-Garmsiri, F., & Seghatoleslam, A. (2018). *Urtica dioica* distillate regenerates pancreatic beta cells in streptozotocin-induced diabetic rats. *Iran. J. Med. Sci.* 43 : 174–183.
- Gołacki, J., Matuszek, M., & Matyjaszek-Matuszek, B. (2022). Link between Insulin Resistance and Obesity—From Diagnosis to Treatment. *Diagnostics*.
- Hanchang, W., Khamchan, A., Wongmanee, N., & Seedadee, C. (2019). Hesperidin ameliorates pancreatic β -cell dysfunction and apoptosis in streptozotocin-induced diabetic rat model. *Life Sci.* 235 : 116858.
- Hossain, M.K., Dayem, A.A., Han, J., Yin, Y., Kim, K., Saha, S.K., *et al.* (2016). Molecular mechanisms of the anti-obesity and anti-diabetic properties of flavonoids. *Int. J. Mol. Sci.* 17.

- Huang, H., Liao, D., Dong, Y., & Pu, R. (2019). Clinical effectiveness of quercetin supplementation in the management of weight loss: A pooled analysis of randomized controlled trials. *Diabetes, Metab. Syndr. Obes.* 12 : 553–563.
- Hutley, L., & Prins, J.B. (2005). Fat as an endocrine organ: Relationship to the metabolic syndrome. *Am. J. Med. Sci.* 330 : 280–289.
- Jaiswal, V., & Lee, H.J. (2022). Antioxidant Activity of *Urtica dioica*: An Important Property Contributing to Multiple Biological Activities. *Antioxidants* 11 : 1–24.
- Kemenkes RI (2018). Hasil Riset Kesehatan Dasar Tahun 2018. *Kementrian Kesehatan. RI* 53 : 1689–1699.
- Khalili, D., Khayamzadeh, M., Kohansal, K., Ahanchi, N.S., Hasheminia, M., Hadaegh, F., *et al.* (2023). Are HOMA - IR and HOMA - B good predictors for diabetes and pre - diabetes subtypes ? *BMC Endocr. Disord.* 1–9.
- Kianbakht, S., Khalighi-Sigaroodi, F., & Dabaghian, F.H. (2013). Improved glycemic control in patients with advanced type 2 diabetes mellitus taking *Urtica dioica* leaf extract: A randomized double-blind placebo-controlled clinical trial. *Clin. Lab.* 59 : 1071–1076.
- Kumar, S., & Pandey, A.K. (2013). Chemistry and Biological Activities of Flavonoids: An Overview Shashank. *ScientificWorldJournal.* 2013 : 162750.
- Lin, X., & Li, H. (2021). Obesity: Epidemiology, Pathophysiology, and Therapeutics. *Front. Endocrinol. (Lausanne).* 12 : 1–9.
- Lusiantari, R., Pramaningtyas, M.D., Nurmasitoh, T., Pattimura, R.H., & Dewanti, A. (2018). Shortening tends to increase aortic foam cell count and wall thickness in male Wistar rats. *Universa Med.* 37 : 13–18.
- Maury, E., Ehala-Aleksejev, K., Guiot, Y., Detry, R., Vandenhooft, A., & Brichard, S.M. (2007). Adipokines oversecreted by omental adipose tissue in human obesity. *Am. J. Physiol. - Endocrinol. Metab.* 293.
- Murwani (2013). ATHEROGENIC DIET OF WHITE-RAT (*Rattus norvegicus* strain Wistar) AS ATHEROSCLEROTIC ANIMAL MODEL. *Icassp* 21 : 295–316.
- Nielsen, J.H., Galsgaard, E.D., Møldrup, A., Friedrichsen, B.N., Billestrup, N., Hansen, J.A., *et al.* (2001). Regulation of β -cell mass by hormones and growth factors. *Diabetes* 50 : 25–29.
- Obanda, D.N., Ribnicky, D., Yu, Y., Stephens, J., & Cefalu, W.T. (2016). An extract of *Urtica dioica* L. mitigates obesity induced insulin resistance in mice skeletal muscle via protein phosphatase 2A (PP2A). *Sci. Rep.* 6 : 1–9.

- Oteiza, P.I., Fraga, C.G., & Galleano, M. (2021). Linking biomarkers of oxidative stress and disease with flavonoid consumption: From experimental models to humans. *Redox Biol.* 42 : 101914.
- Paleva, R. (2019). Mekanisme Resistensi Insulin Terkait Obesitas. *J. Ilm. Kesehatan. Sandi Husada* 10 : 354–358.
- Patriti, A., Facchiano, E., Sanna, A., Gullà, N., & Donini, A. (2004). The enteroinsular axis and the recovery from type 2 diabetes after bariatric surgery. *Obes. Surg.* 14 : 840–848.
- Petersen, M.C., & Shulman, G.I. (2018). Mechanisms of insulin action and insulin resistance. *Physiol. Rev.* 98 : 2133–2223.
- Pories, W.J., & Dohm, G.L. (2012). Diabetes: Have we got it all wrong? Hyperinsulinism as the culprit: Surgery provides the evidence. *Diabetes Care* 35 : 2438–2442.
- Puspitasari A.P, S., & Syauqy, A. (2015). PENGARUH PEMBERIAN PISANG KEPOK (*Musa Paradisiaca* Forma Typical) TERHADAP KADAR MALONDIALDEHYDE (MDA) TIKUS SPRAGUE DAWLEY PRA-SINDROM METABOLIK. *J. Nutr. Coll.* 4 : 314–322.
- Ranjbari, A., Azarbayjani, M.A., Yusof, A., Mokhtar, A.H., Akbarzadeh, S., Ibrahim, M.Y., *et al.* (2016). In vivo and in vitro evaluation of the effects of *Urtica dioica* and swimming activity on diabetic factors and pancreatic beta cells. *BMC Complement. Altern. Med.* 16 : 1–11.
- Richard N. Redinger, M. (2012). Australia's health series no. 13. *Psychol. Med.* 41 : 483–484.
- Samuel, V.T., & Shulman, G.I. (2016). The pathogenesis of insulin resistance: Integrating signaling pathways and substrate flux. *J. Clin. Invest.* 126 : 12–22.
- Sandborn, W.J., & Faubion, W.A. (2000). Clinical pharmacology of inflammatory bowel disease therapies. *Curr. Gastroenterol. Rep.* 2 : 440–445.
- Savini, I., Gaperi V., and C.M.V. (2016). Oxidative Stress and Obesity. *Oxidative Stress Obes.*
- Shahwan, M., Alhumaydhi, F., Ashraf, G.M., Hasan, P.M.Z., & Shamsi, A. (2022). Role of polyphenols in combating Type 2 Diabetes and insulin resistance. *Int. J. Biol. Macromol.* 206 : 567–579.
- Singh, B. (2010). Surrogate markers of insulin resistance: A review. *World J. Diabetes* 1 : 36.
- Taylor, R. (2013). Type 2 diabetes: Etiology and reversibility. *Diabetes Care* 36 : 1047–1055.

- Taylor, R. (2008). Pathogenesis of type 2 diabetes: Tracing the reverse route from cure to cause. *Diabetologia* 51 : 1781–1789.
- Wilcox, G. (2005). Iron and insulin resistance. *Aliment. Pharmacol. Ther. Suppl.* 22 : 61–63.
- Wondmkun, Y.T. (2020). Obesity, insulin resistance, and type 2 diabetes: Associations and therapeutic implications. *Diabetes, Metab. Syndr. Obes. Targets Ther.* 13 : 3611–3616.
- Xie, B., Waters, M.J., & Schirra, H.J. (2012). Investigating potential mechanisms of obesity by metabolomics. *J. Biomed. Biotechnol.* 2012.
- Yoon, H., Jeon, D.J., Park, C.E., You, H.S., & Moon, A.E. (2016). Relationship between homeostasis model assessment of insulin resistance and beta cell function and serum 25-hydroxyvitamin D in non-diabetic Korean adults. *J. Clin. Biochem. Nutr.* 59 : 139–144.
- Yu, R., Kim, C.S., Kwon, B.S., & Kawada, T. (2006). Mesenteric adipose tissue-derived monocyte chemoattractant protein-1 plays a crucial role in adipose tissue macrophage migration and activation in obese mice. *Obesity* 14 : 1353–1362.
- Ziaei, R., Foshati, S., Hadi, A., Kermani, M.A.H., Ghavami, A., Clark, C.C.T., *etal.* (2020). The effect of nettle (*Urtica dioica*) supplementation on the glycemic control of patients with type 2 diabetes mellitus: A systematic review and meta-analysis. *Phyther. Res.* 34 : 282–294.