

## DAFTAR PUSTAKA

- Aini, F.N., S. Sukanto, D. Wahyuni, R.G. Suhesti, & Q. Ayyunin. 2013. (*Camellia sinensis* O.K.). *J Mediarogo*. 1(2): 75 – 85.
- Agusni, M. & Satriawan, H. 2014. Pengaruh olah tanah dan pemberian pupuk kandang terhadap sifat fisik tanah dan produksi tanaman jagung. *J Lentera*. 14 (11) : 1-6.
- Ahemad, M., & Kibret, M. 2014. Mechanisms dan applications of plant growth promoting rhizobacteria: current perspective. *J. King Saud Univ. Sci*. 26: 1–20. doi: 10.1016/j.jksus.2013.05.001
- Ahmed, E., & Holmstrom, S. J. 2014. Siderophores in environmental research: Roles dan applications. *Microb. Biotechnol*. 7: 196–208. doi: 10.1111/1751-7915. 12117.
- Anonim, Pusat Penelitian Perkebunan Gambia. 2006. Petunjuk Kultur Teknik Tanaman Teh Asosiasi Penelitian dan Pengembangan Perkebunan Indonesia (Eds 1). Gambia. 136 hal
- Arifiati, A, Syekhfani, & Nuraini, Y. 2017. Uji efektivitas perbandingan bahan kompos paitan (*Tithonia diversifolia*), Tumbuhan Paku (*Dryopteris filixmas*), dan kotoran kambing terhadap serapan N tanaman jagung pada inceptisol. *J Tanah dan Sumberdaya Lahan*. 4 (2) : 543-552.
- Arnon, D.I.(1949) Copper Enzymes in Isolated Chloroplasts. Polyphenoloxidase in Beta Vulgaris. *Plant Physiology*, 24, 1-15. <http://dx.doi.org/10.1104/pp.24.1.1>
- Avivi, S., I.S. Suyani, S. Winarco. 2010. Efek bakteri pelarut fosfat terhadap pertumbuhan *Aspergillus flavus* pada perkecambahan kacang tanah. *Jurnal HPT Tropika* 10(1): 64-72. ISSN 1411-7525.
- Biju, J. Sulaiman, C. T. Satheesh, G & V R K Reddy. 2014. Total Phenolics and Flavonoids in Selected Medicinal Plants From Kerala. *International J Pharmacy and Pharmaceutical Sciences*. 6(1): 406-408.
- Biopendix. Hanafiah, K.A. 2013. Dasar-Dasar Ilmu Tanah. Rajawali Pers. Jakarta.
- Indriani, Y.H. 2007. Membuat Kompos Secara Kilat. Penebar Swadaya. Jakarta. 1 (2) : 121 – 134.
- Blanco, F.F. & M. V. Folegatti. 2003. A New Method for Estimating the Leaf Area Index of Cucumber and Tomato Plants. *Horticultura Brasileira*, Brasília, v. 21, n. 4, p. 666-669, outubro/dezembro 2003.
- Bora, Popy & Bora L.C. 2021. Microbial antagonists dan botanicals mediated disease management in tea, *Camellia sinensis* (L.) O. Kuntze: An overview. *Crop Protection*. 148: 105711. doi: 10.1016/j.cropro.2021.105711.
- Bora, SS, Dey, KK, Borah, M., Rahman, M., Gogoi, M., Modi, MK, Barooah, M. 2021. Diferensiasi niche mikroorganisme bawah tanah dan merikatannya dengan fungsional dalam teh jenis Assam (*Camellia sinensis* var. *assamica*). *Arsip Mikrobiologi*, 203: 5661-5674
- Caffarra A, Rinaldia M, Eccela E, Rossib V, Pertota I. 2012. Modelling the impact of climate change on the interaction between grapevine and its pests and pathogens: European grapevine moth and powdery mildew. *J Agricultural, Ecosystem, and Environment* .148: 89-101.

- Chaliha, C. (2020). Blister Blight Disease of Tea: An Enigma. In E. K. E.-D. Kourouski (Ed.), *Diagnostics of Plant Diseases* (p. Ch. 4). *IntechOpen*. <https://doi.org/10.5772/intechopen.95362>
- Chan, E. W. C., Y. Y. Lim., Y. L. Chew. 2007. Antioxidant Activity of *Camellia Sinensis* Leaves and Tea from a Lowland Plantation In Malaysia. *J Food Chemistry*.102: 1214-1222.
- Chaudhary, P., S. Godara, A. N. Cheeran, and A.K. Chaudhari, 2012. Fast and Accurate Method for Leaf Area Measurement. *International J Computer Applications* (0975 – 8887) Volume 49 – No.9, July 2012.
- Chandrima Bhattacharyya, Srimorye Banerjee, Udit Acharya, Aroni Mitra, Ivy Malick, Anwesha Haldar, Shyamalina Haldar, Anupama Ghosh & Abhrajyoti Ghosh. (2020). Evaluation of plant growth promotion properties and induction of antioxidative defense mechanism by tea rhizobacteria of Darjeeling, India. *J Scientific Report* .10 ,15536.
- Chen, Z.Y., Zhu, Q.Y., Tsang, D. (2001). "Degradation of tea catechins under various pH conditions and during anaerobic digestion process." *J Agricultural and Food Chemistry*, 49(8): 4102-4107.
- Chiang, K., Liu, H., Bock, C.H. 2017. A discussion on disease severity index values: warning on inherent errors and suggestions to maximize accuracy. *Annals of Applied Biology*. 171:139-154. <https://doi.org/10.1111/aab.12362>.
- Cressman K, Hodson D. 2009. Surveillance, Information Sharing and Early Warning Systems for Transboundary Plant Pests Diseases: the FAO Experience. *Arab J Plant Protection* 27: 226- 232
- De Silva, M.S.D.L., Jayasekera, A.P.D.A., Seneviratne, G., Abeysekera, U.P., Premathunge, E.W.T.P., Wijesekera, S.N. 2014. Soil fertility improvement through biofilmmed biofertilizers: potential for field applications in tea cultivation. *Sri Lanka J of Tea Science*, 79: 46-61
- De Ley. 1987. *Azospirillum halopraeferans* sp.nov., a nitrogen fixing organism associated with roots of Kallar grass (*Leptochloa fusca* L.). *Int J System Bacteriol*. 37: 43-51.
- Dias, M. C. (2012). Phytotoxicity: An Overview of the Physiological Responses of Plants Exposed to Fungicides. *J of Botany*, 2012, 1–4. <https://doi.org/10.1155/2012/135479>
- Donovan, N., & Creek, A. (2017). Using copper sprays to control diseases in citrus. *Primefact* 757, April, 1–5. 274:1-36.
- Devendra Jain, Gunnjeet Kaur, Ali Asger Bhojiya, Surya Chauhan, S.K. Khandelwal<sup>1</sup>, R.H. Meena, Deepak Rajpurohit<sup>1</sup> and Santosh Ranjan Mohanty. (2021). Phenetic Characterization of Nitrogen Fixing Azotobacter from Rhizospheric Soil of Southern Rajasthan. *J Pure and Applied Microbiology*. 15(1): 428–436.
- Ema SastriPuspita, L. Y. (2016). Perancangan Sistem Peramalam Cuaca Berbasis Logika Fuzzy. *Media Infotama*, 12(1), 1–10
- Emdadi, L., B. Nasernajad., S.T. Shokrgozar., M. Mehranian & F. Vahazadeh. (2009). Optimization of Withering Time and Fermentation Conditions During the Manufacture of Black Tea Using a Response Surface Methodology. *Chemistry and Chemical Engineering*. 16(1): 61-68.

- Eviati, Sulaeman, dan Suparto. *Analisis Kimia Tanah, Tanaman, Air, dan Pupuk*. Bogor. Badan Penelitian dan Pengembangan Pertanian Departemen Pertanian. 2005.
- Fauziyah, N., Hadisutrisno, B., & Priyatmojo, A. (2018). Waktu Pemencaran dan Pengaruh Jenis Air terhadap Perkecambahan Basidiospora *Exobasidium vexans*, Penyebab Penyakit Cacar Daun Teh. *J Perlindungan Tanaman Indonesia*, 22(1), 66. <https://doi.org/10.22146/jpti.23047>
- Feng L., Gao M. J., Hou R. Y., Hu X. Y., Zhang L., Wan X. C. and Wei S. (2014). Determination of quality constituents in the young leaves of albino tea cultivars. *FoodChemistry*.155:98104.doi:10.1016/j.foodchem.2014.01.044
- Geografi Indonesia
- Galili, G., Avin-Wittenberg, T., Angelovici, R., Fernie, A.R. (2016). "The role of photosynthesis and amino acid metabolism in the energy status during seed development." *Frontiers in Plant Science*, 7: 1-10.
- Garrett KA, Dendy SP, Frank EE, Rouse MN, Travers, SE (2006). Climate Change Effects on Plant Disease: Genomes to Ecosystems. *Annu. Rev. Phytopathol* 44: 489-509.
- Ginanjari, B., Budiman, M. A., & Trimo, L. (2019). USAHATANI TANAMAN TEH RAKYAT (*Camellia Sinensis*) (Studi Kasus pada Kelompok Tani Mulus Rahayu, di Desa Mekartani, Kecamatan Singajaya, Kabupaten Garut, Provinsi Jawa Barat). *J Ilmiah Mahasiswa AGRO INFOGALUH*. 6(1),168. <https://doi.org/10.25157/jimag.v6i1.15> 12
- Haq, M.S; Rachmiati, Yati; Karyudi. (2014). Pengaruh Pupuk Daun terhadap Hasil dan Komponen Hasil Pucuk Tanaman Teh (*Camellia sinensis* (L.) O Kuntze var *Assamica* (Mast.) Kitamura). *Jurnal Penelitian Teh dan Kina*, 17(2): 47-56
- Hayat, S., Ali, B., Hasan, S.A., Ahmad, A. (2008). "Effect of 28-homobrassinolide on the drought stress-induced changes in photosynthesis and antioxidant system of *Brassica juncea*." *J Plant Growth Regulation*, 27(3): 283-290.
- Henry, Ryan S., Johnson, William G. dan Wise, Kiersten A. 2011. The impact of a fungicide and an insecticide on soybean growth, yield, and profitability. *J. Crop Protection* 30: 1629-1634.
- Islam, Shamsul, F.S. Hamid, Khawar Amin, Sonia Sumreen, Qamar-uz-Zaman, Noorullah Khan, Abbas Khan and Basharat Hussain Shah. (2017). Effect of organic fertilizer on the growth of tea. *International J Science: Basic and Applied Research*. 36(8): 1-9. ISSN 2307-4531
- Isrun. (2010). Perubahan serapan nitrogen tanaman jagung dan kadar Al-dd akibat pemberian kompos tanaman legum dan nonlegum pada Inseptisols Napu. *J Agroland* 7 (1) : 23-29.
- Istifadah, N., & Hakim, N. (2017). Kemampuan Kompos dan Kompos Plus untuk Meningkatkan Ketahanan Tanaman Tomat terhadap Penyakit Bercak Coklat (*Alternariasolani*Sor.). *Agrikultura*, 28(3). <https://doi.org/10.24198/agrikultura.v28i3.15742>
- Izzreen, N., Q & Mohd, F., A., B. (2013). Phytochemicals and Antioxidant Properties of Different Parts of *Camellia Sinensis* Leaves From Sabah Tea Plantation In Sabah, Malaysia. *International Food Research J*. 20(1): 307-312.

- Jayasinghe, S.L., Kumar, L., Sandamali, J. (2019). Assessment of potential land suitability for tea (*Camellia sinensis* L.) in Sri Lanka: a GIS-based multi-criteria approach. *Agriculture (Switzerland)*, *9*(10): 148. Doi.org/10.3390/agriculture 9070148.
- Karagoz, Fazilet, Parlakova & Atila Dursun. (2019). Assessment of different PGPR formulations as a biological fertilizer in cultivation of poinsettia (*Euphorbia pulcherrima*). *Frontiers in Environmental Microbiology*. *5*(2): 48-59. doi: 10.11648/j.fem.20190502.1
- Kementerian Pertanian. (2014). Perkembangan Pasar Teh Indonesia di Pasar Domestik dan Pasar Internasional Tahun 2014. Balai Penelitian Tanaman Industri dan Penyegar Kementerian Pertanian, Jakarta.
- Kim, J.E., Son, J.E., Jeong, H., Kim, D.J., Seo, S.G., Lee, E.K., Kim, Y.M., Kim, S.Y., Lee, H.J., Park, Y.J., Kim, S., Kang, S.S., Cho, G.J., Choi, W.S., Lee, G., Kang, Y.H. (2014). "Green tea catechins protect against vasculopathy in diabetic mice." *Nutrition & Metabolism*, *11*(1): 1-14
- Kraus J, Loper JE (1995) Karakterisasi wilayah genom diperlukan untuk produksi antibiotik pyoluteorin oleh agen kontrol biologis *Pseudomonas fluorescens* Pf5. *Mikrobiol Lingkungan* 61:849–854
- Kroumova, A.B., Wagner, G.J. (2003). "Different mechanisms control the accumulation of the aromatic amino acids phenylalanine, tyrosine, and tryptophan in *Arabidopsis thaliana*." *BMC Plant Biology*, *3*(1): 1-15.
- Kumar A, Saini P, Sharivastava JN. (1996). Produksi peptide antijamur antibiotik dan aktivitas biocontrol *Bacillus Subtilis*. *India J Exp Bio* 2009;47(1):7-62.
- Kumar, S., Baudh, K., Sainger, M., Sainger, P. A., Singht, R.P. 2015. Increase in growth, productivity and nutritional status of wheat (*Triticum aestivum*) and enrichment in soil microbial population applied with biofertilizer entrapped with organic matrix. *J Plant Nutrition*. 38, 260-276.
- Kumart, R., D. D. K. Bora, A. K. Singh, and B. Bera. (2011). Seasonal and clonal variations in shoot extension rates and population density of Darjeeling tea clones (*Camellia sinensis* L.). *Two and A Bud* 58:74-79.
- Leslie, P. J., & Gunawan, S. (2019). Uji fitokimia dan perbandingan efek antioksidan pada daun teh hijau, teh hitam, dan teh putih (*Camellia sinensis*) dengan metode DPPH (2, 2-difenil-1-pikrilhidrazil) komponen Teh didapatkan dengan diperoleh dengan lalu dikeringkan, sedangkan teh p. *J Tarumanagara Medical*, *1*(2), 383–388.
- Liew, Pearl Majorie, & Yoke Keong Yong. (2016). "*Stachytarpheta Jamaicensis* (L.) Vahl: From Traditional Usage to Pharmacological Evidence." *Evidence-Based Complementary and Alternative Medicine*. <https://doi.org/10.1155/2016/7842340>.
- Li, J., Ye, L., Wang, X., Hu, J., Ho, C.T., Zhao, H. (2019). "Tea flavonoids: from chemistry to human health." *J Zhejiang University-SCIENCE B (Biomedicine & Biotechnology)*, *20*(10): 909-924.
- Lin, Y., Juan, I., Chen, Y., Liang, Y., Lin, J. (1996). Composition of Polyphenols In Fresh Tea Leaves and Associations of Their Oxygen Radical-Absorbing Capacity With Antiproliferative Actions In Fibroblast Cells. *J. Agric. Food Chem.* 44: 1387-1394.

- Meriko, L., & Abizar, (2017). Struktur Stomata Daun Beberapa Tumbuhan Kantong Semar (*Nepenthes* spp.). *Berita Biologi*. 16(3): 325-330.
- Mohktar, N., & Nagao, H. (2019). Histological description of *exobasidium vexans* infection on tea leaves (*Camellia sinensis*). *Songklanakarin J Science and Technology*, 41(5), 1021–1028. <https://doi.org/10.14456/sjstpsu.2019.129>
- Mostakim M, El Abed S, Irakui M, Benbrahim KF, Houari A, Gounni AS, dkk . (2011) Potensi biokontrol dari strain *Bacillus subtilis* terhadap *Bactrocera oleae*. *Ann Mikrobiol*;62(1):211-6. Tersediadari: Doi :/10.1007/s13213-011-0248-z
- Mur, L. A., Hauck, B., Winters, A., Heald, J., Lloyd, A. J., Chakraborty, U., & Chakraborty, B. N. (2015). The development of tea blister caused by *Exobasidium vexans* in tea (*Camellia sinensis*) correlates with the reduced accumulation of some antimicrobial metabolites and the defence signals salicylic and jasmonic acids. *Plant Pathology*, 64(6), 1471-1483. doi:10.1111/ppa.12364
- Murugappan, R., Begum, S. B., & Roobia, R. R. (2013). Symbiotic influence of endophytic *Bacillus pumilus* on growth promotion dan probiotic potential of the medicinal plant *Ocimum sanctum*. *Symbiosis*, 60: 91–99.
- Muyassir, Sufardi, & Saputra, I. (2012). Perubahan sifat fisika Inceptisol akibat perbedaan jenis dan dosis pupuk organik. *Lentera* 12 (1): 1-8.
- Nadeem, S.M., Ahmad, M., Zahir, Z.A., Javaid, A., Ashraf, M. (2014). The role of mycorrhizae dan plant growth promoting rhizobacteria (PGPR) in improving crop productivity under stressful environments. *Biotechnology Advances*, 32:429-448.
- Nichola, Austen, J. Walker Heather, Ann Lake Janice, K. Phoenix Gareth, & Drummond Cameron Duncan. (2019). *Plant Sci*. <https://doi.org/10.3389/Fpls.2019.01463>.
- Noriko, N. (2013). Potensi Daun Teh (*Camellia sinensis*) dan Daun Anting-anting *Acalypha indica* L. dalam Menghambat Pertumbuhan *Salmonella typhi*. *J Al-Azhar Indonesia Seri Sains Dan Teknologi*, 2(2), 104. <https://doi.org/10.36722/sst.v2i2.131>
- Nugroho, W.K. & F. Yuliasmara. (2012). Penggunaan Metode Scanning untuk Pengukuran Luas Daun Kakao. *Warta Pusat Penelitian Kopi Dan Kakao Indonesia*. 24 | 1 | Februari 2012. hal 5-8
- Obanda, et. al. (2001). Changes In The Chemical and Sensory Quality Parameters of Black Tea Due to Variations of Fermentation Time and Temperature. *Food Chemistry*. 75: 395-404.
- Oerke EC. (2006). Crop losses to pests. *J Agricultural Science* 144: 31-43.
- Olivia, C Ruma, & B. Zipagang Teresita. (2015). “Determanition of Secondary Metabolites Pengaruh Lokasi Tumbuh Terhadap Kadar Flavonoid, Fenolik and Antibacterial Property of Extract from Leaves of *Stachytarpheta Jamaicensis* (L.) Vahl.” *J Medicinal Plants Studies* 3 (4): 79– 81.
- Pandey, S. K. & H. Singh. (2011). A Simple, Cost-Effective Method for Leaf Area Estimation. *J Botany*. Volume 2011, Article ID 658240.6p.
- Parida, A. K., A.B. Das. (2005). Salt tolerance and salinity effects on plants: A review. *Ecotoxicol Environ Saf* 2005, 60, 324-49.



- Park, H. G., Lee, Y. S., Kim, K. Y., Park, Y. S., Park, K. H., Han, T. H., Park, C. M., & Ahn, Y. S. (2017). Inoculation with *Bacillus licheniformis* MH48 promotes nutrient uptake in seedlings of the ornamental plant *Camellia japonica* grown in Korean reclaimed coastal lands. *Horticultural Science & Technology*, 35 (1):11-20.
- Penrose DM, Glick BR (2003) Metode untuk mengisolasi danmengkarakterisasi ACC deaminase yang mengandung pemacu pertumbuhan tanamanrhizobakteri. *Pabrik Fisiol* 118:10–15
- Porcel, R., A.M. Zamarreño, José M.G-M., and R. Aroca. (2014). Involvement of plant endogenous ABA in *Bacillus megaterium* PGPR activity in tomato plants. *BMC Plant Biology*. 14(36): 1-12. doi: 10.1186/1471-2229-14-36
- Prasetyo, Y., Djatmiko, H. dan Sulistyaningsih, N. (2014). Pengaruh kombinasi bahan baku dan dosis biochar terhadap perubahan sifat fisika tanah pasiran pada tanaman jagung (*Zea mays* L.). *Berkala Ilmiah Pertanian*. 1 (1) : 1-5.
- Prayunita, M. Basyuni, L.A.P. Putri. (2012). Respons pertumbuhan dan biomassa semai *Rhizopora apiculata* BI terhadap salinitas dan kandungan lipidnya pada tingkat pohon. *Skripsi*. Universitas Sumatera Utara. Medan.
- Prihastanti, E. (2011). Specific Leaf Area, Jumlah Trikomata dan Kandungan Kalium Daun Semai Kakao (*Theobroma cacao* L.) pada Kandungan Air Tanah Berbeda. *BIOMA*, Desember 2011. ISSN: 1410-8801. Vol. 13, No. 2, Hal. 85-90
- Prisa, D. (2019). Effective microorganisms for germination dan root growth in *Kalanchoe daigremontiana*. *World J Advanced Research dan Reviews*, 3 (3): 47–53.
- Purnomo, Dj. (2005). Tanggapan Varietas Tanaman Jagung Terhadap Irradiasi Rendah. *Agrosains* 7(1): 86-93, 2005.
- Qibtiyah, M. (2009). Pengelolaan pemetikan tanaman teh (*Camellia sinensis* (L.) O. Kuntze) di Unit Perkebunan Tambi, PT Tambi, Wonosobo, Jawa Tengah. [*Skripsi*]. Institut Pertanian Bogor, Bogor.
- Radi, A.A., Ahmed, S.H. (2013). "Effect of amino acids on plant growth and development." *International J Current Microbiology and Applied Sciences*, 2(12): 1-14
- Rahardjo, P. & A. A. Salim. (1995). *Pupuk hijau bahan organik untuk lahan yang mengalami degradasi kesuburan*. Warta Teh dan Kina Vol. 6 no.3/4 PPTK Gambung.
- Ristiati NP, Muliadihardja S, nurlita F. 2008. Isolasi dan identifikasi bakteri penambat nitrogen non simbiosis dari dalam tanah. *J penelitian dan pengembangan sains & humaniora*. 2(1):68-80.
- Rothrock, C.S., Gottlieb, D., (1984). Role of antibiosis in antagonism of *Streptomyces hygroscopicus* var. geldanus to *Rhizoctonia solani* in soil. *Can. J. Microbiol.* 30, 1440-1447.
- Ruan J., dan Härdter R. (2001). Productivity dan quality response of tea to balanced nutrient management – Examples from China tea gardens. *Int. Potash Instu. Kassel. Germany*. pp 324-325. doi: 10.1007/0-306-47624-X\_156

- Ruzzi, M., & Aroca, R. (2015). Plant growth-promoting rhizobacteria act as biostimulants in horticulture. *Sci. Hortic.* 196: 124–134. doi: 10.1016/j.scienta.2015.08.042
- Saha, A. K., Apu B., Abdul Q. K., Md. M. Farazi and Md. H. Rahman. (2014). Improvement of tea (*Camellia sinensis* L.) soil properties by growing different green crops. *The Agriculturist.* 12(2): 34-38. ISSN 2304-7321.
- Salisbury, F.B. & C.W. Ross. (1995). *Fisiologi Tumbuhan (Jilid 2) terjemahan Diah R. Lukman dan Sumaryono.* Institut Teknologi Bandung. Bandung.
- Shamloo, Maryam, Elizabeth A. Babawale, Robert J. Agnelo Furtodo, Peter K. Eck Henry, and Peter J. H. Jones. (2017). "Effect of Genotype and Temperature on Accumulation of Plant Secondary Metabolites in Canadian and Australian Wheat Grown Under Controlled Enviroments. *University of Manitoba.*" *Scientific Report* 7 (9133): 1–13.
- Santoso, B.B. & Hariyadi. (2008). Metode Pengukuran Luas Daun Jarak Pagar (*Jatropha curcas* L.). *MAGROBIS – J Ilmu-Ilmu Pertanian* ISSN No. 1412-0828. Fakultas Pertanian Universitas Kutai Kartanegara Tenggarong – KALTIM. Vol. 8 No. 1 Januari 2008. Hal 17-22
- Sanyal, S. (2011). Tea Manufacturing Manual. Assam India: *Tea Research Association Toklai Experimental Station.* Page: 207.
- Sari, D.P. & Harlita. (2018). Preparasi Hand Free Section dengan Teknik Replika untuk Identifikasi Stomata. *Proceeding Biology Education Conference*, 15 (1): 660 - 664.
- Setiawati W, Sumarni N, Koesrandiani Y, Hasyim A, Uhan TS, Sutarya N. (2013). Penerapan teknologi pengendalian hama terpadu pada tanaman cabe merah untuk mitigasi dampak perubahan iklim. *J. Hirtikultura* 23(2): 174-183.
- Sharma HC, Prabhakar CS. (2014). Impact of Climate Change on Pest Management and Food Security. International Crops Research Institute for the Semi-Arid Tropics (ICRISAT), Andhra Pradesh, India. In. Abrol (Eds): *Integrated Pest Management.* DOI: <http://dx.doi.org/10.1016/B978-0-12-3985293.00003-8>.
- Soesanto, L. (2008). Pengantar Pengendalian Hayati Penyakit Tanaman, Suplemen ke Gulma dan Nematoda. *Rajawali Pers.* 573 p.
- Spillane, J.J. (1992). *Komoditas Teh dan Peranannya dalam Perekonomian Indonesia.* Kanisius. Yogyakarta. 246 hal.
- Sriwahyuni P, Parmila P. (2019). Peran bioteknologi dalam pembuatan pupuk hayati. *Agro Bali (Agricultural Journal)* 2(1): 46-57.
- Sukasman. (1990). Pengaruh Kemarau Panjang Terhadap Kekeringan Tanaman Teh. *Symposium Teh V.* Bandung. p: 1-10.
- Sumardi, I., Nugroho, H., & Purnomo. (2010). *Struktur dan Perkembangan Tumbuhan.* Penebar Swadaya. Jakarta.
- Supriadi. (2013). Optimasi pemanfaatan beragam jenis pestisida untuk mengendalikan hama dan penyakit tanaman. *J Litbang Pertanian* 32(1): 1-9
- Suseno, H., (1977). *Beberapa Aspek Fisiologis Pada Tanaman Teh.* Warta balai penelitian teh dan kina gambung. Bandung. Vol. 3 No.4. p: 263-268.

- Sutoro dan M. Setyowati. (2014). Model Pendugaan Luas Daun Tanaman Koro Pedang (*Canavalia ensiformis*). *Informatika Pertanian*, Vol. 23 No.1, Juni 2014 : 1 – 6.
- Suyono, Y. & Salahudin, F. (2011). Identifikasi dan karakterisasi bakteri *Pseudomonas* pada tanah yang terindikasi terkontaminasi logam. *J Biopropal Industri*. 2(1): 1-6. ISSN: 2089-0877.
- Towaha, J. (2013). Kandungan Senyawa Kimia Pada Daun Teh (*Camellia sinensis*). *Warta Penelitian dan Pengembangan Tanaman Industri*. 19(3): 12-16. *Trichoderma harzianum*, *Trichoderma koningii*, *Bacillus subtilis* dan *Pseudomonas fluorescens*. *J Pelita Perkebunan* 29(1): 44-52.
- Turkmen, N., Ferda, S., Y. Sedat. V. (2009). Factor Affecting Polyphenol Content and Composition on Fresh and Processed Tea Leaves. *Review Paper Akademik Gida*. 7(6): 29-40.
- Wang, Qinghu., Jinmei, J., Nayintai, D., Narenchaoketu, H., Jingjing, H., Baiyinmuqier, B. (2016). Antinflammatory Effects, Nuclear Magnetic Resonance Identification and High Performance Liquid Chromatography Isolation of The Total Flavonoids From *Artemisia Frigida*. *J Food and Drug Analysis*. 24: 385-391.
- Wijeratne, M.W., (1994). Effect Climatic Factor on The Growth of Tea (*Camellia sinensis* L.) in The Low Country Wet Zone of Sri Lanka. *PhD Thesis*, Wye College, University of London.
- Xiaolan Jiang, Wei-Wei Li, Menglin Han, Gao Chen, Jing Wu, Sanyan Lai, ZhoupingFu, Shuxiang Zhang, Wei-Wei Deng, Liping Gao & Tao Xia. (2021). Aluminum-tolerant, growth-promoting endophytic bacteria as contributors in promoting tea plant growth and alleviating aluminum stress. *J Tree Physiology*. 1-16.
- Xiaolan Jiang, Wei-Wei Li, Menglin Han, Gao Chen, Jing Wu, Sanyan Lai, ZhoupingFu, Shuxiang Zhang, Wei-Wei Deng, Liping Gao & Tao Xia. (2021). Plant-Growth Endophytic Bacteria Improve Nutrient Use Efficiency and Modulate Foliar N- Metabolites in Sugarcane Seedling. *J Microorganisms*. 9, 479.
- Yang, C., Hamel, C., Vujanovic, V., & Gan, Y. (2011). Fungicide : *Modes of Action and Possible Impact on Nontarget Microorganisms*. 2011. <https://doi.org/10.5402/2011/130289>
- Yuniarti, A., Damayanti, M. & Nur, D.M. 2019. Efek pupuk organik dan pupuk N, P, K terhadap C-organik, N-total, C/N, Serapan N, serta hasil padi hitam pada Inceptisols. *J Pertanian Presisi* 3(2):90-105.
- Zaidi, A., Khan, M.S., Saif, S., Rizvi, A., Ahmed, B., Shahid, M., 2017. Role of nitrogen fixing plant growth-promoting rhizobacteria in sustainable production of vegetables: In: *Microbial Strategies for Vegetable Production*. Cham, pp. 49–7
- Zhang, S., Zhang, L., Tai, Y., Wang, X., Ho, C. T., & Wan, X. (2018). Gene Discovery of Characteristic Metabolic Pathways in the Tea Plant (*Camellia sinensis*) Using 'Omics'-Based Network Approaches: A Future Perspective. *Frontiers in plant science*, 9, 480. <https://doi.org/10.3389/fpls.2018.00480>