UNIVERSITAS
GADJAH MADA
Peran Substrat, Pakan dan Probiotik Terhadap Pertumbuhan dan Sintasan Benih Teripang Pasir (Holothuria scabra Jaeger 1833)
SARI BUDI MORIA SEMBIRING, Prof. Dr. Suwarno Hadisusanto, S.U.; Prof. Dr. Haryanti, S.U.; Dr. Rarastoeti Prativ
Universitas Gadjah Mada, 2023 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Adel, M., Yeganeh, S., Dawood, M. A. O., Safari, R., and Radhakrishnan, S. 2017. Effects of Pediococcus pentosaceus supplementation on growth performance, intestinal microflora and disease resistance of white shrimp, *Litopenaeus vannamei*. *Aquaculture Nutrition*. 23(6): 1401–1409. https://onlinelibrary.wiley.com/doi/10.1111/anu.12515.

Afonso, V., Champy, R., Mitrovic, D., Collin, P., and Lomri, A. 2007. Reactive oxygen species and superoxide dismutases: Role in joint diseases. *Jt. Bone, Spine*. 74(4): 324-329.

Agudo, N. 2006. Sandfish hatchery techniques. Australian Centre for International Agricultural Research, Secretariat of the Pacific Community and the WorldFish Center, Noumea. 44 pp.

Agudo, N. 2012. Pond grow-out trials for sandfish (*Holothuria scabra*) in New Caledonia. In: Hair, C., Pickering, T., Mills, D. (Eds.), Asia-Pacific Tropical Sea Cucumber Aquaculture. *Proceedings of an International Symposium held in Noumea, New Caldonia, 15–17 February, 2011*. *Australian Centre for International Agricultural Research, Canberra*. pp. 104–112.

Altamirano, J. P., and Noran-Baylon, R. D. 2020. Nursery culture of sandfish *Holothuria scabra* in sea-based floating hapa nets: Effects of initial stocking density, size grading and net replacement frequency. *Aquaculture (Amsterdam, Netherlands)* 526. https://www.elsevier.com./doi/10.1016/j. aquaculture.2020.735379.

Altamirano, J.P., Recente, C.P., and Rodriguez Jr., J.C. 2017. Substrate preference for burying and feeding of sandfish *Holothuria scabra juveniles*. *Fish. Res*. 186: 514-523. https://www.sciencedirect.com/doi/10.1016/j.fishres. 2016. 08.011.

AOAC, 1990. Official methods of analysis. 12th ed. Washington, D.C. Association of Official Analytical Chemists, 1141 p.

Asniatih, Idris, M., dan Sabilu, K. 2013. Studi histopatologi pada ikan lele dumbo (*Clarias gariepinus*) yang terinfeksi bakteri *Aeromonas hydrophila*. *Jurnal Mina Laut Indonesia*. 3(12): 13-21.

Ardiansyah, A., Bayu, A., Wulandari, D.A., and Putra, M.Y. 2022. Fatty acid from sea cucumber: mini review. *AIP Conference Proceeding 2563.050021*. https://www.pubs.aip.org/doi/10.1063/5.0103471.

Arya, M., Shergill, I., Williamson, M., Gommersall, L., Arya, N., and Patel, H. 2005. Basic principles of the real time quantitative PCR. *Expert Review of Molecular Diagnostics*. 5(2): 209-219. https://www.tandfonline.com/ doi/10.1586/14737159. 5.2.209.

UNIVERSITAS
GADJAH MADA
Peran Substrat, Pakan dan Probiotik Terhadap Pertumbuhan dan Sintasan Benih Teripang Pasir (Holothuria scabra Jaeger 1833)
SARI BUDI MORIA SEMBIRING, Prof. Dr. Suwarno Hadisusanto, S.U.; Prof. Dr. Haryanti, S.U.; Dr. Rarastoeti Prativ
Universitas Gadjah Mada, 2023 | Diunduh dari http://etd.repository.ugm.ac.id/

Axler, R., Larsen, C., Tikkanen, C., McDonald, M., Yokom, S., and Aas, P. 1996. Water quality issues associated with aquaculture: A case study in mine pit lakes. *Water Environment Research*. 68(6): 995-1011. https://www.experts.umn.edu/doi/10.2175/ 106143096X128027.

Aziz, A. 1996. Makanan dan cara makan berbagai jenis teripang. *Oseana*. XXI (4): 43-59.

Balcazar, J.L., De Blas, I., Ruiz-Zarzuela, I., Cunningham, D., Vendrell, D., and Muzquiz, J.L. 2006. The role of probiotics in aquaculture. *Veterinary Microbiology*. 114(3-4): 173-86.

Balcázar, J. L., & Rojas-Luna, T. 2007. Inhibitory activity of probiotic *Bacillus subtilis* UTM 126 against Vibrio species confers protection against Vibriosis in juvenile shrimp (*Litopenaeus vannamei*). *Current Microbiology*. 55(5): 409-412.

Bai, Y., Zhang, L., Xia, S., Liu, S., Ru, X., Zhang, T., and Yang, H. 2016. Effects of dietary protein levels on the growth, energy budget, and physiological and immunological performance of green, white and purple color morphs of sea cucumber, *Apostichopus japonicus*. *Aquaculture*. 450: 375-382.

Bairage, A., Ghosh, K.S., Send, S.K., and Ray, A.K. 2002. Enzyme producing bacterial flora isolated from fish digestive tracts. *Aquaculture International*. 10: 109-121.

Bakus, G.J. 1973. The biology and ecology of tropical holothurians. Academic Press, NewYork. Vol. 2: 325-367.

Barnes, R.D. 1991. Invertebrate Zoology.6th ed. *Sounders College Publishing, USA*. p. 966-975.

Battaglene, S.C., Seymour, J.E., and Ramofafia, C. 1999. Survival and growth of cultured juvenile sea cucumbers, *Holothuria scabra*. *Aquaculture.* 178: 293-322.

Beltran-Gutierrez, M., Ferse, S.C.A., Kunzmann, A., Stead, S.M., Msuya, F.E., Hoffmeister, T.S., and Slater, M.J., 2016. Co-culture of sea cucumber *Holothuria scabra* and red seaweed *Kappaphycus striatum*. *Aquac. Res.* 47: 1549-1559. https://www.semanticscholar.org/paper/doi/10.1111/ are.12615.

Bergmeyer, H. U., and Grassi, M. 1983. *Methods of Enzymatic Analysis. Volume II*. Weinheim: Verlag Chemie. 539 pp.

Borgeson, T.L., Racz, V.J., Wilkie, D.C., White, L.J., and Drew, M.D. 2006. Effect of replacing fish meal and oil with simple or complex mixtures of vegetable ingredients in diets fed to Nile tilapia, *Oreochromis niloticus. Aquacult. Nutr*. 12: 141-149.

Borlongan, T. G. 1990. Studies on lipases of milkfish (*Chanos chanos*). *Aquaculture,* 89, 315-325. https://www.sciencedirect.com/doi/10.1016/ 0044-8486(90)90135-A.

UNIVERSITAS
GADJAH MADA
Peran Substrat, Pakan dan Probiotik Terhadap Pertumbuhan dan Sintasan Benih Teripang Pasir (Holothuria scabra Jaeger 1833)
SARI BUDI MORIA SEMBIRING, Prof. Dr. Suwarno Hadisusanto, S.U.; Prof. Dr. Haryanti, S.U.; Dr. Rarastoeti Prativ
Universitas Gadjah Mada, 2023 | Diunduh dari http://etd.repository.ugm.ac.id/

Bottcher, M. F., Nordin, E. K., Sandin, A., Midtvedt, T., and Bjorksten, B. 2000. Microflora-associated characteristics in faeces from allergic and nonallergic infants. *Clinical & Experimental Allergy*. 30(11): 1591-1596.

Bouland, C., Massin, C., and Jangoux, M. 1982. The fine structure of the bucal tentacles of *Holothuria forskali* (Echinodermata, Holothuroidea). *Zoomorpholog*. 101:133-149.

Bradford, M.M. 1976. A Rapid and sensitive method for the quantitation of microgram quantities of protein utilizing the principle of protein-dye binding. *Anal Biochem*. 72: 284-254.

Brett, J.R., and Groves, T.D.R. 1979. Physiological energetic. *In*: Bioenergetics and growth. (Eds.) Hoar, W.S., Randal, D.J., and Brett, J.R. *New York Academic Press*. 8: 279-352.

Broom, M., Gabr, M. H., Al-Harbi, M., and Satheesh, S. 2021. Effect of feeding regime and stocking density on the growth performance of sea cucumber *Holothuria scabra*. *Egyptian Journal of Aquatic Biology and Fisheries*. 25(3): 635-646.

Bureau, D.P., Hua, K., and Harris, A.M., 2008. The effect of dietary lipid and long-chain n-3 PUFA levels on growth, energy utilization, carcass quality, and immune function of rainbow trout *Oncorhynchus mykiss*. *J. World Aquacult. Soc*. 39 (1): 1-21.

Burtin, P. 2003. Nutritional Value of Seaweeds. *Electronic Journal of Environmental, Agricultural and Food Chemistry.* 2: 498-503.

Calow, P. 1984. Economics of Ontogeny – adaptional Aspect. *Evolutionary Ecology*. 34: 123-134.

Calow, P., and Townseed, C.R. 1981. Energetic, Ecology and Evolution. *J. of Physiol. Ecol.* 45: 39 – 53.

Callewaert, L., and Michiels, C. 2010. Lysozymes in the animal kingdom, *J. Biosci.* 35: 127-160.

Cannon, L.R.G., and Silver, H. 1987. Sea cucumber of northen Australia, Queensland Cultural Center South Brisbane Australia. 60 pp.

Caruso, G., Denaro, M.G., and Genovese, L. 2009. Digestive enzymes in some teleost species of interest for mediterranean aquaculture. *The Open Fish Science Journal*. 2(1):74-86.

Castell, J.D., Kennedy, E.J., Robinson, S.M.C., Parsons, G.J., Blair, T.J., and Gonzalez-Duran, E. 2004. Effect of dietary lipids on fatty acid composition and metabolism in juvenile green sea urchins (*Strongylocentrotus droebachiensis*). *Aquaculture.* 242: 417-435.

Ceccarelli, D.M., Logan, M., and Purcell, S.W. 2018. Analysis of optimal habitat for captive release of the sea cucumber *Holothuria scabra*. *Mar. Ecol. Prog. Ser*. 588: 85-100.

Chi, C., Liu, J. Y., Fei, S. Z., Zhang, C., Chang, Y. Q., Liu, X. L., and Wang, G. X. 2014. Effect of intestinal autochthonous probiotics isolated from the

UNIVERSITAS
GADJAH MADA
Peran Substrat, Pakan dan Probiotik Terhadap Pertumbuhan dan Sintasan Benih Teripang Pasir (Holothuria scabra Jaeger 1833)
SARI BUDI MORIA SEMBIRING, Prof. Dr. Suwarno Hadisusanto, S.U.; Prof. Dr. Haryanti, S.U.; Dr. Rarastoeti Prativ
Universitas Gadjah Mada, 2023 | Diunduh dari http://etd.repository.ugm.ac.id/

gut of sea cucumber (*Apostichopus japonicus*) on immune response and growth of *A. japonicus*. *Fish and Shellfish Immunology*. 38: 367-373.

Chia, F. and Xing, J. 1996. Echinoderm coelomocytes, *Zool. Stud.* 35 (4): 231-254.

Chiaramonte, M., and Russo, R. 2015. The echinoderm innate humoral immune response. *Italian Journal of Zoology*. 82(3): 300-308. https://www.tandfonline.com/doi/10.1080/ 11250003.2015.1061615.

Cook, J.T., McNiven, M.A., Richardson, G.F., and Sutterlin, A.M. 2000. Growth rate, body composition and feed digestibility/conversion of growth-enhanced transgenic Atlantic salmon (*Salmo salar*). *Aquaculture*. 188:15-32.

Conand, C. 1991. Long-term movements and mortality of some tropical sea-cucumbers monitored by tagging and recapture. In: Yanagisawa, T., Yasumasu, I., Oguro, C., Suzuki, N., Motokawa, T. (eds) Biology of Echinodermata. *CRC Press, Netherlands*. p. 169-175.

Conand, C., Polidoro, B.A., Mercier, A., Gamboa, R.U., Hamel, J.F., and Purcell, S.W. 2014. The IUCN Red List assessment of aspidochirotid sea cucumbers and its implications. *SPC Beche-de-mer Information Bulletin*. 34: 3-7.

Cui, L.B., Dong, Z.N., and Lu, Y.H. 2000. Histological and histochemical studies on the digestive system of *Apostichopus japonicus*. *Chin. J. Zoo*. 35: 2-4.

Darman, Idris, M., dan Astuti, O. 2017. Pertumbuhan dan kelangsungan hidup teripang pasir (*Holothuria scabra*) yang dibudidayakan pada karamba jaring tancap. *Media akuatika*. 2(3): 60-69. https://www.ojs.uho.ac.id/ index.php/ JMA/doi/10.33772/jmav2i3.4340.

Deganp, G., and Yehuda, Y. 1999. Digestibility of protein sources in feed for *Oreochromis aureus x O. nilotica. Indian J. Fish*. 46: 33-39.

Delroisse, J., Wayneberghe, K.V., Flammang, P., Gillan, D., Gerbaux, P., Opina, N., Todinanahary, G.G.B., and Eeckhaut, I. 2020. Epidemiology of a Skin Ulceration Disease (SKUD) in the sea cucumber *Holothuria scabra* with a review on the SKUD in Holothuroidea (Echinodermata). *Scientific Reports*. 10, 22150. https://www.nature.com/doi/10.1038/s41598-020-78876-0.

Deng, H., He, C. B., Zhou, Z. C., Liu, C., Tan, K. F., Wang, N. B., Jang, B., Gao, X. G., and Liu, W. D., 2009. Isolation and pathogenicity of pathogens from skin ulceration disease and viscera ejection syndrome of the sea cucumber *Apostichopus japonicus*. *Aquaculture.* 287: 18-27.

De Silva, S.S., and Anderson, T.A. 1995. Fish nutrition in aquaculture. *Chapman & Hall. UK*. 319 pp.

Dharma, L. dan N. Suhenda. 1986. Pengaruh pemberian pakan dengan tangan dan alat self feeder terhadap pertumbuhan dan produksi ikan mas di kolam air deras. *Bulletin Penelitian Perikanan Darat*. 5 (1): 79- 84.

UNIVERSITAS
GADJAH MADA
Peran Substrat, Pakan dan Probiotik Terhadap Pertumbuhan dan Sintasan Benih Teripang Pasir (Holothuria scabra Jaeger 1833)
SARI BUDI MORIA SEMBIRING, Prof. Dr. Suwarno Hadisusanto, S.U.; Prof. Dr. Haryanti, S.U.; Dr. Rarastoeti Prativ
Universitas Gadjah Mada, 2023 | Diunduh dari http://etd.repository.ugm.ac.id/

Dimitroglou, A., Merrifield, D.L., Spring, P., Sweetman, J., Moate, R., and Davies, S.J. 2010. Effects of *mannan oligosaccharide* (MOS) supplementation on growth performance, feed utilization, intestinal histology and gut microbiota of gilthead sea bream (*Sparus aurata*). *Aquaculture.* 300:182-188.

Dobson, G. T., Duy, N. D. Q., and Southgate, P. C. 2020. First assessment of the potential for coculture of sandfish (*Holothuria scabra*) with Babylon snail (*Babylonia areolata*) in Vietnam. *Journal of the World Aquaculture Society*. 51(2): 527-541. https://www.onlinelibrary.wiley.com/doi/ 10.1111/jwas. 12676.

Dolmatov, I.Y., and Ginanova, T.T. 2009. Post-autotomy regeneration of respiratory trees in the holothurian *Apostichopus japonicus* (Holothuroidea, Aspidochirotida). *Cell and Tissue Research*. 336: 41-58.

Dominguez, H., and Loret, E.P. 2019. Review: *Ulva lactuca*, asource of troubles and potential riches. *Mar. Drugs*, 17(6): 357. https://www.mdpi.com/ doi/10.3390/ md17060357.

Dong, Y., Dong, S., Tian, X., Wang, F., and Zhang, M. 2006. Effects of diel temperature fluctuations on growth, oxygen consumption and proximate body composition in the sea cucumber *Apostichopus japonicus* Selenka. *Aquaculture*. 255(1-4): 514-521.

Duy, N.D. 2012. Large-scale sandfish production from pond culture in Vietnam. *In*: Hair, C., Pickering, T., Mills, D. (Eds.), Asia-Pacific Tropical Sea Cucumber Aquaculture. *Proceedings of an International Symposium held in Noumea, New Caledonia, 15–17 February, 2011. Australian Centre for International Agricultural Research, Canberra*. pp. 34-39.

Effendie, I. 1997. Biologi Perikanan. *Yayasan Pustaka Nusatama*. *Yogyakarta.*

Ebert, T. 1996. Adaptive aspects of phenotypic plasticity in echinoderms. *Oceanol. Acta.* 19: 347-355.

Eliseikina, M.G., and Margalamov, T.Y. 2002. Coelomocyte morphology in the *Holothurians Apostichopus japonicus* (Aspidochirota: Stichopodidae) and *Cucumaria japonica* (Dendrochirota: Cucumariidae). *Russian Journal of Marine Biology*. 28(3): 197-202.

FAO. 2007. FAO Technical meeting on prebiotics. https://www.fao.org/ag/agn/ agns/index-stm.

Feral, J.F., and Massin, C. 1982. Digestive systems: Holothuroidea. *In* Echinoderm Nutrition (Eds. Jangoux, M., and Lawrence, J.M.) p. 191-212. AA Balkema, Rotterdam.

Ferguson, J. C. 1969. Feeding, digestion and nutrition in Echinodermata. *In* M. Flokin., & B. T. Scheers, *Chemical ecology* (Vol. 3) (p. 71-100). New York: Academic Press.

Firdaus, M., and Indriana, L.F. 2019. Nursery performance of sandfish *Holothuria scabra* juveniles in tidal earthen pond using different types of cage. *The 2nd International Symposium on Marine Science and Fisheries*. 1-7 pp.

UNIVERSITAS
GADJAH MADA
Peran Substrat, Pakan dan Probiotik Terhadap Pertumbuhan dan Sintasan Benih Teripang Pasir (Holothuria scabra Jaeger 1833)
SARI BUDI MORIA SEMBIRING, Prof. Dr. Suwarno Hadisusanto, S.U.; Prof. Dr. Haryanti, S.U.; Dr. Rarastoeti Prativ
Universitas Gadjah Mada, 2023 | Diunduh dari http://etd.repository.ugm.ac.id/

Fish, J. D. 1967. The digestive system of the holothurian, *Cucumaria elongata*. I. Structure of the gut and haemal system. *Biology Bulletin of the Russian Academy of Sciences*, 132: 337-353. https://www.onlinelibrary.wiley. com /doi/10.2307/1539639.

Fjellheim, A.J., Playfoot, K.J., Skjermo, J., and Vadstein, O. 2007. Vibrionaceae dominates the microflora antagonistic towards *Listonella anguillarum* in the intestine of cultured Atlantic cod (*Gadus morhua* L.) larvae. *Aquaculture*. 269: 98-106.

Forchielli, M.L., and Walker, W.A. 2005. The role of gut-associated lymphoid tissues and mucosal defence. *British Journal of Nutrition*. 93(S1): S41-S48.

Fuller, R. 1992. Histology and Development of Probiotic. *In* Fuller (Editor): Probiotic the Scientific Basic. *Chapman and Hall*. p 1-8.

Furuita, H. K. Konishi, K., and Takeuchi, T. 1999. Effect of different levels of eicosapentaenoic acid and docosahexaenoic acid in Artemia nauplii on growth, survival and salinity tolerance of larvae of the Japanese flounder, *Paralichthys olivaceus*. *Aquaculture.* 170: 59-69.

Gao, F., Yang, H., Xu, Q., Wang, F., Liu, G., and German, D.P. 2008. Phenotypic plasticity of gut structure and function during periods of inactivity in *Aposticophus japonicus*. *Comp. Biochem. & Physiol. B.*150: 255-262. https://www.german.bio.uci.edu/org/10.1016/j.cbpb.2008.03.011.

Gao, F., Yang, H., Xu, Q., Wang, F., and Liu, G. 2009. Effect of water temperature on digestive enzyme activity and gut mass in sea cucumber *Aposticopus japonicus* (Selenka), with special reference to aestivation. *China J. Oceanol. Limnol.* 27:714-22.

Gao, F., Li, F.H., Tan, J., Yan, J.P., and Sun, H.L. 2014. Bacterial community composition in the gut content and ambient sediment of sea cucumber *Apostichopus japonicus* revealed by 16S rRNA gene pyrosequencing. *PLoS One.* 9(6):e100092. https://www.pubmed.ncbi.nlm.nih.gov/doi/ 10.1371/journalpone.0100092PMID: 24967593.

Garcia-Esquivel, Z., and Felbeck, H. 2006. Activity of digestive enzymes along the gut of juvenile red abalone, *Haliotis rufescens*, fed natural and balanced diets. A*quaculture*, 261(2): 615-625.

Giraspy, D.A.B., and Ivy, G. 2008. The influence of commercial diets on growth and survival inthe commercially important sea cucumber *Holothuria scabra var. versicolor* (Conand, 1986) (Echinodermata: Holothuroidea). *SPC Beche de Mer Information Bulletin.* 28:46-52.

Giri, N.A, Sembiring, S.B.M., Wibawa, G.S. dan Haryanti. 2019. Pertumbuhan teripang pasir (*Holothuria scabra*) yang dipelihara dalam bak karamba jaring apung di tambak dengan aplikasi beberapa formulasi pakan buatan. *Media Akuakultur*. 14(1):19-29.

UNIVERSITAS
GADJAH MADA
Peran Substrat, Pakan dan Probiotik Terhadap Pertumbuhan dan Sintasan Benih Teripang Pasir (Holothuria scabra Jaeger 1833)
SARI BUDI MORIA SEMBIRING, Prof. Dr. Suwarno Hadisusanto, S.U.; Prof. Dr. Haryanti, S.U.; Dr. Rarastoeti Prativ
Universitas Gadjah Mada, 2023 | Diunduh dari http://etd.repository.ugm.ac.id/

Gorospe, J. C., Juinio-Menez, M. A., and Southgate, P. C. 2019. Effects of shading on periphyton characteristics and performance of sandfish, *Holothuria scabra* Jaeger 1833, juveniles. *Aquaculture (Amsterdam, Netherlands)*, 512. https://www.elsevier.com/doi/10.1016/j.aquaculture. 2019.734307.

Gross, P.S., Al-Sharif, W.Z., Clow, L.A., and Smith, L.C. 1999. Echinoderm immunity and the evolution of the complement system. *Dev. Comp. Immunol*. 23: 429-442.

Guderley, H., and Portner, H.O. 2014. Metabolic power budgeting and adaptive strategies in zoology: examples from scallops and fish. *Canadian Journal of Zoology*. 88: 753-763.

Guillaume, J., and Choubert, G. 1999. Digestive physiology and nutrient digestibility in fishes. *In*: Nutrition and feeding of fish and crustaceans. Guillaume J, Kaushik S, Bergot P, Metaille R (editors) Springer-Praxis. pp. 27-56.

Haetami, K. 2012. Konsumsi dan efisiensi pakan dari ikan jambal siam yang diberi pakan dengan tingkat energi protein berbeda. *Jurnal Akuatika*. 3 (2): 146-158.

Hair, C. 2012. Sandfish (*Holothuria scabra*) production and sea ranching trial in Fiji. In Asia–Pacific tropical sea cucumber aquaculture. *ACIAR Proceedings, Australian Center for International Agricultural Research.* 136: 129-141.

Hair, C., Mills, D. J., McIntyre, R., and Southgate, P. C. 2016. Optimising methods for community-based sea cucumber ranching: Experimental releases of cultured juvenile *Holothuria scabra* into seagrass meadows in Papua New Guinea. *Aquaculture Reports*. 3: 198-208. https://www.cabdirect.org/doi./10.1016/j.aqrep. 2016.03.004.

Hamel, J. F., Conand, C., Pawson, D. L., and Mercier, A. 2001. The sea cucumber *Holothuria scabra* (Holothuroidea: Echinodermata). Its biology and exploitation as Beche-de-Mer. *Advances in Marine Biology*. 41: 129-223. https://www.semanticscholar.org/doi/10.1016/S0065-2881(01)41003-0.

Hamel, J.F., Mercier, A., Conand, C., Purcell, S., Toral-Granda, T.G., and Gamboa, R. 2013. *Holothuria scabra. The IUCN Red List of Threatened Species 2013*: e.T180257A1606648. https://www.researchgate.net/doi/ 10.2305/IUCN.UK.2013-1.RLTS.T180257A1606648.en.

Handajani, H., dan Widodo, W. 2010. Nutrisi Ikan. *UMM Press. Malang*. 259 Hal.

Hardy, R.W., 2010. Utilization of plant proteins in fish diets: effects of global demand and supplies of fishmeal. *Aquac. Res*. 41: 770–776.

Hartati, R., Widianingsih, and Djunaedi, A. 2016. Ultrastruktur alimentary canal teripang *Holothuria scabra* dan *Holothuria atra* (Echinodermata: Holothuroidea). *Buletin Oseanografi Marina*. 5(1):86-96.

UNIVERSITAS
GADJAH MADA
Peran Substrat, Pakan dan Probiotik Terhadap Pertumbuhan dan Sintasan Benih Teripang Pasir (Holothuria scabra Jaeger 1833)
SARI BUDI MORIA SEMBIRING, Prof. Dr. Suwarno Hadisusanto, S.U.; Prof. Dr. Haryanti, S.U.; Dr. Rarastoeti Prativ
Universitas Gadjah Mada, 2023 | Diunduh dari http://etd.repository.ugm.ac.id/

Hashim, R., and Saat, M.A.M. 1992. The utilization of seaweed meals as binding agents in pelleted feeds for snakehead (*Channa striatus*) fry and their effects on growth. *Aquaculture*. 108: 299-308.

Hermes-Lima, M., Storey, J.M., and Storey, K.B. 1998. Antioxidant defenses and metabolic depression. The hypothesis of preparation for oxidative stress in land snails. *Comp.Biochem. Physiol*. B. 120: 437-448.

Hu, M., Li, Q., and Li, L. 2010. Effect of salinity and temperature on salinity tolerance of the sea cucumber *Apostichopus japonicus*. *Fish. Sci*. 76: 267-273.

Huang, K., Wang, W., and Lu, J. 2003. Dietary protein requirement of juvenile *Penaeus vannamei*. *Journal of Fishery Sciences of China*. 10: 318-324.

Huet, M. 1970. Textbook of fish culture breeding and cultivation of fish. *Fishing News (Book Ltd)*. London. 436 pp.

Hudson, I.R., Wigham, B.D., and Tyler, P.A. 2005. The feeding behaviour of a deep-sea holothurian, *Stichopus tremulus* (Gunnerus) based on in situ observations and experiments using a Remotely Operated Vehicle. *J. Exp. Mar. Biol. Ecol.* 301: 75-91.

Huiling, S., Mengqing, L., Jingping, Y., and Bijuan, C. 2004. Nutrien requirements and growth of the sea cucumber, *Apostichopus japonicus*. *Advances in sea cucumber aquaculture and management*. Lovatelli, A., Conand, A., Purcell, C., Uthicke, S., Hamel, S., and Mercier, J.F. (Eds.). *FAO Fisheries Technical Paper FAO, Rome, Italy*. 463: 327-331.

Huisman, E. A. 1987. Principles of Fish Production. Depart, of Fish Culture on Fisheries.*Wageningen Agriculture University. Wageningen, Netherland*. p. 57-122.

Huo, D., Sun, L., Ru, X., Zhang, L., Lin, C., Liu, S., Xin, X., and Yang, H. 2018. Impact of hypoxia stress on the physiological responses of sea cucumber *Apostichopus japonicus*: respiration, digestion, immunity and oxidative damage. 24 pp. https://www.pubmed.ncbi.nlm.nih.gov/doi/10.7717/peerj.4651.

Hyman L. 1955. The invertebrates (IV): Echinodermata the coelomata bilateria. *New York: Mc Graw-Hill Co*. p. 156-162.

Ighodaro, O.M., and Akinloyeb, O.A. 2018. First line defence antioxidants-superoxide dismutase (SOD), catalase (CAT) and glutathione peroxidase (GPX): their fundamental role in the entire antioxidant defence grid. *Alexandria Journal of Medicine*. 54: 287-293. https://www.sciencedirect.com/doi/10.1016/j.ajme.2017.09.001.

Ighweela, K.A., Aziz bin Ahmad, and Abol-Munafi, A.B. 2013. Water stability and nutrient leaching of different levels of maltose formulated fish pellets. *Global Veterinaria*. 10 (6): 638-642.

UNIVERSITAS
GADJAH MADA
Peran Substrat, Pakan dan Probiotik Terhadap Pertumbuhan dan Sintasan Benih Teripang Pasir (Holothuria scabra Jaeger 1833)
SARI BUDI MORIA SEMBIRING, Prof. Dr. Suwarno Hadisusanto, S.U.; Prof. Dr. Haryanti, S.U.; Dr. Rarastoeti Prativ
Universitas Gadjah Mada, 2023 | Diunduh dari http://etd.repository.ugm.ac.id/

Indriana, L. F., Firdaus, M., Supono, and Munandar, H. 2017. Survival rate and growth of juvenile sandfish (*Holothuria scabra*) In various rearing conditions. *Marine Research in Indonesia*. 42(1): 11-18. https://www.mri.lipi.go.id/doi/10.14203/mri.v41i2.156.

James, D. B. 1996. Culture of sea cucumber. *Bulletin of the Central Marine Fisheries Research Institute*. 48: 120-126.

James, D.B., Gandhi, A.D., Palaniswamy, N., and Rodrigo, J.X. 1994. Hatchery techniques and culture of the sea-cucumber *Holothuria scabra*. *Bulletin of the Central Marine Fisheries Research Institute*. 57:1-47.

Jangoux, M., and Lawrence, J. M., 1982. Echinoderm nutrition. *Rotterdam, The Netherlands: A.A. Balkema*.

Ji, T.T., Dong, Y.W., and Dong, S.L. 2008. Growth and physiological responses in the sea cucumber, *Apostichopus japonicus* Selenka: aestivation and temperature. *Aquaculture*. 283:180-187.

Jones, I. D. 1975. Effect of processing by fermentation of nutrients. *In* Harris, R. S., and Karmas, E. editors. Nutritional evaluation of food processing, Volume 324. *Avi Publishing Co. Inc, Westport, Connecticut, USA*.

Juinio-Menez, M.A., Evangelio, J.C., and Miralao, S.J.A. 2014. Trial of the grow-out culture of sea cucumber *Holothuria scabra* in sea cages and pens. *Aquac. Res.* 45(8):1332-1340.

Junus, S., Kwong, P.J., and Khoo, G., 2018. A review on the recent advances in the biology and aquaculture technology of *Holothuria scabra*. *Journal of Survey in Fisheries Sciences* 4(2), 5-25. https://www.academia.edu/doi/ 10.18331/ SFS2018.4.2.2.

Kang, K.H., Kwon, J.Y., and Kim, Y.M. 2003. A beneficial coculture: charm abalone *Haliotis discus* hannai and sea cucumber *Stichopus japonicus*. *Aquaculture*. 216 (1-4): 87-93.

Kardana, D., Haetami, K dan Subhan, U. 2012. Efektivitas penambahan tepung maggot dalam pakan komersil terhadap pertumbuhan benih ikan bawal air tawar (*Colossoma macropomum*). *Jurnal Perikanan dan Kelautan*. 3(4): 177-184.

Kelly, J.R., and Scheibling, R.E. 2012. Fatty acids as dietary tracers in benthic food webs. *Mar. Ecol. Prog. Ser.* 446: 1-22.

Khanjani, M.H., Sharifinia, M., and Ghaedi, G. 2022. β-glucan as a promising food additive and immunostimulant in aquaculture industry-a review. *Ann. Anim. Sci*. 22(3): 817-827. https://www.sciendo.com/doi/ 10.2478/aoas-2021-0083.

Kunhold, H., Kamyab, E., Novais, S., Indriana, L., Kunzman, A., Slater, M., and Lemos, M. 2017. Thermal stress effects on energy resorce allocation and oxygen consumption rate in the juvenile sea cucumber, *Holothuria scabra* (Jaeger, 1833). *Aquaculture*. 467:109-117.

UNIVERSITAS
GADJAH MADA
Peran Substrat, Pakan dan Probiotik Terhadap Pertumbuhan dan Sintasan Benih Teripang Pasir (Holothuria scabra Jaeger 1833)
SARI BUDI MORIA SEMBIRING, Prof. Dr. Suwarno Hadisusanto, S.U.; Prof. Dr. Haryanti, S.U.; Dr. Rarastoeti Prativ
Universitas Gadjah Mada, 2023 | Diunduh dari http://etd.repository.ugm.ac.id/

Kurnianto, D., Indriana, L. F., Wahab, A., Hafid, S., dan Badi, B. F. 2020. Pertumbuhan dan sintasan juvenil teripang pasir *Holothuria scabra* pada pemeliharaan dengan dan tanpa rumput laut *Gracilaria* sp., menggunakan keramba apung dan tancap dengan dan tanpa rumput laut di tambak. *Oseanologi dan Limnologi di Indonesia*. 5(3): 1-9. https://www.oldi.lipi.go.id/doi/10.14203/oldi.2020.v5i3.340.

Kwoji, I.D., Aiyegoro, O.A., Okpeku, M., and Adeleke1, M.A. 2021. Multi-strain probiotics: synergy among isolates enhances biological activities. *Biology (Basel) Pub.Med. Central*. 10(4): 322. https://www.pubmed.ncbi.nlm.nih. gov/doi/10.3390/biology10040322.

Laining, A. N., Kabangnga, dan Usman. 2003. Pengaruh protein pakan yang berbeda terhadap koefisien kecernaan nutrien serta performansi biologis kerapu macan, *Ephinephelus fuscoguttatus* dalam keramba jaring apung. *Jurnal Penelitian Perikanan*. IX (2): 29-34.

Lawrence, J.M. 1987. Functional Biology of Echinoderm. *Journal of Experimental Marine Biology and Ecology*. 34: 56-67.

Lawrence, J.M. 1982. Digestion. p. 283-316 *In* Jangoux, M., and Lawrence, J.M. editors. Echinoderm nutrition. *A.A. Balkema, Rotterdam, the Netherlands*.

Leaver, M. J., Villeneuve, L.A.N., Obach, A., Jensen, L., Bron, J. E., Tocher, D. R., and Taggart, J.B. 2008. Functional genomics reveals increased cholesterol and highly unsaturated fatty acid biosynthesis after dietary substitution of fish oil with vegetable oils in Atlantic salmon (*Salmo salar*). *BMC Genomics.* 9: 299. https://www.bmcgenomics.biomedic/doi/ 10.1186/1471-2164-9-299.

Liang, M., Dong, S., Gao, Q., Wang, F., and Tian, X. 2010. Individual variation in growth in sea cucumber *Apostichopus japonicus* (Selenck) housed individually. *J. Ocean. Univ China.* 9: 291-296.

Li, J.Q., Tan, B.P., and Mai, K.S. 2009. Dietary probiotic *Bacillus* OJ and *isomaltooligosaccharides* influence the intestine microbial populations, immune responses and resistance to *white spot syndrome virus* in shrimp (*Litopenaeus vannamei*). *Aquaculture*. 291: 35-40.

Li, J., Dong, S., Tian, X., Shi, C., Wang, F., Gao, Q., and Zhu, C. 2015. Effects of the diatom *Cylindrotheca fusiformis* on the growth of the sea cucumber *Apostichopus japonicus* and water quality in ponds. *Aquac. Int*. 23(4): 955-965.

Li, J., Xu, Y., Jin, L., and Li, X. 2015. Effects of a probiotic mixture (*Bacillus subtilis* YB-1 and *Bacillus cereus* YB-2) on disease resistance and non-specific immunity of sea cucumber, *Apostichopus japonicus* (Selenka). *Aquaculture Research*. 46:3008-3019.

Li, Y.X., Himaya, S.W.A., and Kim, S.K. 2013. Triterpenoids of marine origin as anticancer agents. *Molecules*. 18(7):7886-7909.

UNIVERSITAS
GADJAH MADA
Peran Substrat, Pakan dan Probiotik Terhadap Pertumbuhan dan Sintasan Benih Teripang Pasir (Holothuria scabra Jaeger 1833)
SARI BUDI MORIA SEMBIRING, Prof. Dr. Suwarno Hadisusanto, S.U.; Prof. Dr. Haryanti, S.U.; Dr. Rarastoeti Prativ
Universitas Gadjah Mada, 2023 | Diunduh dari http://etd.repository.ugm.ac.id/

Lisal, J.S. 2005. Konsep Probiotik dan prebiotik untuk modulasi mikrobita intestinum besar. *Medical Nusantara*, 26 Oktober-Desember.

Liu, Z. M., Ma, Y. X., Yang, Z. P., Li, M., Liu, J., and Bao, P. Y. 2012. Immune responses and disease resistance of the juvenile sea cucumber *Apostichopus japonicus* induced by *Metschnikowia* sp. C14. *Aquaculture*. 368-369: 10-18.

Liu, J., Han, H., Sun, F., Zhang, C., Cao, S., Zhao, N., and Ma, Y. 2013. Effects of dietary live *Bacillus* sp. BC26 on digestive enzime activity, immune response and disease resistance against *Vibrio splendidus* infection in juvenile sea cucumber *Apostichopus japonicus*. *Journal of Dalian Ocean University*. 28(6): 568-572.

Lovell T. 1988. Nutrition and feeding in fish. *Auburn University an AVI, Book.*

Luna, L. G. 1968. Manual of histological staining methods of the armed forces. Third ed. Institute of Pathology. *McGraw-Hill, New York*, 432 pp.

Ma, Y. X., Liu, Z. M., Yang, Z. P., Li, M., Liu, J., and Song, J. 2013. Effects of dietary live yeast *Hanseniaspora opuntiae* C21 on the immune and disease resistance against *Vibrio splendidus* infection in juvenile sea cucumber *Apostichopus japonicus*. *Fish and Shellfish Immunology*. 34: 66-73.

Ma, Y.X., Li, L.Y., Li, M., Chen, W., Bao, P.Y., Yu, Z.C., and Chang, Y.Q. 2019. Effects of dietary probiotic yeast on growth parameters in juvenile sea cucumber, *Apostichopus japonicus*. *Aquaculture*. 499: 203-211.

MacTavish, T., Stenton-Dozey, J., Vopel, K., and Savage, C. 2012. Deposit feeding sea cucumbers enhance mineralization and nutrient cycling in organically-enriched coastal sediments. Plos one. 7(11): e50031. https:// www.pubmed.ncbi.nlm.nih.gov/doi.101371/journal.pone.0050031.

Magcanta, M. L. M., Sornito, M. B., Espadero, A. D. A., Bacosa, H. P., and Uy, W. H. 2021. Growth, Survival, and Behavior of Early Juvenile Sandfish *Holothuria scabra* (Jaeger, 1883) in Response to Feed Types and Salinity Levels under Laboratory Conditions. *Philippine Journal of Science*. 150(5): 871-884.

Manning, T.S., Rastall, R., and Gibson, G. 2004. Prebiotics and lactic acid bacteria. *in*: Salminen, S., Wright, A., and Ouwehand, A. editor. Lactic Acid Bacteria Microbiological and Functional Aspects 3: 2004; *New York. Marcel Dekker, Inc.* p. 407-418.

Marsh, D. 2008. Protein modulation of lipids and vice-versa, in membranes. *Biochimica et Biophysica Acta*. 1778: 1545-1575.

Martoyo, J., Aji, N., dan Winanto, T. 2007. Budidaya teripang. *Penebar Swadaya, Jakarta.* 76 hal.

Massin, C. 1980. Effects of feeding on the environment: Holothuroidea: Echinoderm nutrition. Rotterdam: *CRC Press*. 493-497p.

UNIVERSITAS
GADJAH MADA
Peran Substrat, Pakan dan Probiotik Terhadap Pertumbuhan dan Sintasan Benih Teripang Pasir (Holothuria scabra Jaeger 1833)
SARI BUDI MORIA SEMBIRING, Prof. Dr. Suwarno Hadisusanto, S.U.; Prof. Dr. Haryanti, S.U.; Dr. Rarastoeti Prativ
Universitas Gadjah Mada, 2023 | Diunduh dari http://etd.repository.ugm.ac.id/

Massin, C. 1982. Effects of feeding on the environment: Holothuroidea. *In*: Jangoux, M., and Lawrence, J.M. (Eds.) Echinoderm Nutrition. *AA Balkema, Rotterdam*. p. 493-497.

Mayer, L.M., Schick, L.L., Self, R.F.L., Jumars, P.A., Findlay, R.H., Chen, Z., and Sampson, S. 1997. Digestive environments of benthic macroinvertebrate guts: enzymes, surfactants and dissolved organic matter. *J. Mar. Res*. 55: 785–812. htps://www.semanticscholar.org/doi/ 10.1357/0022240973224247.

Mercier, A., Battaglene, S.C., and Hamel, J.F. 1999. Daily burrowing cycle and feeding activity of juvenile sea cucumbers *Holothuria scabra* in response to environmental factors. *J. Exp. Mar. Biol. Ecol.* 239: 125-156.

_____ 2000. Settlement preferences and early migration of the tropical sea cucumber *Holothuria scabra*. *J. Exp. Mar. Biol. Ecol.* 249: 89-110.

Merrifiled, D.L., Dimitroglou, A., Foey, A., Davies, S.J., Baker, R.T.M., Bogwald, J., Castex, M., and Ringo, E. 2010. The current status and future focus of probiotic and prebiotic applications for Salmonids. *Aquaculture*. 302: 1-18.

Mezali, K., and Soualili, D. L. 2013. The ability of holothurians to select sediment particles and organic matter. *SPC Beche de Mer Information Bulletin.* #33, 38-43.

Mikutta, R., Kleber, M., Kaiser, K., and Jahn, R. 2005. Review: Organic Matter removal from soils using hydrogen peroxide, sodium hypochlorite, and disodium peroxodisulfate. *Soil Sci. Soc. of Am. J.* 69: 120-135. https://www.agris.fao.org/doi/10.2136/sssaj2005.0120.

Militz, T. A., Leini, E., Duy, N. D. Q., and Southgate, P. C. 2018. Successful large-scale hatchery culture of sandfish (*Holothuria scabra*) using micro-algae concentrates as a larval food source. *Aquaculture Reports*. 9: 25–30.

Moore, H. M., Manship, B. A. D., and Roberts, D. 1995. Gut structure and digestive strategies in three species of abyssal holothurians. *In* Emson, R. H., Smith, A. B., and Campbell, A. Echinoderm research. *Proceedings of the fourth European echinoderms colloquium, London, 10-13 April 1995*. (pp. 111-119). Rotterdam: Balkema.

Mondal, H., and Thomas, J. 2022. A review on the recent advances and application of vaccines against fish pathogens in aquaculture. *Aquaculture International*. 30(5): 1971-2000. https://www.linkspringer.com/doi/ 10.1007/s10499-022-00884-w.

Myers, P.R., Espinosa, C.S., Parr, T., Jones, G.S., Hammond, and Dewey, T.A. 2019. The Animal Diversity Web (online). Accessed at https://www. animaldiversity.org.

National Research Council (NRC). 1993. Nutrient requirement of fish. *National Academy Press. Washington DC, USA.*

UNIVERSITAS
GADJAH MADA
Peran Substrat, Pakan dan Probiotik Terhadap Pertumbuhan dan Sintasan Benih Teripang Pasir (Holothuria scabra Jaeger 1833)
SARI BUDI MORIA SEMBIRING, Prof. Dr. Suwarno Hadisusanto, S.U.; Prof. Dr. Haryanti, S.U.; Dr. Rarastoeti Prativ
Universitas Gadjah Mada, 2023 | Diunduh dari http://etd.repository.ugm.ac.id/

Nayak, S.K., 2010. Probiotics and immunity: a fish perspective. *Fish Shellfish Immunol*. 29: 2-14.

Novriadi, R. 2019. Nilai gizi tepung kedelai sebagai subtitusi tepung ikan. *Majalah Info Akuakultur*. Edisi No. 48. Tahun IV. Hal. 26-29.

Nugroho, G.B.S, Hartati, R. dan Praseno, K. 2012. Hitokomparatif organ integumen, intestinum, pohon respirasi pada beberapa jenis teripang dari perairan Karimunjawa. *Journal of Marine Research*. 1(1): 67-74.

O'mahoney, M., Mouzakitis, G., Doyle, J., and Burnell, G. 2011. A novel konjac glucomannan–xanthan gum binder for aquaculture feeds: the effect of binder configuration on formulated feed stability, feed palatability and growth performance of the Japanese abalone, *Haliotis discus* hannai. *Aquaculture Nutrition*. 17: 395-407.

Orozco, Z.G.A., Sumbing, J.G., Lebata-Ramos, M.J.H., and Watanabe, S. 2014. Apparent digestibility coefficient of nutriens from shrimp, mussel, diatom and seaweed by juvenile *Holothuria scabra* Jaeger. *Aquac. Res*. 45: 1153-1163.

Paolucci, M., Fabbrocini, A., Volpe, M.G., Varricchio, E., and Coccia, E. 2012. Development of biopolymers as binders for feed for farmed aquatic organisms. *In* Z. Muchlisin (Ed.), *Aquaculture*. pp. 1-25.

Pascual, F.P., Bandonil, L., and Destajo, W.H. 1978. The effect of different binders on water stability of feed for prawns. Q. Res. Rep., 1st Q. (Jan-Mar.). *Tigbauan: SEAFDEC Aquaculture Department*. p. 31-35.

Pangestuti, R., and Arifin, Z. 2018. Medicinal and health benefit effects of functional sea cucumbers. *J. Tradit. Complement Med*. 8(3):341-351.

Pangkey, H., Lantu, S., Manu, L., and Mokolensang, J.F. 2012. Prospect of sea cucumber culture in Indonesia as potential food sources. *Journal of Coastal Development*. 15(2): 114-124.

Pawson, D.L. 1966. Ecology of Holthurians. In Boolotian, R.A. (ed.). Physiology of echinodermata. *New York: Intersci Publ*. 63-71.

Pinsino, A., Thorndyke, M.C., and Matranga, V. 2007. Coelomocytes and post-traumatic response in the common sea star *Asterias rubens*. *Cell Stress & Chaperones*. 12(4):331-341.

Pitt, R., and Duy, N.D.Q. 2004. Breeding and rearing of the sea cucumber *Holothuria scabra* in Vietnam. Advances in Sea cucumber aquaculture and management. *FAO Fisheries Technical Paper*. 463:333-346.

Plotieau, T., Baele, J.M., Vaucher, R., Hasler, C.A., Koudad, D., and Eeckhaut, I. 2013. Analysis of the impact of *Holothuria scabra* intensive farming on sediment. *Cahiers de Biologie Marine*. 54: 703-711.

Price, S.A., and Wilson, L.M. 1995. Pathophysiology: Clinical concepts of disease processes. Edition 4. Jakarta, *Medical Book Publisher EGC*. 357-411.

UNIVERSITAS
GADJAH MADA
Peran Substrat, Pakan dan Probiotik Terhadap Pertumbuhan dan Sintasan Benih Teripang Pasir (Holothuria scabra Jaeger 1833)
SARI BUDI MORIA SEMBIRING, Prof. Dr. Suwarno Hadisusanto, S.U.; Prof. Dr. Haryanti, S.U.; Dr. Rarastoeti Prativ
Universitas Gadjah Mada, 2023 | Diunduh dari http://etd.repository.ugm.ac.id/

Prompoon, Y., Weerachatyanukul, W., Withyachumnarnkull, B., Vanichviriyakit, R., Wongprasert, K., and Asuvapongpatana, S. 2015. Lectin-Based profiling of coelomocytes in *Holothuria scabra* and expression of superoxide dismutase in purified coelomocytes. *Zoological Science*. 32(4): 345-351.

Purcell, S.W. 2010. Managing sea cucumber fisheries with an ecosystem approach. *FAO Fisheries and Aquaculture Technical Paper*. *No. 520. Rome, FAO*. 157 pp.

Purcell, S.W. 2014. Value, market preferences and trade of beche-de-mer from Pacific island sea cucumber. *PLoS One*. 9:e95075. https://www.journals. plos.org/doi/10.1371/journal. pone.0095075.

Purcell, S. W., and Kirby, D. S. 2006. Restocking the sea cucumber *Holothuria scabra*: Sizing no-take zones through individual-based movement modelling. *Fisheries Research*. 80(1): 53-61.

Purcell, S.W., Patroism, J., and Fraisse, N. 2006. Experimental evaluation of co-culture of juvenile sea cucumbers, *Holothuria scabra* (Jaeger), with juvenile blue shrimp, *Litopenaeus stylirostris* (Stimpson). *Aquac. Res.* 37(5): 515-522.

Purcell, S. W., Polidoro, B. A., Hamel, J.F., Gamboa, R. U., and Mercier, A. 2014. The cost of being valuable: predictors of extinction risk in marine invertebrates exploited as luxury seafood. *Proceedings of the Royal Society B 281:20133296.* https://www.asu.pure.eslevier.com/doi/ 10.1098/rspb. 2013.3296.

Purcell, S.W., Samyn, Y., and Conand, C. 2012. Commercially important sea cucumbers of the world. *FAO Species Catalogue for Fishery Purposes. No 6. Rome*. 150 pp.

Puvanasundram, P., Chong, C.M., Suriana Sabri, S., Yusoff, S.M., and Karim, M. 2021. Multi strain probiotics: functions, effectiveness and formulations for aquaculture applications. *Aquaculture Reports*. 21: 14 pp. https://www.sciencedirect.com/doi/10.1016/j.aqrep.2021.100905.

Qi, W., Xiumei, Z., Muyan, C., Wentao, L., and Peidong, Z. 2018. Comparison of intestinal microbiota and activities of digestive and immune-related enzimes of sea cucumber *Apostichopus japonicus* in two habitats. *Journal of Oceanology and Limnology*. 36 (3):990-1001. https://www.link. springer.com/doi/10.1007/ s00343-018-7075-z.

Qin, C., Dong, S., Tan, F., Tian, X., Wang, F., Dong, Y., and Gao, Q. 2009. Optimization of stocking density for the sea cucumber, *Apostichopus japonicus* Selenka under feedsupplement and non-feed-supplement regimes in pond culture. *Journal of Ocean University of China*. 8(3): 296–302. https://www.link.springer.com/article/ 10.1007/s11802-009-0296-1.

UNIVERSITAS
GADJAH MADA
Peran Substrat, Pakan dan Probiotik Terhadap Pertumbuhan dan Sintasan Benih Teripang Pasir (Holothuria scabra Jaeger 1833)
SARI BUDI MORIA SEMBIRING, Prof. Dr. Suwarno Hadisusanto, S.U.; Prof. Dr. Haryanti, S.U.; Dr. Rarastoeti Prativ
Universitas Gadjah Mada, 2023 | Diunduh dari http://etd.repository.ugm.ac.id/

Qiyou, X., Qing, Z., Hong, X., Chang'an, W., and Dajiang, S. 2011. Dietary glutamine supplementation improves growth performance and intestinal digestion/absorption ability in young hybrid sturgeon (*Acipenser schrenckii* female x *Huso dauricus* male). *Journal of Applied Ichthyology*. 27(2): 721-726. https://www.sciencedirect.com/doi/10.1111/j.1439-0426.2011.01710.x.

Ramirez-Gomez, F., & Garcia-Arraras, J. E. 2010. Echinoderm immunity. *Invertebrate Survival Journal*. 7(2): 211-220.

Raskovic, B.S., Stankovic, M.B., Markovic, Z.Z., and Poleksic, V.D. 2011. Histological Methods in the assessment of different feed effects on liver and intestine of fish. *J. Agric. Sci.* 56:87-100.

Rasyid, A., Murniasih, T., Putra, M.Y., Pangestu, R., Harahap, I.A., Untari, F., and Sembiring, S.B.M. 2020. Evaluation of nutritional value of sea cucumber *Holothuria scabra* cultured in Bali, Indonesia. *AACL Bioflux*. 13(4): 2083-2093. https://www.bioflux.com.ro/aacl.

Rathinam, R.B., Iburahim, S.A., and Tripathi, G. 2020. The immune system of sea cucumbers: An evidential approach. *Food and Scientific Reports*. 1(12): 49-54.

Rengpipat, S., Rukpratanporn, S., Piyatiratitivorakul, S., and Menasaveta, P. 2000. Immunity enhancement in black tiger shrimp (*Penaeus monodon*) by a probiont bacterium (*Bacillus* S11). *Aquaculture*. 191(4): 271-288.

Richmond, R.H., Hopper, D, and Martinez, P. 1996. The biology and ecology of sea cucumbers. *In*: R.H. Richmond (ed.) Suggestions for the management of sea cucumber resources in Micronesia. *University of Guam Marine Laboratory Technical Report* No. 101, 75 p.

Ridhowati, S., and Asnani. 2015. Amino acids and fatty acids profile of processed sandfish (*Holothuria scabra*) in Belitung. *Journal of Mathematics, Saint, and Technology*. 16(2): 20-27. https://www.senmaster.ut.ac.id/index.php/jmst/article/view/232/214.

Ridwanudin, A., Indriana, L.F., and Kunzman, A. 2018. No differences in nutritional profiles of wild and cultured juvenile sandfish, *Holothuria scabra*. *Annual Research & Review in Biology*. 26(5): 1-11. https://www.leibniz-zmt.de/doi/10.9734/ARRB/2018/41457.

Ridzwan, B., Hanita, M., Nurzafirah, M., SitiNorshuhadaa, M., and Hanis Farah, Z. 2014. Free fatty acids composition in lipid extracts of several sea cucumbers species from Malaysia. *International Journal of Bioscience, Biochemistry and Bioinformatics*. 4: 204-207. https://www.ijbbb.org/doi/10.7763/IJBBB. 2014.V4.340.

Rust, M.B. 2003. Nutritional physiology. *In*. Halver JE, Hardy RW (eds). Fish nutrition, 3rd Edition. *New York, Academic Press Inc*. pp. 367- 452

Roberts, D. 1979. Deposit feeding mechanisms and resource partitioning in tropical holothurians. *J. Exp. Mar. Biol. Ecol*. 15: 69-80.

UNIVERSITAS
GADJAH MADA
Peran Substrat, Pakan dan Probiotik Terhadap Pertumbuhan dan Sintasan Benih Teripang Pasir (Holothuria scabra Jaeger 1833)
SARI BUDI MORIA SEMBIRING, Prof. Dr. Suwarno Hadisusanto, S.U.; Prof. Dr. Haryanti, S.U.; Dr. Rarastoeti Prativ
Universitas Gadjah Mada, 2023 | Diunduh dari http://etd.repository.ugm.ac.id/

Roberts, D., and Bryce, C. 1982. Further observations on tentacular feeding mechanisms in Holothurians. *J. Exp. Mar. Biol. Ecol*. 59: 151-163. https://www.sciencedirect.com/doi/10.1016/0022-0981(82)90112-5.

Roberts, D., and Moore, H.M., 1997. Tentacular diversity in deep-sea deposit-feeding holothurians: implications for biodiversity in the deep sea. *Biodivers. Conserv*. 6: 1487-1505.

Roberts, D., Moore, H.M., Berges, J., Patching, J.W., Carton, M.W., and Eardly, D.F. 2001. Sediment distribution, hydrolytic enzyme profiles and bacterial activities in the guts of *Oneirophanta mutabilis*, *Psychropotes longicauda* and *Pseudostichopus villosus*: what do they tell us about digestive strategies of abyssal holothurians? *Prog. Oceanogr*. 50: 443-458.

Robinson, G., Slater, M.J., Jones, C.L.W., and Stead, S.M. 2013. Role of sand as substrate and dietary component for juvenile sea cucumber *Holothuria scabra*. *Aquaculture*. 392-395: 23-25.

Robbins, K.R., Saxton, A.M., and Southern, L.L., 2006. Estimation of nutrient requirements using brokenline regression analysis. *Journal of Animal Science*, 84 (E. Suppl.): E155-E165. https://www.pubmed.ncbi.nlm.nih.gov/doi/10.2527/2006.8413_supple155x.

Rodriguez, J.A.V., and Guerra, C.A.A. 2016. Ulva genus as alternative crop: Nutritional and functional properties. *In* Konvalina, P. (Ed.). Alternative Crops and Cropping Systems. *eBook, Publicher In Tech*. p. 26-44.

Romadhon, I., Kurnia, N. Komar, dan Yulia-ningsih, R. 2013. Desain optimal pengolahan sludge padat biogas sebagai bahan baku pelet pakan ikan lele. *Fakultas Teknologi Pertanian. Universitas Brawijaya, Malang.*

Rowe, F.W.E. 1969. A review of the family Holothuridae (Holothurioidea: Aspidochirotida). *Bulletin of the British Museum of Natural History (Zoology)*. 18: 119-170.

Saade, E., dan Aslamyah, S. 2009. Uji fisik dan kimiawi pakan buatan untuk udang windu *Penaeus monodon* Fab. Yang menggunakan berbagai jenis rumput laut sebagai bahan perekat. *Torani (Jurnal Ilmu Kelautan dan Perikanan)*. 19 (2): 107 – 115.

Saleela, K.N., B. Somanath., and Palavesam. 2009. Effects of binders on stability and palatability of formulated dry compounded diet for spiny lobster *Panulirus homarus* (Linnaeus, 1758). *Indian J. Fish*. 62(1): 95-100.

Sargent, J.R., Tocher, D.R., and Bell, J.G. 2002. The lipids. *In*: Halver JE, Hardy RW (Eds) Fish Nutrition, 3rd Ed. *Elsevier (Academic Press), San Diego, California*. p. 181-257.

Seeruttun, R., Appadoo, C., Laxminarayana, A., and Codabaccus, B. 2007. A study on the factors influding the growth and survival of juvenile sea cucumber, *Holothuria atra,* under laboratory conditions. *National Ocean Science Forum 2007 Programme and Abstracts*. 13 pp.

UNIVERSITAS
GADJAH MADA
Peran Substrat, Pakan dan Probiotik Terhadap Pertumbuhan dan Sintasan Benih Teripang Pasir (Holothuria scabra Jaeger 1833)
SARI BUDI MORIA SEMBIRING, Prof. Dr. Suwarno Hadisusanto, S.U.; Prof. Dr. Haryanti, S.U.; Dr. Rarastoeti Pratiw
Universitas Gadjah Mada, 2023 | Diunduh dari http://etd.repository.ugm.ac.id/

Schmittgen, T.D., and Livak, K.J. 2008. Analyzing real time PCR data by the comparative Ct method. *Nature Protocols*. 3: 1101-1108.

Schrezenmeir, J., and Vrese, M. 2001. Probiotics, Prebiotics and Synbiotic-Approaching a definition. *American Journal of Clinical Nutrition.* 73(2):361-364.

Seo, J.Y., and Lee, S.M. 2010. Optimum dietary protein and lipid levels for growth of juvenile sea cucumber *Apostichopus japonicus*. *Aquac. Nutr.*17(2):56-61.

Seo, J.Y., Shin, I.S., and Lee, S.M. 2011. Effect of dietary inclusion of various plant ingredients as an alternative for *Sargassum thunbergii* on growth and body composition of juvenile sea cucumber *Apostichopus japonicus*. *Aquac. Nutr*. 17: 549-556.

Sembiring, S.B.M., Hutapea, J.H., Sugama, K., Susanto, B., Giri, N.A., dan Haryanti. 2015. Teknik perbenihan teripang pasir *Holothuria scabra*. *Dalam*: Rekomendasi Teknologi Kelautan dan Perikanan 2015 (Soekadi, F., Sugama, K., Nurhakim, S., Heruwati, E.S., Purba, M., Kusnendar, E., Djunaidah, I.S., Sudibjo, E.R., dan Sakti, I. Eds.). *Badan Litbang Kelautan dan Perikanan, Kementerian Kelautan dan Perikanan. Jakarta*. Hal. 187-200.

Sembiring, S.B.M., Wardana, I.B., dan Haryanti. 2016. Performa benih teripang pasir, *Holothuria scabra* dari sumber induk yang berbeda. *Jurnal Riset Akuakultur*. 11(2): 147-156.

Sembiring, S. B. M., Hutapea, J. H, Giri, I.N.A., Hadisusanto, S., Pratiwi, R., Haryanti., 2021. Isolating and characterizing bacteria in the intestine of wild sandfish, *Holothuria scabra* as probiotics candidate. *In*: Proceedings of the 2nd International Conference on Fisheries and Marine, *IOP Conf. Series: Earth and Environmental Science* 890. 10 pp. https://www.iopscience.iop. org/doi/10.1088/1755-1315/890/1/012023.

Setyastuti, A., dan Purwati, P. 2015. Species list of Indonesian Teripang. *SPC Bechedemer Information Bulletin.* 35:19-25.

Shearer, K. 1994. Factors affecting the proximate composition of cultured fishes with emphasis on salmonids. *Aquaculture*. 119: 63-88.

Shi, C., Dong, S.L., Pei, S., Wang, F., Tian, X.L., and Gao, Q.F. 2015. Effects of diatom concentration in prepared feeds on growth and energy budget of the sea cucumber *Apostichopus japonicus* (Selenka). *Aquac Res*. 46: 609-617.

Sibuet, M., Khripounoff, A., Deming, J., Colwell, R., and Dinet, A. 1982. Modification of the gut contents in the digestive tract of abyssal Holothurians. In Lawrence J. M. (Ed.), Echinoderms: *Proceedings of the International Conference, Tampa Bay* (pp. 421-428). Rotterdam, Netherlands: Balkema.

UNIVERSITAS
GADJAH MADA
Peran Substrat, Pakan dan Probiotik Terhadap Pertumbuhan dan Sintasan Benih Teripang Pasir (Holothuria scabra Jaeger 1833)
SARI BUDI MORIA SEMBIRING, Prof. Dr. Suwarno Hadisusanto, S.U.; Prof. Dr. Haryanti, S.U.; Dr. Rarastoeti Prativ
Universitas Gadjah Mada, 2023 | Diunduh dari http://etd.repository.ugm.ac.id/

Simon, R., Docando, F., Nunez-Ortiz, N., Tafalla, C., and Diaz-Rosales, P. 2021. Mechanisms used by probiotics to confer pathogen resistance to teleost fish. *Front Immunol*. 12. https://www.frontiersin,org/doi/10.3389/ fimmu.2021. 653025.

Sinsona, M. J., and Juinio-Meñez, M. A. 2018. Effects of sediment enrichment with macroalgae, *Sargassum* spp., on the behavior, growth, and survival of juvenile sandfish, *Holothuria scabra*. *Aquaculture Reports*, 12: 56-63.

Sithisak, P., Pongtippatee, P., and Withyachumnarnkul, B. 2013. Improving inland culture performance of juvenile sea cucumbers, *Holothuria scabra*, by co-culture with red tilapia. *Songklanakarin Journal of Science and Technology*. 35(5): 501-505. Retrieved from https://www.thaiscience.info/ rdo.psu.ac.th/sjstweb/journal.

Siwi, N.N. 2011. Observasi awal struktur dan profil villi saluran pencernaan teripang hitam (*Holothuria atra*). Skripsi. Fakultas Perikanan dan Ilmu Kelautan. Universitas Diponegoro. Tidak Dipublikasikan. 58 hal.

Skewes, T., Haywood, M., Pitchern, R., and Willan, R. 2004. *Holothurians*. *National Oceans Office, Hobart, Australia*.

Slater, M.J., and Carton, A.G. 2007. Survivorship and growth of the sea cucumber, *Australostichopus* (Stichopus) *mollis* (Hutton 1872) in polyculture trials with green-lipped mussel farms. *Aquaculture*. 272: 389-398.

Slater, M.J., Jeffs, A.G., and Carton, A.G. 2009. The use of the waste from green-lipped musselsas a food source for juvenile sea cucumber, *Australostichopus mollis*. *Aquaculture*. 292 (3): 219-224.

Slater, M. J., Lassudrie, M., and Jeffs, A. G. 2011. Method for determining apparent digestibility of carbohydrate and protein sources for artificial diets for juvenile sea cucumber, *Australostichopus mollis*. *J. World. Aquac. Soc.* 42: 714-725.

Smiley, S. 1994. Holothuroidea, in *Microscopic anatomy of invertebrates*, Harrison, F.W. and Chia, F.S., Eds., *New York: Wiley-Liss*. vol. 14: 401-472.

Smith, V.J. 1981. The Echinoderms, in *Invertebrate Blood Cells*. *London: Academic Press*. p. 513-562.

Sun, H., Liang, M., Yan, J., and Chen, B. 2004. Nutrien requirements and growth of the sea cucumber, *Apostichopus japonicus*. *In*: Advances in sea cucumber aquaculture and management (Lovatelli, A., Conand, C., Purcell, S., Uthicke, S., Hamel, J.F. and Mercier, A. Eds.), p. 327-331.

Sun, Y.Z., Yang, H.L., Ma, R.L., and Lin, W.Y. 2010. Probiotic applications of two dominant gut *Bacillus* strains with antagonistic activity improved the growth performance and immune responses of grouper *Epinephelus coioides*. *Fish Shellfish Immunol*. 29: 803-809.

UNIVERSITAS
GADJAH MADA
Peran Substrat, Pakan dan Probiotik Terhadap Pertumbuhan dan Sintasan Benih Teripang Pasir (Holothuria scabra Jaeger 1833)
SARI BUDI MORIA SEMBIRING, Prof. Dr. Suwarno Hadisusanto, S.U.; Prof. Dr. Haryanti, S.U.; Dr. Rarastoeti Prativ
Universitas Gadjah Mada, 2023 | Diunduh dari http://etd.repository.ugm.ac.id/

Sun, J., Zhang, L., Pan, Y., Lin, C., Wang, F., Kan, R., and Yang, H. 2015. Feeding behavior and digestive physiology in sea cucumber *Apostichopus japonicus*. *Physiol. Behav*. 139: 336-343.

Sun, J. M., Zhang, L. B., Pan, Y., Lin, C. G., Wang, F., and Yang, H. S. 2018. Effect of water temperature on diel feeding, locomotion behaviour and digestive physiology in the sea cucumber *Apostichopus japonicus*. *Journal of Experimental Biology*. 221: jeb177451. https://www.pubmed. ncbi.nlm.nih.gov/doi/10.1242/ jeb.177451.

Storebakken, T. 1985. Binders in fish feeds: I. Effect of alginate and guar gum on growth, digestibility, feed intake and passage through the gastrointestinal tract of rainbow trout. *Aquaculture*. 47: 11-26.

Taboada, M.C., Gonzalez, M., and Rodriguez, E. 2003. Value and effects on digestive enzymes and serum lipids of the marine invertebrate *Holothuria forskali*. *Nutrition Research*. 23: 1661-1670. https://www.sciencedirect. com/doi/10.1016/S0271-5317(03)00175-1.

Takeuchi, T., 1988. Laboratory workchemical evaluation of dietary nutrient. *In* Watanabe, T. (Eds.). Fish nutrition and mariculture. *JICA Kanagawa International Fisheries Training Centre.* Tokyo. p. 179-233.

Tangestani, M., and Kunzmann, A. 2019. Isolation and characterization of bacteria from the lesion of juvenile Sea cucumber *Holothuria scabra* (Jaeger, 1938) with symptom of skin ulceration disease. *Iranian Journal of Fisheries Science*. https://www.jifro.ir/doi/10.22092/ijfs.2019.118391.

Tian, X. L., Zhao, K., Wang, J., Yang, G., and Yan, F. J. 2015. Influence of water additive and feed supplementary *Bacillus cereus* on the growth and activity of digestive and immune relating enzime of sea cucumber. *Periodical of Ocean University of China*. 45 (1): 18-25.

Tomatala, P., Haryadi, D., Arianto, D., dan Pattiwael. S. 2022. Efektifitas metode pendederan juvenile teripang di hatchery skala rumah tangga. *Jurnal Triton.* 18(1): 20-27. https://www.ojs3.unpatti.ac.id/doi/10.30598/ TRITONvol18issue1page20-27.

Usman, Palinggi, N.N., dan Giri, N. A. 2003. Pemanfaatan beberapa jenis karbohidrat bagi pertumbuhan dan efisiensi pakan yuwana ikan kerapu bebek (*Cromileptes altivelis*). *Jurnal Penelitian Perikanan Indonesia*. 9(2): 21-28.

Uthicke, S. 2001. Nutrient regeneration by abundant coral reef holothurians. *Journal of Experimental Marine Biology and Ecology*. 265: 153-170.

Uthicke, S., and Karez, R. 1999. Sediment patch selectivity in tropical sea cucumbers (Holothurioidea: Aspidochirotida) analyzed with multiple choice experiments. *Journal of Experimental Marine Biology and Ecology.* 236: 69-87.

Uthicke, S., and Klumpp, D. W. 1998. Microphytobenthos community production at a near-shore coral reef: Seasonal variation and response to ammonium recycled by holothurians. *Marine Ecology Progress Series*. 169: 1–11.

UNIVERSITAS
GADJAH MADA
Peran Substrat, Pakan dan Probiotik Terhadap Pertumbuhan dan Sintasan Benih Teripang Pasir (Holothuria scabra Jaeger 1833)
SARI BUDI MORIA SEMBIRING, Prof. Dr. Suwarno Hadisusanto, S.U.; Prof. Dr. Haryanti, S.U.; Dr. Rarastoeti Prativ
Universitas Gadjah Mada, 2023 | Diunduh dari http://etd.repository.ugm.ac.id/

Van Herreweghe, J.M., and Michiels, C.W. 2012. Invertebrate lysozymes: diversity and distribution, molecular mechanism and in vivo function. *Journal of Biosciences (Tuebingen)* 37(2): 327-332. https://www.pubmed. ncbi.nlm.nih.gov/doi/10.1007/s12038-012-9201-y.

Verschuere, L., Rombaut, G., Sorgeloos, P., and Vertraete, W. 2000. Probiotics bacteria as biological control agents in aquaculture. *Microbiol. Mol. Biol. Rev.* 64: 655-671.

Villalta, M., Estevez, A., Bransden, M. P., and Bell, J. G. 2008. Arachidonic acid, arachidonic/eicosapentaenoic acid ratio, stearidonic acid and eicosanoids are involved in dietary-induced albinism in Senegal sole (*Solea senegalensis*). *Aquaculture Nutrition*. 14: 120-128.

Walkley, A. J., and Black, I. A. 1934. Soil organic carbon, Walkley-Black method: titration and colorimetric method. *Global Soil Laboratory Network*. 27 pp.

Wang, H., Liu, C.F., Qin, C.X., Cao, S.Q., and Ding, J. 2007. Using a macroalgae Ulva pertusa biofilter in a recirculating system for production of juvenile sea cucumber *Apostichopus japonicus*. *Aquaculture Engineering*. 36(3): 217-224.

Wang, J., Jiang, X., and Zhao, L. 2008. Effects of dietary protein sources on growth in juvenile sea cucumber (*Apostichopus japonicus*). *Feed Rev*. 10: 9-13.

Wang, J. H., Zhao, L. Q., Liu, F., Wang, H., and Xiao, S. 2015. Effect of potential probiotic *Rhodotorula benthica* D30 on the growth performance, digestive enzyme activity and immunity in juvenile sea cucumber *Apostichopus japonicus*. *Fish and Shellfish Immunology*. 43: 330-336.

Wang, Q.Z., Cui, Y., Sen, B., Ma, W.M., Zheng, R.L., Liu, X.H., and Wang, G.Y. 2017. Characterization and robust nature of newly isolated oleaginous marine yeast *Rhodosporidium* spp. from Coastal Water of Northern China. *AMB. Express* 7:30. https://www.amb-express.springer.com/doi/ 10.1186/ s13568-017-0329-x.

Wang, G., Meng, Z., Chen, L., Jiang, J., Feng, Y., and Zhang, B. 2019. Effects of kelp residues fermented with probiotics on the culture of sea cucumber, *Apostichopus japonicus*. *Aquac. Res.* 51(3): 1133-1142. https://www.agris.fao.org/doi/10.1111/are.14460.

Wang, Y.B., Xu, Z.R., and Xia, M.S. 2007. Effect of probiotics on growth performance and digestive enzyme activity of the shrimp *Penaeus vannamei*. *Aquaculture*. 269: 259-264.

Wang, Y.B., Li, J. R., and Lin, J. 2008. Probiotics in aquaculture: Challenges and outlook. *Aquaculture*. 281: 1-4. https://www.elsevier.com/doi/10.1016/ aquaculture.2008.06.002

Watson, A.K., Kaspar, H., Lategan, M.J., and Gibson, L. 2008. Probiotics in aquaculture the need, principles and mechanisms of action and screening processes. *Aquaculture*. 274: 1-14.

UNIVERSITAS
GADJAH MADA
Peran Substrat, Pakan dan Probiotik Terhadap Pertumbuhan dan Sintasan Benih Teripang Pasir (Holothuria scabra Jaeger 1833)
SARI BUDI MORIA SEMBIRING, Prof. Dr. Suwarno Hadisusanto, S.U.; Prof. Dr. Haryanti, S.U.; Dr. Rarastoeti Prativ
Universitas Gadjah Mada, 2023 | Diunduh dari http://etd.repository.ugm.ac.id/

Watanabe, S., Kodama, M., Zarate, J.M., Lebata-Ramos, M.J., and Nievales, M.F. 2012. Ability of sandfish (*Holothuria scabra*) to utilize organic matter in black tiger shrimp ponds. *Proc. Asia Pac. Trop. Sea Cucumber Aquac. Aust. Cent. Int. Agric. Res. Canberra.* p.113-120.

Weerd. V. H. J. and Komen, J. 1998.The effects of chronic stress on growth in fish: a critical appraisal. *Comparative Biochemistry and Physiology Part A: Molecular & Integrative Physiology*. Vol 120: 107-112.

Wiedemeyer, W.L. 1992. Feeding behaviour of two tropical holothurians, *Holothuria* (*Metriatyla*) *scabra* (Jaeger 1833) and *H. (Halodeima) atra* (Jaeger 1833), from Okinawa, Japan. In: *Proceedings of the 7th International Coral Reef Symposium, Mangilao Guam. Richmond R.H. (ed). University of Guam Press*. p. 853-860.

Wilson, R. 2002. Amino acids and proteins. In: *Fish Nutrition* (Eds. by Halver, J.E., and Hardy, R.W.). *Academic press, New York*. p.140-175.

Wing, S.R., McLeod, R.J., Clark, K.L., and Frew, R.D. 2008. Plasticity in the diet of two echinoderm species across an ecotone: microbial recycling of forest litter and bottom-up forcing of population structure. *Marine Ecology Progress Series*. 360: 115-123.

Wolkenhauer, S.M. 2008. Burying and feeding activity of adult Holothuria scabra (Echinodermata: Holothuroidea) in a controlled environment. *SPC Beche de Mer Information Bulletin*. 27: 25-28.

Wood, E.J.F., Odum, W.E. and Zieman, J.C.1969. Influence of the seagrasses on the productivity of coastal lagoons, laguna Costeras. Un Simposio Mem. Simp. Intern. U.N.A.M. UNESCO, Mexico, D.F., Nov. 1967. pp 495-502.

Wong, K.H., and Cheung, P.C. 2000. Nutritional evaluation of some subtropical red and green seaweeds I. proximate composition, amino acid profiles and some physico-chemical properties. *Food Chem.* 71:475-482.

Worthington, V. 1993. Worthington Enzyme Manual. Enzymes and Related Biochemicals. *Worthington Chemical Corp., New Jersey, US*, 399 pp.

Wulandari, D.A., Gustini, N., Muniarsih, T., Bayu, A., Sari, M., Syahputra, G., Harahap, I.A., Rasyid, A., Moria, S.B., Rahmawati, S.I., Izzati, F.N., Septiana, E., Rachman, F., and Putra, M.Y. 2022. Nutritional value and biological activities of sea cucumber *Holothuria scabra* cultured in the pond system. *Journal of Aquatic Food Product Technology*, 16 pp. https://www.tandfonline.com/doi/10.1080/10498850.2022.2082902.

Wu, B., Xia, S., Rahman, M.M., Rajkumar, M., Fu, Z., Tan, J., and Yang, A. 2015. Substituting seaweed with corn leaf in diet of sea cucumber (*Apostichopus japonicus*): Effects on growth, feed conversion ratio and feed digestibility. *Aquaculture*. 444: 88-92.

UNIVERSITAS
GADJAH MADA
Peran Substrat, Pakan dan Probiotik Terhadap Pertumbuhan dan Sintasan Benih Teripang Pasir (Holothuria scabra Jaeger 1833)
SARI BUDI MORIA SEMBIRING, Prof. Dr. Suwarno Hadisusanto, S.U.; Prof. Dr. Haryanti, S.U.; Dr. Rarastoeti Prativ
Universitas Gadjah Mada, 2023 | Diunduh dari http://etd.repository.ugm.ac.id/

Xia, S., Yang, H., Li, Y., Liu, S., Zhou, Y., and Zhang, L. 2012. Effects of different seaweed diets on growth, digestibility, and amonia-nitrogen production of the sea cucumber *Apostichopus japonicu*s (Selenka). *Aquaculture*. 338: 304-308.

Xia, S., Zhao, W., Li, M., Zhang, L., Sun, L., Liu, S., and Yang, H. 2017. Effects of dietary protein levels on the activity of the digestive enzyme of albino and normal *Apostichopus japonicus* (Selenka). *Aquaculture Research*. 49(3): 1302-1309. https://onlinelibrary.wiley.com/doi/10.1111/are.13585.

Xia, B., Wang, J. Y., Gao, Q. F., Sun, Y. Z., Zhang, L. M., Ma, J. J., and Liu, X. Q. 2015. The nutritional contributions of dietary protein sources to tissue growth and metabolism of sea cucumber *Apostichopus japonicus* (Selenka): Evidence from nitrogen stable isotope analysis. *Aquaculture*: 435: 237-244. https://www.sciencedirect.com/doi/10.1016/j.aquaculture.2014.09.042.

Xilin, S. 2004. The progress and prospects of studies on artificial propagation and culture of the sea cucumber, *Apostichopus japonicus*. Workshop on advances in sea cucumber aquaculture and management. Rome: FAO. p. 273-276.

Xu, W., Mai, K.S., Ai, Q.H., Tan, B.P., Zhang, W.B., Ma, H.M., and Liufu, Z.G., 2011. Influence of 18: 2n-6/20:5n-3 ratio in diets on growth and fatty acid composition of juvenile abalone, *Haliotis discus hannai* Ino. *Aquac. Nutr*. 17: 346-351.

Yamanouchi, T. 1956. The daily activity rhythms of the holothurians in the coral reef of Palao Islands. *Publ. Seto. Mar. Biol. Lab.* 5:347-362.

Yan, F.J., Tian, X.L., Dong, S.L., Fang, Z.H. and Yang, G. 2014. Growth performance, immune response, and disease resistance against *Vibrio splendidus* infection in juvenile sea cucumber *Apostichopus japonicus* fed a supplementary diet of the potential probiotic *Paracoccus marcusii* DB11. *Aquaculture*. 420-421:105-111.

Yang, Z. P., Sun, J. M., Xu, Z., Zhang, C. C., and Zhou, Q. 2014. Beneficial effects of *Metschnikowia* sp. C14 on growth and intestinal digestive enzymes of juvenile sea cucumber *Apostichopus japonicus*. *Animal Feed Science and Technology*. 197: 142-147.

Yang, Z.P., Sun, J.M., and Xu, Z. 2015. Beneficial effects of *Rhodotorula* sp. C11 on growth and disease resistance of juvenile Japanase spiky sea cucumber, *Apostichopus japonicus*. *J. Aquat. Anim. Health*. 27(2): 71-76. https://www.pubmed.ncbi.nlm.nih/doi/10.1080/08997659.2014.993483.

Yang, H., Han, Y. Z., Ren, T. J., Jiang, Z. Q., Wang, F. Q., and Zhang, Y. T. 2016. Effects of dietary heat-killed *Lactobacillus plantarum* L-137 (HK L-137) on the growth performance, digestive enzymes and selected non-specific immune responses in sea cucumber, *Apostichopus japonicus* Selenka. *Aquaculture Research*. 47 (9): 2814-2824.

UNIVERSITAS
GADJAH MADA
Peran Substrat, Pakan dan Probiotik Terhadap Pertumbuhan dan Sintasan Benih Teripang Pasir (Holothuria scabra Jaeger 1833)
SARI BUDI MORIA SEMBIRING, Prof. Dr. Suwarno Hadisusanto, S.U.; Prof. Dr. Haryanti, S.U.; Dr. Rarastoeti Prativ
Universitas Gadjah Mada, 2023 | Diunduh dari http://etd.repository.ugm.ac.id/

Yingst, J.Y. 1976. The utilization of organic matter in shallow marine sediments by an epibenthic deposit-feeding holothurian. *J. Exp. Mar. Biol. Ecol*. 23 (1): 55-69.

Yu, H.B., Gao, Q.F., Dong, S.L., and Wen, B. 2015. Changes in fatty acid profiles of sea cucumber *Apostichopus japonicus* (Selenka) induced by terrestrial plants in diets. *Aquaculture*. 442: 119-124.

Yuan, X., Yang, H., Zhou, Y., Mao, Y., Zhang, T., and Liu, Y. 2006. The influence of diets containing dried bivalve feces and/or powdered algae on growth and energy distribution in sea cucumber *Apostichopus japonicus* (Selenka) (Echinodermata: Holothuroidea). *Aquaculture*. 256(1-4): 457-467. https://www.infona.pl/doi/10.1016/j.aquaculture. 2006.01.029.

Zacarias-Soto, M., and Olvera-Novoa, M. 2015. Effect of different diets on body biochemical composition of the four-sided sea cucumber, *Isostichopus badionotus*, under culture conditions. *Journal World Aquaculture Society*. 46(1): 45-52. https://www.semanticscholar.org/doi/10.1111/ jwas.12163.

Zamora, L.N., and Jeffs, A.G. 2011. Feeding, selection, digestion and absorption of the organic matter from mussel waste by juveniles of the deposit-feeding sea cucumber, *Australostichopus mollis*. *Aquaculture*. 317 (1): 223-228.

Zettl, S., Cree, D. Soleimani, M., and Tabil, L. 2019. Mechanical properties of aquaculture feed pellets using plant-based proteins. *Cogent Food & Agriculture*. 5:1656917.

Zhao, Y., Ma, H., Zhang, W., Ai, Q., Mai, K., and Xu, W. 2011. Effects of dietary β-glucan on the growth, immune responses and resistance of sea cucumber, *Apostichopus japonicus* against *Vibrio splendidus* infection. *Aquaculture.* 315: 269-274.

Zhao, K., Tian, X. L., Dong, S. L., Li, J., and Wang, W. J. 2015. Effects of different states of *Bacillus cereus* on growth digestive enzime activity and the immune defense factors of *Apostichopus japonicus*. *Transactions of Oceanology and Limnology*.1: 63-72.

Zhao, Y.C., Zhang, W.B., Xu, W., Mai, K.S., Zhang, Y.J., and Liu, Z.G. 2012. Effects of potential probiotic *Bacillus subtilis* T13 on growth, immunity and disease resistance against *Vibrio splendidus* infection in juvenile sea cucumber *Apostichopus japonicus*. *Fish & Shellfish Immunology*. 32: 750-755.

Zhao, Y.C., Yuan, L., Wan, J.L., Sun, Z.X., Wang, Y.Y., and Sun, H.S. 2016. Effects of probiotic *Bacillus cereus* EN25 on growth, immunity and disease resistance of juvenile sea cucumber *Apostichopus japonicus*. *Fish & Shellfish Immunol*. 49: 237-242. https://www.pubmed.ncbi. nlm.nih/doi/10.1016/ j.fsi.2015.12.035.

UNIVERSITAS
GADJAH MADA
Peran Substrat, Pakan dan Probiotik Terhadap Pertumbuhan dan Sintasan Benih Teripang Pasir (Holothuria scabra Jaeger 1833)
SARI BUDI MORIA SEMBIRING, Prof. Dr. Suwarno Hadisusanto, S.U.; Prof. Dr. Haryanti, S.U.; Dr. Rarastoeti Prativ
Universitas Gadjah Mada, 2023 | Diunduh dari http://etd.repository.ugm.ac.id/

Zhang, Q., Ma, H.M., Mai, K.S., Zhang, W.B., Liu, Z.G., and Xu, W. 2010. Interaction of dietary *Bacillus subtilis* and fructooligosaccharide on the growth performance, non-specific immunity of sea cucumber, *Apostichopus japonicus*. *Fish & Shellfish Immunology*. 29: 204-211.

Zhang, X., Nakahara, T., Miyazaki, M., Nogi, Y., and Kudo, T. 2012. Diversity and function of aerobic culturable bacteria in the intestine of the sea cucumber *Holothuria leucospilota*. *J. Gen. Appl. Microbiol*. 58: 447-456. https://pubmed.ncbi.nlm.nih.gov/doi/10.2323/jgam.58.447.

Zhou, X., Niu, C., and Li, Q. 2000. Effects of light on feeding behavior, growth and survival of aquatic animals. *Acta Hydrobiol Sin*. 2: 178-181.

Zhou, Q.C., and Yue, Y.R. 2010. Effect of replacing soybean meal with canola meal on growth, feed utilization and haematological indices of juvenile hybrid tilapia, *Oreochromis niloticus*. *Aquac. Res*. 41: 982-990.

Ziaei-Nejad, S., Rezaei, M.H., Takami, G.A. and Lovett, D.L. 2006. Effect of *Bacillu*s spp. Bacteria used as probiotics on digestive enzim activity, survival and growth in the Indian White shrimp (*Fenneropenaeus indicus*). *Aquaculture*. 252: 516-524.