

DAFTAR PUSTAKA

Andersen, B.R., Kallehave, F.L. and Andersen, H.K. (2005) ‘Antibiotics versus placebo for prevention of postoperative infection after appendectomy.’, *The Cochrane database of systematic reviews*, 2005(3), p. CD001439. Available at: <https://doi.org/10.1002/14651858.CD001439.pub2>.

Augustin, P., Tran-Dinh, A., Desmard, M., Tanaka, S., Grall, N., Ben-Rehouma, M., *et al.* (2020) ‘Usefulness of Gram stain examination of peritoneal fluid in postoperative peritonitis to guide empirical antibiotherapy’, *European Journal of Trauma and Emergency Surgery*, 46(6), pp. 1335–1340. Available at: <https://doi.org/10.1007/s00068-019-01161-x>.

Bailey, A.M., Stephan, M., Weant, K.A. and Justice, S.B. (2015) ‘Dosing of Appropriate Antibiotics and Time to Administration of First Doses in the Pediatric Emergency Department.’, *The journal of pediatric pharmacology and therapeutics : JPPT : the official journal of PPAG*, 20(4), pp. 309–315. Available at: <https://doi.org/10.5863/1551-6776-20.4.309>.

Balouiri, M., Sadiki, M. and Ibensouda, S.K. (2016) ‘Methods for in vitro evaluating antimicrobial activity: A review’, *Journal of Pharmaceutical Analysis*, 6(2), pp. 71–79. Available at: <https://doi.org/10.1016/j.jpha.2015.11.005>.

Beveridge, T.J. (2001) ‘Use of the Gram stain in microbiology’, *Biotechnic and Histochemistry*, 76(3), pp. 111–118. Available at: <https://doi.org/10.1080/bih.76.3.111.118>.

Carrol, K.C., Hobden, J.A., Miller, S., Morse, S.A., Mietzner, T.A., Detrick, B., *et al.* (2016) *Jawetz, Melnick & Adelberg’s Medical Microbiology*. 27th edn. New York : Mcgraw-Hill Education.

Chinnock, B., Fox, C. and Hendey, G.W. (2009) ‘Gram’s stain of peritoneal fluid is rarely helpful in the evaluation of the ascites patient.’, *Annals of emergency medicine*, 54(1), pp. 78–82. Available at: <https://doi.org/10.1016/j.annemergmed.2008.12.020>.

Crandall, M. and West, M.A. (2006) ‘Evaluation of the abdomen in the critically ill patient: opening the black box’, *Current opinion in critical care*, 12(4), pp. 333–339.

Cutuli, S.L., Carelli, S., De Pascale, G. and Antonelli, M. (2018) ‘Improving the care for elective surgical patients: Post-operative ICU admission and outcome’, *Journal of Thoracic Disease*, 10(Suppl 9), pp. S1047–S1049. Available at: <https://doi.org/10.21037/jtd.2018.04.64>.

Davin-Regli, A. and Pagès, J.-M. (2015) ‘Enterobacter aerogenes and Enterobacter cloacae; versatile bacterial pathogens confronting antibiotic treatment.’, *Frontiers*

in microbiology, 6, p. 392. Available at: <https://doi.org/10.3389/fmicb.2015.00392>.

Edelsberg, J., Berger, A., Schell, S., Mallick, R., Kuznik, A. and Oster, G. (2008) 'Economic consequences of failure of initial antibiotic therapy in hospitalized adults with complicated intra-abdominal infections.', *Surgical infections*, 9(3), pp. 335–347. Available at: <https://doi.org/10.1089/sur.2006.100>.

Evans, L., Rhodes, A., Alhazzani, W., Antonelli, M., Coopersmith, C.M., French, C., *et al.* (2021) 'Surviving sepsis campaign: international guidelines for management of sepsis and septic shock 2021.', *Intensive care medicine*, 47(11), pp. 1181–1247. Available at: <https://doi.org/10.1007/s00134-021-06506-y>.

Fei, N. and Zhao, L. (2013) 'An opportunistic pathogen isolated from the gut of an obese human causes obesity in germfree mice', *The ISME journal*, 7(4), pp. 880–884.

da Fonseca Pestana Ribeiro, J.M. and Park, M. (2020) 'Less empiric broad-spectrum antibiotics is more in the ICU.', *Intensive care medicine*, 46(4), pp. 783–786. Available at: <https://doi.org/10.1007/s00134-019-05863-z>.

Fukuyama, H., Yamashiro, S., Kinjo, K., Tamaki, H. and Kishaba, T. (2014) 'Validation of sputum Gram stain for treatment of community-acquired pneumonia and healthcare-associated pneumonia: a prospective observational study.', *BMC infectious diseases*, 14, p. 534. Available at: <https://doi.org/10.1186/1471-2334-14-534>.

Gerber, J.S., Ross, R.K., Bryan, M., Localio, A.R., Szymczak, J.E., Wasserman, R., *et al.* (2017) 'Association of Broad- vs Narrow-Spectrum Antibiotics With Treatment Failure, Adverse Events, and Quality of Life in Children With Acute Respiratory Tract Infections.', *JAMA*, 318(23), pp. 2325–2336. Available at: <https://doi.org/10.1001/jama.2017.18715>.

Giuliano, C., Patel, C.R. and Kale-Pradhan, P.B. (2019) 'A guide to bacterial culture identification and results interpretation', *P and T*, 44(4), pp. 192–200.

Golan, Y. (2019) 'Current Treatment Options for Acute Skin and Skin-structure Infections.', *Clinical infectious diseases : an official publication of the Infectious Diseases Society of America*, 68(Suppl 3), pp. S206–S212. Available at: <https://doi.org/10.1093/cid/ciz004>.

Gottesman, T., Yossepowitch, O., Lerner, E., Schwartz-Harari, O., Soroksky, A., Yekutieli, D., *et al.* (2014) 'The accuracy of Gram stain of respiratory specimens in excluding *Staphylococcus aureus* in ventilator-associated pneumonia', *Journal of Critical Care*, 29(5), pp. 739–742. Available at: <https://doi.org/10.1016/j.jcrc.2014.05.011>.

Haleblian, S., Harris, B., Finegold, S.M. and Rolfe, R.D. (1981) 'Rapid method that

aids in distinguishing Gram-positive from Gram-negative anaerobic bacteria.’, *Journal of clinical microbiology*, 13(3), pp. 444–448. Available at: <https://doi.org/10.1128/jcm.13.3.444-448.1981>.

Ibrahim, N.A., Basri, M. and Nor, M. (2018) ‘Guide to Antimicrobial Therapy 2017’, (January).

Joo, Y.M., Chae, M.K., Hwang, S.Y., Jin, S.-C., Lee, T.R., Cha, W.C., *et al.* (2014) ‘Impact of timely antibiotic administration on outcomes in patients with severe sepsis and septic shock in the emergency department’, *Clinical and Experimental Emergency Medicine*, 1(1), pp. 35–40. Available at: <https://doi.org/10.15441/ceem.14.012>.

Kaihan Yao, L.B. and W.P.Y. (2013) ‘Post-operative wound management CLINICAL 868’, *Australian Family Physician*, 42(12), pp. 867–870.

Khilnani, G.C., Zirpe, K., Hadda, V., Mehta, Y., Madan, K., Kulkarni, A., *et al.* (2019) ‘Guidelines for antibiotic prescription in intensive care unit’, *Indian Journal of Critical Care Medicine*, 23(January), pp. 1–63. Available at: <https://doi.org/10.5005/jp-journals-10071-23101>.

Kobayashi, H., Oethinger, M., Tuohy, M.J., Hall, G.S. and Bauer, T.W. (2010) ‘Distinction between intact and antibiotic-inactivated bacteria by real-time PCR after treatment with propidium monoazide.’, *Journal of orthopaedic research : official publication of the Orthopaedic Research Society*, 28(9), pp. 1245–1251. Available at: <https://doi.org/10.1002/jor.21108>.

Kok, W.F., Koerts, J., Tucha, O., Scheeren, T.W.L. and Absalom, A.R. (2017) ‘Neuronal damage biomarkers in the identification of patients at risk of long-term postoperative cognitive dysfunction after cardiac surgery’, *Anaesthesia*, 72(3), pp. 359–369.

Lalisang, T., Moenadjat, Y., Saunar, R., Usman, N., Handaya, A. yuda, Nasution, S., *et al.* (2017) ‘Epidemiology of Microorganisms in Intraabdominal Infection/Complicated Intraabdominal Infections in Six Centers of Surgical Care in Indonesia: A Preliminary Study’, *The New Ropanasuri Journal of Surgery*, 2. Available at: <https://doi.org/10.7454/nrjs.v2i2.35>.

Laxminarayan, R., Duse, A., Wattal, C., Zaidi, A.K.M., Wertheim, H.F.L., Sumpradit, N., *et al.* (2013) ‘Antibiotic resistance-the need for global solutions’, *The Lancet Infectious Diseases*, 13(12), pp. 1057–1098. Available at: [https://doi.org/10.1016/S1473-3099\(13\)70318-9](https://doi.org/10.1016/S1473-3099(13)70318-9).

Levy, M.M., Evans, L.E. and Rhodes, A. (2018) ‘The surviving sepsis campaign bundle: 2018 update’, *Intensive care medicine*, 44(6), pp. 925–928.

Lindbaek, M. (2019) ‘Broad-spectrum antibiotics gave no clinical benefit and more

adverse effects than narrow-spectrum antibiotics in treating acute respiratory tract infections in US children’, *BMJ Evidence-Based Medicine*, 24(3), pp. 119–120. Available at: <https://doi.org/10.1136/bmjebm-2018-110938>.

Lopez-Castejon, G. and Brough, D. (2011) ‘Understanding the mechanism of IL-1 β secretion’, *Cytokine and Growth Factor Reviews*, 22(4), pp. 189–195. Available at: <https://doi.org/10.1016/j.cytogfr.2011.10.001>.

López, A.M., Valero, R., Hurtado, P., Gambs, P., Pons, M. and Anglada, T. (2011) ‘Comparison of the LMA supreme™ with the LMA Proseal™ for airway management in patients anaesthetized in prone position’, *British Journal of Anaesthesia*, 107(2), pp. 265–271. Available at: <https://doi.org/10.1093/bja/aer104>.

Lopez, N., Kobayashi, L. and Coimbra, R. (2011) ‘A Comprehensive review of abdominal infections.’, *World journal of emergency surgery: WJES*, 6, p. 7. Available at: <https://doi.org/10.1186/1749-7922-6-7>.

Murtha-Lemekhova, A., Fuchs, J., Teroerde, M., Chiriac, U., Klotz, R., Hornuss, D., *et al.* (2022) ‘Routine Postoperative Antibiotic Prophylaxis Offers No Benefit after Hepatectomy—A Systematic Review and Meta-Analysis’, *Antibiotics*, 11(5). Available at: <https://doi.org/10.3390/antibiotics11050649>.

Obayashi, J., Furuta, S., Kawaguchi, T., Kawaguchi, K., Ohyama, K., Nagae, H., *et al.* (2018) ‘The effect of the broad-spectrum antibiotics for prevention of postoperative intra-abdominal abscess in pediatric acute appendicitis.’, *Pediatric surgery international*, 34(10), pp. 1121–1125. Available at: <https://doi.org/10.1007/s00383-018-4327-0>.

Prasad, K.N., Prasad, N., Gupta, A., Sharma, R.K., Verma, A.K. and Ayyagari, A. (2004) ‘Fungal peritonitis in patients on continuous ambulatory peritoneal dialysis: a single centre Indian experience.’, *The Journal of infection*, 48(1), pp. 96–101. Available at: [https://doi.org/10.1016/s0163-4453\(03\)00119-1](https://doi.org/10.1016/s0163-4453(03)00119-1).

Puppo Moreno, A.M., Abella Alvarez, A., Morales Conde, S., Pérez Flecha, M. and García Ureña, M. (2019) ‘The intensive care unit in the postoperative period of major abdominal surgery’, *Medicina Intensiva*, 43(9), pp. 569–577. Available at: <https://doi.org/10.1016/j.medin.2019.05.007>.

Puspitadewi, E.S., Farhanah, N., Mughni, A. and Farhanah2, N. (2018) ‘Analisis Faktor-Faktor Risiko Yang Mempengaruhi Mortalitas Pada Pasien Complicated Intra Abdominal Infections’, *Jurnal Kedokteran Diponegoro*, 7(2), pp. 1554–1567.

Ramirez, D. and Giron, M. (2022) ‘Enterobacter Infections.’, in. Treasure Island (FL).

Ranzani, O.T., Motos, A., Chiurazzi, C., Ceccato, A., Rinaudo, M., Li Bassi, G., *et al.* (2020) ‘Diagnostic accuracy of Gram staining when predicting staphylococcal

hospital-acquired pneumonia and ventilator-associated pneumonia: a systematic review and meta-analysis', *Clinical Microbiology and Infection*, 26(11), pp. 1456–1463. Available at: <https://doi.org/10.1016/j.cmi.2020.08.015>.

Raza, M.S., Das, B.K., Goyal, V., Lodha, R., Chaudhry, R., Sood, S., *et al.* (2019) 'Emerging multidrug resistance isolates of hospital-acquired bacterial meningitis in a tertiary care centre in North India', *Journal of medical microbiology*, 68(11), pp. 1585–1590. Available at: <https://doi.org/10.1099/jmm.0.001072>.

Sakr, Y., Jaschinski, U., Wittebole, X., Szakmany, T., Lipman, J., Namendys-Silva, S.A., *et al.* (2018) 'Sepsis in intensive care unit patients: worldwide data from the intensive care over nations audit', in *Open forum infectious diseases*. Oxford University Press US, p. ofy313.

Samuel, L.P., Balada-Llasat, J.-M., Harrington, A. and Cavagnolo, R. (2016) 'Multicenter Assessment of Gram Stain Error Rates.', *Journal of clinical microbiology*, 54(6), pp. 1442–1447. Available at: <https://doi.org/10.1128/JCM.03066-15>.

Sartelli, M. (2017) 'A Global Declaration on Appropriate Use of Antimicrobial Agents across the Surgical Pathway A Global Declaration on Appropriate Use of Antimicrobial Agents across the Surgical Pathway', (November).

Sartelli, M., Catena, F., Ansaloni, L., Moore, E., Malangoni, M., Velmahos, G., *et al.* (2013) 'Complicated intra-abdominal infections in a worldwide context: an observational prospective study (CIAOW Study)', *World Journal of Emergency Surgery*, 8(1), pp. 1–7.

Sartelli, M., Coccolini, F., Kluger, Y., Agastra, E., Abu-Zidan, F.M., Abbas, A.E.S., *et al.* (2021) 'WSES/GAIS/SIS-E/WSIS/AAST global clinical pathways for patients with intra-abdominal infections', *World Journal of Emergency Surgery*, 16(1), p. 49. Available at: <https://doi.org/10.1186/s13017-021-00387-8>.

Scerbo, M.H., Kaplan, H.B., Dua, A., Litwin, D.B., Ambrose, C.G., Moore, L.J., *et al.* (2016) 'Beyond Blood Culture and Gram Stain Analysis: A Review of Molecular Techniques for the Early Detection of Bacteremia in Surgical Patients', *Surgical Infections*, 17(3), pp. 294–302. Available at: <https://doi.org/10.1089/sur.2015.099>.

Solomkin, J.S., Mazuski, J.E., Bradley, J.S., Rodvold, K.A., Goldstein, E.J.C., Baron, E.J., *et al.* (2010) 'Diagnosis and management of complicated intra-abdominal infection in adults and children: guidelines by the Surgical Infection Society and the Infectious Diseases Society of America.', *Surgical infections*, 11(1), pp. 79–109. Available at: <https://doi.org/10.1089/sur.2009.9930>.

Stefanita Mogoanta, S., Paitici, S. and Aurelia Mogoanta, C. (2021) 'Postoperative Follow-Up and Recovery after Abdominal Surgery', *Abdominal Surgery - A Brief*

Overview [Preprint]. Available at: <https://doi.org/10.5772/intechopen.97739>.

Taniguchi, T., Tsuha, S., Shiiki, S. and Narita, M. (2015) 'Gram-stain-based antimicrobial selection reduces cost and overuse compared with Japanese guidelines', *BMC Infectious Diseases*, 15(1), pp. 1–7. Available at: <https://doi.org/10.1186/s12879-015-1203-6>.

Tellado, J.M., Sen, S.S., Caloto, M.T., Kumar, R.N. and Nocea, G. (2007) 'Consequences of inappropriate initial empiric parenteral antibiotic therapy among patients with community-acquired intra-abdominal infections in Spain.', *Scandinavian journal of infectious diseases*, 39(11–12), pp. 947–955. Available at: <https://doi.org/10.1080/00365540701449377>.

Thass, N., Singh, S., Saxena, S. and Kaur, R. (2021) 'Guiding Antimicrobial Therapy using Gram Stain in Patients with Ventilator Associated Pneumonia- An Effective Preliminary Diagnostic Tool', 15(8), pp. 15–18. Available at: <https://doi.org/10.7860/JCDR/2021/49782.15287>.

Tong, Y., Li, Q., Liu, S., Liu, T., Qu, K., Liu, C., *et al.* (2022) 'Antimicrobial and Microbiological Characteristics of Critically Ill Patients with Complicated Intra-Abdominal Infection: Observational Data from Beth Israel Deaconess Medical Center.', *International journal of general medicine*, 15, pp. 2127–2136. Available at: <https://doi.org/10.2147/IJGM.S354258>.

Viscusi, E.R., Gan, T.J., Leslie, J.B., Foss, J.F., Talon, M.D., Du, W., *et al.* (2009) 'Peripherally acting mu-opioid receptor antagonists and postoperative ileus: Mechanisms of action and clinical applicability', *Anesthesia and Analgesia*, 108(6), pp. 1811–1822. Available at: <https://doi.org/10.1213/ane.0b013e31819e0d3a>.

De Waele, J., Lipman, J., Sakr, Y., Marshall, J.C., Vanhems, P., Barrera Groba, C., *et al.* (2014) 'Abdominal infections in the intensive care unit: Characteristics, treatment and determinants of outcome', *BMC Infectious Diseases*, 14(1), pp. 1–17. Available at: <https://doi.org/10.1186/1471-2334-14-420>.

Wang, Y., Eldridge, N., Metersky, M.L., Verzier, N.R., Meehan, T.P., Pandolfi, M.M., *et al.* (2014) 'National Trends in Patient Safety for Four Common Conditions, 2005–2011', *New England Journal of Medicine*, 370(4), pp. 341–351. Available at: <https://doi.org/10.1056/nejmsa1300991>.

Weigelt, J.A. (2007) 'Empiric treatment options in the management of complicated intra-abdominal infections', *Cleveland Clinic journal of medicine*, 74(4), p. S29.

Wu, W., Wei, L., Feng, Y., Kang, M. and Zong, Z. (2019) 'Enterobacter huaxiensis sp. nov. and Enterobacter chuandaensis sp. nov., recovered from human blood', *International Journal of Systematic and Evolutionary Microbiology*, 69(3), pp. 708–714.

Yoon, Y.K., Kim, J., Moon, C., Lee, M.S., Hur, J., Lee, H., *et al.* (2019) 'Antimicrobial Susceptibility of Microorganisms Isolated from Patients with Intraabdominal Infection in Korea: a Multicenter Study.', *Journal of Korean medical science*, 34(47), p. e309. Available at: <https://doi.org/10.3346/jkms.2019.34.e309>.

Yoshimura, J., Yamakawa, K., Kinoshita, T. and Fujimi, S. (2018) 'Gram stain-guided antibiotic choice: A GRACEful method to safely restrict overuse of broad-spectrum antibiotic agents', *Critical Care*, 22(1), pp. 3–5. Available at: <https://doi.org/10.1186/s13054-018-2270-z>.

Yoshimura, J., Yamakawa, K., Ohta, Y., Nakamura, K., Hashimoto, H., Kawada, M., *et al.* (2022) 'Effect of Gram Stain-Guided Initial Antibiotic Therapy on Clinical Response in Patients with Ventilator-Associated Pneumonia: The GRACE-VAP Randomized Clinical Trial', *JAMA Network Open*, 5(4), p. E226136. Available at: <https://doi.org/10.1001/jamanetworkopen.2022.6136>.