



DAFTAR PUSTAKA

- [1] T. Sato *dkk.*, “Development Team Members.”
- [2] Cywicka-Jakiel T, WoÑnicka U, dan Zorski T, “THE USE OF THE MCNP CODE FOR THE QUANTITATIVE ANALYSIS OF ELEMENTS IN GEOLOGICAL FORMATIONS,” 2017.
- [3] Iaea, “Database of Prompt Gamma Rays from Slow Neutron Capture for Elemental Analysis,” 2006.
- [4] E. Ali dan A. Muraikhi, “Optimization of A Combined Carbon/Oxygen And Neutron Porosity Oil Well Logging Tool Recommended Citation ‘Optimization of A Combined Carbon/Oxygen And Neutron Porosity Oil Well Logging Tool,’” 2017. [Daring]. Tersedia pada: [https://scholarworks.uae.ac.ae/all_theses/624](https://scholarworks.uae.ac.ae/all_thesesTheses.624)
- [5] M. Yusuf *dkk.*, “Journal of Petroleum Science and Engineering Effect of neutron source type, boron-lining, and wax presence on formation porosity measurement sensitivity using Monte Carlo simulation Powered by Editorial Manager® and ProduXion Manager® from Aries Systems Corporation,” 2020. [Daring]. Tersedia pada: <http://www.brin.go.id>
- [6] W. A. Metwally, “Porosity calculations using a C/O logging tool with boron-lined NaI detectors,” *Applied Radiation and Isotopes*, vol. 69, no. 1, hlm. 217–219, Jan 2011, doi: 10.1016/j.apradiso.2010.08.003.
- [7] W. Wu, M. Tong, L. Xiao, dan J. Wang, “Porosity Sensitivity Study Of The Compensated Neutron Logging Tool,” *J Pet Sci Eng*, vol. 108, hlm. 10–13, Agu 2013, doi: 10.1016/j.petrol.2013.04.020.
- [8] J. Liu, F. Zhang, X. Wang, F. Han, dan Z. Yuan, “Numerical study on determining formation porosity using a boron capture gamma ray technique and MCNP,” *Applied Radiation and Isotopes*, vol. 94, hlm. 266–271, Des 2014, doi: 10.1016/j.apradiso.2014.08.013.
- [9] E. F. Rifati, “ALTERNATIF STRATEGI PENANGGULANGAN MASALAH WAXY PARAFIN PADA TUBING SUMUR YANG MEMPRODUKSIKAN MINYAK PARAFINIK.”
- [10] M. V. Kök, M. A. Varfolomeev, dan D. K. Nurgaliev, “Wax appearance temperature (WAT) determinations of different origin crude oils by differential scanning calorimetry,” *J Pet Sci Eng*, vol. 168, hlm. 542–545, Sep 2018, doi: 10.1016/j.petrol.2018.05.045.





- [11] W. Wu, M. Tong, L. Xiao, dan J. Wang, “Porosity Sensitivity Study Of The Compensated Neutron Logging Tool,” *J Pet Sci Eng*, vol. 108, hlm. 10–13, Agu 2013, doi: 10.1016/j.petrol.2013.04.020.
- [12] E. Dommernes, “FACULTY OF SCIENCE AND TECHNOLOGY FORSIDE MASTER’S THESIS Title of master’s thesis: Potential Utilization of Neutron Logging for Casing Cement Evaluation.”
- [13] C. R. Peeples, M. Mickael, dan R. P. Gardner, “On replacing Am-Be neutron sources in compensated porosity logging tools,” *Applied Radiation and Isotopes*, vol. 68, no. 4–5, hlm. 926–931, Apr 2010, doi: 10.1016/j.apradiso.2009.11.042.
- [14] J. S. Alzahrani, M. A. Alothman, C. Eke, H. Al-Ghamdi, D. A. Aloraini, dan M. S. Al-Buriahi, “Simulating the radiation shielding properties of TeO₂–Na₂O–TiO glass system using PHITS Monte Carlo code,” *Comput Mater Sci*, vol. 196, Agu 2021, doi: 10.1016/j.commatsci.2021.110566.
- [15] T. Sato *dkk.*, “Features of Particle and Heavy Ion Transport code System (PHITS) version 3.02,” *J Nucl Sci Technol*, vol. 55, no. 6, hlm. 684–690, Jun 2018, doi: 10.1080/00223131.2017.1419890.
- [16] Ervin B Podgoršak, “Interactions of Neutrons with Matter Reading Material: Chapter 4: Interaction of Radiation with Matter-Interaction of Neutrons with Matter,” 2016.
- [17] F. Zhang *dkk.*, “A method to describe inelastic gamma field distribution in neutron gamma density logging,” *Applied Radiation and Isotopes*, vol. 129, hlm. 189–195, Nov 2017, doi: 10.1016/j.apradiso.2017.08.024.
- [18] L. F. Quintero, “Determination of Hydrocarbon Type From the Dual-Spaced Determination of Hydrocarbon Type From the Dual-Spaced Neutron Tool Responses. Neutron Tool Responses,” 1997. [Daring]. Tersedia pada: https://digitalcommons.lsu.edu/gradschool_disstheses
- [19] A. Bala, D. G. Jenkins, dan S. Namadi, “Radiation detectors for nuclear well-logging application: A review,” *Dutse Journal of Pure and Applied Sciences*, vol. 8, no. 2a, hlm. 80–93, Jun 2022, doi: 10.4314/dujopas.v8i2a.9.
- [20] P. Glover, “Petrophysics,” UK, 2000.
- [21] L. M. Scallan, A. Brandl, T. Johnson, dan S. Chen, “THESIS EFFICIENCY MODELING FOR NEUTRON DETECTORS Submitted by,” 2014.





- [22] M. Mashhadi, E. Taheri-Nassaj, dan V. M. Sglavo, “Pressureless sintering of boron carbide,” *Ceram Int*, vol. 36, no. 1, hlm. 151–159, Jan 2010, doi: 10.1016/j.ceramint.2009.07.034.
- [23] J. Liu *dkk.*, “A method to improve the sensitivity of neutron porosity measurement based on D-T source,” *J Nat Gas Sci Eng*, vol. 33, hlm. 879–884, Jul 2016, doi: 10.1016/j.jngse.2016.06.028.
- [24] W. A. Loomis dan J. A. Grau, “(58) (56) METHODS AND APPARATUS FOR CALIBRATION OF BGO SCINTILLATOR GAMMA RAY ENERGY SPECTRA.”
- [25] O. Bartalini *dkk.*, “Neutron detection efficiency of BGO calorimeter at GRAAL,” *Nucl Instrum Methods Phys Res A*, vol. 562, no. 1, hlm. 85–91, Jun 2006, doi: 10.1016/j.nima.2006.01.135.
- [26] O. Shcherbakov, K. Furutaka, S. Nakamura, H. Harada, dan K. Kobayashi, “A BGO detector system for studies of neutron capture by radioactive nuclides,” *Nucl Instrum Methods Phys Res A*, vol. 517, no. 1–3, hlm. 269–284, Jan 2004, doi: 10.1016/j.nima.2003.09.042.
- [27] J. Liu, F. Zhang, X. Wang, F. Han, dan Z. Yuan, “Numerical study on determining formation porosity using a boron capture gamma ray technique and MCNP,” *Applied Radiation and Isotopes*, vol. 94, hlm. 266–271, Des 2014, doi: 10.1016/j.apradiso.2014.08.013.
- [28] C. R. Peeples, M. Mickael, dan R. P. Gardner, “On replacing Am-Be neutron sources in compensated porosity logging tools,” *Applied Radiation and Isotopes*, vol. 68, no. 4–5, hlm. 926–931, Apr 2010, doi: 10.1016/j.apradiso.2009.11.042.
- [29] A. Talamo *dkk.*, “Monte Carlo calculation of the energy deposition in the transformational challenge reactor,” dalam *Transactions of the American Nuclear Society*, American Nuclear Society, 2020, hlm. 1429–1433. doi: 10.13182/T123-33031.
- [30] W. A. Metwally, “Porosity calculations using a C/O logging tool with boron-lined NaI detectors,” *Applied Radiation and Isotopes*, vol. 69, no. 1, hlm. 217–219, Jan 2011, doi: 10.1016/j.apradiso.2010.08.003.
- [31] D. Sun, Z. Zhu, Z. Hu, dan M. Wu, “Experimental and theoretical study on wax deposition and the application on a heat insulated crude oil pipeline in Northeast China,” *Oil and Gas Science and Technology*, vol. 75, 2020, doi: 10.2516/ogst/2019064.
- [32] Mokhammad Naufal Alatas, “PENGARUH SUMBER NEUTRON, BORON-LINING, DAN KEBERADAAN PARAFIN DALAM SUMUR



UNIVERSITAS
GADJAH MADA

Pengaruh tebal lapisan boron dan jarak antar detektor dan keberadaan wax terhadap sensitivitas

pada

metode log neutron terkompensasi

Alfin Paskah Raya Sinaga, Dr.ing. Sihana

Universitas Gadjah Mada, 2023 | Diunduh dari <http://etd.repository.ugm.ac.id/>

BOR TERHADAP SENSITIVITAS PENGUKURAN POROSITAS
FORMASI TANAH MENGGUNAKAN METODE CNL
(COMPENSATED NEUTRON LOG),” 2021.

