



DAFTAR PUSTAKA

- ACI Committee 318. (2014). *Building Code Requirements for Structural Concrete (ACI 318-14)*.
- ACI Committee 440. (2015). *Guide for the design and construction of structural concrete reinforced with FRP bars*. American Concrete Institute.
- Al-Dulaijan, S. U., Nanni, A., Al-Zahrani, M. M., & Bakis, C. E. (1996). "Bond Evaluation of Environmentally Conditioned GFRP/Concrete System. *Proceedings of the Second International Conference on Advanced Composite Materials in Bridges and Structures (ACMBS-2)*, 845–852.
- Arivalagan, S. (2012). *Engineering Performance of Concrete Beams Reinforced with GFRP Bars and Stainless steel*.
- Bakis, C. E., Freimanis, A. J., Gremel, D., & Nanni, A. (1998). Effect of Resin Material on Bond and Tensile Properties of Unconditioned and Conditioned FRP Reinforcement Rods. *Proceedings of the First International Conference on Durability of Composites for Construction*, 525–535.
- Bank, L. C. (1993). Properties of FRP Reinforcement for Concrete. *Fiber-Reinforced-Plastic (FRP) Reinforcement for Concrete Structures: Properties and Applications, Developments in Civil Engineering*, 42, 59–86.
- Bank, L. C., Puterman, M., & Katz, A. (1998). The Effect of Material Degradation on Bond Properties of FRP Reinforcing Bars in Concrete. *ACI Materials Journal*, 95(3), 232–243.
- Bellakehal, H., Zaidi, A., Masmoudi, R., & Bouhicha, M. (2013). Combined effect of sustained load and freeze–thaw cycles on one-way concrete slabs reinforced with glass fibre – reinforced polymer. *Canadian Journal of Civil Engineering*, 40(11), 1060–1067. <https://doi.org/10.1139/cjce-2012-0514>
- Benmokrane, B. (1997). Bond Strength of FRP Rebar Splices. *Proceedings of the Third International Symposium on Non-Metallic (FRP) Reinforcement for Concrete Structures (FRPRCS-3)*, 2, 405–412.
- Benmokrane, B., Masmoudi, R., & El-Salakawy, E. (2006). Designing and testing of a concrete bridge deck reinforced with glass FRP bars. *International SAMPE Technical Conference*, 2815–2828. [https://doi.org/10.1061/\(asce\)1084-0702\(2006\)11:2\(217\)](https://doi.org/10.1061/(asce)1084-0702(2006)11:2(217))
- BSN. (2019). *KEPUTUSAN KEPALA BADAN STANDARDISASI NASIONAL NOMOR 694/KEP/BSN/12/2019 TENTANG PENETAPAN STANDAR NASIONAL INDONESIA 2847:2019 PERSYARATAN BETON STRUKTURAL UNTUK BANGUNAN GEDUNG DAN PENJELASAN SEBAGAI REVISI DARI STANDAR NASIONAL INDONESIA 2847:2013 PERSYARATAN BETON STRUKTURAL UNTUK BANGUNAN GEDUNG*.
- BSN. (2021). *Keputusan Kepala Badan Standardisasi Nasional Nomor 395/KEP/BSN/9/2021 Tentang Penetapan Standar Nasional Indonesia 8970:2021 Panduan Perancangan Dan Pelaksanaan Beton Struktural Bertulang Batang Serat Berpolimer*. Badan Standardisasi Nasional.
- Carreira, D. J., & Chu, K.-H. (1986). Stress-Strain Relationship for Reinforced Concrete in Tension. *ACI Journal*, 83–3, 21–28.



- Cosenza, E., Manfredi, G., & Realfonzo, R. (1997). Behavior and Modeling of Bond of FRP Rebars to Concrete. *Journal of Composites for Construction*, 1(2), 40–51.
[https://doi.org/10.1061/\(asce\)1090-0268\(1997\)1:2\(40\)](https://doi.org/10.1061/(asce)1090-0268(1997)1:2(40))
- Dally, J. W., & Riley, W. F. (1991). *Experimental Stress Analysis*. 672.
- Dassault Systemes. (2011a). *Abaqus 6.11 Abaqus/CAE Analysis User's Manual*.
- Dassault Systemes. (2011b). *Abaqus 6.11 Abaqus/CAE User's Manual*.
- Ehsani, M. R., Saadatmanesh, H., & Tao, S. (1996a). Bond Behavior and Design Recommendations for Fiber-Glass Reinforcing Bars. *Proceedings of the First International Conference on Composites in Infrastructure (ICCI- 96)*, 466–476.
- Ehsani, M. R., Saadatmanesh, H., & Tao, S. (1996b). Design Recommendations for Bond of GFRP Rebars to Concrete. *Journal of Structural Engineering*, 122(3), 247–254.
[https://doi.org/10.1061/\(ASCE\)0733-9445\(1996\)122:3\(247\)](https://doi.org/10.1061/(ASCE)0733-9445(1996)122:3(247))
- El-Gamal, S. E., & Abdulsalam, B. (2010). Deflection Behavior of Concrete Beams Reinforced with FRP Bars GFRP-reinforced Squat walls View project • Motion Control and Mechanical Wave Study of Nano-machines View project. *The 5th International Conference on FRP Composites in Civil Engineering*.
<https://doi.org/10.13140/RG.2.1.1284.6565>
- Etman, E. E., Hussein, M., & Taha Baraghith, A. (2019). Flexural behaviour of concrete beams reinforced with Basalt FRP bars. *International Conference on Advances in Structural and Geotechnical Engineering*.
<https://www.researchgate.net/publication/338778511>
- Faza, S. S., & Gangarao, H. V. S. (1990). Bending and Bond Behavior of Concrete Beams Reinforced with Plastic Rebars. *Transportation Research Record*, 1290, 185–193.
- Freimanis, A. J., Bakis, C. E., Nanni, A., & Gremel, D. (1998). “A Comparison of Pullout and Tensile Behaviors of FRP Reinforcement for Concrete. *Proceedings of the Second International Conference on Composites in Infrastructure (ICCI-98)*, 2, 52–65.
- Gangarao, H. V. S., & Vijay, P. v. (1997). Design of Concrete Members Reinforced with GFRP Bars. *Proceedings of the Third International Symposium on Non-Metallic (FRP) Reinforcement for Concrete Structures (FRPRCS-3)*, 1, 143–150.
- Gentry, T. R., & Husain, M. (1999). Thermal Compatibility of Concrete and Composite Reinforcements. *Journal of Composites for Construction*, 3(2), 82–86.
[https://doi.org/10.1061/\(ASCE\)1090-0268\(1999\)3:2\(82\)](https://doi.org/10.1061/(ASCE)1090-0268(1999)3:2(82))
- Goldston, M., Remennikov, A. M., & Sheikh, M. N. (2016). *Experimental investigation of the behaviour of concrete beams reinforced with GFRP bars under static and impact loading*. <http://ro.uow.edu.au/eispapers/5750>
- Gooranorimi, O., Claire, G., Suaris, W., & Nanni, A. (2018). *Bond-Slip Effect in Flexural Behavior of GFRP RC Slabs*. <http://www.elsevier.com/open-access/userlicense/1.0/>
- Gujar, A., Pore, S., & Prakash, V. (2019). Modeling in ABAQUS for experimental Investigation of Multi-linear Bond Slip Properties in Reinforced Concrete. *International Journal of Advance Engineering and Research Development*, 6(03), 155–163.



- Guo, Z. (2014). Confined Concrete. In *Principles of Reinforced Concrete* (pp. 221–252). Elsevier. <https://doi.org/10.1016/b978-0-12-800859-1.00009-8>
- Jaeger, L. G., Mufti, A., & Tadros, G. (1997). The Concept of the Overall Performance Factor in Rectangular Section Reinforced Concrete Beams. *Proceedings of the Third International Symposium on Non-Metallic (FRP) Reinforcement for Concrete Structures (FRPRCS-3)*, 2, 551–558.
- Japan Society of Civil Engineer. (1997). Recommendation for Design and Construction of Concrete Structures Using Continuous Fiber Reinforcing Materials. *Concrete Engineering Series*, 23(325).
- J.B. Mander, M. J. N. Priestley, & R. Park. (1988). Theoretical Stress-Strain Model For Confined Concrete. *Journal Structural Engineer*, 114(8), 1804–1826.
- Kocaoz, S., Samaranayake, V. A., & Nanni, A. (2005). Tensile characterization of glass FRP bars. *Composites Part B: Engineering*, 36(2), 127–134. <https://doi.org/10.1016/j.compositesb.2004.05.004>
- Mallick, P. K. (1988). Fiber Reinforced Composites. *Materials, Manufacturing, and Design*, Marcell Dekker, Inc.
- Malm, R. (2006). *Shear cracks in concrete structures subjected to in-plane stresses*.
- Masmoudi, R., Masmoudi, A., Ouezdou, M. ben, & Daoud, A. (2011). Long-term bond performance of GFRP bars in concrete under temperature ranging from 20°C to 80°C. *Construction and Building Materials*, 25(2), 486–493. <https://doi.org/10.1016/j.conbuildmat.2009.12.040>
- Masmoudi, R., Zaidi, A., & Gérard, P. (2005). Transverse Thermal Expansion of FRP Bars Embedded in Concrete. *Journal of Composites for Construction*, 9(5), 377–387. [https://doi.org/10.1061/\(ASCE\)1090-0268\(2005\)9:5\(377\)](https://doi.org/10.1061/(ASCE)1090-0268(2005)9:5(377))
- McClure, G., & Mohammadi, Y. (1995). Compression Creep of Pultruded E-Glass-Reinforced-Plastic Angles. *Journal of Materials in Civil Engineering*, 7(4), 269–276. [https://doi.org/10.1061/\(ASCE\)0899-1561\(1995\)7:4\(269\)](https://doi.org/10.1061/(ASCE)0899-1561(1995)7:4(269))
- Mosley, C. P. (2002). Bond Performance of Fiber Reinforced Plastic (FRP) Reinforcement in Concrete. *MStthesis, Purdue University, West Lafayette*.
- Mutsuyoshi, H., Uehara, K., & Machida, A. (1990). Mechanical Properties and Design Method of Concrete Beams Reinforced with Carbon Fiber Reinforced Plastics. *Transaction of the Japan Concrete Institute*, 12, 231–238.
- Nanni, A. (1993). Flexural Behavior and Design of RC Members Using FRP Reinforcement. *Journal of Structural Engineering*, 119(11), 3344–3359. [https://doi.org/10.1061/\(ASCE\)0733-9445\(1993\)119:11\(3344\)](https://doi.org/10.1061/(ASCE)0733-9445(1993)119:11(3344))
- Nanni, A., Nenninger, J. S., Ash, K. D., & Liu, J. (1997). Experimental bond behavior of hybrid rods for concrete reinforcement. *Structural Engineering and Mechanics*, 5(4), 339–353. <https://doi.org/10.12989/sem.1997.5.4.339>
- Nanni, A., Rizkalla, S., Bakis, C. E., Conrad, J. O., & Abdelrahman. (1998). “Characterization of GFRP Ribbed Rod Used for Reinforced Concrete Construction. *Proceedings of the International Composites Exhibition (ICE-98)*, 16A, 1–6.



- Roif Eligenhausen, Egor Popov, & Viteimo V. Bertero. (1983). *Local Bond Stress-Slip Relationships of Deformed Bars Under Generalized Excitations : Test and Analytical Model*.
- Rolland, A., Argoul, P., Benzarti, K., Quiertant, M., Chataigner, S., & Khadour, A. (2020). Analytical and numerical modeling of the bond behavior between FRP reinforcing bars and concrete. *Construction and Building Materials*, 231. <https://doi.org/10.1016/j.conbuildmat.2019.117160>
- Shield, C., French, C., & Hanus, J. (1999). Bond of GFRP Rebar for Consideration in Bridge Decks. *Fourth International Symposium on Fiber Reinforced Polymer Reinforcement for Reinforced Concrete Structures, SP-188*, 393–406.
- Shield, C., Galambos, T., & Gulbrandsen, P. (2011). On the History and Reliability of the Flexural Strength of FRP Reinforced Concrete Members in ACI 440.1R. “*On the History and Reliability of the Flexural Strength of FRP Reinforced Concrete Members in ACI 440.1R*”, 1–18.
- Sun, R., Perera, R., Gu, J., & Wang, Y. (2021). A Simplified Approach for Evaluating the Flexural Response of Concrete Beams Reinforced With FRP Bars. *Frontiers in Materials*, 8. <https://doi.org/10.3389/fmats.2021.765058>
- Sun, Z., Feng, D. C., Sun, Y., Yuan, J., Li, X., & Wei, Y. (2021). Bond-slip behavior of bundled steel/FRP bars and its implementation in high-fidelity FE modeling of reinforced concrete beams. *Construction and Building Materials*, 286. <https://doi.org/10.1016/j.conbuildmat.2021.122887>
- Thériault, M., & Benmokrane, B. (1998). Effects of FRP Reinforcement Ratio and Concrete Strength on Flexural Behavior of Concrete Beams. *Journal of Composites for Construction*, 2(1), 7–16. [https://doi.org/10.1061/\(ASCE\)1090-0268\(1998\)2:1\(7\)](https://doi.org/10.1061/(ASCE)1090-0268(1998)2:1(7))
- Tighiouart, B., Benmokrane, B., & Mukhopadhyaya, P. (1999). Bond strength of glass FRP rebar splices in beams under static loading. *Construction and Building Materials*, 13(7), 383–392. [https://doi.org/10.1016/S0950-0618\(99\)00037-9](https://doi.org/10.1016/S0950-0618(99)00037-9)
- Wambeke, B., & Shield, C. (2006). Development Length of Glass Fiber Reinforced Polymer Bars in Concrete. *ACI Structural Journal*, 103(1), 11–17.
- Wosatko, A., Winnicki, A., Polak, M. A., & Pamin, J. (2019). Role of dilatancy angle in plasticity-based models of concrete. *Archives of Civil and Mechanical Engineering*, 19(4), 1268–1283. <https://doi.org/10.1016/j.acme.2019.07.003>
- Wu, W. P. (1990). “Thermomechanical Properties of Fiber Reinforced Plastic (FRP) Bars. *PhD Dissertaton, West Virginia University, Morgantown*.”
- Zaidi, A., Masmoudi, R., & Bouhicha, M. (2013). Numerical analysis of thermal stress-deformation in concrete surrounding FRP bars in hot region. *Construction and Building Materials*, 38, 204–213. <https://doi.org/10.1016/j.conbuildmat.2012.08.047>
- Zhao, N., Wang, W., & Liu, Y. (2018). Intergranular mechanical behavior in a blade groove-like component by crystal plasticity model with cohesive zone model. *Engineering Fracture Mechanics*, 201, 196–213. <https://doi.org/10.1016/j.engfracmech.2018.06.031>