

## DAFTAR PUSTAKA

- Abu N, Akhtar MN, Yeap SK, Lim KL, Ho WY, Abdullah MP, *et al.* 2016. Flavokawain B induced cytotoxicity in two breast cancer cell lines, MCF-7 and MDA-MB231 and inhibited the metastatic potential of MDA-MB231 via the regulation of several tyrosine kinases In vitro. *BMC Complement Altern Med.* 16:86.
- Abu N, Akhtar MN, Yeap SK, Lim KL, Ho WY, Zulfadli AJ, *et al.* 2014. Flavokawain A induces apoptosis in MCF-7 and MDA-MB231 and inhibits the metastatic process in vitro. *PLoS One.* 9(10): e105244.
- ACS, NCCN. 2006. Breast cancer treatment guidelines for patients. American Cancer Society (ACS) & National Comprehensive Cancer Network (NCCN). Available at: [https://screening.iarc.fr/doc/Breast\\_VIII.pdf](https://screening.iarc.fr/doc/Breast_VIII.pdf).
- Ahsan A, Ramanand SG, Whitehead C, Hiniker SM, Rehemtulla A, Pratt WB, *et al.* 2012. Wild-type EGFR is stabilized by direct interaction with HSP90 in cancer cells and tumors. *Neoplasia.* 14(8):670-7.
- Aka JA, Lin SX. 2012. Comparison of functional proteomic analyses of human breast cancer cell lines T47D and MCF7. *PLoS One.* 7(2):e31532.
- Alberts B, Johnson A, Lewis J, Raff M, Roberts K, Walter P. 2002. Programmed cell death, In: *Molecular biology of the cell.* 4<sup>th</sup> ed. New York: Garland Science.pp:1115-30.
- Allan LA, Clarke PR. 2009. Apoptosis and autophagy: Regulation of caspase-9 by phosphorylation. *FEBS J.* 276: 6063–6073.
- Alman AA, Daniel K, Killedar SG. 2020. Chalcone – promising entity for anticancer activity: an overview. *Int. J. Pharm. Sci.* 11(5): 2027-41.
- Al-Salahi R, Alswaidan I, Marzouk M. 2014. Cytotoxicity evaluation of a new set of 2-aminobenzo[de]iso-quinoline-1,3-diones. *Int J Mol Sci.* 15(12):22483-91.
- Alshatwi AA, Ramesh E, Periasamy VS, Subash-Babu P. 2013. The apoptotic effect of hesperetin on human cervical cancer cells is mediated through cell cycle arrest, death receptor, and mitochondrial pathways. *Fundam Clin Pharmacol.* 27(6):581-92.
- Altomare D, Wang H, Skele K, De Rienzo A, Klein-Szanto AJ, *et al.* 2004. AKT and mTOR phosphorylation is frequently detected in ovarian cancer and can be targeted to disrupt ovarian tumor cell growth. *Oncogene.* 23:5853–5857.
- Amelia A, Widyarini S. 2009. The chemopreventive effect of chitosan and *Cordyceps mycelium* on the expression of Cox-2 protein and the development of mammary cancer in *Sprague Dawley* rat induced by 7,12 dimethylbenz(α)anthracene. *Vet Med J.* 25 (3): 167-176.
- Ammerman NC, Beier-Sexton M, Azad AF. 2008. Growth and maintenance of Vero cell lines. *Curr Protoc Microbiol.* Appendix 4: Appendix 4E.
- Anwar C, Prasetyo YD, Matsjeh S, Haryadi W, Sholikhah EN, Nendrowati. Synthesis of chalcone derivatives and their in vitro anticancer test against

- breast (T-47D) and colon (WiDr) cancer cell line. *Indones. J. Chem.* 18 (1): 102 – 107.
- Ahmadiankia N, Moghaddam HK, Mishan MA, Bahrami AR, Naderi-Meshkin H, Bidkhorri HR, *et al.* 2016. Berberine suppresses migration of MCF-7 breast cancer cells through down-regulation of chemokine receptors. *Iran J Basic Med Sci.* 19(2): 125-31.
- Alhoshani A, Alotaibi M, As Sobeai HM, Alharbi N, Alhazzani K, Al-Dhfyhan A, *et al.* 2021. In vivo and in vitro studies evaluating the chemopreventive effect of metformin on the aryl hydrocarbon receptor-mediated breast carcinogenesis. *Saudi J Biol Sci.* 28(12):7396-7403.
- Araki T, Yashima H, Shimizu K, Aomori T, Hashita T, *et al.* 2012. Review of the treatment of non-small cell lung cancer with gefitinib. *Clin Med Insights Oncol.* 6:407-21.
- Arianingrum R, Arty IS, Atun S. 2011. Uji sitotoksik beberapa senyawa mono para hidroksi kalkon terhadap cancer cell line T-47D. *JPS.* 16(2):121-132.
- Arianingrum R, Sunarminingsih R, Meiyanto E, Mubarika S. 2012. Potential of a chalcone derivate compound as cancer chemoprevention in breast cancer. *3<sup>rd</sup> International Conference on Chemistry and Chemical Engineering IPCBEE* vol.38. Singapore: IACSIT Press.
- Arianingrum R, Sunarminingsih R, Meiyanto E, Mubarika S. 2015a. Cytotoxic effect of para hydroxy meta methoxy chalcone (pHmMC) on MCF-7 breast cancer cells by inducing cell arrest and apoptosis. *Proceeding of International Conference on Research, Implementation and Education of Mathematics and Sciences 2015*, Yogyakarta State University, 17-19 May 2015.
- Arianingrum R, Sunarminingsih R, Meiyanto E, Mubarika S. 2015b. Synergistic effects of para-hydroxy meta-methoxy chalcone (pHmMC)- doksorubisin treatments on T-47D breast cancer cells. *IJBiotech.* 20(2): 141-151.
- Arianingrum R, Sunarminingsih R, Meiyanto E, Mubarika S. 2016. Pengaruh p-Hidroksi m-Metoksi Kalkon (pHmMK) terhadap ekspresi protein Bcl-2 dan Bax pada sel kanker payudara MCF-7. *JPS.* 21(1): 10-20.
- Averous J, Fonseca B, Proud C. 2008. Regulation of Cyclin-D1 expression by mTORC1 signaling requires eukaryotic initiation factor 4E-binding protein 1. *Oncogene.* 27: 1106–1113.
- Barnum KJ, O'Connell MJ. 2014. Cell cycle regulation by checkpoints. *Methods Mol Biol.* 1170:29-40.
- Bar-On O, Shapira M, Hershko DD. 2007. Differential effects of doxorubicin treatment on cell cycle arrest and Skp2 expression in breast cancer cells. *Anticancer Drugs.* 18(10):1113-21.
- Barros ACS, Muranaka ENK, Mori LJ, Pelizon CHT, Iriya K, Giocondo G, Pinotti JA. 2004. Induction of experimental mammary carcinogenesis in rats with 7,12-dimethylbenz(a)anthracene. *Revista do Hospital das Clínicas.* 59(5): 257-261.
- Batzer AG, Rotin D, Ureña JM, Skolnik EY, Schlessinger J. 1994. Hierarchy of binding sites for Grb2 and Shc on the epidermal growth factor receptor. *Mol Cell Biol.* 14(8):5192-201.

- Beckmann MW., Niederacher D., Schnurch HG., Gusterson BA., Bender HG. 1997. Multistep carcinogenesis of breast cancer and cancer heterogeneity. *J Mol Med.* 75:429-39.
- Bielenberg DR, Zetter BR. 2015. The Contribution of Angiogenesis to the Process of Metastasis. *Cancer J.* 21(4):267-73.
- Bierie B, Stover DG, Abel TW, Chytil A, Gorska AE, Aakre M, *et al.* 2008. Transforming growth factor- $\beta$  regulates mammary carcinoma cell survival and interaction with the adjacent microenvironment. *Cancer Res.* 68(6):1809-19.
- Bloedjes TA, de Wilde G, Maas C, Eldering EE, Bende RJ, van Noesel CJ, *et al.* 2019. Targeting AKT elicits tumor suppressive functions of FOXO transcription factors and GSK3 kinase in Multiple Myeloma. *bioRxiv.* Available from:URL:<https://doi.org/10.1101/816694>.
- Bonakdar APS, Vafaei F, Farokhpour M, Esfahani MHN, Massah AR. 2017. Synthesis and anticancer activity assay of novel chalcone-sulfonamide derivatives. *Iran J Pharm Res.* 16 (2): 565-568.
- Bortolotto LF, Barbosa FR, Silva G, Bitencourt TA, Belebony RO, Baek SJ, *et al.* 2017. Cytotoxicity of trans-chalcone and licochalcone A against breast cancer cells is due to apoptosis induction and cell cycle arrest. *Biomed Pharmacother.* 85:425-433.
- Boutros R, Lobjois V, Ducommun B. 2007. CDC25 phosphatases in cancer cells: key players? Good targets?. *Nat Rev Cancer.* 7(7):495-507.
- Braune A, Engst W, Elsinghorst PW, Furtmann N, Bajorath D, Gütschow M, *et al.* 2016. Chalcone isomerase from *Eubacterium ramulus* catalyzes the ring contraction of flavanonols. *J Bacteriol.* 198(21): 2965-74.
- Breast Cancer Organization. 2013. Multistep carcinogenesis of the breast cancer. Available from:URL:<http://www.breastcancer.org>.
- Budiarto E. 2004. *Metodologi penelitian kedokteran.* Jakarta: EGC.
- Büyükköroğlu G, Dora DD, Özdemir F, Hızıl C. 2018. Techniques for protein analysis. In: Barh D, Azevedo V, editors. *Omics technologies and bio-engineering.* Netherlands: Elsevier BV. Pp: 317–351.
- Calderón-Montaña JM, Martínez-Sánchez SM, Jiménez-González V, Burgos-Morón E, Guillén-Mancina E, Jiménez-Alonso JJ, *et al.* 2021. Screening for Selective Anticancer Activity of 65 Extracts of Plants Collected in Western Andalusia, Spain. *Plants.* 10(10):2193.
- Cardone MH, Roy N, Stennicke HR, Salvesen GS, Franke TF, Stanbridge E, *et al.* 1998. Regulation of cell death protease caspase-9 by phosphorylation. *J Sci.* 282(5392): 1318-1321.
- CCRC. 2009a. Prosedur tetap panen sel. Fakultas Farmasi UGM, Available from:URL:<http://ccrc.farmasi.ugm.ac.id/en/wp-content/uploads/03.005.-Panen-Sel.pdf>
- CCRC. 2009b. Prosedur tetap perhitungan sel. Fakultas Farmasi UGM, Available from:URL:<http://ccrc.farmasi.ugm.ac.id/en/wp-content/uploads/03.006.-Perhitungan-sel.pdf>
- CCRC. 2010. Prosedur tetap uji pengamatan proliferasi sel (doubling time). Fakultas Farmasi UGM, Available from:URL:

<http://ccrc.farmasi.ugm.ac.id/wp-content/uploads/03.015.->

[Doublingtime.pdf](#)

- CCRC. 2013. Prosedur tetap uji sitotoksik metode MTT. Fakultas Farmasi UGM, Available from:URL: <http://ccrc.farmasi.ugm.ac.id/wp-content/uploads/03.010.02-uji-sitotoksik-MTT.pdf>
- CCRC. 2014a. Prosedur tetap preparasi sampel untuk siklus sel dengan metode flowcytometry. Fakultas Farmasi UGM, Available from:URL:<http://ccrc.farmasi.ugm.ac.id/en/wp-content/uploads/03.014.-Siklus-sel.pdf>
- CCRC. 2014b. Prosedur tetap imunofluoresense. Fakultas Farmasi UGM, Available from:URL:<http://ccrc.farmasi.ugm.ac.id/en/wp-content/uploads/03.016.-Imunofluoresense.pdf>
- Cekanova M, Rathore K. 2014. Animal models and therapeutic molecular targets of cancer: utility and limitations. *Drug Des Devel Ther.* 8: 1911–1922.
- Chauhan SS, Singh AK, Meena S, Lohani M, Singh A, Arya RK, *et al.* 2014. Synthesis of novel  $\beta$ -carboline based chalcones with high cytotoxic activity against breast cancer cells. *Bioorg. Med. Chem. Lett.* 24(13): 2820–2824.
- Cianfrocca M. & Goldstein LJ. 2004. Prognostic and Predictive Factors in Early-Stage Breast Cancer. *Oncology.* 9:606-616.
- Chiasson-MacKenzie C, McClatchey AI. 2018. Cell-cell contact and receptor tyrosine kinase signaling. *Cold Spring Harb. Perspect. Biol.* 10(6): a029215.
- Christidi E, Brunham LR. 2021. Regulated cell death pathways in doxorubicin-induced cardiotoxicity. *Cell Death Dis.* 12(4):339.
- Clarke R. 2009. The role of preclinical animal models in breast cancer drug development. *Breast Cancer Res.* 11(S22): 1-3.
- Clayton F. 1991. Pathologic correlates of survival in 378 lymph node-negative infiltrating ductal breast carcinomas. Mitotic count is the best single predictor. *Cancer.* 68:1309-1317.
- Cobrinik D. 2005. Pocket proteins and cell cycle control. *Oncogene.* 24(17):2796-809.
- Coffman JA. 2004. Cell cycle development. *Dev Cell.* 6(3):321-7.
- Coleman M, Sahai E, Yeo M, Bosch M, Dewar A, Olson MF. 2001. Membrane blebbing during apoptosis results from caspase-mediated activation of ROCK I. *Nat Cell Biol.* 3, 339–345.
- Concannon CG, Orrenius S, Samali A. 2001. Hsp27 inhibits cytochrome c-mediated caspase activation by sequestering both pro-caspase-3 and cytochrome c. *Gene Expr.* 9(4):195-201.
- Cooper GM. 2000. The development and causes of cancer. In: *The cell: A molecular approach.* 2<sup>nd</sup> ed. Sunderland (MA): Sinauer Associates. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK9963/>
- Comşa Ş, Cîmpean AM, Raica M. 2015. The story of MCF-7 breast cancer cell line: 40 years of experience in research. *Anticancer Res.* 35:3147–54.
- Costa I, Solanas M., Escrich E. 2002. Histopathologic characterization of mammary neoplastic lesions induced with 7,12 dimethylbenz(a)anthracene in the rat;

- A comparative analysis with human breast cancers. *Arch Pathol Lab Med*. 126:915-27.
- Cui Y, Xing P, Wang Y, Liu M, Qiu L, Ying G, *et al.* 2017. NADPH accumulation is responsible for apoptosis in breast cancer cells induced by fatty acid synthase inhibition. *Oncotarget*. 8(20):32576-32585.
- Dai X, Cheng H, Bai Z, Li J. 2017. Breast cancer cell line classification and its relevance with breast tumor subtyping. *J Cancer*. 8(16): 3131–3141.
- Dang C, Gilewski TA, Surbone A, Morton L. 2003. Cell proliferation, In: Kufe DW, Pollock RE, Weichselbaum RR, Bast RC, Gansler TS, Holland JF, Frei E, Editors. *Holland-Frei cancer medicine*, 6<sup>th</sup> ed. BC Decker Inc.
- Datta SR, Dudek H, Tao X, Masters S, Fu H, Gotoh Y, *et al.* 1997. Akt phosphorylation of BAD couples survival signals to the cell-intrinsic death machinery. *Cell*. 91(2):231-241.
- Davidson NE, Gelmann EP, Lippman ME, Dickson RB. 1987. Epidermal growth factor receptor gene expression in estrogen receptor-positive and negative human breast cancer cell lines. *J Mol Endocrinol*. 1(3):216-223.
- Dengler VL, Galbraith M, Espinosa JM. 2014. Transcriptional regulation by hypoxia inducible factors. *Crit Rev Biochem Mol Biol*. 49(1):1-15.
- Dent R, Trudeau M, Pritchard KI, Hanna WM, Kahn HK, Sawka CA, *et al.* 2007. Triple-negative breast cancer: clinical features and patterns of recurrence. *Clin cancer res*. 13(15): 4429-4434.
- Dewi MK, Trusda SAD, Yuniarti L. 2021. Antagonic effect of soursop leaf aqueous extract and doxorubicin combination in MCF7 and T47D breast cancer cell. *GMHC*. 9(3):233-8.
- Diehl JA, Cheng M, Roussel MF, Sherr CJ. 1998. Glycogen synthase kinase-3 beta regulates Cyclin-D11 proteolysis and subcellular localization. *Genes Dev*. 12(22):3499–3511.
- DiGiovanna MP, Stern DF, Edgerton SM, Whalen SG, Moore D, Thor AD. 2005. Relationship of epidermal growth factor receptor expression to ErbB-2 signaling activity and prognosis in breast cancer patients. *J Clin Oncol*. 23(6):1152-60.
- Dong N, Liu X, Zhao T, Wang L, Li H, Zhang S, *et al.* 2018. Apoptosis-inducing effects and growth inhibitory of a novel chalcone, in human hepatic cancer cells and lung cancer cells. *Biomed Pharmacother*.105:195-203.
- Doonan F, Cotter TG. 2008. Morphological assessment of apoptosis. *Methods*. 44(3):200-4.
- Dos Santos MB, Anselmo DB, de Oliveira JG, Jardim-Perassi BV, Monteiro DA, Silva G, *et al.* 2019. Antiproliferative activity and p53 upregulation effects of chalcones on human breast cancer cells. *J Enzyme Inhib Med Chem*. 34(1): 1093-1099.
- Dragowska WH, Weppler SA, Wang JC, Wong LY, Kapanen AI, Rawji JS, *et al.* 2013. Induction of autophagy is an early response to gefitinib and a potential therapeutic target in breast cancer. *PLoS One*. 8(10): e76503.
- Du Q, Zhang X, Wei M, Xu H & Wang S. 2019. Propofol inhibits proliferation and epithelial-mesenchymal transition of MCF-7 cells by suppressing miR-21 expression. *Artif Cells Nanomed Biotechnol*. 47(1): 1265-1271.

- Duffy AM, Bouchier-Hayes DJ, Harmey JH. 2013. Vascular endothelial growth factor (VEGF) and its role in non-endothelial cells: autocrine signalling by VEGF. In: Madame Curie Bioscience Database [Internet]. Austin (TX): Landes Bioscience. Available from: [URL: https://www.ncbi.nlm.nih.gov/books/NBK6482/](https://www.ncbi.nlm.nih.gov/books/NBK6482/)
- Eguchi H, Suga K, Saji H, Toi M, Nakachi K, Hayashi SI. 2000. Different expression patterns of Bcl-2 family genes in breast cancer by estrogen receptor status with special reference to pro-apoptotic Bak gene. *Cell Death and Differentiation*. 7(5):439–446.
- Elabscience. 2020a. MCF-7 cell line (EP-CL-0149) datasheet. Available from: [URL: https://www.elabscience.com/p-MCF-7\\_\[mcf\\_7\]\\_cell\\_line-58787.html](https://www.elabscience.com/p-MCF-7_[mcf_7]_cell_line-58787.html)
- Elabscience. 2020b. T-47D cell line (EP-CL-0149) datasheet. Available from: [URL: https://www.elabscience.com/p-t\\_47d\\_cell\\_line-58851.html](https://www.elabscience.com/p-t_47d_cell_line-58851.html)
- Elabscience. 2020c. MDA-MB-231 cell line (EP-CL-0150) datasheet. Available from: [URL: https://www.elabscience.com/p-mda\\_mb\\_231\\_cell\\_line-58788.html](https://www.elabscience.com/p-mda_mb_231_cell_line-58788.html)
- Elabscience. 2020d. Verro cell line (EP-CL-0242) datasheet. Available from: [URL: https://www.elabscience.com/p-vero\\_cell\\_line-58863.html](https://www.elabscience.com/p-vero_cell_line-58863.html)
- El Guerrab A, Bamdad M, Kwiatkowski F, Bignon YJ, Penault-Llorca F, Aubel C. Anti-EGFR monoclonal antibodies and EGFR tyrosine kinase inhibitors as combination therapy for triple-negative breast cancer. 2016. *Oncotarget*. 7(45):73618-73637.
- Elkhalifa D, Siddique AB, Qusa M, Cyprian FS, El Sayed K, Alali F, *et al.* 2020. Design, synthesis, and validation of novel nitrogen-based chalcone analogs against triple negative breast cancer. *Eur J Med Chem*, 187: 111954.
- Elmore, S., 2007. Apoptosis: a review of programmed cell death. *Toxicologic pathology*, 35(4), pp.495-516
- El-Saeed HS, Bayoumi AH, Sarg MT, Ghiaty AH. 2020. Synthesis of novel triazoloquinoxaline-pyrazole hybrids as antiproliferatives, EGFR inhibitors, and apoptosis inducers. *J. Heterocycl. Chem.* 57(12): 4358-72.
- Elston CW., Ellis IO. 1991. Pathological prognostic factors in breast cancer. I. The value of histological grade in breast cancer: experience from a large study with long-term follow-up. *Histopathology*. 19 (5): 403-10.
- Escobar MaL, Echeverría OM, Vázquez-Nin GH. 2015. Necrosis as Programmed Cell Death [Internet]. Cell Death - Autophagy, Apoptosis and Necrosis. InTech; 2015. Available from: <http://dx.doi.org/10.5772/61483>.
- Fagotto F, Gumbiner BM. 1996. Cell contact-dependent signaling. *Dev Biol*. 180:445–54.
- Faustino-Rocha A, Oliveira P, Pinho-Oliveira J, Teixeira-Guedes C, Soares-Maia R, da Costa RG, *et al.* 2013. Estimation of rat mammary tumor volume using caliper and ultrasonography measurements. *Lab Anim*. 42: 217–224.
- Ferguson KM. 2008. A structure-based view of epidermal growth factor receptor regulation. *Annu Rev Biophys*. 37: 353–373.
- Ferrara N, Adamis AP. 2016. Ten years of anti-vascular endothelial growth factor therapy. *Nat Rev Drug Discov*. 15:385–403.

- Ferrer-Soler L, Vazquez-Martini A, Brunet J, Menendez JA, Dellorens R, Colomer R. 2007. An update of the mechanisms of resistance to EGFR-tyrosine kinase inhibitors in breast cancer: Gefitinib (Iressa™)-induced changes in the expression and nucleo-cytoplasmic trafficking of HER-ligands (Review). *Int. J. Mol. Med.* 20:3-10.
- Fidianingsih I, Aryandono T, Widayanti S, Herwiyanti S. 2022. Profile of Histopathological Type and Molecular Subtypes of Mammary Cancer of DMBA-induced Rat and its Relevancy to Human Breast Cancer. *Open Access Maced J Med Sci* 10(A):71-8.
- Fiebig AA, Zhu W, Hollerbach C, Leber B, Andrews DW. 2006. Bcl-XL is qualitatively different from and ten times more effective than Bcl-2 when expressed in a breast cancer cell line. *BMC Cancer.* 23:6:213.
- Fitzgibbons PL., Page DL., Weaver D., Thor AD., Allred DC., Clark GM., Ruby SG., O'Malley F. 2000. Prognostic factors in breast cancer. College of American Pathologists Consensus Statement 1999. *Arch Pathol Lab Med.* 124: 966-78.
- Fleming RY, Ellis LM, Parikh NU, Liu W, Staley CA, Gallick GE. 1997. Regulation of vascular endothelial growth factor expression in human colon carcinoma cells by activity of src kinase. *Surgery.* 122(2):501-7.
- Ford HL, Pardee AB. 1999. Cancer and the cell cycle. *J. Cell. Biochem.* 75(S32): 166-72.
- Franchi M, Piperigkou Z, Karamanos KA, Franchi L, Masola V. 2020. Extracellular Matrix-Mediated Breast Cancer Cells Morphological Alterations, Invasiveness, and Microvesicles/Exosomes Release. *Cells.* 9(9):2031.
- Freshney RI. 2006. Basic Principles of Cell Culture. In: Vunjak-Novakovic G, Freshney RI, Editors. *Culture of Cells for Tissue Engineering.* John Wiley & Sons, Inc.
- Friedl P, Wolf K. 2003. Tumour-cell invasion and migration: diversity and escape mechanisms. *Nat Rev Cancer.* 3: 362–74.
- Frimayanti N, Iskandar B, Putri RD. 2019. Docking studies of chalcone analogue compounds as inhibitors for breast cancer MCF-7 cell line. *Der Pharma Chemica.* 11(2): 31-35.
- Fulda S, Gorman AM, Hori O, Samali A. 2010. Cellular stress responses: cell survival and cell death. *Int J Cell Biol.* 214074.
- Galluzzi L, Kepp O, Chan FK, Kroemer G. 2017. Necroptosis: Mechanisms and Relevance to Disease. *Annu Rev Pathol.* 12:103-130.
- Gavard J, Gutkind JS. 2008. A molecular crosstalk between E-cadherin and EGFR signaling networks. In: *EGFR Signaling Networks in Cancer Therapy.* pp: 131-146.
- GLOBOCAN 2018. Indonesia. The global cancer observatory-IARC. Available from: [URL:https://gco.iarc.fr/today/data/factsheets/populations/360-indonesia-fact-sheets.pdf](https://gco.iarc.fr/today/data/factsheets/populations/360-indonesia-fact-sheets.pdf).
- Goldhirsch A, Wood WC, Coates AS, Gelber RD, Thu rlimann B, Senn HJ. 2011. Strategies for subtypes—dealing with the diversity of breast cancer: highlights of the St Gallen international expert consensus on the primary therapy of early breast cancer. *Ann Oncol.* 22: 1736–1747.

- Gomes T, Várady CBS, Lourenço AL, Mizurini DM, Rondon AMR, Leal AC, *et al.* 2019. IL-1 $\beta$  Blockade Attenuates Thrombosis in a Neutrophil Extracellular Trap-Dependent Breast Cancer Model. *Front Immunol.* 10:2088.
- Götte M, Kersting C, Radke I, Kiesel L, Wülfing P. 2007. An expression signature of syndecan-1 (CD138), E-cadherin and c-met is associated with factors of angiogenesis and lymphangiogenesis in ductal breast carcinoma in situ. *Breast Cancer Res.* 9(1): R8.
- Günthert AR, Gründker C, Olota A, Läsche J, Eicke N, Emons G. 2005. Analogs of GnRH-I and GnRH-II inhibit epidermal growth factor-induced signal transduction and resensitize resistant human breast cancer cells to 4OH-tamoxifen. *Eur J Endocrinol.* 153(4):613-25.
- Hakkak R, Holley AW, Macleod SL, Simpson PM, Fuchs GJ, Jo CH, *et al.* 2005. Obesity promotes 7,12-dimethylbenz(a)anthracene-induced mammary tumor development in female zucker rats. *Breast Cancer Res.* 7(5): R627-33.
- Han Y, Riwanto M, Go M, Rachel PL. 2008. Modulation of breast cancer resistance protein (BCRP/ABCG2) by non-basic chalcone analogues. *Eur J Pharm Sci.* 35(1-2): 30–41.
- Hanahan D. 2022. Hallmarks of Cancer: New Dimensions. *Cancer Discov.* 12(1):31-46.
- Hanahan D., Weinberg RA. 2011. Hallmarks of cancer: The next generation. *Cell* 144: 646-74.
- Harbour JW, Luo RX, Dei Santi A, Postigo AA, Dean DC. 1999. Cdk phosphorylation triggers sequential intramolecular interactions that progressively block Rb functions as cells move through G1. *Cell.* 98(6):859-69.
- Harmastuti N, Herowati R, Susilowati D, Pranowo HD, Mubarika S. 2012. Synthesis and cytotoxic activity of chalcone derivatives on human breast cancer cell lines. *Indo J Chem.* 12 (3): 261 – 267.
- Heffelfinger S, Yan M, Gear R, Schneider J, LaDow K, Warshawsky D. 2004. Inhibition of VEGFR2 prevents DMBA-induced mammary tumor formation. *Lab Invest* 84, 989–99.
- Hengartner MO. 2001. Apoptosis: corralling the corpses. *Cell.* 104(3):325-8.
- Hermawan A, Meiyanto E, Susidarti SA. 2010. Hesperidin increase cytotoxic effect of doxorubicin in MCF-7 cells. *Indonesian J Pharm.* 21(1):8-17.
- Herminiati A. 2015. Good laboratory practice di laboratorium percobaan hewan. Lembaga Ilmu Pengetahuan Indonesia. Available from:URL: <http://lipi.go.id/publikasi/good-laboratory-practice-di-laboratorium-hewan-percobaan/12534>.
- Holinger EP, Chittenden T, Lutz RJ. 1999. Bak BH3 peptides antagonize Bcl-xL function and induce apoptosis through cytochrome c-independent activation of caspases. *J Biol Chem.* 274(19):13298-304.
- Hou J, Lam F, Proud C, Wang S. 2012. Targeting Mnks for cancer therapy. *Oncotarget.* 2012;3(2):118-131.

- Hsu YL, Kuo PL, Tzeng WW, Lin CC. 2006. Chalcone inhibits the proliferation of human breast cancer cell by blocking cell cycle progression and inducing apoptosis. *Food Chem Toxicol.* 44(5): 704-13.
- Hunt T, Nasmyth K, Novák B. 2011. The cell cycle. *Philos Trans R Soc Lond B Biol Sci.* 366(1584):3494-7.
- Hynes NE, MacDonald G. 2009. ErbB receptors and signaling pathways in cancer. *Curr Opin Cell Biol.* 21(2):177-84.
- ICCVAM, 2006. ICCVAM test method evaluation report. *In Vitro Cytotoxicity Test Methods for Estimating Starting Doses for Acute Oral Systemic Toxicity Tests.* National Institutes of Health. U. S. Public Health Service.
- Ijaz M, Shahbaz M, Jiang W, Fathy AH, Nesa EU, Wang D, *et al.* 2017. Oncogenic role of Grb2 in breast cancer and Grb2 antagonists as therapeutic drugs. *Canc Therapy & Oncol Int J.* 3(4):1-7.
- Innocenti M. 2018. New insights into the formation and the function of lamellipodia and ruffles in mesenchymal cell migration. *Cell Adh Migr.* 12(5):401-416.
- Jandial DD, Blair CA, Zhang S, Krill S, Zhang Y, Zi X. 2014. Molecular targeted approaches to cancer therapy and prevention using chalcones. *Curr Cancer Drug Targets.* 14(2): 181-200.
- Jasril J, Teruna HY, Zamri A, Alfatos D, Yuslinda E, Nurulita Y. 2012. Sintesis dan Uji Antibakteri Senyawa Bromo Kalkon Piridin. *J Natur Indones* 14(3): 172-175.
- Jiang H, Coleman J, Miskimins R, Miskimins WK. 2003. Expression of constitutively active 4EBP-1 enhances p27<sup>Kip1</sup> expression and inhibits proliferation of MCF-7 breast cancer cells. *Cancer Cell Int.* 3(2): 1-10.
- Jin XX, Mei YN, Shen Z, Zhu JF, Xing SH, Yang HM, *et al.* 2022. A chalcone-syringaldehyde hybrid inhibits triple-negative breast cancer cell proliferation and migration by inhibiting CKAP2-mediated FAK and STAT3 phosphorylation. *Phytomedicine.* 101:154087.
- Jokar F, Mahabadi JA, Salimian M, Taherian A, Hayat SMG, Sahebkar A, Atlasi MA. 2019. Differential Expression of HSP90 $\beta$  in MDA-MB-231 and MCF-7 Cell Lines after Treatment with Doxorubicin. *J Pharmacopuncture.* 22(1):28-34.
- Kamal A, Reddy JS, Ramaiah MJ, Dastagiri D, Bharathi EV, Sagar MVP, *et al.* 2010. Design, synthesis and biological evaluation of imidazopyridine/pyrimidine-chalcone derivatives as potential anticancer agents. *Med. Chem. Commun.* 1: 355-60.
- Kannan K, Jain SK. 2000. Oxidative stress and apoptosis. *Pathophysiology.* 7(3):153-163.
- Kemenkes RI. 2010. Panduan penatalaksanaan kanker payudara. Komite penanggulangan kanker nasional. Available from:URL: <http://kanker.kemkes.go.id/guidelines/PPKPayudara.pdf>
- Kennecke H, Yerushalmi R, Woods R, Cheang MCU, Voduc D, Speers CH, *et al.* 2010. Metastatic behavior of breast cancer subtypes. *J Clin Oncol.* 28(20): 3271-3277.
- Khairul WM, Hashim F, Mohamed M, Shah NSMN, Johari SATT, Rahamathullah R, *et al.* 2021. Synthesis, Molecular Docking and Biological Activity

- Evaluation of Alkoxy Substituted Chalcone Derivatives: Potential Apoptosis Inducing Agent on MCF-7 Cells. *Anti-Cancer Agents in Medicinal Chemistry*. 21(13): 1738-50.
- Kholoussi NM, El-Nabi SE, Esmail NN, Abd El-Bary NM, El-Kased AF. 2014. Evaluation of Bax and Bak gene mutations and expression in breast cancer. *Biomed Res Int*. 249372.
- Khurana L, ElGindi M, Tilstam PV, Pantouris G. 2019. Elucidating the role of an immunomodulatory protein in cancer: From protein expression to functional characterization. *Methods Enzymol*. 629:307-360.
- Kim NG, Koh E, Chen X, Gumbiner BM. 2011. E-cadherin mediates contact inhibition of proliferation through Hippo signaling-pathway components. *PNAS*. 108(29): 11930-35.
- Kitaeva KV, Rutland CS, Rizvanov AA, Solovyeva VV. 2020. Cell culture based in vitro test systems for anticancer drug screening. *Front Bioeng Biotechnol*. 8(322): 1-9.
- Kleinsmith LJ. 2006. *Principles of cancer biology*. San Fransisco: Pearson Education Inc. p. 99.
- Klijn JG, Berns PM, Schmitz PI, Foekens JA. 1992. The clinical significance of epidermal growth factor receptor (EGF-R) in human breast cancer: a review on 5232 patients. *Endocr Rev*. 13(1):3-17.
- Komoto TT, Bernardes TM, Mesquita TB, Bortolotto LFB, Silva G, Bitencourt TA, et al. 2018. Chalcones repressed the AURKA and MDR proteins involved in metastasis and multiple drug resistance in breast cancer cell lines. *Molecules*. 23(8):1-12.
- Kong W, Li C, Qi Q, Shen J, Chang K. 2020. Cardamonin induces G2/M arrest and apoptosis via activation of the JNK-FOXO3a pathway in breast cancer cells. *Cell Biol Int*, 44(1): 177-88.
- Korzyńska A, Zychowicz M. 2008. A Method of Estimation of the Cell Doubling Time on Basis of the Cell Culture Monitoring Data. *Biocybernetics and Biomedical Engineering*. 28(4): 75–82.
- Koura AN, Liu W, Kitadai Y, Singh RK, Radinsky R, Ellis LM. 1996. Regulation of vascular endothelial growth factor expression in human colon carcinoma cells by cell density. *Cancer Res*. 56(17):3891-4.
- Krakhmal NV, Zavyalova MV, Denisov EV, Vtorushin SV, Perelmuter VM. 2015. Cancer invasion: patterns and mechanisms. *Acta Naturae*. 7(2): 17-28.
- Krysko DV, D'Herde K, Vandenabeele P. 2006. Clearance of apoptotic and necrotic cells and its immunological consequences. *Apoptosis*. 11(10):1709-26.
- Kumar V, Abbas A, Aster J. 2013. Neoplasia. In: *Robbins basic pathology*. 9<sup>th</sup> ed. Saunders.
- Kwon SJ, Park SY, Kwon GT, Lee KW, Kang YH, Choi MS, et al. 2004. Licochalcone E present in licorice suppresses lung metastasis in the 4T1 mammary orthotopic cancer model. *Cancer Prev. Res*. 6:603–613.
- Kyriakopoulou K, Riti E, Piperigkou Z, Koutroumanou SK, Bassiony H, Franchi M, et al. 2020. EGFR/ER $\beta$ -Mediated Cell Morphology and Invasion Capacity Are Associated with Matrix Culture Substrates in Breast Cancer. *Cells*. 9(10):2256.

- Lee S, Terry D, Hurst DR, Welch DR, Sang QX. 2011. Protein signatures in human mda-mb-231 breast cancer cells indicating a more invasive phenotype following knockdown of Human Endometase/Matrilysin-2 by siRNA. *J Cancer*. 2:165-176.
- Leslie K, Lang C, Devgan G, Azare J, Berishai M, Gerald W, *et al.* 2006. Cyclin-D1 is transcriptionally regulated by and required for transformation by activated signal transducer and activator of transcription 3. *Cancer Res*. 66(5):2544-2552.
- Lewis S, Locker A, Todd JH, Bell JA, Nicholson R, Elston CW, *et al.* 1990. Expression of epidermal growth factor receptor in breast carcinoma. *J Clin Pathol*. 43(5):385-9.
- Liang C, Park A, Guan J. 2007. *In vitro* scratch assay: a convenient and inexpensive method for analysis of cell migration *in vitro*. *Nat Protoc*. 2: 329–333.
- Liao DJ, Thakur A, Wu J, Biliran H, Sarkar FH. 2007. Perspectives on c-Myc, Cyclin-D1, and their interaction in cancer formation, progression, and response to chemotherapy. *Crit Rev Oncog*. 13(2):93-158.
- Lim S, Kaldis P. 2013. Cdks, cyclins and CKIs: roles beyond cell cycle regulation. *Development*. 140(15):3079-93.
- Lindenboim L, Zohar H, Worman HJ, Stein R. 2020. The nuclear envelope: target and mediator of the apoptotic process. *Cell Death Discov*. 6, 29:1-11.
- Liu Q, Cao Y, Zhou P, Gui S, Wu X, Xia Y, Tu J. 2018. Panduratin A Inhibits Cell Proliferation by Inducing G0/G1 Phase Cell Cycle Arrest and Induces Apoptosis in Breast Cancer Cells. *Biomol Ther (Seoul)*. 26(3):328-334.
- Liu X, Li P, Widlak P, Zou H, Luo X, Garrard WT, *et al.* 1998. The 40-kDa subunit of DNA fragmentation factor induces DNA fragmentation and chromatin condensation during apoptosis. *Proceedings of the National Academy of Sciences of the United States of America*. 95(15), 8461–8466.
- Liu YL, Yan ZX, Xia Y, Xie XY, Zhou K, Xu LL, *et al.* 2020. Ligustrazine reverts anthracycline chemotherapy resistance of human breast cancer by inhibiting JAK2/STAT3 signaling and decreasing fibrinogen gamma chain (FGG) expression. *Am J Cancer Res*. 10(3):939-952.
- Liu ZY, He KW, Song XG, Wang XZ, Zhuo PY, Wang XW, *et al.* 2016. Effect of autophagy inhibitor combined with EGFR inhibitor on triple-negative breast cancer MDA-MB-468 and MDA-MB-231 cells. *Chin. J. Oncol*. 38(6):417-24.
- Li YC, Park MJ, Ye SK, Kim CW, Kim YN. 2006. Elevated levels of cholesterol-rich lipid rafts in cancer cells are correlated with apoptosis sensitivity induced by cholesterol-depleting agents. *Am J Pathol*. 168(4):1107-18.
- Lubet RA, Steele VE, Juliana MM, Bode A, Moeinpour F and Grubbs CJ. 2018. Daily or weekly dosing with EGFR inhibitors, gefitinib and lapatinib, and Akt inhibitor MK2206 in mammary cancer models. *Oncol Rep*. 40: 1545-1553.
- Luo J, Zeng B, Tao C, Lu M, Ren G. 2020. ClpP regulates breast cancer cell proliferation, invasion and apoptosis by modulating the Src/PI3K/Akt signaling pathway. *PeerJ*. 8:e8754.

- Maennling AE, Tur M, Niebert M, Klockenbring T, Zeppernick F, Gattenlöhner S, *et al.* 2019. Molecular targeting therapy against EGFR family in breast cancer: progress and future potentials. *Cancers*, 11(12): 1826.
- Mahmoodi N, Besharati-Seidani T, Motamed N, Mahmoodi NO. 2014. Anti-Cancerous Effect of 4,4'-Dihydroxychalcone ((2E,2'E)-3,3'-(1,4-Phenylene) Bis (1-(4-hydroxyphenyl) Prop-2-en-1-one)) on T47D Breast Cancer Cell Line. *Annual Research & Review in Biology*. 4(12): 2045-2052.
- Maioral MF, Gaspar PC, Rosa Souza GR, Mascarello A, Chiaradia LD, Licínio MA, *et al.* 2013. Apoptotic events induced by synthetic naphthylchalcones in human acute leukemia cell lines. *Biochimie*. 95(4):866-74.
- Mathur RS, Mathur SP. 2005. Vascular endothelial growth factor (VEGF) up-regulates epidermal growth factor receptor (EGFR) in cervical cancer in vitro: this action is mediated through HPV-E6 in HPV-positive cancers. *Gynecol Oncol*. 97(1):206-213.
- Martin TA, Ye L, Sanders AJ, Lane J, Jiang WG. 2013. Cancer invasion and metastasis: Molecular and cellular perspective. Editor: Jandial R. *In: Metastatic cancer: Clinical and biological perspectives*. Landes Bioscience.
- Meiyanto E, Tasminatun S, Susilowati S, Murwanti R, Sugiyanto. 2007. Suppression of DMBA-induced carcinogenesis of breast cancer in post initiation stage by ethanolic extract of *Gynura procumbens* (Lour), Merr leaves. *Indones J Pharm*. 18(4): 169–175.
- Mellado-García M, Reyna M, Weinstein-Oppenheimer C, Cuellar M, Aguilar LF. 2018. Preliminary evaluation of cytotoxicity for small chalcones on breast and colorectal cancer cell lines: Synthesis and structure-activity relationship. *J Pharmaco Ther Forecast*. 1(1): 1003.
- Meredith AM, Dass CR. 2016. Increasing role of the cancer chemotherapeutic doxorubicin in cellular metabolism. *J Pharm Pharmacol*. 68(6):729-41.
- Michalkova R, Kello M, Kudlickova Z, Gazdova M, Mirossay L, Mojzisoava G, Mojzis J. 2022. Programmed cell death alterations mediated by synthetic indole chalcone resulted in cell cycle arrest, DNA damage, apoptosis and signaling pathway modulations in breast cancer model. *Pharmaceutics*. 14(3): 503.
- Mirabelli P, Coppola L, Salvatore M. 2019. Cancer cell lines are useful model systems for medical research. *Cancers*. 11:1098.
- Moasser MM, Basso A, Averbuch SD, Rosen N. 2001. The tyrosine kinase inhibitor ZD1839 ("Iressa") inhibits HER2-driven signaling and suppresses the growth of HER2-overexpressing tumor cells. *Cancer Res*. 61(19):7184-8.
- Mohamed MF, Mohamed MS, Fathi MM, Shouman SA, Abdelhamid IA. 2014. Chalcones incorporated pyrazole ring inhibit proliferation, cell cycle progression, angiogenesis and induce apoptosis of MCF7 cell line. *Anticancer Agents Med Chem*. 14(9):1282-92.
- Mohammadizadeh F, Hani M, Ranaee M, Bagheri M. Role of cyclin D1 in breast carcinoma. *J Res Med Sci*. 18(12):1021-5.

- Moon DO, Kim MO, Heo MS, Lee JD, Choi YH, Kim GY. Gefitinib induces apoptosis and decreases telomerase activity in MDA-MB-231 human breast cancer cells. *Arch Pharm Res.* 2009 Oct;32(10):1351-60.
- Moo T, Sanford R, Dang C, Morrow M. Overview of breast cancer therapy. 2018. *PET Clin.* 13(3): 339–354.
- Moral R, Solanas M, García G, Colomer R and ESCRICH E. 2003. Modulation of EGFR and neu expression by n-6 and n-9 high-fat diets in experimental mammary adenocarcinomas. *Oncol Rep.* 10: 1417-24.
- Mphahlele MJ, Maluleka MM, Parbhoo N, Malindisa ST. 2018. Synthesis, Evaluation for Cytotoxicity and Molecular Docking Studies of Benzo[c]furan-Chalcones for Potential to Inhibit Tubulin Polymerization and/or EGFR-Tyrosine Kinase Phosphorylation. *Int J Mol Sci.* 19(9):2552.
- Muchtaridi M, Yusuf M, Syahidah HN, Subarnas A, Zamri A, Bryant SD, *et al.* 2019. Cytotoxicity of chalcone of *Eugenia aquea burm.f.* leaves against T-47D breast cancer cell lines and its prediction as an estrogen receptor antagonist based on pharmacophore-molecular dynamics simulation. *Adv Appl Bioinforma Chem.*12:33-43.
- Mukhopadhyay P, Rajesh M, Haskó G, Hawkins BJ, Madesh M, Pacher P. 2007. Simultaneous detection of apoptosis and mitochondrial superoxide production in live cells by flow cytometry and confocal microscopy. *Nat Protoc.* 2(9):2295-301.
- Murphy LO, Smith S, Chen RH, Fingar DC, Blenis J. 2002. Molecular interpretation of ERK signal duration by immediate early gene products. *Nat Cell Biol.* 4(8):556-564.
- Mutiah R, Widyawaruyanti A, Sukardiman. 2018. Calatropis gigantea Leaf Extract Increases the Efficacy of 5-Fluorouracil and Decreases the Efficacy of Doxorubicin in Widr Colon Cancer Cell Culture. *J. Appl. Pharm. Sci.* 8(4): 51-6.
- Na TY, Schecterson L, Mendonsa AM, Gumbiner BM. 2020. The functional activity of E-cadherin controls tumor cell metastasis at multiple steps. *Proc Natl Acad Sci U S A.* 117(11):5931-5937.
- Nash C, Speirs V. 2013. Pre-clinical modeling of breast cancer: Which model to choose ?. In: *Breast Cancer Metastasis and Drug Resistance*. Editor: Amir Ahmad. New York: Springer.
- NCBI. 2020. PubChem compound summary for CID 637760, Chalcone. Available from:URL: <https://pubchem.ncbi.nlm.nih.gov/compound/Chalcone>.
- NCBI. 2020. EGFR epidermal growth factor receptor [Homo sapiens (human)]. Available from:URL: <https://www.ncbi.nlm.nih.gov/gene?Db=gene&Cmd=DetailsSearch&Term=1956>.
- NC3Rs. 2020. The ARRIVE guidelines 2.0. Available from: URL: <https://arriveguidelines.org/arrive-guidelines>
- Nickerson NK, Mill CP, Wu HJ, Riese DJ, Foley J. 2013. Autocrine-derived epidermal growth factor receptor ligands contribute to recruitment of tumor-associated macrophage and growth of basal breast cancer cells in vivo. *Oncol Res.* 20(7):303-17.

- Nigjeh SE, Yusoff FM, Alitheen NBM, Pirozyan MR, Keong YS, Omar ARB. 2013. Cytotoxic effect of ethanol extract of microalga, *Chaetoceros calcitrans*, and its mechanisms in inducing apoptosis in human breast cancer cell line. *BioMed Res Int*. 2013: 1-8.
- Nishida N, Yano H, Nishida T, Kamura T, Kojiro M. 2006. Angiogenesis in cancer. *Vasc Health Risk Manag*. 2(3):213-219.
- Noguchi T, Sekiguchi Y, Kudoh Y, Naganuma R, Kagi T, Nishidate A, *et al*. 2021 Gefitinib initiates sterile inflammation by promoting IL-1 $\beta$  and HMGB1 release via two distinct mechanisms. *Cell Death Dis*. 12(1):49.
- O'Brien J, Hayder H, Peng C. 2016. Automated Quantification and Analysis of Cell Counting Procedures Using ImageJ Plugins. *J Vis Exp*. 117:54719.
- OECD (2022), *Test No. 425: Acute Oral Toxicity: Up-and-Down Procedure*, OECD Guidelines for the Testing of Chemicals, Section 4, OECD Publishing, Paris, <https://doi.org/10.1787/9789264071049-en>.
- Oh YJ, Seo YH. 2017. A novel chalcone-based molecule, BDP inhibits MDA-MB-231 triple-negative breast cancer cell growth by suppressing Hsp90 function. *Oncol Rep*. 38(4): 2343-50.
- Okubo S, Kurebayashi J, Otsuki T, Yamamoto Y, Tanaka K, Sonoo H. 2004. Additive antitumour effect of the epidermal growth factor receptor tyrosine kinase inhibitor gefitinib (Iressa, ZD1839) and the antioestrogen fulvestrant (Faslodex, ICI 182,780) in breast cancer cells. *Br J Cancer*. 90(1):236-44.
- Okutani T, Okabayashi Y, Kido Y, Sugimoto Y, Sakaguchi K, Matuoka K, *et al*. 1994. Grb2/Ash binds directly to tyrosines 1068 and 1086 and indirectly to tyrosine 1148 of activated human epidermal growth factor receptors in intact cells. *J Biol Chem*. 269(49):31310-4.
- Olayioye MA, Neve RM, Lane HA, Hynes NE. 2000. The ErbB signaling network: receptor heterodimerization in development and cancer. *EMBO J*. 19(13):3159-67.
- Olopade OI, Adeyanju MO, Safa AR, Hagos F, Mick R, Thompson CB, *et al*. 1997. Overexpression of BCL-x protein in primary breast cancer is associated with high tumor grade and nodal metastases. *Cancer J Sci Am*. 3(4):230-7.
- Olsson AK, Dimberg A, Kreuger J, Claesson-Welsh L. 2006. VEGF receptor signalling - in control of vascular function. *Nat Rev Mol Cell Biol*. 7:359-371.
- Oncul S, Ercan A. 2017. Discrimination of the effects of doxorubicin on two different breast cancer cell lines on account of multidrug resistance and apoptosis. *Indian J Pharm Sci*. 79(4): 599-607.
- Orimo A, Weinberg RA. 2006. Stromal fibroblasts in cancer: a novel tumor-promoting cell type. *Cell cycle*. 5(15):1597-601.
- Ouyang Y, Li J, Chen X, Fu X, Sun S, Wu Q. 2021. Chalcone Derivatives: Role in Anticancer Therapy. *Biomolecules*. 11(6):894.
- Padauleng N, Purnomosari D, Herwiyanti S, Harjadi, Irianiwati, Widayarini S. 2014. The relationship between sirtuin 1 (SIRT1) expression and tumor size, Proliferating Cell Nuclear Antigen (PCNA) expression and histological grading in rat breast carcinoma induced by dimethylbenz ( $\alpha$ ) anthracene (DMBA). *J Med Sci*. 45(4): 151-58.

- Papaconstantinou AD, Shanmugam I, Shan L, Schroeder IS, Qiu C, Yu M, *et al.* 2006. Gene expression profiling in the mammary gland of rats treated with 7,12-dimethylbenz[a]anthracene. *Int J Cancer*. 118(1):17-24.
- Park OK, Schaefer TS, Nathans D. 1996. In vitro activation of Stat3 by epidermal growth factor receptor kinase. *Proceedings of the National Academy of Sciences*. 93 (24):13704-13708.
- Patil M, Pabla N, Dong Z. 2013. Checkpoint kinase 1 in DNA damage response and cell cycle regulation. *Cell Mol Life Sci*. 70(21):4009-21.
- Patra SK. 2008. Dissecting lipid raft facilitated cell signaling pathways in cancer. *Biochim Biophys Acta*. 1785(2):182-206.
- Pattarozzi A, Gatti M, Barbieri F, Würth R, Porcile C, Lunardi G, *et al.* 2008. 17 beta-estradiol promotes breast cancer cell proliferation-inducing stromal cell-derived factor-1-mediated epidermal growth factor receptor transactivation: reversal by gefitinib pretreatment. *Mol Pharmacol*. 73(1):191-202.
- Peña-Morán OA, Villarreal ML, Álvarez-Berber L, Meneses-Acosta A, Rodríguez-López V. 2016. Cytotoxicity, Post-Treatment Recovery, and Selectivity Analysis of Naturally Occurring Podophyllotoxins from *Bursera fagaroides* var. *fagaroides* on Breast Cancer Cell Lines. *Molecules*. 21(8):1013.
- Peng F, Liao M, Qin R, Zhu S, Peng C, Fu L, *et al.* 2022. Regulated cell death (RCD) in cancer: key pathways and targeted therapies. *Signal Transduct Target Ther*. 7(1):286.
- Percie du Sert N, Ahluwalia A, Alam S, Avey MT, Baker M, Browne WJ, *et al.* 2020. Reporting animal research: Explanation and elaboration for the ARRIVE guidelines 2.0. *PLoS Biol* 18(7): e3000411.
- Pommier Y, Kuhlhagen G, Pourquier P, Sayer JM, Kroth H, Jerina DM. 2000. Benzo[a]pyrene diol epoxide adducts in DNA are potent suppressors of a normal topoisomerase I cleavage site and powerful inducers of other topoisomerase I cleavages. *Proc Natl Acad Sci U S A*. 97(5):2040-5.
- Prasetyaningrum PW, Bahtiar A, Hayun H. 2018. Synthesis and Cytotoxicity Evaluation of Novel Asymmetrical Mono-Carbonyl Analogs of Curcumin (AMACs) against Vero, HeLa, and MCF7 Cell Lines. *Sci Pharm*. 86(2):25.
- Pratt WB, Welsh MJ. 1994. Chaperone functions of the heat shock proteins associated with steroid receptors. *Semin Cell Biol*. 5:83-93.
- Pu X, Storr SJ, Zhang Y, Rakha EA, Green AR, Ellis IO, *et al.* 2017. Caspase-3 and caspase-8 expression in breast cancer: caspase-3 is associated with survival. *Apoptosis*. 22(3):357-368.
- Rahmawati Y, Setyawati Y, Widodo I, Ghozali A, Purnomosari D. 2018. Molecular subtypes of Indonesian breast carcinomas - lack of association with patient age and tumor size. *Asian Pac J Cancer Prev*. 19(1), 161-166.
- Ramesh E, Alshatwi AA. 2013. Naringin induces death receptor and mitochondria-mediated apoptosis in human cervical cancer (SiHa) cells. *Food Chem Toxicol*. 51:97-105.
- Rashidi M, Seghatoleslam A, Namavari M, Amiri A, Fahmidehkar MA, Ramezani A, *et al.* 2017. Selective cytotoxicity and apoptosis-induction of

- Cyrtopodion scabrum extract against digestive cancer cell lines. *Int. J. Cancer Manag.* 10(5): e8633.
- Reis-Filho JS, Pinheiro C, Lambros MB, Milanezi F, Carvalho S, Savage K, *et al.* 2006. EGFR amplification and lack of activating mutations in metaplastic breast carcinomas. *J Pathol.* 209(4):445-53.
- Ribatti D. 2017. A revisited concept: contact inhibition of growth. From cell biology to malignancy. *Exp Cell Res.* 359:17–9.
- Risinger AL, Dybdal-Hargreaves NF, Mooberry SL. 2015. Breast cancer cell lines exhibit differential sensitivities to microtubule-targeting drugs independent of doubling time. *Anticancer Res.* 35(11): 5845-50.
- Rosenblatt J, Raff MC, Cramer LP. 2001. An epithelial cell destined for apoptosis signals its neighbors to extrude it by an actin-and myosin-dependent mechanism. *Curr Biol.* 11(23):1847-57.
- Roycroft A, Mayor R. 2016. Molecular basis of contact inhibition of locomotion. *Cell Mol Life Sci.* 73(6):1119-30.
- Russo J, Russo IH. 1996. Experimentally induced mammary cancers in rats. *Breast Cancer Res Treat.* 39:7-20.
- Sachdeva UM, O'Brien JM. 2012. Understanding pRb: toward the necessary development of targeted treatments for retinoblastoma. *J Clin Invest.* 122(2):425-34.
- Sahara S, Aoto M, Eguchi Y, Imamoto N, Yoneda Y, Tsujimoto Y. 1999. Acinus is a caspase-3-activated protein required for apoptotic chromatin condensation. *Nature.* 401(6749):168-173.
- Saito Y, Moriya S, Kazama H, Hirasawa K, Miyahara K, Kokuba H, *et al.* 2018. Amino acid starvation culture condition sensitizes EGFR-expressing cancer cell lines to gefitinib-mediated cytotoxicity by inducing atypical necroptosis. *Int J Oncol.* 52(4):1165-1177.
- Sánchez I, Dynlacht BD. 2005. New insights into cyclins, CDKs, and cell cycle control. *Semin Cell Dev Biol.* 16(3):311-21.
- Scaltriti M, Baselga J. 2006. The epidermal growth factor receptor pathway: a model for targeted therapy. *Clin Cancer Res.* 12(18):5268-5272.
- Schmidt M, Fernandez de Mattos S, van der Horst A, Klompmaker R, Kops GJ, Lam EW, *et al.* 2002. Cell cycle inhibition by FoxO forkhead transcription factors involves downregulation of Cyclin-D1. *Mol Cell Biol.* 22(22): 7842–7852.
- Schröder M, Kaufman RJ. 2005. The mammalian unfolded protein response. *Annu Rev Biochem.* 74:739-89.
- Sears RC. 2004. The life cycle of c-myc from synthesis to degradation. *Cell Cycle.* 3(9): 1133-1137.
- Sekiguchi Y, Yamada M, Noguchi T, Noomote C, Tsuchida M, Kudoh Y, *et al.* 2019. The anti-cancer drug gefitinib accelerates Fas-mediated apoptosis by enhancing caspase-8 activation in cancer cells. *J Toxicol Sci.* 44(6):435-440.
- Setyawati Y, Rahmawati Y, Widodo I, Ghozali A, Purnomosari D. 2018. The association between molecular subtypes of breast cancer with histological grade and lymph node metastases in Indonesian woman. *Asian Pac J Cancer Prev.* 19(5): 1263-1268.

- Shamas-Din A, Kale J, Leber B, Andrews DW. 2013. Mechanisms of action of Bcl-2 family proteins. *Cold Spring Harb Perspect Biol.* 5(4): a008714.
- Sharifi S, Barar J, Hejazi MS, Samadi N. 2015. Doxorubicin Changes Bax /Bcl-xL Ratio, Caspase-8 and 9 in Breast Cancer Cells. *Adv Pharm Bull.* 5(3):351-9.
- Shen KH, Chang JK, Hsu YL, Kuo PL. 2007. Chalcone arrests cell cycle progression and induces apoptosis through induction mitochondrial pathway and inhibition of nuclear factor kappa B signaling in human bladder cancer cells. *Basic Clin Pharmacol Toxicol.* 101: 254-61.
- Sherr CJ. 1995. D-type cyclins. *Trends Biochem Sci.* 20(5):187-90.
- Singh K, Gangrade A, Jana A, Mandal BB, Das N. 2019. Design, Synthesis, Characterization, and Antiproliferative Activity of Organoplatinum Compounds Bearing a 1,2,3-Triazole Ring. *ACS Omega.* 4 (1): 835-841.
- Sherr CJ, Roberts JM. 1999. CDK inhibitors: positive and negative regulators of G1-phase progression. *Genes Dev.* (12):1501-12.
- Shrivastava S, Jeengar MK, Thummuri D, Koval A, Katanaev VL, Marepally S, *et al.* 2017. Cardamonin, a chalcone, inhibits human triple negative breast cancer cell invasiveness by downregulation of Wnt/ $\beta$ -catenin signaling cascades and reversal of epithelial-mesenchymal transition. *Biofactors.* 43(2):152-169.
- Singhai R, Patil VW, Jaiswal SR, Patil SD, Tayade MB, Patil AV. 2011. E-Cadherin as a diagnostic biomarker in breast cancer. *N Am J Med Sci.* 3(5):227-33.
- Solanas M., Escr ch E. 1996. *Ha-ras* in normal and canceral tissues: Structure, function and regulation. *Rev Esp Fisiol.* 52:173-192.
- Stevens J, Baker T. 2009. The future of drug safety testing: Expanding the view and narrowing the focus. *Drug Discov Today.* 14 (3):162-7.
- Subik K, Lee JF, Baxter L, Strzepek T, Costello D, Crowley P, *et al.* 2010. The Expression patterns of ER, PR, HER2, CK5/6, EGFR, Ki-67 and AR by immunohistochemical analysis in breast cancer cell lines [published correction appears in *Breast Cancer (Auckl)*. 4:35-41]. *Breast Cancer (Auckl)*. 4:35-41.
- Suirta IW. 2016. Sintesis senyawa kalkon serta uji aktivitas sebagai antioksidan. *J Chem.* 10 (1): 75-80.
- Suma AAT, Wahyuningsih TD, Mustofa. 2019. Efficient synthesis of chloro chalcones under ultrasound irradiation, their anticancer activities and molecular docking studies. *Rayasan J Chem.* 12(1):502-510.
- Sung SM, Jung DS, Kwon CH, Park JY, Kang SK, Kim YK. 2007. Hypoxia/reoxygenation stimulates proliferation through PKC-dependent activation of ERK and Akt in mouse neural progenitor cells. *Neurochem Res.* 32: 1932-1939.
- Suo Z, Risberg B, Kalsson MG, Willman K, Tierens A, Skovlund E, *et al.* 2002. EGFR family expression in breast carcinomas. c-erbB-2 and c-erbB-4 receptors have different effects on survival. *J Pathol.* 196(1):17-25.
- Tang H, Peng S, Dong Y, Yang X, Yang P, Yang L, *et al.* 2018. MARCH5 overexpression contributes to tumor growth and metastasis and associates with poor survival in breast cancer. *Cancer Manag Res.* 24(11): 201-215.

- Tavassoli FA., Devilee P. 2003. WHO classification of tumors pathology and genetics. Tumors of the breast and female genital organs. IARC press.
- Te Boekhorst V, Friedl P. 2016. Plasticity of Cancer Cell Invasion: Mechanisms and Implications for Therapy. *Adv Cancer Res*, Academic Press, 132: 209-264.
- Thiery JP. 2002. Epithelial-mesenchymal transitions in tumour progression. *Nat Rev Cancer*. 2:442–454.
- Thomas R, Srivastava S, Katreddy RR, Sobieski J, Weihua Z. 2019. Kinase-Inactivated EGFR Is Required for the Survival of Wild-Type EGFR-Expressing Cancer Cells Treated with Tyrosine Kinase Inhibitors. *Int J Mol Sci*. 20(10):2515.
- Thorn CF, Oshiro C, Marsh S, Hernandez-Boussard T, McLeod H, Klein TE, *et al*. 2011. Doxorubicin pathways: pharmacodynamics and adverse effects. *Pharmacogenet Genomics*. 21(7):440-6.
- Tomankova K, Polakova K, Pizova K, Binder S, Havrdova M, Kolarova M, *et al*. 2015. In vitro cytotoxicity analysis of doxorubicin-loaded/superparamagnetic iron oxide colloidal nanoassemblies on MCF7 and NIH3T3 cell lines. *Int J Nanomedicine*. 10:949-61.
- Tryndyak VP, Beland FA, Pogribny IP. 2010. E-cadherin transcriptional down-regulation by epigenetic and microRNA-200 family alterations is related to mesenchymal and drug-resistant phenotypes in human breast cancer cells. *Int J Cancer*. 126(11):2575-83.
- Ulukaya E, Colakogullari M, Wood E. 2004. Interference by Anti-Cancer Chemotherapeutic Agents in the MTT-Tumor Assay. *Chemotherapy*. 50:43–50.
- Varinska L, van Wijhe M, Belleri M, Mitola S, Perjesi P, Presta M, *et al*. 2012. Anti-angiogenic activity of the flavonoid precursor 4-hydroxychalcone. *Eur J Pharmacol*. 691(1-3):125-33.
- Van Meerloo J, Kaspers GCL, Cloos J. 2011. Cell sensitivity assays: The MTT assay. *Methods Mol Biol*. 731: 237-45.
- Wang C, Li L, Fu D, Qin T, Ran Y, Xu F, *et al*. 2019. Discovery of chalcone-modified estradiol analogs as antitumour agents that Inhibit tumour angiogenesis and epithelial to mesenchymal transition. *Eur J Med Chem*. 176:135-148.
- Wang Y, Hedblom A, Koerner SK, Li M. 2016. Novel synthetic chalcones induce apoptosis in the A549 non-small cell lung cancer cells harboring a KRAS mutation. *Bioorg Med Chem Lett*. 26(23).
- Wang Z, Wang N, Han S, Wang D, Mo S, Yu L, *et al*. 2013. Dietary compound isoliquiritigenin inhibits breast cancer neoangiogenesis via VEGF/VEGFR-2 signaling pathway. *PLoS ONE*. 8: e68566.
- Wankhede S, Kumar N, Simon L, Biswas S, Gourishetti K, Ramalingayya GV, *et al*. 2017. Evaluation of in vitro and in vivo anticancer potential of two 5-acetamido chalcones against breast cancer. *EXCLI J*. 16:1150-1163.
- Wee P, Wang Z. 2017. Epidermal growth factor receptor cell proliferation signaling pathways. *Cancers*. 9(52):1-45.

- Weerapreeyakul N, Nonpunya A, Barusrux S, Thitimetharoch T, Sripanidkulchai B. 2012. Evaluation of the anticancer potential of six herbs against a hepatoma cell line. *Chin Med.* 7:15.
- Wei T, Xiaojun X, Peilong C. 2020. Magnoflorine improves sensitivity to doxorubicin (DOX) of breast cancer cells via inducing apoptosis and autophagy through AKT/mTOR and p38 signaling pathways. *Biomed Pharmacother.* 121: 109139.
- Westphal D, Dewson G, Czabotar PE, Kluck RM. 2011. Molecular biology of Bax and Bak activation and action. *Biochim Biophys Acta.* 1813(4):521-31.
- Winter E, Gozzi GJ, Chiaradia-Delatorre LD, Daflon-Yunes N, Terreux R, Gauthier C, et al. 2014. Quinoxaline-substituted chalcones of new inhibitors of breast cancer resistance protein ABCG2: polyspecificity at B-ring position. *Drug Des Devel Ther.* 8:609-619.
- Wong AST, Gumbiner BM. 2003. Adhesion-independent mechanism for suppression of tumor cell invasion by E-cadherin. *J Cell Biol.* 161(6):1191–1203.
- Wrighton, K. 2015. EMT promotes contact inhibition of locomotion. *Nat Rev Mol Cell Biol* 16: 518.
- Wu CZ, Gao MJ, Chen J, Sun XL, Zhang KY, Dai YQ, et al.. 2022. Isobavachalcone Induces Multiple Cell Death in Human Triple-Negative Breast Cancer MDA-MB-231 Cells. *Molecules.* 27(20):6787.
- Wu FH, Luo LQ, Liu Y, Zhan QX, Luo C, Luo J, et al. 2014. Cyclin D1b splice variant promotes  $\alpha\beta3$ -mediated adhesion and invasive migration of breast cancer cells. *Cancer Lett.* 355(1):159-67.
- Xiao Y, Nimmer P, Sheppard GS, Bruncko M, Hessler P, Lu X, et al. 2015. MCL-1 is a key determinant of breast cancer cell survival: Validation of MCL-1 dependency utilizing a highly selective small molecule inhibitor. *Mol Cancer Ther.* 14(8):1837-47.
- Xie D, Pei Q, Li J, Wan X, Ye T. 2021. Emerging Role of E2F Family in Cancer Stem Cells. *Front Oncol.* 12(11):723137.
- Xing RC, Zheng J, Zheng WH, Qin ZP, Liu W, Yao RC. 2015. Relevance of E-cadherin expression to EGFR-TKI molecular targeted therapy sensitivity/resistance and its clinical significance. *Genet Mol Res.* 14(2):5785-92.
- Xu S, Chen M, Chen W, Hui J, Ji J, Hu S, et al. 2015. Chemopreventive effect of chalcone derivative, L2H17, in colon cancer development. *BMC Cancer.* 15:870.
- Yang K, Hitomi M, Stacey DW. 2006. Variations in Cyclin-D1 levels through the cell cycle determine the proliferative fate of a cell. *Cell division.* 1(32): 1-8.
- Yang Z, Xiong H. 2012. Culture conditions and types of growth media for mammalian cells. In: Ceccherini-Nelli L, Matteoli B, editors. *Biomedical Tissue Culture.* Rijeka: IntechOpen. pp. 3–18.
- Yarden Y. 2001. The EGFR family and its ligands in human cancer. signalling mechanisms and therapeutic opportunities. *Eur J Cancer.* 37 Suppl 4: S3-8.
- Yarden Y, Sliwkowski M. 2001. Untangling the ErbB signalling network. *Nat Rev Mol Cell Biol.* 2:127–137.

- Ye CL, Liu JW, Wei DZ, Lu YH, Qian F. 2004. In vitro antitumor activity of 2, 4-dihydroxy-6-methoxy-3, 5-dimethylchalcone against six established human cancer cell lines. *Pharmacol Res.* 50(5): 505-510.
- Ye CL, Liu JW, Wei DZ, Lu YH, Qian F. 2005. In vivo antitumor activity by 2, 4-dihydroxy-6-methoxy-3, 5-dimethylchalcone in a solid human carcinoma xenograft model. *Cancer Chemother Pharmacol.* 55(5): 447.
- Yi T, Papadopoulos E, Hagner PR, Wagner G. 2013. Hypoxia-inducible factor-1 $\alpha$  (HIF-1 $\alpha$ ) promotes cap-dependent translation of selective mRNAs through up-regulating initiation factor eIF4E1 in breast cancer cells under hypoxia conditions. *J Biol Chem.* 288(26):18732-18742.
- Yong J, Canzhong L, Xiaoyuan W. 2018. Synthesis and Preliminary Cytotoxicity to A549, HCT116 and MCF-7 Cell Lines of thieno[2,3-d] pyrimidine Derivatives Containing Isoxazole Moiety. *Lett Drug Des Discov.* 15(5): 463-74.
- Yu L, Ma J, Han J, Wang B, Chen X, Gao C, *et al.* 2016. Licochalcone B Arrests Cell Cycle Progression and Induces Apoptosis in Human Breast Cancer MCF-7 Cells. *Recent Pat Anticancer Drug Discov.* 11(4):444-452.
- Yun UJ, Lee JH, Shim J, Yoon K, Goh SH, Yi EH, *et al.* 2019. Anti-cancer effect of doxorubicin is mediated by downregulation of HMG-Co A reductase via inhibition of EGFR/Src pathway. *Lab Invest.* 99(8):1157-1172.
- Yu R, Wang L, Ji X, Mao C. 2022. SBP-0636457, a Novel Smac Mimetic, Cooperates with Doxorubicin to Induce Necroptosis in Breast Cancer Cells during Apoptosis Blockage. *J Oncol.* 2390078.
- Yu S, Kim T, Yoo KH, Kang K. 2017. The T-47D cell line is an ideal experimental model to elucidate the progesterone-specific effects of a luminal a subtype of breast cancer. *Biochem Biophys Res Commun.* 486: 752-758,
- Zagouri F, Bournakis E, Koutsoukos K, Papadimitriou CA. 2012. Heat shock protein 90 (hsp90) expression and breast cancer. *Pharmaceuticals.* 5(9):1008-20.
- Zhang GN, Zhang YK, Wang YJ, Gupta P, Ashby CR Jr, Alqahtani S, *et al.* 2018. Epidermal growth factor receptor (EGFR) inhibitor PD153035 reverses ABCG2-mediated multidrug resistance in non-small cell lung cancer: In vitro and in vivo. *Cancer Lett.* 424: 19–29.
- Zhang R, Li Y, Nie X, Dong X, Wu G. 2016. Prognostic implications of immunohistochemistry markers for EGFR-TKI therapy in Chinese patients with advanced lung adenocarcinoma harboring EGFR mutations. *Oncotargets Ther.* 9:355-66.
- Zhang W, Liu HT. 2002. MAPK signal pathways in the regulation of cell proliferation in mammalian cells. *Cell Res.* 12(1): 9-18.
- Zhang X, Gureasko J, Shen K, Cole PA, Kuriyan J. 2006. An allosteric mechanism for activation of the kinase domain of epidermal growth factor receptor. *Cell.* 125(6):1137-49.
- Zhang Y, Srinivasan B, Xing C, Lu J. 2012. A new chalcone derivative (*e*)-3-(4-methoxyphenyl)-2-methyl-1-(3,4,5-trimethoxyphenyl) prop-2-en-1-one suppresses prostate cancer involving p53-mediated cell cycle arrests and apoptosis. *Anticancer Res.* 32:3689-3698.



- Zhao H, Jaffer T, Eguchi S, Wang Z, Linkermann A, Ma D. 2015. Role of necroptosis in the pathogenesis of solid organ injury. *Cell Death Dis.* 6(11): e1975.
- Zhao JA, Chen JJ, Ju YC, Wu JH, Geng CZ, Yang HC. 2011. The effect of childbirth on carcinogenesis of DMBA-induced breast cancer in female SD rats. *Chin J Cancer.* 30(11):779-85.