



## DAFTAR PUSTAKA

- Amarasekara, A.S. and Wiredu, B., 2014. Acidic ionic liquid catalyzed one-pot conversion of cellulose to ethyl levulinate and levulinic acid in ethanol-water solvent system. *BioEnergy Research*, 7(4), pp.1237-1243.
- Amelia, S., Sediawan, W. B., Prasetyo, I., Munoz, M., & Ariyanto, T. (2020). Role of the pore structure of Fe/C catalysts on heterogeneous Fenton oxidation. *Journal of Environmental Chemical Engineering*, 8(1), 102921.
- Amiruddin, A., Surasa, T., Harlim, T., Genisa, A., Amiruddin, K. and Pudjaatmaka, A.H., 1990. Kamus Kimia: kimia organik.
- Ariyanto, T., Prasetyo, I. and Rochmadi, R., 2012. PENGARUH struktur pori terhadap kapasitansi elektroda superkapasitor yang dibuat dari karbon nanopori. *Reaktor*, 14(1), pp.25-32.
- Ariyanto, T., I. Prasetyo, N. F. Mukti, R. B. Cahyono, and A. Prasetya. 2020. "Nanoporous Carbon Based Palm Kernel Shell and Its Characteristics of Methane and Carbon Dioxide Adsorption." *IOP Conference Series: Materials Science and Engineering* 736 (2).
- Badgujar, K. C., Badgujar, V. C., & Bhanage, B. M. (2020). A review on catalytic synthesis of energy rich fuel additive levulinate compounds from biomass derived levulinic acid. *Fuel Processing Technology*, 197, 106213.
- Bankole, K. S. (2011). *Uncatalyzed esterification of biomass-derived carboxylic acids* (Doctoral dissertation, The University of Iowa).
- Bansal, R.C., Donnet, J.B. and Stoeckli, F., 1988. *Active carbon*.
- Bereiter, B., Eggleston, S., Schmitt, J., Nehrbass-Ahles, C., Stocker, T.F., Fischer, H., Kipfstuhl, S. and Chappellaz, J., 2015. Revision of the EPICA Dome C CO<sub>2</sub> record from 800 to 600 kyr before present. *Geophysical Research Letters*, 42(2), pp.542-549.
- BPPT, 2019, *Oulook Energi Indonesia*, Jakarta.
- BPPT, 2020, *Oulook Energi Indonesia*, Jakarta.
- Cai, B., Zhou, X.C., Miao, Y.C., Luo, J.Y., Pan, H. and Huang, Y.B., 2017. Enhanced catalytic transfer hydrogenation of ethyl levulinate to  $\gamma$ -valerolactone over a robust Cu–Ni bimetallic catalyst. *ACS Sustainable Chemistry & Engineering*, 5(2), pp.1322-1331.
- Chen, G. and Fang, B., 2011. Preparation of solid acid catalyst from glucose–starch mixture for biodiesel production. *Bioresource technology*, 102(3), pp.2635-2640.
- Coyle, E.D. and Simmons, R.A., 2014. *Understanding the global energy crisis*. Purdue University Press.



- Démolis, A., Essayem, N. and Rataboul, F., 2014. Synthesis and applications of alkyl levulinates. *ACS Sustainable Chemistry & Engineering*, 2(6), pp.1338-1352.
- Derbyshire, F., Jagtoyen, M. and Thwaites, M., 1995. Activated carbons-production and applications. *Porosity in carbons*, 252.
- Dussan, K., Girisuta, B., Haverty, D., Leahy, J. J., & Hayes, M. H. B. (2013). Kinetics of levulinic acid and furfural production from *Miscanthus× giganteus*. *Bioresource technology*, 149, 216-224.
- Ghosh, M.K., Howard, M.S., Zhang, Y., Djebbi, K., Capriolo, G., Farooq, A., Curran, H.J. and Dooley, S., 2018. The combustion kinetics of the lignocellulosic biofuel, ethyl levulinate. *Combustion and flame*, 193, pp.157-169.
- Giraldo, S. Y., Rios, L. A., & Suárez, N. (2013). Comparison of glycerol ketals, glycerol acetates and branched alcohol-derived fatty esters as cold-flow improvers for palm biodiesel. *Fuel*, 108, 709-714.
- Girisuta, B., Janssen, L.P.B.M. and Heeres, H.J., 2006. Green chemicals: A kinetic study on the conversion of glucose to levulinic acid. *Chemical Engineering Research and Design*, 84(5), pp.339-349.
- Girisuta, B. (2007). *Levulinic acid from lignocellulosic biomass* (Doctoral dissertation, University of Groningen)
- Girisuta, B. and Heeres, H.J., 2017. Levulinic acid from biomass: Synthesis and applications. In *Production of platform chemicals from sustainable resources* (pp. 143-169). Springer, Singapore.
- Guo, H., Hirosaki, Y., Qi, X. and Smith Jr, R.L., 2020. Synthesis of ethyl levulinate over amino-sulfonated functional carbon materials. *Renewable Energy*, 157, pp.951-958.
- Hassan, A.H., Zainol, M.M., Zainuddin, K.R., Saperi, N.Q., Yussuf, M.A.M., Abd Rahman, N. and Azman, N.A.N.M.N., 2022. Sulfonated Carbon Catalyst Prepared from Calcination of Lignin for Ethyl Levulinate Synthesis via Ethanolysis of Levulinic Acid. *Chemical Engineering Transactions*, 97, pp.307-312.
- Joshi, H., Moser, B.R., Toler, J., Smith, W.F. and Walker, T., 2011. Ethyl levulinate: A potential bio-based diluent for biodiesel which improves cold flow properties. *Biomass and bioenergy*, 35(7), pp.3262-3266.
- Kerschbaum, S., Rinke, G. and Schubert, K., 2008. Winterization of biodiesel by micro process engineering. *Fuel*, 87(12), pp.2590-2597.
- Kurnia, S., Ariyanto, T. and Prasetyo, I., 2020. Jaranan Wood (*Lannea coromandelica*)-Derived Porous Carbon and its Performance for Anionic Surfactant Adsorption. In *Key Engineering Materials* (Vol. 840, pp. 3-9). Trans Tech Publications Ltd.
- Leal Silva, J.F., Grekin, R., Mariano, A.P. and Maciel Filho, R., 2018. Making levulinic

acid and ethyl levulinate economically viable: a worldwide technoeconomic and environmental assessment of possible routes. *Energy Technology*, 6(4), pp.613-639.

Lee, A., Chaibakhsh, N., Rahman, M.B.A., Basri, M. and Tejo, B.A., 2010. Optimized enzymatic synthesis of levulinate ester in solvent-free system. *Industrial Crops and Products*, 32(3), pp.246-251.

Li, N., Jiang, S., Liu, Z.Y., Guan, X.X. and Zheng, X.C., 2019. Preparation and catalytic performance of loofah sponge-derived carbon sulfonic acid for the conversion of levulinic acid to ethyl levulinate. *Catalysis Communications*, 121, pp.11-14.

Li, N., Zhang, X.L., Zheng, X.C., Wang, G.H., Wang, X.Y. and Zheng, G.P., 2019. Efficient synthesis of ethyl levulinate fuel additives from levulinic acid catalyzed by sulfonated pine needle-derived carbon. *Catalysis Surveys from Asia*, 23, pp.171-180.

Liu, W., Guo, R., Peng, G. and Yin, D., 2022. Sulfuric Acid Immobilized on Activated Carbon Aminated with Ethylenediamine: An Efficient Reusable Catalyst for the Synthesis of Acetals (Ketals). *Nanomaterials*, 12(9), p.1462.

Lomba, L., Giner, B., Bandrés, I., Lafuente, C. and Pino, M.R., 2011. Physicochemical properties of green solvents derived from biomass. *Green chemistry*, 13(8), pp.2062-2070.

Permatasari, P.R., Prasetyo, I. and Ariyanto, T., 2019, March. Synthesis of nanoporous carbon from mangosteen peel lignin extracted by using organosolv and soda processes. In *AIP Conference Proceedings* (Vol. 2085, No. 1, p. 020051). AIP Publishing LLC.

Manocha, S.M., 2003. Porous carbons. *Sadhana*, 28(1-2), pp.335-348.

McNaught, A.D., & Wilkinson, A., 1997. *Compendium of chemical terminology* (Vol. 1669). Oxford: Blackwell Science.

Martins, F. P., Rodrigues, F. A., & Silva, M. J. (2018). Fe<sub>2</sub>(SO<sub>4</sub>)<sub>3</sub>-catalyzed levulinic acid esterification: production of fuel bioadditives. *Energies*, 11(5), 1263.

Moser, B. R., Williams, A., Haas, M. J., & McCormick, R. L. (2009). Exhaust emissions and fuel properties of partially hydrogenated soybean oil methyl esters blended with ultra low sulfur diesel fuel. *Fuel Processing Technology*, 90(9), 1122-1128.

Mukherjee, A., Dumont, M. J., & Raghavan, V. (2015). Sustainable production of hydroxymethylfurfural and levulinic acid: Challenges and opportunities. *Biomass and Bioenergy*, 72, 143-183.

Nandiwale, K. Y., Sonar, S. K., Niphadkar, P. S., Joshi, P. N., Deshpande, S. S., Patil, V. S., & Bokade, V. V. (2013). Catalytic upgrading of renewable levulinic acid to ethyl levulinate biodiesel using dodecatungstophosphoric acid supported on desilicated H-ZSM-5 as catalyst. *Applied Catalysis A: General*, 460, 90-98.



Nandiwale, K.Y., Niphadkar, P.S., Deshpande, S.S. and Bokade, V.V., 2014. Esterification of renewable levulinic acid to ethyl levulinate biodiesel catalyzed by highly active and reusable desilicated H-ZSM-5. *Journal of Chemical Technology & Biotechnology*, 89(10), pp.1507-1515.

Negus, M. P., Mansfield, A. C., & Leadbeater, N. E. (2015). The preparation of ethyl levulinate facilitated by flow processing: the catalyzed and uncatalyzed esterification of levulinic acid. *Journal of Flow Chemistry*, 5(3), 148-150.

Neves, P., Russo, P.A., Fernandes, A., Antunes, M.M., Farinha, J., Pillinger, M., Ribeiro, M.F., Castanheiro, J.E. and Valente, A.A., 2014. Mesoporous zirconia-based mixed oxides as versatile acid catalysts for producing bio-additives from furfuryl alcohol and glycerol. *Applied Catalysis A: General*, 487, pp.148-157.

Okamura, M., Takagaki, A., Toda, M., Kondo, J.N., Domen, K., Tatsumi, T., Hara, M. and Hayashi, S., 2006. Acid-catalyzed reactions on flexible polycyclic aromatic carbon in amorphous carbon. *Chemistry of Materials*, 18(13), pp.3039-3045.

Oliveira, B. L., & da Silva, V. T. (2014). Sulfonated carbon nanotubes as catalysts for the conversion of levulinic acid into ethyl levulinate. *Catalysis Today*, 234, 257-263.

Ong, H.R., Khan, M.R., Chowdhury, M.N.K., Yousuf, A. and Cheng, C.K., 2014. Synthesis and characterization of CuO/C catalyst for the esterification of free fatty acid in rubber seed oil. *Fuel*, 120, pp.195-201.

Pastore, C. and D'Ambrosio, V., 2021. Intensification of Processes for the Production of Ethyl Levulinate Using AlCl<sub>3</sub>· 6H<sub>2</sub>O. *Energies*, 14(5), p.1273.

*Pembangunan Rendah Karbon: Pergeseran Paradigma Menuju Ekonomi Hijau di Indonesia*, Kementerian Perencanaan Pembangunan Nasional, diakses 20 Agustus 2021

Pileidis, F.D., Tabassum, M., Coutts, S. and Titirici, M.M., 2014. Esterification of levulinic acid into ethyl levulinate catalysed by sulfonated hydrothermal carbons. *Chinese Journal of Catalysis*, 35(6), pp.929-936.

Prasetyo, I., Mukti, N.I.F., Cahyono, R.B., Prasetya, A. and Ariyanto, T., 2020. Nanoporous Carbon Prepared from Palm Kernel Shell for CO<sub>2</sub>/CH<sub>4</sub> Separation. *Waste and Biomass Valorization*, 11(10), pp.5599-5606.

Prasetyo, I., Rochmadi, R., Ariyanto, T. and Yunanto, R., 2013. Simple method to produce nanoporous carbon for various applications by pyrolysis of specially synthesized phenolic resin. *Indonesian Journal of Chemistry*, 13(2), pp.95-100.

Prasetyo, I., Rochmadi, R. and Wahyono, E., PEMBUATAN AYAKAN MOLEKULER BERBASIS KARBON UNTUK PEMISAHAN N<sub>2</sub>/O<sub>2</sub> DARI PIROLISIS RESIN PHENOL FORMALDEHYDE. *Reaktor*, 13(1), pp.24-30.

Rajabi, F., Abdollahi, M. and Luque, R., 2016. Solvent-free esterification of carboxylic acids using supported iron oxide nanoparticles as an efficient and recoverable

catalyst. *Materials*, 9(7), p.557.

Ramli, N.A.S., Sivasubramaniam, D. and Amin, N.A.S., 2017. Esterification of levulinic acid using ZrO<sub>2</sub>-supported phosphotungstic acid catalyst for ethyl levulinate production. *BioEnergy Research*, 10, pp.1105-1116.

Ramli, N.A.S., Zaharudin, N.H. and Amin, N.A.S., 2017. Esterification of renewable levulinic acid to levulinate esters using Amberlyst-15 as a solid acid catalyst. *Jurnal Teknologi*, 79(1).

Ritter, S., 2006, "Biorefinery Gets Ready to Deliver the Goods", *Chemical Engineering News*, 84(34):47.

Saravanamurugan, S. and Riisager, A., 2012. Solid acid catalysed formation of ethyl levulinate and ethyl glucopyranoside from mono-and disaccharides. *Catalysis Communications*, 17, pp.71-75.

Sharghi, H., Shiri, P. and Aberi, M., 2018. An overview on recent advances in the synthesis of sulfonated organic materials, sulfonated silica materials, and sulfonated carbon materials and their catalytic applications in chemical processes. *Beilstein Journal of Organic Chemistry*, 14(1), pp.2745-2770.

Singh, D., Patidar, P., Ganesh, A., & Mahajani, S. (2013). Esterification of oleic acid with glycerol in the presence of supported zinc oxide as catalyst. *Industrial & Engineering Chemistry Research*, 52(42), 14776-14786.

Suzuta, T., Toba, M., Abe, Y. and Yoshimura, Y., 2012. Iron oxide catalysts supported on porous silica for the production of biodiesel from crude Jatropha oil. *Journal of the American Oil Chemists' Society*, 89(11), pp.1981-1989.

Tamborini, L.H., Casco, M.E., Militello, M.P., Silvestre-Albero, J., Barbero, C.A. and Acevedo, D.F., 2016. Sulfonated porous carbon catalysts for biodiesel production: Clear effect of the carbon particle size on the catalyst synthesis and properties. *Fuel Processing Technology*, 149, pp.209-217.

Tans, P.P., Keeling, R.F., 2021, *Trends in Atmospheric Carbon Dioxide*, Global Monitoring Laboratory, diakses 6 July 2021.

Teo, E.Y.L., Muniandy, L., Ng, E.P., Adam, F., Mohamed, A.R., Jose, R. and Chong, K.F., 2016. High surface area activated carbon from rice husk as a high performance supercapacitor electrode. *Electrochimica Acta*, 192, pp.110-119.

Timofeeva, M.N., 2003. Acid catalysis by heteropoly acids. *Applied Catalysis A: General*, 256(1-2), pp.19-35.

Verma, P., Sharma, M. P., & Dwivedi, G. (2016). Evaluation and enhancement of cold flow properties of palm oil and its biodiesel. *Energy Reports*, 2, 8-13.

Viswanathan, B., Neel, P.I. and Varadarajan, T.K., 2009. Methods of activation and specific applications of carbon materials. *India, Chennai*.



- Weingarten, R., Kim, Y. T., Tompsett, G. A., Fernández, A., Han, K. S., Hagaman, E. W., ... & Huber, G. W. (2013). Conversion of glucose into levulinic acid with solid metal (IV) phosphate catalysts. *Journal of Catalysis*, 304, 123-134.
- Xu, F., Yu, J., Tesso, T., Dowell, F. and Wang, D., 2013. Qualitative and quantitative analysis of lignocellulosic biomass using infrared techniques: a mini-review. *Applied energy*, 104, pp.801-809.
- Yadav, G. D., & Yadav, A. R. (2014). Synthesis of ethyl levulinate as fuel additives using heterogeneous solid superacidic catalysts: Efficacy and kinetic modeling. *Chemical Engineering Journal*, 243, 556-563.
- Yang, F. and Tang, J., 2019. Catalytic upgrading of renewable levulinic acid to levulinate esters using perchloric acid decorated nanoporous silica gels. *ChemistrySelect*, 4(4), pp.1403-1409.
- Yontz, D.J., 2011. Fragrant formulations, methods of manufacture thereof and articles comprising the same. *US Patent US20110274643A1*.
- Young, C., Lin, J., Wang, J., Ding, B., Zhang, X., Alshehri, S.M., Ahamad, T., Salunkhe, R.R., Hossain, S.A., Khan, J.H. and Ide, Y., 2018. Significant effect of pore sizes on energy storage in nanoporous carbon supercapacitors. *Chemistry—A European Journal*, 24(23), pp.6127-6132.
- Zainol, M.M., Asmadi, M., Iskandar, P., Ahmad, W.A.N.W., Amin, N.A.S. and Hoe, T.T., 2021. Ethyl levulinate synthesis from biomass derivative chemicals using iron doped sulfonated carbon cryogel catalyst. *Journal of Cleaner Production*, 281, p.124686.
- Zeng, D., Liu, S., Gong, W., Wang, G., Qiu, J. and Chen, H., 2014. Synthesis, characterization and acid catalysis of solid acid from peanut shell. *Applied catalysis A: general*, 469, pp.284-289.
- Zhang, L., Liu, H., Wang, M. and Chen, L., 2007. Structure and electrochemical properties of resorcinol-formaldehyde polymer-based carbon for electric double-layer capacitors. *Carbon*, 45(7), pp.1439-1445.
- Zhu, S., Cen, Y., Guo, J., Chai, J., Wang, J. and Fan, W., 2016. One-pot conversion of furfural to alkyl levulinate over bifunctional Au-H 4 SiW 12 O 40/ZrO 2 without external H 2. *Green Chemistry*, 18(20), pp.5667-5675.