

DAFTAR PUSTAKA

- Arafah, F., & Tennis, G. A. (2023). Pemanfaatan Citra Sentinel-2 Untuk Analisa Perubahan Tutupan Lahan Akibat Erupsi Gunung Semeru Tahun 2021. *Geoid*, 18(2), 326. <https://doi.org/10.12962/j24423998.v18i2.15274>
- Araña, V., Felpeto, A., Astiz, M., García, A., Ortiz, R., & Abella, R. (2000). Zonation of the main volcanic hazards (lava flows and ash fall) in Tenerife, Canary Islands. A proposal for a surveillance network. *Journal of Volcanology and Geothermal Research*, 103(1–4), 377–391. [https://doi.org/10.1016/S0377-0273\(00\)00232-8](https://doi.org/10.1016/S0377-0273(00)00232-8)
- Armansson, S. E., Ulfarsson, M. O., Sigurdsson, J., Nguyen, H. V., & Sveinsson, J. R. (2021). A comparison of optimized sentinel-2 super-resolution methods using wald's protocol and bayesian optimization. *Remote Sensing*, 13(11). <https://doi.org/10.3390/rs13112192>
- Aydda, A., Althuwaynee, O. F., & Pokharel, B. (2020). An easy method for barchan dunes automatic extraction from multispectral satellite data. *IOP Conference Series: Earth and Environmental Science*, 419(1). <https://doi.org/10.1088/1755-1315/419/1/012015>
- Bachri, S., Fathoni, M. N., Sumarmi, Masruroh, H., Wibowo, N. A., Khusna, N., Billah, E. N., & Yudha, L. (2023). Geomorphological mapping and landform characterization of Semeru volcano after the eruption in 2021. *IOP Conference Series: Earth and Environmental Science*, 1180(1), 012004. <https://doi.org/10.1088/1755-1315/1180/1/012004>
- Bachri, S., Irawan, L. Y., Wirawan, R., Nurjanah, A. E., Tyas, L. W. N., Utaya, S., & Sumarmi. (2019). Dynamics of Lahar Material Deposition Post 2014 Kelud Eruption of Bladak River. *IOP Conference Series: Earth and Environmental Science*, 256(1). <https://doi.org/10.1088/1755-1315/256/1/012021>
- Baiyegunhi, C., Liu, K., & Gwavava, O. (2017). Grain size statistics and depositional pattern of the Ecca Group sandstones, Karoo Supergroup in the Eastern Cape Province, South Africa. *Open Geosciences*, 9(1), 554–576. <https://doi.org/10.1515/geo-2017-0042>
- Berger, M., Moreno, J., Johannessen, J. A., Levelt, P. F., & Hanssen, R. F. (2012). ESA's sentinel missions in support of Earth system science. *Remote Sensing of Environment*, 120, 84–90. <https://doi.org/10.1016/j.rse.2011.07.023>
- Bermana, I. (2006). Klasifikasi Geomorfologi untuk Pemetaan Geologi yang Telah Dibakukan. *Bulletin of Scientific Contribution*, 4(2), 161–173. <https://jurnal.unpad.ac.id/bsc/article/view/8125/3701>

- Boschetti, L., Stehman, S. v., & Roy, D. P. (2016). A stratified random sampling design in space and time for regional to global scale burned area product validation. *Remote Sensing of Environment*, 186, 465–478. <https://doi.org/10.1016/j.rse.2016.09.016>
- Brodu, N. (2017). Super-Resolving Multiresolution Images With Band-Independent Geometry of Multispectral Pixels. *IEEE Transactions on Geoscience and Remote Sensing*, 55(8), 4610–4617. <https://doi.org/10.1109/TGRS.2017.2694881>
- Cahyono, J. (2013). *Pengantar Teknologi Sabo*. Yayasan Sabo Indonesia.
- Campbell, J. B., & Wynne, R. H. (2011). *Introduction to Remote Sensing Fifth Edition* (Vol. 5). The Guilford Press.
- Cotter, T. (2021). *2021 Mt. Semeru Eruption*. <https://reliefweb.int/report/indonesia/2021-mt-semeru-eruption-situation-report-1-december-9-2021>
- Dana, C. D. P., Sudirman, M. R., Noviana, A., & Hidayat, R. (2016). Analisis Granulometri, Morfologi Butir, dan Batuan Asal pada Endapan Pasir-Kerakal di Sepanjang Aliran Sungai Progo, D.I. Yogyakarta. *EMINAR NASIONAL KEBUMIHAN KE-9*, 776–786. <https://www.researchgate.net/publication/308105620>
- Danoedoro, P. (2012). *Pengantar Penginderaan Jauh Digital*. Andi Publisher.
- Davila-Hernandez, N., Lira, J., Capra-Pedol, L., & Zucca, F. (2011). A normalized difference lahar index based on Terra/Aster and Spot 5 images: An application at Colima Volcano, Mexico. *Revista Mexicana de Ciencias Geologicas*, 28(3), 630–644. <https://www.researchgate.net/publication/281721779>
- Davis Swan, John J. Clague, John L. (1978). Grain-Size Statistics I: Evaluation of the Folk and Ward Graphic Measures. *SEPM Journal of Sedimentary Research*, Vol. 48. <https://doi.org/10.1306/212f7595-2b24-11d7-8648000102c1865d>
- de Bélizal, E., Lavigne, F., Hadmoko, D. S., Degeai, J. P., Dipayana, G. A., Mutaqin, B. W., Marfai, M. A., Coquet, M., Mauff, B. le, Robin, A. K., Vidal, C., Cholik, N., & Aisyah, N. (2013). Rain-triggered lahars following the 2010 eruption of Merapi volcano, Indonesia: A major risk. *Journal of Volcanology and Geothermal Research*, 261, 330–347. <https://doi.org/10.1016/j.jvolgeores.2013.01.010>
- De Jong, M. G. G., Sterk, H. P., Shinneman, S., & Seijmonsbergen, A. C. (2021). Hierarchical geomorphological mapping in mountainous areas. *Journal of Maps*, 17(2), 214–224. <https://doi.org/10.1080/17445647.2021.1897047>

- Deng, L., Yan, Y., Gong, H., Duan, F., & Zhong, R. (2018). The effect of spatial resolution on radiometric and geometric performances of a UAV-mounted hyperspectral 2D imager. *ISPRS Journal of Photogrammetry and Remote Sensing*, 144, 298–314. <https://doi.org/10.1016/j.isprsjprs.2018.08.002>
- DiBiase, R. A., Lamb, M. P., Ganti, V., & Booth, A. M. (2017a). Slope, grain size, and roughness controls on dry sediment transport and storage on steep hillslopes. *Journal of Geophysical Research: Earth Surface*, 122(4), 941–960. <https://doi.org/10.1002/2016JF003970>
- DiBiase, R. A., Lamb, M. P., Ganti, V., & Booth, A. M. (2017b). Slope, grain size, and roughness controls on dry sediment transport and storage on steep hillslopes. *Journal of Geophysical Research: Earth Surface*, 122(4), 941–960. <https://doi.org/10.1002/2016JF003970>
- Dowling, C. A., & Santi, P. M. (2014). Debris flows and their toll on human life: A global analysis of debris-flow fatalities from 1950 to 2011. *Natural Hazards*, 71(1), 203–227. <https://doi.org/10.1007/s11069-013-0907-4>
- E. M. Barnes, & M. G. Baker. (2000). MULTISPECTRAL DATA FOR MAPPING SOIL TEXTURE: POSSIBILITIES AND LIMITATIONS. *Applied Engineering in Agriculture*, 16(6), 731–741. <https://doi.org/10.13031/2013.5370>
- El_Rahman, S. A. (2016). Performance of Spectral Angle Mapper and Parallelepiped Classifiers in Agriculture Hyperspectral Image. In *IJACSA International Journal of Advanced Computer Science and Applications* (Vol. 7, Issue 5). www.ijacsa.thesai.org
- ESA. (2019). *SENTINEL-2 MSI Introduction*. ESA. <https://sentinel.esa.int/web/sentinel/user-guides/sentinel-2-msi>
- Fathoni, M. N., Wicaksono, P., & Bachri, S. (2021). *Estimated change in the percentage of vegetation cover after the eruption of Mount Agung, Bali in 2017. December 2021*, 15. <https://doi.org/10.1117/12.2617334>
- Fibriyantoro, E. A. (2015). Development of Warning Criteria for Lahar Flow Disaster in Gendol River Area of Mount Merapi. *Journal of the Civil Engineering Forum*, 1(1).
- Folk, R. L., & Ward, W. C. (1957). Brazos River bar [Texas]; a study in the significance of grain size parameters. *Journal of Sedimentary Research*, 27(1), 3–26. <https://doi.org/10.1306/74D70646-2B21-11D7-8648000102C1865D>
- Gomez, C., Dharumarajan, S., Féret, J. B., Lagacherie, P., Ruiz, L., & Sekhar, M. (2019). Use of sentinel-2 time-series images for classification and uncertainty analysis of inherent biophysical property: Case of soil texture mapping. *Remote Sensing*, 11(5). <https://doi.org/10.3390/rs11050565>

- Gomez, C., Hotta, N., Shinohara, Y., Park, J. H., Tsunetaka, H., Zhang, M., Bradak, B., Sri Hadmoko, D., Budi Wibowo, S., Daikai, R., & Yoshida, M. (2023). Formation Processes of Gully-side Debris-Cones Determined from Ground-Penetrating Radar (Mt. Unzen, Japan). *Journal of Applied Geophysics*, 209. <https://doi.org/10.1016/j.jappgeo.2022.104919>
- Gomez, C., & Lavigne, F. (2010). Automated block detection in lahars through 3-bands spectral analysis of video images. *Journal of Volcanology and Geothermal Research*, 190(3–4), 379–384. <https://doi.org/10.1016/j.jvolgeores.2009.11.005>
- Gomez, C., Lavigne, F., Sri Hadmoko, D., & Wassmer, P. (2018). Insights into lahar deposition processes in the Curah Lengkong (Semeru Volcano, Indonesia) using photogrammetry-based geospatial analysis, near-surface geophysics and CFD modelling. *Journal of Volcanology and Geothermal Research*, 353, 102–113. <https://doi.org/10.1016/j.jvolgeores.2018.01.021>
- Hadmoko, D. S., de Belizal, E., Mutaqin, B. W., Dipayana, G. A., Marfai, M. A., Lavigne, F., Sartohadi, J., Worosuprojo, S., Starheim, C. C. A., & Gomez, C. (2018). Post-eruptive lahars at Kali Putih following the 2010 eruption of Merapi volcano, Indonesia: occurrences and impacts. *Natural Hazards*, 94(1), 419–444. <https://doi.org/10.1007/s11069-018-3396-7>
- Hazbavi, Z. (2018). Importance of Geology and Geomorphology in Watershed Health Assessment. *The Journal "Agriculture and Forestry,"* 64(4). <https://doi.org/10.17707/AgricultForest.64.4.27>
- Hegazi, E. H., Samak, A. A., Yang, L., Huang, R., & Huang, J. (2023). Prediction of Soil Moisture Content from Sentinel-2 Images Using Convolutional Neural Network (CNN). *Agronomy*, 13(3), 656. <https://doi.org/10.3390/agronomy13030656>
- Hernández-Rivas, O., Caballero, L., Sarocchi, D., & Rodríguez-Sedano, L. Á. (2021). From geomorphology to shape-fabric: The interplay of geomorphological controls and their spatial variability in the Teteltzingo lahar deposit, Citlaltépetl volcano (Mexico). *Journal of South American Earth Sciences*, 109. <https://doi.org/10.1016/j.jsames.2021.103221>
- Huete, A. R. (2004). Remote Sensing for Environmental Monitoring. In *Environmental Monitoring and Characterization* (Vol. 11, pp. 183–206). Elsevier. <https://doi.org/10.1016/B978-0-12-064477-3.50013-8>
- Idjuddin, A. A., Erfandi, D., Soelaeman, Y., Suwanda, M. H., & Suganda, H. (2011). *Rehabilitasi dan Konservasi Tanah Pasca Erupsi Gunung Merapi*. 123–136.
- J, Muh. A. A., Putra, A. P., & Putra, E. A. P. (2022). ANALISIS KANDUNGAN MINERAL PASIR BESI PANTAI SELATAN KABUPATEN LUMAJANG

HASIL SEPARASI MAGNETIK. *Jurnal Teknologi Kimia Mineral*, 1(2), 70–75. <https://journal.atim.ac.id/index.php/jtkm/article/download/273/201>

- Jennings, B. R., & Paarslow, K. (1988). Particle size measurement: the equivalent spherical diameter. *Proceedings of the Royal Society of London. A. Mathematical and Physical Sciences*, 419(1856), 137–149. <https://doi.org/10.1098/rspa.1988.0100>
- Jensen, J. R. (2014). Remote sensing of the environment: an earth resource perspective second edition. In *Pearson Education Limited, Harlow, England* (Vol. 1).
- Jieying Xiao, Yanjun Shen, Ryutaro, T., & Bayaer, W. (2005). Detection of land desertification and topsoil grain size using remote sensing. *Proceedings. 2005 IEEE International Geoscience and Remote Sensing Symposium, 2005. IGARSS '05.*, 1, 198–201. <https://doi.org/10.1109/IGARSS.2005.1526141>
- Jones, R., Thomas, R. E., Peakall, J., & Manville, V. (2017). Rainfall-runoff properties of tephra: Simulated effects of grain-size and antecedent rainfall. *Geomorphology*, 282, 39–51. <https://doi.org/10.1016/j.geomorph.2016.12.023>
- Joyce, K. E., Samsonov, S., Manville, V., Jongens, R., Graettinger, A., & Cronin, S. J. (2009). Remote sensing data types and techniques for lahar path detection: A case study at Mt Ruapehu, New Zealand. *Remote Sensing of Environment*, 113(8), 1778–1786. <https://doi.org/10.1016/j.rse.2009.04.001>
- Kamil, M. S. R. (2012). Fenomena Gas Beracun Puncak Mahameru. *Buletin Forum Geosaintis Muda Indonesia*, 1(1), 18–23. <http://fgmi.iagi.or.id>
- Kerle, N., & Oppenheimer, C. (2002). Satellite Remote Sensing as a Tool in Lahar Disaster Management. In *Disasters* (Vol. 26, Issue 2).
- Kurniawati, L., & Suprpto. (2017). Pengaruh Penggunaan Copper Slag sebagai Pengganti Pasir (Fine Aggregate) pada Campuran Paving Block. *Rekayasa Teknik Sipil*, 3(3), 175–180. <https://ejournal.unesa.ac.id/index.php/rekayasa-teknik-sipil/article/view/20777>
- Lavigne, F., & Suwa, H. (2004). Contrasts between debris flows, hyperconcentrated flows and stream flows at a channel of Mount Semeru, East Java, Indonesia. *Geomorphology*, 61(1–2), 41–58. <https://doi.org/10.1016/j.geomorph.2003.11.005>
- Lavigne, F., & Thouret, J. C. (2000). Lahars: Deposits, origins, and behaviour. *Bulletin de La Société Géologique de France*, 171(5), 545–557. <https://doi.org/10.2113/171.5.545>
- Lavigne, F., Thouret, J.-C., Hadmoko, D. S., & Sukatja, B. (2016). Lahars in Java: Initiations, Dynamics, Hazard Assessment And Deposition Processes. *Forum Geografi*, 21(1), 5–24. <https://doi.org/10.23917/forgeo.v21i1.1822>

- Leu, D. J. (1977). Visible and Near-Infrared Reflectance of Beach Sands: A Study on the Spectral Reflectance] Grain Size Relationship. *REMOTE SENSING OF ENVIRONMENT*, 6, 169–182.
- Lillesand, T. M., & Kiefer, R. W. (1999). Remote Sensing and Image Interpretation. In *New York Chichester Brisbane Toronto GIS s* (Vol. 4rd).
- Lillesand, T. M., Kiefer, R. W., & Chipman, J. W. (2015). *Remote Sensing and Image Interpretation* (Seventh Edition). Wiley.
- Liu, F., Geng, X., Zhu, A. X., Fraser, W., & Waddell, A. (2012). Soil texture mapping over low relief areas using land surface feedback dynamic patterns extracted from MODIS. *Geoderma*, 171–172, 44–52. <https://doi.org/10.1016/j.geoderma.2011.05.007>
- López, G. I. (2017). Grain size analysis. *Encyclopedia of Earth Sciences Series*, 341–348. https://doi.org/10.1007/978-1-4020-4409-0_18
- Makris, S., Manzella, I., Cole, P., & Roverato, M. (2020). Grain size distribution and sedimentology in volcanic mass-wasting flows: implications for propagation and mobility. *International Journal of Earth Sciences*, 109(8), 2679–2695. <https://doi.org/10.1007/s00531-020-01907-8>
- Megawati, A., & Soedjono, E. S. (2011). Studi Pengaruh Lahar Dingin pada Pemanfaatan Sumber Air Baku di Kawasan Rawan Bencana Gunungapi (Studi Kasus: Gunung Semeru). *Jurnal Teknik ITS*, 1–10.
- Mirantieno, A. V. (2014). *Dampak Pertambangan Pasir dan Kesesuaian Fungsi Kawasan DAS Rejali, Kabupaten Lumajang* [Skripsi, Universitas Brawijaya]. <http://repository.ub.ac.id/id/eprint/142514>
- Mohtar, W. H. M. W., Bassa, S. A., & Porhemmat, M. (2017). Grain size analysis of surface fluvial sediments in rivers in Kelantan, Malaysia. *Sains Malaysiana*, 46(5), 685–693. <https://doi.org/10.17576/jsm-2017-4605-02>
- Myers, T. L., Brauer, C. S., Su, Y.-F., Blake, T. A., Johnson, T. J., & Richardson, R. L. (2014). The influence of particle size on infrared reflectance spectra. *Algorithms and Technologies for Multispectral, Hyperspectral, and Ultraspectral Imagery XX*, 9088, 908809. <https://doi.org/10.1117/12.2053350>
- Nugraha, A. L., Hani'Ah, Firdaus, H. S., & Haeriah, S. (2019). Analysis of Risk Assessment of Mount Merapi Eruption in Settlement Area of Sleman Regency. *IOP Conference Series: Earth and Environmental Science*, 313(1). <https://doi.org/10.1088/1755-1315/313/1/012003>
- Okin, G. S., & Painter, T. H. (2004). Effect of grain size on remotely sensed spectral reflectance of sandy desert surfaces. *Remote Sensing of Environment*, 89(3), 272–280. <https://doi.org/10.1016/j.rse.2003.10.008>

- Pavlopoulos, K., Evelpidou, N., & Vassilopoulos, A. (2009). *Mapping Geomorphological Environments*. Springer Berlin Heidelberg. <https://doi.org/10.1007/978-3-642-01950-0>
- Pettorelli, N., Böhne, H. S., Shapiro, A. C., & Glover-Kapfer, P. (2018). Satellite remote sensing for conservation. In *Conservation Technology* (Vol. 1, pp. 12–99). WWF.
- Prasindya, P., Hariyanto, T., & Kurniawan, A. (2020). Potential Analysis of Landslides Using Geographic Information Systems and Analytical Hierarchy Process (AHP) (Case Study: Songgon District, Banyuwangi Regency). *Geoid (Journal of Geodesy and Geomatics)*, *16*(1), 19–27.
- Pribadi, A. (2022). *Badan Geologi Terbitkan Pemutakhiran Peta Kawasan Rawan Bencana Gunung Api Semeru*. <https://www.esdm.go.id/id/media-center/arsip-berita/badan-geologi-terbitkan-pemutakhiran-peta-kawasan-rawan-bencana-gunung-api-semeru>
- Procter, J., Zernack, A., Mead, S., Morgan, M., & Cronin, S. (2021). A review of lahars; past deposits, historic events and present-day simulations from Mt. Ruapehu and Mt. Taranaki, New Zealand. *New Zealand Journal of Geology and Geophysics*, *64*(2–3), 479–503. <https://doi.org/10.1080/00288306.2020.1824999>
- PVMBG. (2014). *Gunung Semeru*. Data Dasar Gunung Api. <https://vsi.esdm.go.id/index.php/gunungapi/data-dasar-gunungapi/533-g-semeru>
- Rachman, R. A., Wibowo, M., Wiguna, E. A., Nugroho, S., Madyani, M., & Santoso, B. (2021). Kajian Karakteristik Sedimen Dasar di Perairan Sungailiat untuk Mendukung Pengembangan Pelabuhan Perikanan Nusantara Sungailiat, Kab. Bangka. *Buletin Oseanografi Marina*, *10*(2), 112–122. <https://doi.org/10.14710/buloma.v10i2.31662>
- Rijal, S. S. (2020). Identifikasi Material Piroklastik Pasca Erupsi Gunung Kelud menggunakan Citra Hyperspektral. *Jurnal Penginderaan Jauh Dan Pengolahan Data Citra Digital*, *17*(1), 1–9. <https://doi.org/10.30536/j.pjpdcd.2020.v17.a>
- Rijal, S. S., & Nugraha, H. (2014). Karakteristik Spektral Endapan Lahar Pasca Erupsi Gunungapi Merapi 2010. *Deteksi Parameter Geobiofisik Dan Diseminasi Penginderaan Jauh*, 701–708.
- Rodríguez-Sedano, L. A., Sarocchi, D., Caballero, L., Borselli, L., Ortiz-Rodríguez, A. J., Cerca-Ruiz, M. F., Moreno-Chávez, G., & Franco Ramos, O. (2022). Post-eruptive lahars related to the 1913 eruption in La Lumbre Ravine, Volcán de Colima, Mexico: The influence of ravine morphometry on flow dynamics. *Journal of Volcanology and Geothermal Research*, *421*. <https://doi.org/10.1016/j.jvolgeores.2021.107423>

- Rozamuri, M. F., & Hidayat, R. (2016). Studi Awal Granulometri pada Sungai Mandeh dan Sungai Nyalo, Teluk Mandeh, Kabupaten Pesisir Selatan, Sumatera Barat. *Seminar Nasional Kebumihan Ke-9*, 754–764.
- Runge, A., & Grosse, G. (2019). Comparing spectral characteristics of Landsat-8 and Sentinel-2 same-day data for arctic-boreal regions. *Remote Sensing*, 11(14). <https://doi.org/10.3390/rs11141730>
- Sadeghi, M., Jones, S. B., & Philpot, W. D. (2015). A linear physically-based model for remote sensing of soil moisture using short wave infrared bands. *Remote Sensing of Environment*, 164, 66–76. <https://doi.org/10.1016/j.rse.2015.04.007>
- Santaga, F. S., Agnelli, A., Leccese, A., & Vizzari, M. (2021). Using sentinel-2 for simplifying soil sampling and mapping: Two case studies in Umbria, Italy. *Remote Sensing*, 13(17). <https://doi.org/10.3390/rs13173379>
- Saputra, D. M. A. (2023). Pemanfaatan Citra Landsat 8 untuk Pemetaan Perubahan Penggunaan Lahan di Daerah Terdampak Erupsi Gunungapi Semeru (4 Desember 2021). *Jurnal Penelitian Geografi*, 11(1), 1–10. <https://doi.org/10.23960/jpg.v11.i1.26950>
- Sedighi, F., Khaledi Darvishan, A., & Zare, M. R. (2021). Effect of watershed geomorphological characteristics on sediment redistribution. *Geomorphology*, 375. <https://doi.org/10.1016/j.geomorph.2020.107559>
- Smit, Y., Ruessink, G., Brakenhoff, L. B., & Donker, J. J. A. (2018). Measuring spatial and temporal variation in surface moisture on a coastal beach with a near-infrared terrestrial laser scanner. *Aeolian Research*, 31, 19–27. <https://doi.org/10.1016/j.aeolia.2017.07.004>
- Sudradjat, A., Syafri, I., Paripurno, E. T., Raya Bandung, J., Km, S., & 45363, J. (2010). The Characteristics of Lahar in Merapi Volcano, Central Java as the Indicator of the Explosivity during Holocene Karakteristik Lahar di Gunung Merapi, Jawa Tengah sebagai Indikator Explosivitas pada Holosen. In *Jurnal Geologi Indonesia* (Vol. 6, Issue 2).
- Thouret, J. C., Antoine, S., Magill, C., & Ollier, C. (2020). Lahars and debris flows: Characteristics and impacts. *Earth-Science Reviews*, 201(April 2019). <https://doi.org/10.1016/j.earscirev.2019.103003>
- Thouret, J. C., Lavigne, F., Suwa, H., Sukatja, B., & Surono. (2007). Volcanic hazards at Mount Semeru, East Java (Indonesia), with emphasis on lahars. *Bulletin of Volcanology*, 70(2), 221–244. <https://doi.org/10.1007/s00445-007-0133-6>
- UDDEN, J. A. (1914). Mechanical composition of clastic sediments. *Geological Society of America Bulletin*, 25(1), 655–744. <https://doi.org/10.1130/GSAB-25-655>

- Van der Meer, F. D., van der Werff, H. M. A., & van Ruitenbeek, F. J. A. (2014). Potential of ESA's Sentinel-2 for geological applications. *Remote Sensing of Environment*, 148, 124–133. <https://doi.org/10.1016/j.rse.2014.03.022>
- Van der Wall, D., & Herman, P. M. J. (2006). Quantifying the particle size of intertidal sediments with satellite remote sensing in the visible light, thermal infrared and microwave spectral domain. In N. Kerle & A. K. Skidmore (Eds.), *SPRS Commission VII Mid-term Symposium "Remote Sensing: From Pixels To Processes"* (pp. 618–622). ITC. <https://pure.knaw.nl/portal/en/publications/quantifying-the-particle-size-of-intertidal-sediments-with-satell>
- Van Zuidam, R. A. (1985). *Aerial Photo – Interpretation in Terrain Analysis and Geomorphologic Mapping*. Smith Publisher.
- Viscarra Rossel, R. A., Walvoort, D. J. J., McBratney, A. B., Janik, L. J., & Skjemstad, J. O. (2006). Visible, near infrared, mid infrared or combined diffuse reflectance spectroscopy for simultaneous assessment of various soil properties. *Geoderma*, 131(1–2), 59–75. <https://doi.org/10.1016/j.geoderma.2005.03.007>
- Ward, I., Winter, S., & Dotte-Sarout, E. (2016). The lost art of stratigraphy? A consideration of excavation strategies in Australian indigenous archaeology. *Australian Archaeology*, 82(3), 263–274. <https://doi.org/10.1080/03122417.2016.1251014>
- Wentworth, C. K. (1922). A Scale of Grade and Class Terms for Clastic Sediments. *The Journal of Geology*, 30(5), 377–392. <https://www.jstor.org/stable/30063207>
- Wibowo, S. B., Lavigne, F., & Metaxian, J. P. (2015). *Coupling between Video and Seismic Data Analysis for the Study of Lahar Dynamics at Merapi Volcano, Indonesia Mid Infrared Spectroscopy (MIRS) as Palaeoenvironmental and Geoarchaeological tool View project PCR Aigues-Mortes View project*. <https://www.youtube.com/watch?v=wIVssRoAPbw>
- Wibowo, S. B., Togatorop, P. M., Hanindhiya, T., Widartono, B. S., & Rosyadi, R. I. (2023). Spatial Model of Runoff Flowing into the Newly Formed Lake at Sinabung Volcano. *Geographia Technica*, 68–78. https://doi.org/10.21163/GT_2023.182.05
- Wiguna, P. P. K., Permatasari, A. L., & Kurnia, E. T. (2023). Using open data to analyse potential shelter for Semeru Volcano hazard mitigation, East Java Province, Indonesia. *IOP Conference Series: Earth and Environmental Science*, 1180(1), 012015. <https://doi.org/10.1088/1755-1315/1180/1/012015>
- Wulf, H., Schaepman, M., & Joerg, P. C. (2014). *Remote Sensing of Soils Swiss Data Cube View project PMSoil: Predictive mapping of soil properties for*

the evaluation of soil functions at regional scale View project.
<https://doi.org/10.13140/2.1.1098.0649>

Yu, X., Zhan, C., Liu, Y., Bi, J., Li, G., Cui, B., Wang, L., Liu, X., & Wang, Q. (2022). Retrieval of Remotely Sensed Sediment Grain Size Evolution Characteristics along the Southwest Coast of Laizhou Bay Based on Support Vector Machine Learning. *Journal of Marine Science and Engineering*, 10(7), 968. <https://doi.org/10.3390/jmse10070968>