

## DAFTAR PUSTAKA

- Aji, M. A. P., Kamal, M., & Farda, N. M. (2023). Mangrove species mapping through phenological analysis using random forest algorithm on Google Earth Engine. *Remote Sensing Applications: Society and Environment*, 30, 100978. <https://doi.org/10.1016/j.rsase.2023.100978>
- Aldrian, E. (2008). *Meteorologi Laut Indonesia*. Badan Meteorologi dan Geofisika.
- Aldrian, E., & Susanto, R. D. (2003). Identification of three dominant rainfall regions within Indonesia and their relationship to sea surface temperature. *International Journal of Climatology*, 23(12), 1435–1452. <https://doi.org/10.1002/joc.950>
- Alongi, D. M. (2009). *The Energetics of Mangrove Forest* (Vol. 5). Springer International Publishing.
- Amani, M., Ghorbanian, A., Ahmadi, S. A., Kakooei, M., Moghimi, A., Mirmazloumi, S. M., Moghaddam, S. H. A., Mahdavi, S., Ghahremanloo, M., Parsian, S., Wu, Q., & Brisco, B. (2020). Google Earth Engine Cloud Computing Platform for Remote Sensing Big Data Applications: A Comprehensive Review. *IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing*, 13, 5326–5350. <https://doi.org/10.1109/JSTARS.2020.3021052>
- Anggraini, N., Adawiah, S. W., Purwanto, A. D., & Parwati, E. (2015). Analisis Spektral Reflektan Mangrove di Segara Anak dengan Menggunakan Data Penginderaan Jauh. *Prosiding Pertemuan Ilmiah Tahunan XX 2015 Analisis*, 598–605.
- Badan Standarisasi Nasional. (2020). *SNI 7717:2020 Spesifikasi Informasi Geospasial-Mangrove Skala 1:25.000 dan 1:50.000*.
- Baloloy, A. B., Blanco, A. C., Raymund R, R. R. C., & Nadaoka, K. (2020). Development and application of a new mangrove vegetation index (MVI) for rapid and accurate mangrove mapping. *ISPRS Journal of Photogrammetry and Remote Sensing*, 166, 95–117. <https://doi.org/10.1016/j.isprsjprs.2020.06.001>
- Bandaranayake, W. M. (1998). Traditional and medicinal uses of mangroves. *Mangroves and Salt Marshes*, 2(3), 133–148. <https://doi.org/10.1023/A:1009988607044>
- Baret, F., Guyot, G., & Major, D. J. (1989). TSAVI: A vegetation index which minimizes soil brightness effects on LAI and APAR estimation. *Digest - International Geoscience and Remote Sensing Symposium (IGARSS)*, 3, 1355–1358. <https://doi.org/10.1109/igarss.1989.576128>
- Berlanga-Robles, C. A., & Ruiz-Luna, A. (2020). Assessing seasonal and long-term mangrove canopy variations in Sinaloa, northwest Mexico, based on time series of enhanced vegetation index (EVI) data. *Wetlands Ecology and Management*, 28(2),

229–249. <https://doi.org/10.1007/s11273-020-09709-0>

- Campbell, G. S., & Norman, J. M. (1989). The Description and Measurement of Plant Canopy Structure. In *Plant Canopies: Their Growth, Form and Function* (pp. 1–19). Cambridge University Press. <https://www.ptonline.com/articles/how-to-get-better-mfi-results>
- Campbell, J. B., Wynne, R. H., & Thomas, V. A. (2022). *Introduction To Remote Sensing* (Sixth Ed). Guilford Press.
- Cavanaugh, K. C., Kellner, J. R., Forde, A. J., Gruner, D. S., Parker, J. D., Rodriguez, W., & Feller, I. C. (2014). Poleward expansion of mangroves is a threshold response to decreased frequency of extreme cold events. *Proceedings of the National Academy of Sciences of the United States of America*, 111(2), 723–727. <https://doi.org/10.1073/pnas.1315800111>
- Costanza, R., D'Arge, R., de Groot, R., Farber, S., Grasso, M., Hannon, B., Limburg, K., Naeem, S., O'Neill, R. V., Paruelo, J., Raskin, R. G., Sutton, P., & van den Belt, M. (1997). The value of the world's ecosystem services and natural capital. *NATURE*, 387, 253–287. [https://doi.org/10.1016/s0921-8009\(98\)00020-2](https://doi.org/10.1016/s0921-8009(98)00020-2)
- Danoedoro, P. (2012). *Pengantar Penginderaan Jauh Digital*. Penerbit ANDI.
- Dharmawan, I. W. E. (2020). *HEMISPHERICAL PHOTOGRAPHY: Analisis Persentase Tutupan Kanopi Komunitas Mangrove*. Nas Media Pustaka. <https://www.researchgate.net/publication/350671870>
- Dharmawan, I. W. E., Suyarso, Ulumuddin, Y. I., Prayudha, B., & Pramudji. (2020). *Panduan Monitoring Struktur Komunitas Mangrove di Indonesia*. Media Sains Nasional.
- Drusch, M., Del Bello, U., Carlier, S., Colin, O., Fernandez, V., Gascon, F., Hoersch, B., Isola, C., Laberinti, P., Martimort, P., Meygret, A., Spoto, F., Sy, O., Marchese, F., & Bargellini, P. (2012). Sentinel-2: ESA's Optical High-Resolution Mission for GMES Operational Services. *Remote Sensing of Environment*, 120, 25–36. <https://doi.org/10.1016/j.rse.2011.11.026>
- Duke, N. C. (1992). Mangrove floristics and biogeography. In *Tropical Mangrove Ecosystems* (Vol. 41, pp. 63–100). <https://doi.org/10.1029/ce041p0063>
- Fournier, R. A., Hall, J. R., Gadow, K. von, Pukkala, T., & Tome, M. (2017). *Hemispherical Photography in Forest Science: Theory, Methods, Applications*. Springer International Publishing. [https://doi.org/10.1007/978-94-024-1098-3\\_4](https://doi.org/10.1007/978-94-024-1098-3_4)
- Gao, X., Huete, A. R., Ni, W., & Miura, T. (2000). Optical-biophysical relationships of vegetation spectra without background contamination. *Remote Sensing of Environment*, 74(3), 609–620. [https://doi.org/10.1016/S0034-4257\(00\)00150-4](https://doi.org/10.1016/S0034-4257(00)00150-4)

- Giri, C., Ochieng, E., Tieszen, L. L., Zhu, Z., Singh, A., Loveland, T., Masek, J., & Duke, N. (2011). Status and distribution of mangrove forests of the world using earth observation satellite data. *Global Ecology and Biogeography*, 20(1), 154–159. <https://doi.org/10.1111/j.1466-8238.2010.00584.x>
- Giri, C., Pengra, B., Zhu, Z., Singh, A., & Tieszen, L. L. (2007). Monitoring mangrove forest dynamics of the Sundarbans in Bangladesh and India using multi-temporal satellite data from 1973 to 2000. *Estuarine, Coastal and Shelf Science*, 73(1–2), 91–100. <https://doi.org/10.1016/j.ecss.2006.12.019>
- Gorelick, N., Hancher, M., Dixon, M., Ilyushchenko, S., Thau, D., & Moore, R. (2017). Google Earth Engine: Planetary-scale geospatial analysis for everyone. *Remote Sensing of Environment*, 202, 18–27. <https://doi.org/10.1016/j.rse.2017.06.031>
- Green, E. P., Clark, C. D., Mumby, P. J., Edwards, A. J., & Ellis, A. C. (1998). Remote sensing techniques for mangrove mapping. *International Journal of Remote Sensing*, 19(5), 935–956. <https://doi.org/10.1080/014311698215801>
- Guo, M., Li, J., He, H., Xu, J., & Jin, Y. (2018). Detecting Global Vegetation Changes Using Mann-Kendal (MK) Trend Test for 1982–2015 Time Period. *Chinese Geographical Science*, 28(6), 907–919. <https://doi.org/10.1007/s11769-018-1002-2>
- Hamilton, S. E., & Casey, D. (2016). Creation of a high spatio-temporal resolution global database of continuous mangrove forest cover for the 21st century (CGMFC-21). *Global Ecology and Biogeography*, 25, 729–738. <https://doi.org/10.1111/geb.12449>
- Hermawan, E. (2010). Pengelompokan Pola Curah Hujan Yang Terjadi Di Beberapa Kawasan P. Sumatera Berbasis Hasil Analisis Teknik Spektral. *Jurnal Meteorologi Dan Geofisika*, 11(2). <https://doi.org/10.31172/jmg.v11i2.67>
- Hogarth, P. J. (2015). *The Biology of Mangroves and Seagrasses* (Third Edit). Oxford University Press.
- Huete, A. R., Didan, K., Miura, T., Rodriguez, E. P., Gao, X., & Ferreira, L. G. (2002). Overview of the radiometric and biophysical performance of the MODIS vegetation indices. *Remote Sensing of Environment*, 83, 195–213. [https://doi.org/10.1016/S0034-4257\(02\)00096-2](https://doi.org/10.1016/S0034-4257(02)00096-2)
- Huete, A. R., Hua, G., Qi, J., Chehbouni, A., & van Leeuwen, W. J. D. (1992). Normalization of multidirectional red and NIR reflectances with the SAVI. *Remote Sensing of Environment*, 41, 143–154. [https://doi.org/10.1016/0034-4257\(92\)90074-T](https://doi.org/10.1016/0034-4257(92)90074-T)
- Irawan, A., Isnaini, & Agussalim, A. (2019). Analisis Perubahan Luasan Dan Kerapatan Mangrove Menggunakan Data Citra Satelit Spot Di Pesisir Teluk Pandan Kabupaten Pesawaran Provinsi Lampung. *Jurnal Penelitian Sains*, 21(1), 51–60.

- Jennings, S. B., Brown, N. D., & Sheil, D. (1999). Assessing forest canopies and understorey illumination: Canopy closure, canopy cover and other measures. *Forestry*, 72(1), 59–73. <https://doi.org/10.1093/forestry/72.1.59>
- Jensen, J. R. (2014). Remote sensing of the environment: an earth resource perspective second edition. In *Pearson Education Limited, Harlow, England* (Second Edi, Vol. 1). Pearson Education Limited.
- Juniansah, A., Tama, G. C., Febriani, K. R., Baharain, M. N., Kanekaputra, T., Wulandari, Y. S., & Kamal, M. (2018). Mangrove Leaf Area Index Estimation Using Sentinel 2A Imagery in Teluk Ratai, Pesawaran Lampung. *IOP Conference Series: Earth and Environmental Science*, 165(1). <https://doi.org/10.1088/1755-1315/165/1/012004>
- Kamal, M., Hartono, H., Wicaksono, P., Adi, N. S., & Arjasakusuma, S. (2016). Assessment of Mangrove Forest Degradation Through Canopy Fractional Cover in Karimunjawa Island, Central Java, Indonesia. *Geoplanning: Journal of Geomatics and Planning*, 3(2), 107. <https://doi.org/10.14710/geoplanning.3.2.107-116>
- Kathiresan, K., & Bingham, B. L. (2001). Biology of mangroves and mangrove ecosystems. *Advances in Marine Biology*, 40, 81–251. [https://doi.org/10.1016/S0065-2881\(01\)40003-4](https://doi.org/10.1016/S0065-2881(01)40003-4)
- Khairuddin, B., Yulianda, F., Kusmana, C., & Yonvitner. (2016). Degradation Mangrove by Using Landsat 5 TM and Landsat 8 OLI Image in Mempawah Regency, West Kalimantan Province year 1989 - 2014. *Procedia Environmental Sciences*, 33, 460–464. <https://doi.org/10.1016/j.proenv.2016.03.097>
- Krumme, U., Herbeck, L. S., & Wang, T. (2012). Tide- and rainfall-induced variations of physical and chemical parameters in a mangrove-depleted estuary of East Hainan (South China Sea). *Marine Environmental Research*, 82, 28–39. <https://doi.org/10.1016/j.marenvres.2012.09.002>
- Kuenzer, C., Bluemel, A., Gebhardt, S., Quoc, T. V., & Dech, S. (2011). Remote sensing of mangrove ecosystems: A review. In *Remote Sensing* (Vol. 3, Issue 5, pp. 878–928). <https://doi.org/10.3390/rs3050878>
- Kumar, L., & Mutanga, O. (2018). Google Earth Engine Applications Since Inception : *Remote Sensing*, 10, 1509. <https://doi.org/10.3390/rs10101509>
- Kusmana, C. (2014). Distribution and Current Status of Mangrove Forests in Indonesia. In *Mangrove Ecosystems of Asia: Status, Challenges and Management Strategies* (pp. 37–60). Springer New York. <https://doi.org/10.1007/978-1-4614-8582-7>
- Lewis, R. R. (2005). Ecological engineering for successful management and restoration of mangrove forests. *Ecological Engineering*, 24(4 SPEC. ISS.), 403–418. <https://doi.org/10.1016/j.ecoleng.2004.10.003>

- Maurya, K., Mahajan, S., & Chaube, N. (2021). Remote sensing techniques: mapping and monitoring of mangrove ecosystem—a review. In *Complex and Intelligent Systems* (Vol. 7, Issue 6, pp. 2797–2818). Springer International Publishing. <https://doi.org/10.1007/s40747-021-00457-z>
- McCoy, R. M. (2005). *Field Methods in Remote Sensing*. The Guilford Press. [http://doi.wiley.com/10.1111/j.1541-0064.2006.00161\\_2.x](http://doi.wiley.com/10.1111/j.1541-0064.2006.00161_2.x)
- Metras, J. N. (2011). *Mangroves Ecology, Biology, and Taxonomy* (Issue March). Nova Science Publishers, Inc.
- Mitchell, A. L., Rosenqvist, A., & Mora, B. (2017). Current remote sensing approaches to monitoring forest degradation in support of countries measurement, reporting and verification (MRV) systems for REDD+. *Carbon Balance and Management*, 12(9). <https://doi.org/10.1186/s13021-017-0078-9>
- Moffett, M. W. (2001). The Nature and Limits of Canopy Biology. *Selbyana*, 22(2), 155–179.
- Mukhtar, E., Raynaldo, A., & Novarino, W. (2021). Carbon stock mapping using mangrove discrimination indices in mandeh bay, west sumatra. *AACL Bioflux*, 14(1), 430–440.
- Mullissa, A., Vollrath, A., Odongo-Braun, C., Slagter, B., Balling, J., Gou, Y., Gorelick, N., & Reiche, J. (2021). Sentinel-1 sar backscatter analysis ready data preparation in google earth engine. *Remote Sensing*, 13(10), 5–11. <https://doi.org/10.3390/rs13101954>
- Neeti, N., & Eastman, J. R. (2011). A Contextual Mann-Kendall Approach for the Assessment of Trend Significance in Image Time Series. *Transactions in GIS*, 15(5), 599–611. <https://doi.org/10.1111/j.1467-9671.2011.01280.x>
- Noor, Y. R., Khazali, M., & Suryadiputra, I. N. N. (2012). *Panduan Pengenalan Mangrove di Indonesia* (3rd Editio). PHKA-WI-IP.
- Pillai, N. G., & Harilal, C. C. (2018). Mangroves – a Review Review Article Mangroves – a Review. *International Journal of Recent Advances in Multidisciplinary Research*, 5(8), 4035–4038.
- Purnamasayangasukasih, R., Norizah, K., Ismail, A. A. M., & Shamsudin, I. (2016). A review of uses of satellite imagery in monitoring mangrove forests. *IOP Conference Series: Earth and Environmental Science*, 37. <https://doi.org/10.1088/1755-1315/37/1/012034>
- Rahadian, A., Prasetyo, L. B., Setiawan, Y., & Wikantika, K. (2019). Tinjauan historis data dan informasi luas mangrove Indonesia. *Media Konservasi*, 24(2), 163–178. <https://doi.org/10.29243/medkon.24.2.163-178>



- Rahmandhana, A. D., Kamal, M., & Wicaksono, P. (2022). Spectral Reflectance-Based Mangrove Species Mapping from WorldView-2 Imagery of Karimunjawa and Kemujan Island, Central Java Province, Indonesia. *Remote Sensing*, 14, 183–200. <https://doi.org/10.3390/rs14010183>
- Ramsey, E. W., & Jensen, J. R. (1996). Remote sensing of mangrove wetlands: Relating canopy spectra to site-specific data. *Photogrammetric Engineering and Remote Sensing*, 62(8), 939–948.
- Romañach, S. S., DeAngelis, D. L., Koh, H. L., Li, Y., Teh, S. Y., Raja Barizan, R. S., & Zhai, L. (2018). Conservation and restoration of mangroves: Global status, perspectives, and prognosis. *Ocean and Coastal Management*, 154, 72–82. <https://doi.org/10.1016/j.ocecoaman.2018.01.009>
- Rouse, J. W., Hass, R. H., Schell, J. A., & Deering, D. W. (1973). Monitoring vegetation systems in the Great Plains with ERTS. *Nasa ERTS Symposium*, 309–313.
- Ruslisan, R., Kamal, M., & Sidik, F. (2018). Monitoring the Restored Mangrove Condition at Perancak Estuary, Jembrana, Bali, Indonesia from 2001 to 2015. *IOP Conference Series: Earth and Environmental Science*, 123. <https://doi.org/10.1088/1755-1315/123/1/012022>
- Schober, P., & Schwarte, L. A. (2018). Correlation coefficients: Appropriate use and interpretation. *Anesthesia and Analgesia*, 126(5), 1763–1768. <https://doi.org/10.1213/ANE.0000000000002864>
- Siegers, W. H. (2015). Analisis Produktivitas Serasah Mangrove di Perairan Desa Hanura Kecamatan Padang Cermin Kabupaten Pasawaran Lampung. *The Journal of Fisheries Development*, 2(3), 45–60.
- Spalding, M., Kainuma, M., & Collins, L. (2010). *World atlas of mangroves*. Taylor & Francis.
- Sun, L., Xia, X., Wang, P., Zhang, R., Che, H., Deng, Z., Fei, Y., Ran, L., & Meng, X. (2015). Surface and column-integrated aerosol properties of heavy haze events in January 2013 over the North China plain. *Aerosol and Air Quality Research*, 15(4), 1514–1524. <https://doi.org/10.4209/aaqr.2014.10.0252>
- Susantoro, T. M., Wikantika, K., Yayusman, L. F., Tan, A., & Ghazali, M. F. (2019). Monitoring of Mangrove Growth and Coastal Changes on the North Coast of Brebes, Central Java, Using Landsat Data. *International Journal of Remote Sensing and Earth Sciences (IJReSES)*, 16(2), 197–214. <https://doi.org/10.30536/j.ijreses.2019.v16.a3221>
- Umarhadi, D. A., & Muammar, A. (2018). Regression model accuracy comparison on mangrove canopy density mapping. *The 3rd International Conference on Science and Technolog*, 1, 1–11. <https://doi.org/10.29037/digitalpress.11249>

- van der Meer, F. D., van der Werff, H. M. A., & van Ruitenbeek, F. J. A. (2014). Potential of ESA's Sentinel-2 for geological applications. *Remote Sensing of Environment*, 148, 124–133. <https://doi.org/10.1016/j.rse.2014.03.022>
- Wang, C., Li, J., Liu, Q., Zhong, B., Wu, S., & Xia, C. (2017). Analysis of differences in phenology extracted from the enhanced vegetation index and the leaf area index. *Sensors*, 17(9). <https://doi.org/10.3390/s17091982>
- Winarso, G., Purwanto, A. D., & Yuwono, D. M. (2014). New Mangrove Index As Degradation/Health indicator using Remote Sensing Data: Segara Anakan and Alas Purwo Case Study. *12th Biennial Conference of Pan Ocean Remote Sensing Conference*, 309–316. <https://www.researchgate.net/publication/277137915>
- Xue, J., & Su, B. (2017). Significant remote sensing vegetation indices: A review of developments and applications. *Journal of Sensors*. <https://doi.org/10.1155/2017/1353691>
- Yengoh, G. T., Dent, D., Olsson, L., Tengberg, A. E., & Tucker III, J. (2015). Use of the Normalized Index (NDVI) to Assess Difference Vegetation Current Status, Future Multiple Scales. In *SpringerBriefs* (p. 110).
- Zhang, K., Simard, M., Ross, M., Rivera-Monroy, V. H., Houle, P., Ruiz, P., Twilley, R. R., & Whelan, K. R. T. (2008). Airborne laser scanning quantification of disturbances from hurricanes and lightning strikes to mangrove forests in everglades national park, USA. *Sensors*, 8(4), 2262–2292. <https://doi.org/10.3390/s8042262>
- Zhang, K., Thapa, B., Ross, M., & Gann, D. (2016). Remote sensing of seasonal changes and disturbances in mangrove forest: A case study from South Florida. *Ecosphere*, 7(6). <https://doi.org/10.1002/ecs2.1366>
- Zhang, R., Jia, M., Wang, Z., Zhou, Y., Mao, D., Ren, C., Zhao, C., & Liu, X. (2022). Tracking annual dynamics of mangrove forests in mangrove National Nature Reserves of China based on time series Sentinel-2 imagery during 2016–2020. *International Journal of Applied Earth Observation and Geoinformation*, 112. <https://doi.org/10.1016/j.jag.2022.102918>