



DAFTAR PUSTAKA

- Abate, B.B., Kassie, A.M., Kassaw, M.W., Aragie, T.G., & Masresha, S.A., 2020. Sex difference in coronavirus disease (COVID-19): a systematic review and meta-analysis. *BMJ Open*. 6;10(10): e040129.
- Agrawal, N., Chougale, S.D., Jedge, P., Iyer, S., & Dsouza, J., 2021. Brixia Chest X-ray Scoring System in Critically Ill Patients with COVID-19 Pneumonia for Determining Outcomes. *Journal of Clinical and Diagnostic Research*. 15(8): OC15-OC17.
- Azwar, S., 2012. Metode penelitian. Yogyakarta: Pustaka Pelajar.
- Bastug, A., Bodur, H., Erdogan, S., Gokcinar, D., Kazancioglu, S., Kosovali, B.D., et al. 2020. Clinical and laboratory features of COVID-19: Predictors of severe prognosis. *International Immunopharmacology*. 88, p.106950.
- Borghesi, A., Zigliani, A., Golemi, S., Carapella, N., Maculotti, P., Farina, D. and Maroldi, R., 2020. Chest X-ray severity index as a predictor of in-hospital mortality in coronavirus disease 2019: A study of 302 patients from Italy. *International Journal of Infectious Diseases*. 96, pp.291-293.
- Borghesi, A., Zigliani, A., Masciullo, R., Golemi, S., Maculotti, P., Farina, D. and Maroldi, R. 2020. Radiographic severity index in COVID-19 pneumonia: relationship to age and sex in 783 Italian patients. *La Radiologia Medica*, 125 (5), pp.461-464.
- Borghesi, A., Golemi, S., Scrimieri, A., Nicosia, CMC., Zigliani, A., Farina, D., et al. 2022. Chest X-ray versus chest computed tomography for outcome prediction in hospitalized patients with COVID-19. *Radiol Med*. 127(3): 305-308.
- Cascella, M., Rajnik, M., Aleem, A., Dulebohn, S.C., & Napoli, R.D., 2021. *Features, Evaluation, and Treatment of Coronavirus (COVID-19)* NCBI Bookshelf. Available at: <https://www.ncbi.nlm.nih.gov/books/NBK554776/> (diakses 17 April 2023).
- Chaudhry, R., Bordoni B. 2020, *Anatomy, Toraks, Lungs*, in StatPearls, diakses pada 21 April 2023.
- Chen, H., Li, M., Liu, L., Dang, X., Zhu, D. and Tian, G., 2019. Monocyte/lymphocyte ratio is related to the severity of coronary artery disease and clinical outcome in patients with non-ST-elevation myocardial infarction. *Medicine*. 98:26 (e16267)



Citu, C., Gorun, F., Motoc, A., Sas, I., Gorun, O.M., Burlea, B., *et al.* 2022. The predictive role of NLR, D-NLR, MLR, and Siri in covid-19 mortality. *Diagnostics*. 12(1), p.122.

Dahlan, M.S., 2016. *Besar sampel dalam penelitian kedokteran dan kesehatan*. Jakarta: Epidemiologi Indonesia.

Dávila-Collado, R., Jarquín-Durán, O., Solís-Vallejo, A., Nguyen, M.A., and Espinoza, J.L., 2021. Elevated monocyte to lymphocyte ratio and increased mortality among patients with chronic kidney disease hospitalized for covid-19. *Journal of Personalized Medicine*. 11(3), p.224.

Doerre, A., & Doblhammer, G., (2022) The influence of gender on COVID-19 infections and mortality in Germany: Insights from age- and gender-specific modeling of contact rates, infections, and deaths in the early phase of the pandemic. *PLoS ONE* 17 (5): e0268119.

Duc, V.T., Thuy, T.T., Nam, N.H., Tram, H.T., Thao, T.T., Doan, L.T., *et al.* 2022. Correlation of Chest X-Ray Scores in SARS-CoV-2 Patients With the Clinical Severity Classification and the Quick COVID-19 Severity Index. *Cureus*. 9;14(5):e24864.

Esakandari, H., Afjadi, M., Afjadi, J., Farahmandian, N., Miresmaeli, S., & Bahreini, E., 2020. A comprehensive review of COVID-19 characteristics. *Biological Procedures Online*. 22:19.

Galasso, V., Pons, V., Profeta, P., Becher, M., Brouard, S., & Foucault, M., 2020. Gender differences in COVID-19 attitudes and behavior: Panel evidence from eight countries. *PNAS Latest Article* pg: 1-7.

Grant, MC., Geoghegan, L., Arbyn, M., Mohammed, Z., McGuinness, L., Clarke, E.L., *et al.*, 2020. The prevalence of symptoms in 24,410 adults infected by the novel coronavirus (SARSCoV-2; COVID-19): A systematic review and meta-analysis of 148 studies from 9 countries. *PLOS ONE*. 15 (6).

Hassan, K.M., Hassan, T.B., Sarwar, S., Siddique, H.J., & Zaidi, S.T., 2021. Application of Brexia – An Italian experimental chest X-Ray scoring system: Evaluation and progress monitoring of COVID-19 pneumonia. *Isra Med J*. 13(3): 177-181.

Hoang, S.V., Nguyen, K.M., Huynh, T.M., Huynh, KLA., Nguyen, P.H., Tran, HPN., 2020. Chest X-ray Severity Score as a Putative Predictor of Clinical Outcome in Hospitalized Patients: An Experience From a Vietnamese COVID-19 Field Hospital. *Cureus*. 19;14(3): e23323.



- Huang, C., Wang, Y., Li, X., Ren, L., Zhao, J., Hu, Y., *et al.*, 2020. Clinical features of patients infected with 2019 novel coronavirus in Wuhan, China. *Lancet.* 395: 497-506.
- Ibrahim, A.I., Mohamed, H.A., & Mohamed, A., 2021. CT characteristics and laboratory findings of COVID-19 pneumonia in relation to patient outcome. *Egyptian Journal of Radiology and Nuclear Medicine.* 52:28.
- Jin, J.M., Bai, P., He, W., Wu, F., Liu, X., Han, D., Liu, S., *et al.*, 2020. Gender Differences in Patients With COVID-19: Focus on Severity and Mortality. *Front. Public Health.* 8: 152.
- Kementerian Kesehatan Republik Indonesia (Kemenkes RI), 2020. *Pedoman Pencegahan dan Pengendalian Coronavirus Disease (COVID-19)*. Jakarta. pp 95-105.
- Kementerian Kesehatan Republik Indonesia, 2023. Available at <https://www.covid19.go/> (diakses tanggal 31 April 2023).
- Lai, C., & Lam, W., 2021. Laboratory testing for the diagnosis of COVID-19. *Biochemical and Biophysical Research Communications*, 538, pp.226-230.
- Lakbar, I., Luque-Paz, D., Mege, J., Einav, S., & Leone, M., (2020) COVID-19 gender susceptibility and outcomes: A systematic review. *PLOS ONE.* 1-15.
- Liu, Y., Mao, B., Liang, S., Yang, J., Lu, H., Chai, Y., Wang, L., dkk. (2020) Association between age and clinical characteristics and outcomes of COVID-19. *Eur Respir J.* 55: 2001112.
- Mohamed, A. I., Hasan, H.A., & Tawab, M.A., 2021. CT characteristics and laboratory findings of COVID-19 pneumonia in relation to patient outcome. *Egyptian Journal of Radiology and Nuclear Medicine.* 52: 28.
- Mukherjee, S., & Pahan, K., (2021) Is COVID-19 Gender-sensitive?. *Journal of Neuroimmune Pharmacology.* 16(1):38-47.
- Munoz, A.N., Gómez-Pena, S., Fuentes-Ferrer, M.E., Cabeza, B., Victoria, A. Bustos , A., 2021. COVID-19 pneumonia: Relationship between initial chest X-rays and laboratory findings. *Radiología.* 63 :484-494.
- Nguyen, T.T., Ho, C.T., Bui, H.T., Ho, L.K., & Ta, V.T., 2023. Multidimensional Machine Learning for Assessing Parameters Associated With COVID-19 in Vietnam: Validation Study. *JMIR Form Res.* 16;7:e42895.



- Prabhu, S and Patil, N., 2021. Study correlating lymphocyte to monocyte ratio and platelet to lymphocyte ratio with the severity in COVID-19 patients: a cross sectional study. *International Journal of Advances in Medicine*. 8 (2), p.201.
- Qu, R., Ling, Y., Zhang, Y., Wei, L., Chen, X., Li, X., et al. 2020. Platelet-to-lymphocyte ratio is associated with prognosis in patients with coronavirus disease-19. *Journal of Medical Virology*. 92(9), pp.1533–1541.
- Rahman, A., Munir, S.M., Yovi, I., & Makmur, A., 2021. The Relationship of Chest X-Ray in COVID-19 Patients and Disease Severity in Arifin Achmad General Hospital Riau. *JURNAL RESPIRASI*. 07 (03); 114-121.
- Ramani, S.L., Samet, J., Franz, C.K., Hsieh, C., Nguyen, C.V., Horbinski, C., & Deshmukh, S., 2021. Musculoskeletal involvement of COVID-19: review of imaging. *Skeletal Radiology*. 50(9):1763-1773.
- Richardson, S., Hirsch, JS., Narasimhan, M., Crawford, J.M., McGinn, T., Davidson, K.W., Barnaby, D.P., et al., 2020. Presenting Characteristics, Comorbidities, and Outcomes Among 5700 Patients Hospitalized With COVID-19 in the New York City Area. *JAMA*. E1-E8.
- Rousan, L.A., Elobeid, E., Karrar, M., & Khadey, Y., 2020. Chest x-ray findings and temporal lung changes in patients with COVID-19 pneumonia. *BMC Pulm Med* 20: 245.
- Sanyaolu, A., Okorie, C., Marinkovic, A., Patidar, R., Younis, K., Desai, P., Hosein, Z., et al., 2020. Comorbidity and its Impact on Patients with COVID-19. *SN Comprehensive Clinical Medicine*. 2(8):1069-1076.
- Setia, M.S., 2016. Methodology Series Module 3: Cross-sectional Studies. *Indian J Dermatol*. 61(3): 261-264.
- Setiapriagung, D., Tresnasari, C., & Yulianto, F.A., 2022. Brixia Score for Predicting Mortality and Length of Stay in COVID-19 Confirmed Patients at the Hospital in Bandung. *GMHC* ;10(1):49–55.
- Setiawati, R., Widyoningroem, A., Handarini, T., Hayati, F., Basja, A.T., Putri, A.R., Jaya, M.G., et al., 2021. Modified Chest X-Ray Scoring System in Evaluating Severity of COVID-19 Patient in Dr. Soetomo General Hospital Surabaya, Indonesia. *International Journal of General Medicine*. 9;14:2407-2412.
- Shereen, M.A., Khan, S., Kazmi, A., Bashir, N., & Siddique, R., 2020. COVID-19 infection: Emergence, transmission, and characteristics of human coronaviruses. *Journal of Advanced Research*. 24: 91–98.



- Starke, K.R., Reiisig, D., Petereit-Haack, G., Schmauder, S., Nienhaus, A., & Seidler, A., 2021. The isolated effect of age on the risk of COVID-19 severe outcome: a systematic review with meta-analysis. *BMJ Global Health* 6: e006434.
- Sun, S., Cai, X., Wang, H., He, G., Lin, Y., Lu, B., et al. 2020. Abnormalities of peripheral blood system in patients with COVID-19 in Wenzhou, China. *Clinica Chimica Acta*. 507, pp.174-180.
- Taylor, E., Haven, K., Reed, P., Bissielo, A., Harvey, D., McArthur, C., et al. 2015. A chest radiograph scoring system in patients with severe acute respiratory infection: a validation study. *BMC Medical Imaging*, 15:61, pp 1-10.
- Toussie, D., Voutsinas, N., Finkelstein, M., Cedillo, M.A., Manna, S., Maron, S.Z., et al. 2020. Clinical and Chest Radiography Features Determine Patient Outcomes in Young and Middle-aged Adults with COVID-19. *Radiology*. 297(1):E197-E206.
- Utku, AC., Budak,G., Karabay, O., Guclu, E., Okan, HD., & Vatan, A., 2020. Main symptoms in patients presenting in the COVID-19 period. *Scottish Medical Journal*. 65 (4): 127–132.
- Voinsky, I., Baristaite, G., & Gurwitz, D., (2020) Effects of age and sex on recovery from COVID-19: Analysis of 5769 Israeli patients (Letter to Editor). *Journal of Infection*. 81: e102–e103.
- Wang, X., Che, Q., Ji, X., Meng, X., Zhang, L., Jia, R., et al. 2021. Correlation between lung infection severity and clinical laboratory indicators in patients with COVID-19: a cross-sectional study based on machine learning. *BMC Infect Dis*. 21: 192.
- Wasilewski, P., Mruk, B., Mazur, S., Półtorak-Szymczak, G., Sklinda, K. and Walecki, J., 2020. COVID-19 severity scoring systems in radiological imaging – a review. *Polish Journal of Radiology*, 85(1), pp.361-368.
- Wong, H., Lam, H., Fong, A., Leung, S., Chin, T., Lo, C., et al. 2020. Frequency and Distribution of Chest Radiographic Findings in Patients Positive for COVID-19. *Radiology*, 296 (2), pp.E72-E78.
- World Health Organization, 2020. *Novel coronavirus (2019-nCoV) situation report 22*. Available at <https://apps.who.int/iris/handle/10665/330991> (diakses 31 April 2023).



World Health Organization, 2020. *Coronavirus disease (COVID-19) pandemic*. Available at <https://www.who.int/emergencies/diseases/novel-coronavirus-2019> (diakses 31 April 2023).

World Health Organization, 2023. *Coronavirus Disease (COVID-19) Dashboard*. Available at <https://covid19.who.int/> (diakses 31 April 2023).

Wu, Y.C., Chen, C.S., & Chan, Y.J., 2020. The outbreak of COVID-19: An overview. *J Chin Med Assoc.* 83(3):217-220.

Xu, P.P., Tian, R.H., Luo, S., Zu1, Z.Y., Fan, B., Wang, X.M., Xu, K., dkk., 2020. Risk factors for adverse clinical outcomes with COVID-19 in China: a multicenter, retrospective, observational study. *Theranostics*. 10 (14): 6372-6383.

Yang, J., Zheng, Y., Gou, X., Pu, K., Chen, Z., Guo, Q., Ji, R., et al., 2020. Prevalence of comorbidities and its effects in patients infected with SARS-CoV-2: a systematic review and meta-analysis. *International Journal of Infectious Diseases*. 94: 91–95.

Yüce, M., Filiztekin, E. and Özkaya, K. 2021. COVID-19 diagnosis —A review of current methods. *Biosensors and Bioelectronics*, 172.112752.pp.1-15.