



REFERENCES

- A. Novitasari, D. and Puruhita, N. (2012) 'FAKTOR – FAKTOR RISIKO KEJADIAN GIZI BURUK PADA BALITA YANG DIRAWAT DI RSUP Dr. KARIADI SEMARANG', *Jurnal Kedokteran Diponegoro*, 1(1), p. 116266.
- Aarons, G. A. (2004) 'Mental Health Provider Attitudes Toward Adoption of Evidence-Based Practice: The Evidence-Based Practice Attitude Scale (EBPAS)', *Mental Health Services Research*, 6(2), pp. 61–74. Available at: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3624763/pdf/nihms412728.pdf>.
- Aarons, G. A., Hurlburt, M. and Horwitz, S. M. C. (2011) 'Advancing a conceptual model of evidence-based practice implementation in public service sectors', *Administration and Policy in Mental Health and Mental Health Services Research*, 38(1), pp. 4–23. doi: 10.1007/s10488-010-0327-7.
- Aarons, G. A. and Sommerfeld, D. H. (2012) 'Leadership, Innovation Climate, and Attitudes toward Evidence- Based Practice during a Statewide Implementation', *Journal of the American Academy of Child and Adolescent Psychiatry*, 51(4), pp. 1–7. doi: 10.1016/j.jaac.2012.01.018.Leadership.
- Adejumo, O. et al. (2020) 'Challenges of tuberculosis control in Lagos state, Nigeria: A qualitative study of health-care providers' perspectives', *Nigerian Medical Journal*, 61(1), p. 37. doi: 10.4103/nmj.nmj_108_19.
- Al-Dabbagh, S. A., Sulaiman, H. M. and Abdulkarim, N. A. (2022) 'Workload assessment of medical doctors at primary health care centers in the Duhok governorate', *Human Resources for Health*. BioMed Central, 19(1), pp. 1–8. doi: 10.1186/s12960-021-00664-2.
- Alene, K. A. et al. (2018) 'Mental health disorders, social stressors, and health-related quality of life in patients with multidrug-resistant tuberculosis: A systematic review and meta-analysis', *Journal of Infection*. Elsevier Ltd, 77(5), pp. 357–367. doi: 10.1016/j.jinf.2018.07.007.
- An, Y. et al. (2022) 'Barriers to childhood tuberculosis case detection and management in Cambodia: the perspectives of healthcare providers and caregivers', *Research Square*. BioMed Central, 2(1), pp. 1–19. doi: 10.1186/s12879-023-08044-y.
- Arcencio, R. A. et al. (2014) 'Preliminary validation of an instrument to assess social support and tuberculosis stigma in patients' families', *Public Health Action*, 4(3), pp. 195–200. doi: 10.5588/pha.13.0095.
- Arfan, I., Rizky, A. and Alkadri, S. R. (2020) 'Optimalisasi Kemampuan Kader TB dalam Pengendalian Tuberkulosis', *Dharma Raflesia : Jurnal Ilmiah Pengembangan dan Penerapan IPTEKS*, 18(2), pp. 209–217. doi: 10.33369/dr.v18i2.13927.
- Awofeso, N., Schelokova, I. and Dalhatu, A. (2008) 'Training of front-line health workers for tuberculosis control: Lessons from Nigeria and Kyrgyzstan', *Human Resources for Health*, 6, pp. 1–9. doi: 10.1186/1478-4491-6-20.
- Beal, T. et al. (2018) 'A review of child stunting determinants in Indonesia', *Maternal and Child Nutrition*, 14(4), pp. 1–10. doi: 10.1111/mcn.12617.
- Black, R. E. et al. (2008) 'Maternal and child undernutrition: global and regional exposures and health consequences', *The Lancet*, 371(9608), pp. 243–260. doi: 10.1016/S0140-6736(07)61690-0.
- Black, R. E. et al. (2013) 'Maternal and child undernutrition and overweight in low-income and middle-income countries', *The Lancet*, 382(9890), pp. 427–451. doi: 10.1016/S0140-6736(13)60937-X.



- Blankenship, K. M. *et al.* (2006) ‘Structural interventions: Concepts, challenges and opportunities for research’, *Journal of Urban Health*, 83(1), pp. 59–72. doi: 10.1007/s11524-005-9007-4.
- Bliss, J. R. *et al.* (2016) ‘Stigma as a barrier to treatment for child acute malnutrition in Marsabit County, Kenya’, *Maternal and Child Nutrition*, 12(1), pp. 125–138. doi: 10.1111/mcn.12198.
- Borreli, B. *et al.* (2005) ‘A new tool to assess treatment fidelity and evaluation of treatment fidelity across 10 years of health behavior research’, *Journal of Consulting and Clinical Psychology*, 73(5), pp. 852–860. doi: 10.1037/0022-006X.73.5.852.
- Bowen, D. J. *et al.* (2010) ‘How We Design Feasibility Studies’, *American Journal of Preventive Medicine*, 36(5), pp. 452–457. doi: 10.1016/j.amepre.2009.02.002.How.
- Braun, V. and Clarke, V. (2006) ‘Using thematic analysis in psychology’, *Qualitative Research in Psychology*, 3(2), pp. 77–101.
- Chaudoir, S. R., Dugan, A. G. and Barr, C. H. I. (2013) ‘Measuring factors affecting implementation of health innovations: A systematic review of structural, organizational, provider, patient, and innovation level measures’, *Implementation Science*, 8(1). doi: 10.1186/1748-5908-8-22.
- Chen, X. *et al.* (2021) ‘The relationship among social support, experienced stigma, psychological distress, and quality of life among tuberculosis patients in China’, *Scientific Reports*. Nature Publishing Group UK, 11(1), pp. 1–11. doi: 10.1038/s41598-021-03811-w.
- Chiang, S. S. *et al.* (2015) ‘Barriers to the diagnosis of childhood tuberculosis: A qualitative study’, *International Journal of Tuberculosis and Lung Disease*, 19(10), pp. 1144–1152. doi: 10.5588/ijtld.15.0178.
- van Cleeff, M. R. A. *et al.* (2005) ‘The role and performance of chest X-ray for the diagnosis of tuberculosis: A cost-effective analysis in Nairobi, Kenya’, *BMC Infectious Diseases*, 5, pp. 1–9. doi: 10.1186/1471-2334-5-111.
- Colditz, G. A. *et al.* (1994) ‘Efficacy of BCG Vaccine in the Prevention of Tuberculosis’, *Jama*, 271, pp. 698–702. Available at: <http://jama.jamanetwork.com/>.
- Collins, S. *et al.* (2006) ‘Management of severe acute malnutrition in children’, *Lancet*, 368(9551), pp. 1992–2000. doi: 10.1016/S0140-6736(06)69443-9.
- Coreil, J. *et al.* (2010) ‘Structural forces and the production of TB-related stigma among Haitians in two contexts’, *Social Science and Medicine*. Elsevier Ltd, 71(8), pp. 1409–1417. doi: 10.1016/j.socscimed.2010.07.017.
- Courtwright, A. and Turner, A. N. (2010) ‘Tuberculosis and stigmatization: Pathways and interventions’, *Public Health Reports*, 125(SUPPL. 4), pp. 34–42. doi: 10.1177/00333549101250s407.
- Craig, P. *et al.* (2008) ‘Developing and evaluating complex interventions: The new Medical Research Council guidance’, *BMJ*, 337(7676), pp. 979–983. doi: 10.1136/bmj.a1655.
- Creswell, W. J. and Creswell, J. D. (2018) *Research Design: Qualitative, Quantitative and Mixed Methods Approaches*, Sage Publications, Inc. Available at: file:///C:/Users/Harrison/Downloads/John W. Creswell & J. David Creswell - Research Design_ Qualitative, Quantitative, and Mixed Methods Approaches (2018).pdf%0Afile:///C:/Users/Harrison/AppData/Local/Mendeley Ltd./Mendeley Desktop/Downloaded/Creswell, Cr.
- Dam, T. A. *et al.* (2022) ‘What makes community health worker models for tuberculosis active case finding work? A cross-sectional study of TB REACH projects to identify success factors for increasing case notifications’, *Human Resources for Health*. BioMed Central, 20(1), pp. 1–12. doi: 10.1186/s12960-022-00708-1.



- Deconinck, H. *et al.* (2016) 'Understanding factors that influence the integration of acute malnutrition interventions into the national health system in Niger', *Health Policy and Planning*, 31(10), pp. 1364–1373. doi: 10.1093/heapol/czw073.
- Deconinck, H. (2017) *Understanding pathways of integrating severe acute malnutrition interventions into national health systems in low-income countries : applying systems thinking to study the complexity of health systems* " Référence bibliographique Understanding pathways o. Universite catholique de Louvain.
- Dewey, K. . and Adu-Afarwuah, S. (2008) 'Systematic review of the efficacy and effectiveness of complementary feeding interventions in developing countries', *Maternal and Child Nutrition*, 12(4), pp. 24–85.
- Diepeveen, S. *et al.* (2013) 'Public acceptability of government intervention to change health-related behaviours: A systematic review and narrative synthesis', *BMC Public Health*, 13(1). doi: 10.1186/1471-2458-13-756.
- Douthard, R. A. *et al.* (2021) 'U.S. Maternal Mortality within a Global Context: Historical Trends, Current State, and Future Directions', *Journal of Women's Health*, 30(2), pp. 168–177. doi: 10.1089/jwh.2020.8863.
- Dukhi, N. (2020) 'Global Prevalence of Malnutrition: Evidence from Literature', *Malnutrition*, (April). doi: 10.5772/intechopen.92006.
- Eccles, M. *et al.* (2005) 'Changing the behavior of healthcare professionals: The use of theory in promoting the uptake of research findings', *Journal of Clinical Epidemiology*, 58(2), pp. 107–112. doi: 10.1016/j.jclinepi.2004.09.002.
- Ereso, B. M. *et al.* (2020) 'Barriers for tuberculosis case finding in Southwest Ethiopia: A qualitative study', *PLoS ONE*, 15(1), pp. 1–20.
- Fereday, J. and Muir-Cochrane, E. (2006) 'Demonstrating Rigor Using Thematic Analysis: A Hybrid Approach of Inductive and Deductive Coding and Theme Development Jennifer', *International Journal of Qualitative Methods*, 5(1), pp. 388–393. doi: 10.5771/9783845258911_388.
- Fisher, P. *et al.* (2006) 'Evaluation of specific and non-specific effects in homeopathy: Feasibility study for a randomised trial', *Homeopathy*, 95(4), pp. 215–222. doi: 10.1016/j.homp.2006.07.006.
- Galway, L. P., Corbett, K. K. and Zeng, L. (2012) 'Where are the NGOs and why? The distribution of health and development NGOs in Bolivia', *Globalization and Health*, 8, pp. 1–13. doi: 10.1186/1744-8603-8-38.
- Gonot-Schoupinsky, F. N. and Garip, G. (2019) 'A flexible framework for planning and evaluating early-stage health interventions: FRAME-IT', *Evaluation and Program Planning*. Elsevier, 77(December 2018), p. 101685. doi: 10.1016/j.evalprogplan.2019.101685.
- Graham, S. M. *et al.* (2012) 'Evaluation of tuberculosis diagnostics in children: 1. Proposed clinical case definitions for classification of intrathoracic tuberculosis disease. Consensus from an expert panel', *Journal of Infectious Diseases*, 205(SUPPL. 2), pp. 199–208. doi: 10.1093/infdis/jis008.
- Graham, S. M. *et al.* (2017) 'Importance of tuberculosis control to address child survival', *Lancet*, 383(9928), pp. 1605–1607. doi: 10.1016/S0140-6736(14)60420-7.Importance.
- Haerana, B. T. *et al.* (2021) 'Prevalence of tuberculosis infection and its relationship to stunting in children (under five years) household contact with new tuberculosis cases', *Indian Journal of Tuberculosis*. Elsevier Ltd, 68(3), pp. 350–355. doi: 10.1016/j.ijtb.2020.10.011.
- Haines, A., Kuruvilla, S. and Borchert, M. (2004) 'Bridging the implementation gap between knowledge and action for health', *Bulletin of the World Health Organization*,



82(10), pp. 724–731.

Hallingberg, B. *et al.* (2018) ‘Exploratory studies to decide whether and how to proceed with full-scale evaluations of public health interventions: A systematic review of guidance’, *Pilot and Feasibility Studies. Pilot and Feasibility Studies*, 4(1), pp. 1–12. doi: 10.1186/s40814-018-0290-8.

Hommel, K. A. *et al.* (2013) ‘Telehealth behavioral treatment for medication nonadherence: A pilot and feasibility study’, *European Journal of Gastroenterology and Hepatology*, 25(4), pp. 469–473. doi: 10.1097/MEG.0b013e32835c2a1b.

Hsueh, P. R. *et al.* (2006) ‘Mycobacterium tuberculosis in Taiwan’, *Journal of Infection*, 52(2), pp. 77–85. doi: 10.1016/j.jinf.2005.08.008.

Iswarawanti, D. N. (2010) ‘Kader Posyandu : Peranan Dan Tantangan Pemberdayaannya Dalam Usaha Peningkatan Gizi Anak Di Indonesia’, *Jurnal Manajemen Pelayanan Kesehatan*, 13(04), pp. 169–173.

Iswarno, Hasanbasri, M. and Lazuardi, L. (2013) ‘Analisis untuk Penerapan Kebijakan: Analisis Stakeholder dalam Kebijakan Kesehatan Ibu dan Anak di Kabupaten Kepahiang’, *Jurnal Kebijakan Kesehatan Indonesia*, 02(02), pp. 77–85. Available at: http://jurnal.kebijakankesehatanindonesia.net/images/PDF_Volume/vol-2-2013/Juni_2013/04_Iswarno.pdf.

Jaganath, D. and Mupere, E. (2012) ‘Childhood tuberculosis and malnutrition’, *Journal of Infectious Diseases*, 206(12), pp. 1809–1815. doi: 10.1093/infdis/jis608.

Jahiroh and Prihartono, N. (2017) ‘Hubungan Stunting Dengan Kejadian Tuberkulosis Relationship Nutritional Stunting and Tuberculosis’, *The Indonesian Journal of Infectious Disease*, pp. 6–13.

Karsh, B. T. (2004) ‘Beyond usability: Designing effective technology implementation systems to promote patient safety’, *Quality and Safety in Health Care*, 13(5), pp. 388–394. doi: 10.1136/qshc.2004.010322.

Kementerian Sekretariat Negara RI Wakil Presiden (2020) *Strategi Nasional Percepatan Pencegahan Anak Kerdil (Stunting)*.

Klaic, M. *et al.* (2022) ‘Implementability of healthcare interventions: an overview of reviews and development of a conceptual framework’, *Implementation Science*. BioMed Central, 17(1), pp. 1–20. doi: 10.1186/s13012-021-01171-7.

Kurniawati, A., Padmawati, R. S. and Mahendradhata, Y. (2019) ‘Acceptability of mandatory tuberculosis notification among private practitioners in Yogyakarta, Indonesia’, *BMC Research Notes*. BioMed Central, 12(1), pp. 1–7. doi: 10.1186/s13104-019-4581-9.

Law, S. *et al.* (2021) ‘Acceptability, feasibility, and impact of a pilot tuberculosis literacy and treatment counselling intervention: a mixed methods study’, *BMC Infectious Diseases*. BMC Infectious Diseases, 21(1), pp. 1–13. doi: 10.1186/s12879-021-06136-1.

Li, H., Ji, Y. and Chen, T. (2014) ‘The roles of different sources of social support on emotional well-being among Chinese elderly’, *PLoS ONE*, 9(3), pp. 1–8. doi: 10.1371/journal.pone.0090051.

Lisboa, M. *et al.* (2020) ‘National TB program shortages as potential factor for poor-quality TB care cascade: Healthcare workers’ perspective from Beira, Mozambique’, *PLoS ONE*, 15(2), pp. 1–11. doi: 10.1371/journal.pone.0228927.

Mac, T. H. *et al.* (2020) ‘Optimizing Active Tuberculosis Case Finding: Evaluating the Impact of Community Referral for Chest X-ray Screening and Xpert Testing on Case Notifications in Two Cities in Viet Nam’, *Tropical Medicine and Infectious Disease*, 5(4), pp. 1–15. doi: 10.3390/tropicalmed5040181.

Mitchell, E. M. H. *et al.* (2012) *Acceptability of TB Screening Among At-Risk and*



- Vulnerable Groups, World Health Organization.* Available at:
http://cdrwww.who.int/entity/tb/Review4aAcceptabilityofscreeningRISK_GROUPS.pdf.
- Moya, E. M. *et al.* (2014) ‘Assessment of stigma associated with tuberculosis in Mexico’, *Public Health Action*, 4(4), pp. 226–232. doi: 10.5588/pha.14.0065.
- Nelson, L. J. and Wells, C. D. (2004) ‘Global epidemiology of childhood tuberculosis’, *International Journal of Tuberculosis and Lung Disease*, 8(5), pp. 636–647.
- Newton, S. *et al.* (2008) ‘Paediatric Tuberculosis’, *Lancet Infectious Diseases*, 8(8), pp. 498–510. doi: 10.1016/S1473-3099(08)70182-8.Paediatric.
- Octaviana, D., Pramatama Mars Wijayanti, S. and Nurlaela, S. (2019) ‘Impact of Health Education on Knowledge and Awareness of Multidrug-Resistant Tuberculosis in Banyumas Regency, Indonesia’, *Jurnal Fakultas Kesehatan Masyarakat*, 13(1), pp. 37–42.
- Oga-Omenka, C. *et al.* (2021) ‘A qualitative meta-synthesis of facilitators and barriers to tuberculosis diagnosis and treatment in Nigeria’, *BMC Public Health*. BMC Public Health, 21(1), pp. 1–12. doi: 10.1186/s12889-021-10173-5.
- Palik, H. (2019) *Sustainability of Integrated Management of Acute Malnutrition among Pediatric TB DOT Providers of Morobe Province, Papua New Guinea: Implementation Research Thesis, Thesis*. Universitas Gadjah Mada.
- Palinkas, L. A. *et al.* (2015) ‘Purposeful sampling for qualitative data collection and analysis in mixed method implementation research’, *Administration and Policy in Mental Health*, 42(5), pp. 533–544. doi: 10.1007/s10488-013-0528-y.Purposeful.
- Pantha, S. *et al.* (2022) ‘Facilitators and Barriers to Implementation of a Childhood Tuberculosis Control Program in Bangladesh: A Mixed-Methods Study from BRAC Urban DOTS Centres in Dhaka’, *Nursing Reports*, 12(2), pp. 371–386. doi: 10.3390/nursrep12020036.
- Patel, L. . and Detjen, A. . (2017) ‘Integration of childhood TB into guidelines for the management of acute malnutrition in high burden countries’, *Public Health Action*, 7(56).
- Pathak, R. R. *et al.* (2016) ‘Can Intensified Tuberculosis Case Finding Efforts at Nutrition Rehabilitation Centers Lead to Pediatric Case Detection in Bihar, India?’, *Journal of Tuberculosis Research*, 04(01), pp. 46–54. doi: 10.4236/jtr.2016.41006.
- Perpres 2021 (2021) ‘Peraturan Presiden Nomor 67 tahun 2021 tentang Penanggulangan Tuberkulosis’, *Kementerian kesehatan republik indonesia*, 67(069394), p. 107.
- Piotrowicz, M. and Cianciara, D. (2013) ‘The role of non-governmental organizations in the social and the health system.’, *Przegląd epidemiologiczny*, 67(1), pp. 69–74.
- Prawirohartono, E. P., Nurdiati, D. S. and Hakimi, M. (2016) ‘Prognostic factors at birth for stunting at 24 months of age in rural Indonesia’, *Paediatrica Indonesiana*, 56(1), pp. 48–56. doi: 10.14238/pi56.1.2016.09.
- Proctor, E. *et al.* (2011) ‘Outcomes for implementation research: Conceptual distinctions, measurement challenges, and research agenda’, *Administration and Policy in Mental Health and Mental Health Services Research*, 38(2), pp. 65–76. doi: 10.1007/s10488-010-0319-7.
- Proctor, E. . *et al.* (2009) ‘Implementation Research in Mental Health Services: an Emerging Science with Conceptual, Methodological, and Training challenges’, *Administration and Policy in Mental Health and Mental Health Services*, 36(1), pp. 1–7. doi: 10.1007/s10488-008-0197-4.Implementation.
- Purnamasari, H., Shaluhiyah, Z. and Kusumawati, A. (2020) ‘Pelatihan Kader Posyandu sebagai Upaya Pencegahan Stunting pada Balita di Wilayah Kerja Puskesmas Margadana dan Puskesmas Tegal Selatan Kota Tegal’, *Jurnal Kesehatan Masyarakat (e-*



- Journal*, 8(3), pp. 432–439.
- Putra, I. W. G. A. E. P. et al. (2023) ‘The Implementation of Comprehensive Health Education to Improve Household Contacts’ Participation in Early Detection of Tuberculosis’, *Health Education and Behavior*, 50(1), pp. 136–143. doi: 10.1177/10901981211001829.
- Rachmi, C. N. et al. (2016) ‘Stunting, underweight and overweight in children aged 2.0-4.9 years in Indonesia: Prevalence trends and associated risk factors’, *PLoS ONE*, 11(5), pp. 1–17. doi: 10.1371/journal.pone.0154756.
- Roxas, E. A. et al. (2023) ‘A Qualitative Study on the Implementation of the Workplace TB Program in the Philippines: Challenges and Way Forward’, *Tropical Medicine and Infectious Disease*, 8(2). doi: 10.3390/tropicalmed8020093.
- Ruchi and Thakur, H. P. (2013) ‘Characteristics of childhood tuberculosis patients registered under RNTCP in Varanasi, Uttar Pradesh.’, *Indian journal of public health*, 57(1), pp. 36–39. doi: 10.4103/0019-557X.111367.
- Safitri, C. A. and Nindya, T. S. (2017) ‘Hubungan Ketahanan Pangan dan Penyakit Diare dengan Stunting pada Balita 13-48 Bulan di Kelurahan Manyar Sabrangan , Surabaya Relations Food Security and Diarrheal Disease to Stunting in Under-Five Children Age 13-48 Months at Manyar Sabrangan , Mulyorejo’, *Amerta Nutrition*, 1(2), pp. 52–61. doi: 10.20473/amnt.v1.i2.2017.52-61.
- Salam, R. A., Das, J. K. and Bhutta, Z. A. (2019) ‘Integrating nutrition into health systems: What the evidence advocates’, *Maternal and Child Nutrition*, 15(July 2018), pp. 1–12. doi: 10.1111/mcn.12738.
- Saputra, M. R. et al. (2020) ‘Knowledge, attitude, and healthcare-seeking behavior among families of children with tuberculosis’, *Belitung Nursing Journal*, 6(4), pp. 127–135. doi: 10.33546/BNJ.1156.
- Sekhon, M., Cartwright, M. and Francis, J. J. (2017) ‘Acceptability of healthcare interventions: An overview of reviews and development of a theoretical framework’, *BMC Health Services Research*. BMC Health Services Research, 17(1), pp. 1–14. doi: 10.1186/s12913-017-2031-8.
- Sekhon, M., Cartwright, M. and Francis, J. J. (2022) ‘Development of a theory-informed questionnaire to assess the acceptability of healthcare interventions’, *BMC Health Services Research*. BioMed Central, 22(1), pp. 1–12. doi: 10.1186/s12913-022-07577-3.
- Singh, S. et al. (2019) ‘Barriers and opportunities for improving childhood immunization coverage in slums: A qualitative study’, *Preventive Medicine Reports*. Elsevier, 14(November 2018), p. 100858. doi: 10.1016/j.pmedr.2019.100858.
- Sriatmi, A., Jati, S. P. and Kusumastuti, W. (2022) ‘Roles of Village Stakeholders on Immunization Program during Pandemic Outbreak in Central Java’, *Al-Sihah: Public Health Science Journal*, 14(1), pp. 49–64. doi: 10.24252/al.
- Stewart, C. P. et al. (2013) ‘Contextualising complementary feeding in a broader framework for stunting prevention’, *Maternal and Child Nutrition*, 9(S2), pp. 27–45. doi: 10.1111/mcn.12088.
- Stok, F. M. et al. (2016) ‘Hungry for an intervention? Adolescent’s ratings of acceptability of eating-related intervention strategies’, *BMC Public Health*. BMC Public Health, 16(1), pp. 1–8. doi: 10.1186/s12889-015-2665-6.
- Tadesse, S. (2016) ‘Stigma against tuberculosis patients in Addis Ababa, Ethiopia’, *PLoS ONE*, 11(4), pp. 1–11. doi: 10.1371/journal.pone.0152900.
- Tesfay, F. et al. (2020) ‘Stigma and discrimination: Barriers to the utilisation of a nutritional program in HIV care services in the Tigray region, Ethiopia’, *BMC Public Health*. BMC Public Health, 20(1), pp. 1–14. doi: 10.1186/s12889-020-09040-6.



- Timilsina, S. (2018) *The Acceptability of Screening of Diabetes Mellitus among Tuberculosis Patients at Directly Observed Treatment Shortcourse (DOTS) Center in Selected Districts of Nepal*. Universitas Gadjah Mada.
- Torlesse, H. et al. (2016) 'Determinants of stunting in Indonesian children: Evidence from a cross-sectional survey indicate a prominent role for the water, sanitation and hygiene sector in stunting reduction', *BMC Public Health*. BMC Public Health, 16(1), pp. 1–11. doi: 10.1186/s12889-016-3339-8.
- Umiyah, A. and Hamidiyah, A. (2020) 'Exclusive Breastfeeding With Stunting', *STRADA Jurnal Ilmiah Kesehatan*, 9(2), pp. 471–477. doi: 10.30994/sjik.v9i2.454.
- UNICEF (2016) *Strengthening community and primary health systems for tuberculosis. A consultation on childhood TB integration*. New York.
- Uplekar, M. et al. (2015) 'WHO's new end TB strategy', *The Lancet*, 385(9979), pp. 1799–1801. doi: 10.1016/S0140-6736(15)60570-0.
- Verkuijl, S. et al. (2016) 'Integration of childhood TB into maternal and child health, HIV and nutrition services. A case study from Malawi.', *Maternal, Newborn, and Child Health Working Paper*, (September). Available at: https://www.researchgate.net/publication/315697549_Integration_of_childhood_TB_into_maternal_and_child_health_HIV_and_nutrition_services_A_case_study_from_Uganda.
- Victora, C. G. et al. (2008) 'Maternal and child undernutrition: consequences for adult health and human capital', *The Lancet*, 371(9609), pp. 340–357. doi: 10.1016/S0140-6736(07)61692-4.
- Vo, L. N. Q. et al. (2020) 'Tuberculosis among economic migrants: A cross-sectional study of the risk of poor treatment outcomes and impact of a treatment adherence intervention among temporary residents in an urban district in Ho Chi Minh City, Viet Nam', *BMC Infectious Diseases*. BMC Infectious Diseases, 20(1), pp. 1–12. doi: 10.1186/s12879-020-4865-7.
- de Vries, S. G. et al. (2017) 'Barriers and facilitators to the uptake of tuberculosis diagnostic and treatment services by hard-to-reach populations in countries of low and medium tuberculosis incidence: a systematic review of qualitative literature', *The Lancet Infectious Diseases*, 17(5), pp. e128–e143. doi: 10.1016/S1473-3099(16)30531-X.
- Wardani, E. K. et al. (2020) 'Factors Affecting Stunting among Children Under Five Years of Age in Banyuwangi, East Java', *The 7th International Conference on Public Health*, pp. 117–125. doi: 10.26911/the7thicph.03.80.
- World Health Organization (2010) 'Monitoring the Building Blocks of Health Systems : a Handbook of Indicators and Their Measurement Strategies', *Publication Data*, p. 110.
- World Health Organization (2016) 'Chest Radiography in Tuberculosis', *World Health Organization*, pp. 1–44.
- World Health Organization (2019) *Guidance for national tuberculosis programmes on the management of tuberculosis in children: Second edition*. Second edi. Edited by World Health Organization. Geneva.
- World Health Organization (2021) *Global Tuberculosis Report*.
- World Health Organization (WHO) (2020) *Operational handbook on tuberculosis, Module 2: Systematic screening for tuberculosis disease*. Available at: <https://apps.who.int/iris/bitstream/handle/10665/340256/9789240022614-eng.pdf>.
- World Health Organization (WHO) (2021a) *Global Tuberculosis Report*.
- World Health Organization (WHO) (2021b) *WHO consolidated guidelines on tuberculosis. Module 1: Prevention. Tuberculosis preventive treatment, Tuberculosis, Lung Diseases, HIV Infection*. doi: 10.30978/tb2021-2-86.
- World Health Organization (WHO) and UNICEF (2018) *A vision for health care in the 21st*



UNIVERSITAS
GADJAH MADA

Feasibility and Acceptability of Tuberculosis Screening for Stunted Children Under Five Years of Age in Kulon Progo District: An Implementation Research
Deandra Ardya Regitasari Sutoyo, Prof. dr. Ari Natalia Probandari, MPH, PhD; Tony Arjuna, S.Gz, M.NutDiet, AN, AF

Universitas Gadjah Mada, 2023 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Century, Technical Series on Primary Health Care. doi: 10.1046/j.1466-7657.46.no4issue346.4.x.

Zarova, C. et al. (2018) ‘The impact of social support on the health-related quality of life of adult patients with tuberculosis in Harare, Zimbabwe: A cross-sectional survey’, *BMC Research Notes*. BioMed Central, 11(1), pp. 1–7. doi: 10.1186/s13104-018-3904-6.



UNIVERSITAS
GADJAH MADA

**Feasibility and Acceptability of Tuberculosis Screening for Stunted Children Under Five Years of Age
in Kulon Progo District: An Implementation Research**
Deandra Ardya Regitasari Sutoyo, Prof. dr. Ari Natalia Probandari, MPH, PhD; Tony Arjuna, S.Gz, M.NutDiet, AN, AF
Universitas Gadjah Mada, 2023 | Diunduh dari <http://etd.repository.ugm.ac.id/>