UNIVERSITAS GADJAH MADA
Ekspresi dan Purifikasi Protein Rekombinan Receptor-binding Domain (RBD) SARS-CoV-2 pada E. coli BL21(DE3)
Elly Widyarni Eka Purnamasari, Dr. drh. Asmarani Kusumawati, M.P.; Dr. Dini Wahyu Kartika Sari, S.Pi., M.Si.
Universitas Gadjah Mada, 2023 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Altincekic, N., Korn, S. M., Qureshi, N. S., Dujardin, M., Ninot-Pedrosa, M., Abele, R., Abi Saad, M. J., Alfano, C., Almeida, F. C. L., Alshamleh, I., de Amorim, G. C., Anderson, T. K., Anobom, C. D., Anorma, C., Bains, J. K., Bax, A., Blackledge, M., Blechar, J., Böckmann, A., … Schlundt, A. (2021). Large-Scale Recombinant Production of the SARS-CoV-2 Proteome for High-Throughput and Structural Biology Applications. *Frontiers in Molecular Biosciences*, *8*, 653148. doi: 10.3389/FMOLB.2021.653148/BIBTEX

Amanat, F., Stadlbauer, D., Strohmeier, S., Nguyen, T. H. O., Chromikova, V., McMahon, M., Jiang, K., Arunkumar, G. A., Jurczyszak, D., Polanco, J., Bermudez-Gonzalez, M., Kleiner, G., Aydillo, T., Miorin, L., Fierer, D. S., Lugo, L. A., Kojic, E. M., Stoever, J., Liu, S. T. H., … Krammer, F. (2020). A serological assay to detect SARS-CoV-2 seroconversion in humans. *Nature Medicine 2020 26:7*, *26*(7), 1033–1036. doi: 10.1038/s41591-020-0913-5

Andrews, N., Stowe, J., Kirsebom, F., Toffa, S., Rickeard, T., Gallagher, E., Gower, C., Kall, M., Groves, N., O'Connell, A.-M., Simons, D., Blomquist, P. B., Zaidi, A., Nash, S., Iwani Binti Abdul Aziz, N., Thelwall, S., Dabrera, G., Myers, R., Amirthalingam, G., … Lopez Bernal, J. (2022). Covid-19 Vaccine Effectiveness against the Omicron (B.1.1.529) Variant. *New England Journal of Medicine*, *386*(16), 1532–1546.doi: 10.1056/NEJMOA2119451/SUPPL_FILE/NEJMOA2119451_DISCLOSURES.PDF

Bachmair, A., Finley, D., & Varshavsky, A. (1986). In vivo half-life of a protein is a function of its amino-terminal residue. *Science (New York, N.Y.)*, *234*(4773), 179–186. doi: 10.1126/SCIENCE.3018930

Benkert, P., Biasini, M., & Schwede, T. (2011). Toward the estimation of the absolute quality of individual protein structure models. *Bioinformatics*, *27*(3), 343–350. doi: 10.1093/BIOINFORMATICS/BTQ662

Berndt, A. J., Smalley, T. N., Ren, B., Simkovsky, R., Badary, A., Sproles, A. E., Fields, F. J., Torres-Tiji, Y., Heredia, V., & Mayfield, S. P. (2021). Recombinant production of a functional SARS-CoV-2 spike receptor binding domain in the green algae Chlamydomonas reinhardtii. *PLOS ONE*, *16*(11), e0257089. doi: 10.1371/JOURNAL.PONE.0257089

Bornhorst, J. A., & Falke, J. J. (2000). [16] Purification of Proteins Using Polyhistidine Affinity Tags. *Methods in Enzymology*, *326*, 245. doi: 10.1016/S0076-6879(00)26058-8

Casali, N., & Preston, A. (2003). E. coli Plasmid Vectors. *E. Coli Plasmid Vectors*. doi: 10.1385/1592594093

UNIVERSITAS GADJAH MADA
Ekspresi dan Purifikasi Protein Rekombinan Receptor-binding Domain (RBD) SARS-CoV-2 pada E. coli BL21(DE3)
Elly Widyarni Eka Purnamasari, Dr. drh. Asmarani Kusumawati, M.P.; Dr. Dini Wahyu Kartika Sari, S.Pi., M.Si.
Universitas Gadjah Mada, 2023 | Diunduh dari http://etd.repository.ugm.ac.id/

Chen, W. H., Du, L., Chag, S. M., Ma, C., Tricoche, N., Tao, X., Seid, C. A., Hudspeth, E. M., Lustigman, S., Tseng, C. T. K., Bottazzi, M. E., Hotez, P. J., Zhan, B., & Jiang, S. (2014). Yeast-expressed recombinant protein of the receptor-binding domain in SARS-CoV spike protein with deglycosylated forms as a SARS vaccine candidate. *Human Vaccines & Immunotherapeutics*, *10*(3), 648–658. doi: 10.4161/HV.27464

Dubendorf, J. W., & Studier, F. W. (1991). Controlling basal expression in an inducible T7 expression system by blocking the target T7 promoter with lac repressor. *Journal of Molecular Biology*, *219*(1), 45–59. doi: 10.1016/0022-2836(91)90856-2

Elena, C., Ravasi, P., Castelli, M. E., Peirú, S., & Menzella, H. G. (2014). Expression of codon optimized genes in microbial systems: Current industrial applications and perspectives. *Frontiers in Microbiology*, *5*(FEB), 78262. doi: 10.3389/FMICB.2014.00021/BIBTEX

Frederiksen, L. S. F., Zhang, Y., Foged, C., & Thakur, A. (2020). The Long Road Toward COVID-19 Herd Immunity: Vaccine Platform Technologies and Mass Immunization Strategies. *Frontiers in Immunology*, *11*, 560652. doi: 10.3389/FIMMU.2020.01817/BIBTEX

Fujita, R., Hino, M., Ebihara, T., Nagasato, T., Masuda, A., Lee, J. M., Fujii, T., Mon, H., Kakino, K., Nagai, R., Tanaka, M., Tonooka, Y., Moriyama, T., & Kusakabe, T. (2020). Efficient production of recombinant SARS-CoV-2 spike protein using the baculovirus-silkworm system. *Biochemical and Biophysical Research Communications*, *529*(2), 257. doi: 10.1016/J.BBRC.2020.06.020

Gallagher, S. (2001). Quantitation of nucleic acids with absorption spectroscopy. *Current Protocols in Protein Science*, *Appendix 4*, A.4K.1-A.4K.3. doi: 10.1002/0471140864.PSA04KS13

Gao, X., Peng, S., Mei, S., Liang, K., Khan, M. S. I., Vong, E. G., & Zhan, J. (2022). Expression and functional identification of recombinant SARS-CoV-2 receptor binding domain (RBD) from E. coli system. *Preparative Biochemistry and Biotechnology*, *52*(3), 318–324. doi: 10.1080/10826068.2021.1941106

Gao, Y. dong, Ding, M., Dong, X., Zhang, J. jin, Kursat Azkur, A., Azkur, D., Gan, H., Sun, Y. li, Fu, W., Li, W., Liang, H. ling, Cao, Y. yuan, Yan, Q., Cao, C., Gao, H. yu, Brüggen, M. C., van de Veen, W., Sokolowska, M., Akdis, M., & Akdis, C. A. (2021). Risk factors for severe and critically ill COVID-19 patients: A review. *Allergy*, *76*(2), 428–455. doi: 10.1111/ALL.14657

García-Cordero, J., Mendoza-Ramírez, J., Fernández-Benavides, D., Roa-Velazquez, D., Filisola-Villaseñor, J., Martínez-Frías, S. P., Sanchez-Salguero, E. S., Miguel-Rodríguez, C. E., Montero, J. L. M., Torres-Ruiz, J.

UNIVERSITAS GADJAH MADA
Ekspresi dan Purifikasi Protein Rekombinan Receptor-binding Domain (RBD) SARS-CoV-2 pada E. coli BL21(DE3)
Elly Widyarni Eka Purnamasari, Dr. drh. Asmarani Kusumawati, M.P.; Dr. Dini Wahyu Kartika Sari, S.Pi., M.Si.
Universitas Gadjah Mada, 2023 | Diunduh dari http://etd.repository.ugm.ac.id/

J., Gómez-Martín, D., Argumedo, L. S., Morales-Ríos, E., Alvarado-Orozco, J. M., & Cedillo-Barrón, L. (2021). Recombinant Protein Expression and Purification of N, S1, and RBD of SARS-CoV-2 from Mammalian Cells and Their Potential Applications. *Diagnostics (Basel, Switzerland)*, *11*(10). doi: 10.3390/DIAGNOSTICS11101808

Gleiter, S., & Bardwell, J. C. A. (2008). Disulfide bond isomerization in prokaryotes. *Biochimica et Biophysica Acta*, *1783*(4), 530–534. doi: 10.1016/J.BBAMCR.2008.02.009

Grishin, A. M., Dolgova, N. V., Landreth, S., Fisette, O., Pickering, I. J., George, G. N., Falzarano, D., & Cygler, M. (2022). Disulfide Bonds Play a Critical Role in the Structure and Function of the Receptor-binding Domain of the SARS-CoV-2 Spike Antigen. *Journal of Molecular Biology*, *434*(2), 167357. doi: 10.1016/J.JMB.2021.167357

Guruprasad, K., Reddy, B. V. B., & Pandit, M. W. (1990). Correlation between stability of a protein and its dipeptide composition: a novel approach for predicting in vivo stability of a protein from its primary sequence. *Protein Engineering*, *4*(2), 155–161. doi: 10.1093/PROTEIN/4.2.155

Hayat, S. M. G., Farahani, N., Golichenari, B., & Sahebkar, A. (2018). Recombinant Protein Expression in Escherichia coli (E.coli): What We Need to Know. *Current Pharmaceutical Design*, *24*(6), 718–725. doi: 10.2174/1381612824666180131121940

Hoffmann, M., Kleine-Weber, H., Schroeder, S., Krüger, N., Herrler, T., Erichsen, S., Schiergens, T. S., Herrler, G., Wu, N. H., Nitsche, A., Müller, M. A., Drosten, C., & Pöhlmann, S. (2020). SARS-CoV-2 Cell Entry Depends on ACE2 and TMPRSS2 and Is Blocked by a Clinically Proven Protease Inhibitor. *Cell*, *181*(2), 271-280.e8. doi: 10.1016/J.CELL.2020.02.052

Idicula-Thomas, S., & Balaji, P. V. (2005). Understanding the relationship between the primary structure of proteins and its propensity to be soluble on overexpression in Escherichia coli. *Protein Science : A Publication of the Protein Society*, *14*(3), 582. doi: 10.1110/PS.041009005

Jeong, H., Kim, H. J., & Lee, S. J. (2015). Complete Genome Sequence of Escherichia coli Strain BL21. *Genome Announcements*, *3*(2), 134–149. doi: 10.1128/GENOMEA.00134-15

Kim, E., Erdos, G., Huang, S., Kenniston, T. W., Balmert, S. C., Carey, C. D., Raj, V. S., Epperly, M. W., Klimstra, W. B., Haagmans, B. L., Korkmaz, E., Falo, L. D., & Gambotto, A. (2020). Microneedle array delivered recombinant coronavirus vaccines: Immunogenicity and rapid translational development. *EBioMedicine*, *55*. doi: 10.1016/j.ebiom.2020.102743

UNIVERSITAS GADJAH MADA
Ekspresi dan Purifikasi Protein Rekombinan Receptor-binding Domain (RBD) SARS-CoV-2 pada E. coli BL21(DE3)
Elly Widyarni Eka Purnamasari, Dr. drh. Asmarani Kusumawati, M.P.; Dr. Dini Wahyu Kartika Sari, S.Pi., M.Si.
Universitas Gadjah Mada, 2023 | Diunduh dari http://etd.repository.ugm.ac.id/

Kolaskar, A. S., & Tongaonkar, P. C. (1990). A semi-empirical method for prediction of antigenic determinants on protein antigens. *FEBS Letters*, *276*(1–2), 172–174. doi: 10.1016/0014-5793(90)80535-Q

Kumar, M., & Al Khodor, S. (2020). Pathophysiology and treatment strategies for COVID-19. *Journal of Translational Medicine*, *18*(1). doi: 10.1186/S12967-020-02520-8

Kuo, T. Y., Lin, M. Y., Coffman, R. L., Campbell, J. D., Traquina, P., Lin, Y. J., Liu, L. T. C., Cheng, J., Wu, Y. C., Wu, C. C., Tang, W. H., Huang, C. G., Tsao, K. C., & Chen, C. (2020). Development of CpG-adjuvanted stable prefusion SARS-CoV-2 spike antigen as a subunit vaccine against COVID-19. *Scientific Reports*, *10*(1). doi: 10.1038/S41598-020-77077-Z

Langlais, C., & Korn, B. (2006). Recombinant Protein Expression in Bacteria. *Encyclopedic Reference of Genomics and Proteomics in Molecular Medicine*, 1609–1616. doi: 10.1007/3-540-29623-9_4800

Lee, H. K., Lee, B. H., Seok, S. H., Baek, M. W., Lee, H. Y., Kim, D. J., Na, Y. R., Noh, K. J., Park, S. H., Kumar, D. N., Kariwa, H., Nakauchi, M., Heo, S. J., & Park, J. H. (2010). Production of specific antibodies against SARS-coronavirus nucleocapsid protein without cross reactivity with human coronaviruses 229E and OC43. *Journal of Veterinary Science*, *11*(2), 165–167. doi: 10.4142/JVS.2010.11.2.165

Lu, R., Zhao, X., Li, J., Niu, P., Yang, B., Wu, H., Wang, W., Song, H., Huang, B., Zhu, N., Bi, Y., Ma, X., Zhan, F., Wang, L., Hu, T., Zhou, H., Hu, Z., Zhou, W., Zhao, L., … Tan, W. (2020). Genomic characterisation and epidemiology of 2019 novel coronavirus: implications for virus origins and receptor binding. *The Lancet*, *395*(10224), 565–574. doi: 10.1016/S0140-6736(20)30251-8

Mierendorf, R. C., Morris, B. B., Hammer, B., & Novy, R. E. (1998). Expression and Purification of Recombinant Proteins Using the pET System. *Methods in Molecular Medicine*, *13*, 257–292. doi: 10.1385/0-89603-485-2:257

Mitraki, A., Fane, B., Haase-Pettingell, C., Sturtevant, J., & King, J. (1991). Global Suppression of Protein Folding Defects and Inclusion Body Formation. *Science*, *253*(5015), 54–58. doi: 10.1126/SCIENCE.1648264

Mittal, A., Khattri, A., & Verma, V. (2022). Structural and antigenic variations in the spike protein of emerging SARS-CoV-2 variants. *PLOS Pathogens*, *18*(2), e1010260. doi: 10.1371/JOURNAL.PPAT.1010260

Naqvi, A. A. T., Fatima, K., Mohammad, T., Fatima, U., Singh, I. K., Singh, A., Atif, S. M., Hariprasad, G., Hasan, G. M., & Hassan, M. I. (2020). Insights into SARS-CoV-2 genome, structure, evolution, pathogenesis and therapies:

UNIVERSITAS GADJAH MADA
Ekspresi dan Purifikasi Protein Rekombinan Receptor-binding Domain (RBD) SARS-CoV-2 pada E. coli BL21(DE3)
Elly Widyarni Eka Purnamasari, Dr. drh. Asmarani Kusumawati, M.P.; Dr. Dini Wahyu Kartika Sari, S.Pi., M.Si.
Universitas Gadjah Mada, 2023 | Diunduh dari http://etd.repository.ugm.ac.id/

Structural genomics approach. *Biochimica et Biophysica Acta. Molecular Basis of Disease*, *1866*(10). doi: 10.1016/J.BBADIS.2020.165878

Ramachandran, V. S. (1988). Perception of shape from shading. *Nature 1988 331:6152*, *331*(6152), 163–166. doi: 10.1038/331163a0

Sanchez-Trincado, J. L., Gomez-Perosanz, M., & Reche, P. A. (2017). Fundamentals and Methods for T- and B-Cell Epitope Prediction. *Journal of Immunology Research*, *2017*. doi: 10.1155/2017/2680160

Sasagawa, N., & Sasagawa, N. (2018). Plasmid Purification. *Plasmid*. doi: 10.5772/INTECHOPEN.76226

Sharp, P. M., & Li, W. H. (1987). The codon Adaptation Index--a measure of directional synonymous codon usage bias, and its potential applications. *Nucleic Acids Research*, *15*(3), 1281–1295. doi: 10.1093/NAR/15.3.1281

Singh, A., Upadhyay, V., Upadhyay, A. K., Singh, S. M., & Panda, A. K. (2015). Protein recovery from inclusion bodies of Escherichia coli using mild solubilization process. *Microbial Cell Factories*, *14*(1). doi: 10.1186/S12934-015-0222-8

Studier, F. W., & Moffatt, B. A. (1986). Use of bacteriophage T7 RNA polymerase to direct selective high-level expression of cloned genes. *Journal of Molecular Biology*, *189*(1), 113–130. doi: 10.1016/0022-2836(86)90385-2

Tian, J. H., Patel, N., Haupt, R., Zhou, H., Weston, S., Hammond, H., Logue, J., Portnoff, A. D., Norton, J., Guebre-Xabier, M., Zhou, B., Jacobson, K., Maciejewski, S., Khatoon, R., Wisniewska, M., Moffitt, W., Kluepfel-Stahl, S., Ekechukwu, B., Papin, J., … Smith, G. (2021). SARS-CoV-2 spike glycoprotein vaccine candidate NVX-CoV2373 immunogenicity in baboons and protection in mice. *Nature Communications 2021 12:1*, *12*(1), 1–14. doi: 10.1038/s41467-020-20653-8

Toh, Y. H., Huang, Y. W., Chang, Y. C., Chen, Y. T., Hsu, Y. T., & Lin, G. H. (2021). Reactivity of human antisera to codon optimized SARS-CoV2 viral proteins expressed in Escherichia coli. *Tzu Chi Medical Journal*, *33*(2), 145–153. doi: 10.4103/TCMJ.TCMJ_189_20

Tokmakov, A. A., Kurotani, A., & Sato, K. I. (2021). Protein pI and Intracellular Localization. *Frontiers in Molecular Biosciences*, *8*, 775736. doi: 10.3389/FMOLB.2021.775736/BIBTEX

Yadav, U. N., Yadav, O. P., Singh, D. R., Ghimire, S., Rayamajhee, B., Mistry, S. K., Rawal, L. B., Ali, A. M., Tamang, M. K., & Mehta, S. (2021). Perceived fear of COVID-19 and its associated factors among Nepalese older adults in

UNIVERSITAS
GADJAH MADA
Ekspresi dan Purifikasi Protein Rekombinan Receptor-binding Domain (RBD) SARS-CoV-2 pada E. coli BL21(DE3)
Elly Widyarni Eka Purnamasari, Dr. drh. Asmarani Kusumawati, M.P.; Dr. Dini Wahyu Kartika Sari, S.Pi., M.Si.
Universitas Gadjah Mada, 2023 | Diunduh dari http://etd.repository.ugm.ac.id/

eastern Nepal: A cross-sectional study. *PloS One*, *16*(7). doi: 10.1371/JOURNAL.PONE.0254825

Yao, B., Zhang, L., Liang, S., & Zhang, C. (2012). SVMTriP: A Method to Predict Antigenic Epitopes Using Support Vector Machine to Integrate Tri-Peptide Similarity and Propensity. *PLOS ONE*, *7*(9), e45152. doi: 10.1371/JOURNAL.PONE.0045152

Zahurancik, W. J., Szkoda, B. E., Lai, L. B., & Gopalan, V. (2020). Ramping Recombinant Protein Expression in Bacteria. *Biochemistry*, *59*(23), 2122. doi: 10.1021/ACS.BIOCHEM.0C00411

Zhu, N., Zhang, D., Wang, W., Li, X., Yang, B., Song, J., Zhao, X., Huang, B., Shi, W., Lu, R., Niu, P., Zhan, F., Ma, X., Wang, D., Xu, W., Wu, G., Gao, G. F., & Tan, W. (2020). A Novel Coronavirus from Patients with Pneumonia in China, 2019. *New England Journal of Medicine*, *382*(8), 727–733. doi: 10.1056/NEJMOA2001017/SUPPL_FILE/NEJMOA2001017_DISCLOSURES.PDF