

DAFTAR PUSTAKA

- Altincekic, N., Korn, S. M., Qureshi, N. S., Dujardin, M., Ninot-Pedrosa, M., Abele, R., Abi Saad, M. J., Alfano, C., Almeida, F. C. L., Alshamleh, I., de Amorim, G. C., Anderson, T. K., Anobom, C. D., Anorma, C., Bains, J. K., Bax, A., Blackledge, M., Blechar, J., Böckmann, A., ... Schlundt, A. (2021). Large-Scale Recombinant Production of the SARS-CoV-2 Proteome for High-Throughput and Structural Biology Applications. *Frontiers in Molecular Biosciences*, 8, 653148. doi: 10.3389/FMOLB.2021.653148/BIBTEX
- Amanat, F., Stadlbauer, D., Strohmeier, S., Nguyen, T. H. O., Chromikova, V., McMahon, M., Jiang, K., Arunkumar, G. A., Jurczynszak, D., Polanco, J., Bermudez-Gonzalez, M., Kleiner, G., Aydillo, T., Miorin, L., Fierer, D. S., Lugo, L. A., Kojic, E. M., Stoeber, J., Liu, S. T. H., ... Krammer, F. (2020). A serological assay to detect SARS-CoV-2 seroconversion in humans. *Nature Medicine* 2020 26:7, 26(7), 1033–1036. doi: 10.1038/s41591-020-0913-5
- Andrews, N., Stowe, J., Kirsebom, F., Toffa, S., Rickeard, T., Gallagher, E., Gower, C., Kall, M., Groves, N., O’Connell, A.-M., Simons, D., Blomquist, P. B., Zaidi, A., Nash, S., Iwani Binti Abdul Aziz, N., Thelwall, S., Dabrera, G., Myers, R., Amirthalingam, G., ... Lopez Bernal, J. (2022). Covid-19 Vaccine Effectiveness against the Omicron (B.1.1.529) Variant. *New England Journal of Medicine*, 386(16), 1532–1546. doi: 10.1056/NEJMOA2119451/SUPPL_FILE/NEJMOA2119451_DISCLOSURES.PDF
- Bachmair, A., Finley, D., & Varshavsky, A. (1986). In vivo half-life of a protein is a function of its amino-terminal residue. *Science (New York, N.Y.)*, 234(4773), 179–186. doi: 10.1126/SCIENCE.3018930
- Benkert, P., Biasini, M., & Schwede, T. (2011). Toward the estimation of the absolute quality of individual protein structure models. *Bioinformatics*, 27(3), 343–350. doi: 10.1093/BIOINFORMATICS/BTQ662
- Berndt, A. J., Smalley, T. N., Ren, B., Simkovsky, R., Badary, A., Sproles, A. E., Fields, F. J., Torres-Tiji, Y., Heredia, V., & Mayfield, S. P. (2021). Recombinant production of a functional SARS-CoV-2 spike receptor binding domain in the green algae *Chlamydomonas reinhardtii*. *PLOS ONE*, 16(11), e0257089. doi: 10.1371/JOURNAL.PONE.0257089
- Bornhorst, J. A., & Falke, J. J. (2000). [16] Purification of Proteins Using Polyhistidine Affinity Tags. *Methods in Enzymology*, 326, 245. doi: 10.1016/S0076-6879(00)26058-8
- Casali, N., & Preston, A. (2003). E. coli Plasmid Vectors. *E. Coli Plasmid Vectors*. doi: 10.1385/1592594093

- Chen, W. H., Du, L., Chag, S. M., Ma, C., Tricoche, N., Tao, X., Seid, C. A., Hudspeth, E. M., Lustigman, S., Tseng, C. T. K., Bottazzi, M. E., Hotez, P. J., Zhan, B., & Jiang, S. (2014). Yeast-expressed recombinant protein of the receptor-binding domain in SARS-CoV spike protein with deglycosylated forms as a SARS vaccine candidate. *Human Vaccines & Immunotherapeutics*, *10*(3), 648–658. doi: 10.4161/HV.27464
- Dubendorf, J. W., & Studier, F. W. (1991). Controlling basal expression in an inducible T7 expression system by blocking the target T7 promoter with lac repressor. *Journal of Molecular Biology*, *219*(1), 45–59. doi: 10.1016/0022-2836(91)90856-2
- Elena, C., Ravasi, P., Castelli, M. E., Peirú, S., & Menzella, H. G. (2014). Expression of codon optimized genes in microbial systems: Current industrial applications and perspectives. *Frontiers in Microbiology*, *5*(FEB), 78262. doi: 10.3389/FMICB.2014.00021/BIBTEX
- Frederiksen, L. S. F., Zhang, Y., Foged, C., & Thakur, A. (2020). The Long Road Toward COVID-19 Herd Immunity: Vaccine Platform Technologies and Mass Immunization Strategies. *Frontiers in Immunology*, *11*, 560652. doi: 10.3389/FIMMU.2020.01817/BIBTEX
- Fujita, R., Hino, M., Ebihara, T., Nagasato, T., Masuda, A., Lee, J. M., Fujii, T., Mon, H., Kakino, K., Nagai, R., Tanaka, M., Tonooka, Y., Moriyama, T., & Kusakabe, T. (2020). Efficient production of recombinant SARS-CoV-2 spike protein using the baculovirus-silkworm system. *Biochemical and Biophysical Research Communications*, *529*(2), 257. doi: 10.1016/J.BBRC.2020.06.020
- Gallagher, S. (2001). Quantitation of nucleic acids with absorption spectroscopy. *Current Protocols in Protein Science, Appendix 4*, A.4K.1-A.4K.3. doi: 10.1002/0471140864.PSA04KS13
- Gao, X., Peng, S., Mei, S., Liang, K., Khan, M. S. I., Vong, E. G., & Zhan, J. (2022). Expression and functional identification of recombinant SARS-CoV-2 receptor binding domain (RBD) from E. coli system. *Preparative Biochemistry and Biotechnology*, *52*(3), 318–324. doi: 10.1080/10826068.2021.1941106
- Gao, Y. dong, Ding, M., Dong, X., Zhang, J. jin, Kursat Azkur, A., Azkur, D., Gan, H., Sun, Y. li, Fu, W., Li, W., Liang, H. ling, Cao, Y. yuan, Yan, Q., Cao, C., Gao, H. yu, Brüggén, M. C., van de Veen, W., Sokolowska, M., Akdis, M., & Akdis, C. A. (2021). Risk factors for severe and critically ill COVID-19 patients: A review. *Allergy*, *76*(2), 428–455. doi: 10.1111/ALL.14657
- García-Cordero, J., Mendoza-Ramírez, J., Fernández-Benavides, D., Roa-Velazquez, D., Filisola-Villaseñor, J., Martínez-Frías, S. P., Sanchez-Salguero, E. S., Miguel-Rodríguez, C. E., Montero, J. L. M., Torres-Ruiz, J.

- J., Gómez-Martín, D., Argumedo, L. S., Morales-Ríos, E., Alvarado-Orozco, J. M., & Cedillo-Barrón, L. (2021). Recombinant Protein Expression and Purification of N, S1, and RBD of SARS-CoV-2 from Mammalian Cells and Their Potential Applications. *Diagnostics (Basel, Switzerland)*, *11*(10). doi: 10.3390/DIAGNOSTICS11101808
- Gleiter, S., & Bardwell, J. C. A. (2008). Disulfide bond isomerization in prokaryotes. *Biochimica et Biophysica Acta*, *1783*(4), 530–534. doi: 10.1016/J.BBAMCR.2008.02.009
- Grishin, A. M., Dolgova, N. V., Landreth, S., Fiset, O., Pickering, I. J., George, G. N., Falzarano, D., & Cygler, M. (2022). Disulfide Bonds Play a Critical Role in the Structure and Function of the Receptor-binding Domain of the SARS-CoV-2 Spike Antigen. *Journal of Molecular Biology*, *434*(2), 167357. doi: 10.1016/J.JMB.2021.167357
- Guruprasad, K., Reddy, B. V. B., & Pandit, M. W. (1990). Correlation between stability of a protein and its dipeptide composition: a novel approach for predicting in vivo stability of a protein from its primary sequence. *Protein Engineering*, *4*(2), 155–161. doi: 10.1093/PROTEIN/4.2.155
- Hayat, S. M. G., Farahani, N., Golichenari, B., & Sahebkar, A. (2018). Recombinant Protein Expression in Escherichia coli (E.coli): What We Need to Know. *Current Pharmaceutical Design*, *24*(6), 718–725. doi: 10.2174/1381612824666180131121940
- Hoffmann, M., Kleine-Weber, H., Schroeder, S., Krüger, N., Herrler, T., Erichsen, S., Schiergens, T. S., Herrler, G., Wu, N. H., Nitsche, A., Müller, M. A., Drosten, C., & Pöhlmann, S. (2020). SARS-CoV-2 Cell Entry Depends on ACE2 and TMPRSS2 and Is Blocked by a Clinically Proven Protease Inhibitor. *Cell*, *181*(2), 271-280.e8. doi: 10.1016/J.CELL.2020.02.052
- Idicula-Thomas, S., & Balaji, P. V. (2005). Understanding the relationship between the primary structure of proteins and its propensity to be soluble on overexpression in Escherichia coli. *Protein Science: A Publication of the Protein Society*, *14*(3), 582. doi: 10.1110/PS.041009005
- Jeong, H., Kim, H. J., & Lee, S. J. (2015). Complete Genome Sequence of Escherichia coli Strain BL21. *Genome Announcements*, *3*(2), 134–149. doi: 10.1128/GENOMEA.00134-15
- Kim, E., Erdos, G., Huang, S., Kenniston, T. W., Balmert, S. C., Carey, C. D., Raj, V. S., Epperly, M. W., Klimstra, W. B., Haagmans, B. L., Korkmaz, E., Falo, L. D., & Gambotto, A. (2020). Microneedle array delivered recombinant coronavirus vaccines: Immunogenicity and rapid translational development. *EBioMedicine*, *55*. doi: 10.1016/j.ebiom.2020.102743

- Kolaskar, A. S., & Tongaonkar, P. C. (1990). A semi-empirical method for prediction of antigenic determinants on protein antigens. *FEBS Letters*, 276(1–2), 172–174. doi: 10.1016/0014-5793(90)80535-Q
- Kumar, M., & Al Khodor, S. (2020). Pathophysiology and treatment strategies for COVID-19. *Journal of Translational Medicine*, 18(1). doi: 10.1186/S12967-020-02520-8
- Kuo, T. Y., Lin, M. Y., Coffman, R. L., Campbell, J. D., Traquina, P., Lin, Y. J., Liu, L. T. C., Cheng, J., Wu, Y. C., Wu, C. C., Tang, W. H., Huang, C. G., Tsao, K. C., & Chen, C. (2020). Development of CpG-adjuvanted stable prefusion SARS-CoV-2 spike antigen as a subunit vaccine against COVID-19. *Scientific Reports*, 10(1). doi: 10.1038/S41598-020-77077-Z
- Langlais, C., & Korn, B. (2006). Recombinant Protein Expression in Bacteria. *Encyclopedic Reference of Genomics and Proteomics in Molecular Medicine*, 1609–1616. doi: 10.1007/3-540-29623-9_4800
- Lee, H. K., Lee, B. H., Seok, S. H., Baek, M. W., Lee, H. Y., Kim, D. J., Na, Y. R., Noh, K. J., Park, S. H., Kumar, D. N., Kariwa, H., Nakauchi, M., Heo, S. J., & Park, J. H. (2010). Production of specific antibodies against SARS-coronavirus nucleocapsid protein without cross reactivity with human coronaviruses 229E and OC43. *Journal of Veterinary Science*, 11(2), 165–167. doi: 10.4142/JVS.2010.11.2.165
- Lu, R., Zhao, X., Li, J., Niu, P., Yang, B., Wu, H., Wang, W., Song, H., Huang, B., Zhu, N., Bi, Y., Ma, X., Zhan, F., Wang, L., Hu, T., Zhou, H., Hu, Z., Zhou, W., Zhao, L., ... Tan, W. (2020). Genomic characterisation and epidemiology of 2019 novel coronavirus: implications for virus origins and receptor binding. *The Lancet*, 395(10224), 565–574. doi: 10.1016/S0140-6736(20)30251-8
- Mierendorf, R. C., Morris, B. B., Hammer, B., & Novy, R. E. (1998). Expression and Purification of Recombinant Proteins Using the pET System. *Methods in Molecular Medicine*, 13, 257–292. doi: 10.1385/0-89603-485-2:257
- Mitraki, A., Fane, B., Haase-Pettingell, C., Sturtevant, J., & King, J. (1991). Global Suppression of Protein Folding Defects and Inclusion Body Formation. *Science*, 253(5015), 54–58. doi: 10.1126/SCIENCE.1648264
- Mittal, A., Khattri, A., & Verma, V. (2022). Structural and antigenic variations in the spike protein of emerging SARS-CoV-2 variants. *PLOS Pathogens*, 18(2), e1010260. doi: 10.1371/JOURNAL.PPAT.1010260
- Naqvi, A. A. T., Fatima, K., Mohammad, T., Fatima, U., Singh, I. K., Singh, A., Atif, S. M., Hariprasad, G., Hasan, G. M., & Hassan, M. I. (2020). Insights into SARS-CoV-2 genome, structure, evolution, pathogenesis and therapies:

- Structural genomics approach. *Biochimica et Biophysica Acta. Molecular Basis of Disease*, 1866(10). doi: 10.1016/J.BBADIS.2020.165878
- Ramachandran, V. S. (1988). Perception of shape from shading. *Nature* 1988 331:6152, 331(6152), 163–166. doi: 10.1038/331163a0
- Sanchez-Trincado, J. L., Gomez-Perosanz, M., & Reche, P. A. (2017). Fundamentals and Methods for T- and B-Cell Epitope Prediction. *Journal of Immunology Research*, 2017. doi: 10.1155/2017/2680160
- Sasagawa, N., & Sasagawa, N. (2018). Plasmid Purification. *Plasmid*. doi: 10.5772/INTECHOPEN.76226
- Sharp, P. M., & Li, W. H. (1987). The codon Adaptation Index--a measure of directional synonymous codon usage bias, and its potential applications. *Nucleic Acids Research*, 15(3), 1281–1295. doi: 10.1093/NAR/15.3.1281
- Singh, A., Upadhyay, V., Upadhyay, A. K., Singh, S. M., & Panda, A. K. (2015). Protein recovery from inclusion bodies of Escherichia coli using mild solubilization process. *Microbial Cell Factories*, 14(1). doi: 10.1186/S12934-015-0222-8
- Studier, F. W., & Moffatt, B. A. (1986). Use of bacteriophage T7 RNA polymerase to direct selective high-level expression of cloned genes. *Journal of Molecular Biology*, 189(1), 113–130. doi: 10.1016/0022-2836(86)90385-2
- Tian, J. H., Patel, N., Haupt, R., Zhou, H., Weston, S., Hammond, H., Logue, J., Portnoff, A. D., Norton, J., Guebre-Xabier, M., Zhou, B., Jacobson, K., Maciejewski, S., Khatoun, R., Wisniewska, M., Moffitt, W., Kluepfel-Stahl, S., Ekechukwu, B., Papin, J., ... Smith, G. (2021). SARS-CoV-2 spike glycoprotein vaccine candidate NVX-CoV2373 immunogenicity in baboons and protection in mice. *Nature Communications* 2021 12:1, 12(1), 1–14. doi: 10.1038/s41467-020-20653-8
- Toh, Y. H., Huang, Y. W., Chang, Y. C., Chen, Y. T., Hsu, Y. T., & Lin, G. H. (2021). Reactivity of human antisera to codon optimized SARS-CoV2 viral proteins expressed in Escherichia coli. *Tzu Chi Medical Journal*, 33(2), 145–153. doi: 10.4103/TCMJ.TCMJ_189_20
- Tokmakov, A. A., Kurotani, A., & Sato, K. I. (2021). Protein pI and Intracellular Localization. *Frontiers in Molecular Biosciences*, 8, 775736. doi: 10.3389/FMOLB.2021.775736/BIBTEX
- Yadav, U. N., Yadav, O. P., Singh, D. R., Ghimire, S., Rayamajhee, B., Mistry, S. K., Rawal, L. B., Ali, A. M., Tamang, M. K., & Mehta, S. (2021). Perceived fear of COVID-19 and its associated factors among Nepalese older adults in

eastern Nepal: A cross-sectional study. *PloS One*, 16(7). doi: 10.1371/JOURNAL.PONE.0254825

Yao, B., Zhang, L., Liang, S., & Zhang, C. (2012). SVMTriP: A Method to Predict Antigenic Epitopes Using Support Vector Machine to Integrate Tri-Peptide Similarity and Propensity. *PLOS ONE*, 7(9), e45152. doi: 10.1371/JOURNAL.PONE.0045152

Zahurancik, W. J., Szkoda, B. E., Lai, L. B., & Gopalan, V. (2020). Ramping Recombinant Protein Expression in Bacteria. *Biochemistry*, 59(23), 2122. doi: 10.1021/ACS.BIOCHEM.0C00411

Zhu, N., Zhang, D., Wang, W., Li, X., Yang, B., Song, J., Zhao, X., Huang, B., Shi, W., Lu, R., Niu, P., Zhan, F., Ma, X., Wang, D., Xu, W., Wu, G., Gao, G. F., & Tan, W. (2020). A Novel Coronavirus from Patients with Pneumonia in China, 2019. *New England Journal of Medicine*, 382(8), 727–733. doi: 10.1056/NEJMOA2001017/SUPPL_FILE/NEJMOA2001017_DISCLOSURES.PDF