

DAFTAR PUSTAKA

- Amado, J., Gago, P., Santos, W., Mimoso, J. and de Jesus, I., 2016. Cardiogenic shock: Inotropes and vasopressors. *Rev. Port. Cardiol.* 35(12):681-95
- Antonucci, E., Fiaccadori, E., Donadello, K., Taccone, F.S., Franchi, F. and Scolletta, S., 2014. Myocardial depression in sepsis: From pathogenesis to clinical manifestations and treatment. *J. Crit. Care.* 29(4):500-11
- Auchet, T., Regnier, M.A., Girerd, N. and Levy, B., 2017. Outcome of patients with septic shock and high-dose vasopressor therapy. *Ann. Intensive Care.* 7(1):43
- Bangalore, H., Gaies, M., Ocampo, E.C., Heinle, J.S., Guffey, D., Minard, C.G., *et al.*, 2017. The Total Inotrope Exposure Score: An extension of the Vasoactive Inotrope Score as a predictor of adverse outcomes after paediatric cardiac surgery. *Cardiol. Young.* 27(6):1146–52
- Bangash, M.N., Kong, M.L. and Pearse, R.M., 2012. Use of inotropes and vasopressor agents in critically ill patients. *Br. J. Pharmacol.* 165(7):2015-33
- Beale, R.J., Hollenberg, S.M., Vincent, J.L. and Parrillo, J.E., 2004. Vasopressor and inotropic support in septic shock: An evidence-based review. *Crit Care Med.* 32(11Suppl):S455-65
- Belletti, A., Lerosé, C.C., Zangrillo, A. and Landoni, G., 2021. Vasoactive-inotropic score: Evolution, clinical utility, and pitfalls. *J. Cardiothorac. Vasc. Anesth.* 35(10):3067–77
- Biban, P., Gaffuri, M., Spaggiari, S., Zaglia, F., Serra, A. and Santuz, P., 2012. Early recognition and management of septic shock in children. *Pediatr. Rep.* 4(1):e13
- Bone, R.C., Balk, R.A., Cerra, F.B., Dellinger, R.P., Fein, A.M., Knaus, W.A., *et al.*, 1992. Definitions for sepsis and organ failure and guidelines for the use of innovative therapies in sepsis. *Chest.* 101(6):1644-55
- Brierley J, Carcillo JA, Choong K, Cornell T, Decaen A, Deymann A, *et al.*, 2009. Clinical practice parameters for hemodynamic support of pediatric and neonatal septic shock. *Crit. Care Med.* 37(2):666-88
- Brierley, J. and Peters, M.J., 2008. Distinct hemodynamic patterns of septic shock at presentation to pediatric intensive care. *Pediatrics.* 122(4):752–9
- Brunetti MA, Gaynor JW, Retzlöff LB, Leirich JL, Banerjee M, Amula V, *et al.*, 2018. Characteristics, Risk Factors, and Outcomes of Extracorporeal Membrane Oxygenation Use in Pediatric Cardiac ICUs: A Report from the Pediatric Cardiac Critical Care Consortium Registry. *Pediatr. Crit. Care Med.* 19(6):544–52.
- Carcillo, J.A., Han, K., Lin, J. and Orr, R., 2007. Goal-Directed Management of Pediatric Shock in the Emergency Department. *Clin. Ped. Emerg. Med.* 8:165-75

- Carcillo, J.A., Pollack, M.M., Ruttimann, U.E. and Fields, A.I., 1989. Sequential physiologic interactions in pediatric cardiogenic and septic shock. *Crit. Care Med.* 8(3):165-75
- Cecconi M, De Backer D, Antonelli M, Beale R, Bakker J, Hofer C, *et al.*, 2014. Consensus on circulatory shock and hemodynamic monitoring. Task force of the European Society of Intensive Care Medicine. *Intensive Care Med.* 40(12):1795-815
- Choong K, Bohn D, Fraser DD, Gaboury I, Hutchison JS, Joffe AR, *et al.*, 2009. Vasopressin in pediatric vasodilatory shock: A multicenter randomized controlled trial. *Am. J. Respir. Crit. Care Med.* 180(7):632-9
- Cinel, I. and Opal, S.M., 2009. Molecular biology of inflammation and sepsis: A primer. *Crit. Care Medicine.* 37(1):291-304
- Cvetkovic, M., Lutman, D., Ramnarayan, P., Pathan, N., Inwald, D.P. and Peters, M.J., 2015. Timing of Death in Children Referred for Intensive Care with Severe Sepsis: Implications for Interventional Studies. *Pediatr. Crit. Care Med.* 16(5):410-7
- Dauhan, A.C., Lubis, A.D. and Lubis, M., 2021. Vasoactive-inotropic Score for Early Detection and Mortality Prediction of Sepsis in Children. *InaBJ.* 13(1):34-9
- Davidson, J., Tong, S., Hancock, H., Hauck, A., Da Cruz, E. and Kaufman, J., 2012. Prospective validation of the vasoactive-inotropic score and correlation to short-term outcomes in neonates and infants after cardiothoracic surgery. *Intensive Care Med.* 38(7):1184-90
- Davis AL, Carcillo JA, Aneja RK, Deymann AJ, Lin JC, Nguyen TC, *et al.*, 2017. American College of Critical Care Medicine clinical practice parameters for hemodynamic support of pediatric and neonatal septic shock. *Crit. Care Med.* 45(6):1061-93
- De Souza, D.C., Shieh, H.H., Barreira, E.R., Ventura, A.M.C., Bousso, A. and Troster, E.J., 2016. Epidemiology of sepsis in children admitted to PICUs in South America. *Pediatr. Crit. Care Med.* 17(8):727-34
- Delgado, I., Raszynski, A., Totapally, B.R., Raszynski, A., Totapally, B.R. and Hon, K.L.E., 2016. Inotropes, absolute monocyte counts and survival of children with septic shock. *HK J Paediatr (new series).* 21:22-6
- Dellinger RP, Levy M, Rhodes A, Annane D, Gerlach H, Opal SM, *et al.*, 2013. Surviving sepsis campaign: International guidelines for management of severe sepsis and septic shock, 2012. *Intensive Care Med.* 39(2):165-228
- Dellinger RP, Levy MM, Carlet JM, Bion J, Parker MM, Jaeschke R, *et al.*, 2008. Surviving sepsis campaign: International guidelines for management of severe sepsis and septic shock. *Crit Care Med.* 36(1):296-327
- Exline, M.C. and Crouser, E.D., 2008. Mitochondrial mechanisms of sepsis-

- induced organ failure: Mitochondria in Sepsis. *Front Biosci.* 13:5030–41
- Fatimah, I., Setyaningtyas, A., Dharmawati, I., Azis, A.L., Kusumastuti, N.P. and Lestari, D.P., 2021. The correlation between vasoactive-inotropic score with mortality and the use of mechanical ventilation in pediatric shock admitted to the picu in dr. Soetomo general hospital, surabaya. *Crit. Care Shock.* 24(2):72–9
- Fernández-Sarmiento, J., Schlapbach, L.J., Acevedo, L., Santana, C.R., Acosta, Y., Diana, A., *et al.*, 2022. Endothelial Damage in Sepsis: The Importance of Systems Biology. *Front. Pediatr.* 10:1–10
- Feudtner, C., Feinstein, J.A., Zhong, W., Hall, M. and Dai, D., 2014. Pediatric complex chronic conditions classification system version 2: Updated for ICD-10 and complex medical technology dependence and transplantation. *BMC Pediatr.* 14(1):1–7
- Fink, M.P. and Shaw Warren, H., 2014. Strategies to improve drug development for sepsis. *Nat. Rev. Drug Discov.* 13(10):741–58
- Fisher, J.D., Nelson, D.G., Beyersdorf, H. and Satkowiak, L.J., 2010. Clinical spectrum of shock in the pediatric emergency department. *Pediatr. Emerg. Care.* 26(9):622-5
- Francis, G.S., Bartos, J.A. and Adatya, S., 2014. Inotropes. *J. Am. Coll. Cardiol.* 63(20):2069-78
- Gaies, M.G., Gurney, J.G., Yen, A.H., Napoli, M.L., Gajarski, R.J., Ohye, R.G., *et al.*, 2010. Vasoactive-inotropic score as a predictor of morbidity and mortality in infants after cardiopulmonary bypass. *Pediatr. Crit. Care Med.* 11(2):234-8
- Galley, H.F., 2011. Oxidative stress and mitochondrial dysfunction in sepsis. *Br. J. Anaesth.* 107(1):57-64
- Goldstein, B., Giroir, B. and Randolph, A., 2005. International pediatric sepsis consensus conference: Definitions for sepsis and organ dysfunction in pediatrics. In *Pediatr Crit Care Med.* 6(1):2-8
- Gotts, J.E. and Matthay, M.A., 2016. Sepsis: Pathophysiology and clinical management. *Brit. Med. J.* 353:1–20
- Guclu, E., Durmaz, Y. and Karabay, O., 2013. Effect of severe sepsis on platelet count and their indices. *Afr. Health Sci.* 13(2):333–8
- Hadinegoro, S.R.S., Chairulfatah, A., Latief, A., H.Pudjiadi, A., Malisie, R.F. and Alam, A., 2016. Diagnosis dan tata laksana sepsis pada anak. *Pedoman nasional pelayanan kedokteran Ikatan Dokter Anak Indonesia*, pp.1–47.
- Hadinegoro, S.R.S., Chairulfatah, A., Latief, A., Pudjiadi, A.H., Malisie, R.F. and Alam, A., 2016. *Konsensus dan Tata Laksana Sepsis pada Anak* 1st ed. UKK Emergensi dan Rawat Intensif Anak & UKK Infeksi dan Penyakit Tropik.
- Hajian-Tilaki, K., 2013. Receiver operating characteristic (ROC) curve analysis for medical diagnostic test evaluation. *Caspian J. Intern. Med.* 4(2): 627–35

- Haque, A., Siddiqui, N.R., Munir, O., Saleem, S. and Mian, A., 2015. Association between vasoactive-inotropic score and mortality in pediatric septic shock. *Indian Pediatr.* 52(4):311–3
- Hon, K.L., Leung, K.K.Y., Oberender, F. and Leung, A.K.C., 2021. Paediatrics: How to manage septic shock. *Drugs Context.* 10:1–11
- Hotchkiss, R.S. and Karl, I.E., 2003. The Pathophysiology and Treatment of Sepsis. *N. Engl. J. Med.* 348(2):138-50
- Hotchkiss, R.S., Monneret, G. and Payen, D., 2013. Sepsis-induced immunosuppression: From cellular dysfunctions to immunotherapy. *Nat. Rev. Immunol.* 13(12):862-74
- Huang, M., Cai, S. and Su, J., 2019. The pathogenesis of sepsis and potential therapeutic targets. *Int. J. Mol. Sci.* 20(21):5376
- Irving SY, Daly B, Verger J, Katri V, Brown A, Hanlon A, *et al.*, 2018. The association of nutrition status expressed as body mass index z-score with outcomes in children with severe sepsis: a secondary analysis from the Sepsis Prevalence, Outcomes and Therapies (SPROUT) study. *Crit. Care Med.* 46(11):1029–39.
- Jarczak, D., Kluge, S. and Nierhaus, A., 2021. Sepsis—Pathophysiology and Therapeutic Concepts. *Front. Med (Lausanne).* 8:628302
- Jentzer, J.C., Coons, J.C., Link, C.B. and Schmidhofer, M., 2015. Pharmacotherapy Update on the Use of Vasopressors and Inotropes in the Intensive Care Unit. *J. Cardiovasc. Pharmacol. Ther.* 20(3):249-60
- Johansson, P.I., Stensballe, J. and Ostrowski, S.R., 2017. Shock induced endotheliopathy (SHINE) in acute critical illness - a unifying pathophysiologic mechanism. *Crit. Care.* 21:25
- Kallekkattu, D., Rameshkumar, R., Chidambaram, M., Krishnamurthy, K., Selvan, T. and Mahadevan, S., 2022. Threshold of Inotropic Score and Vasoactive–Inotropic Score for Predicting Mortality in Pediatric Septic Shock. *Indian J. Pediatr.* 89(5):432–7
- Kastrup, M., Braun, J., Kaffarnik, M., Von Dossow-Hanfstingl, V., Ahlborn, R., Wernecke, K.D., *et al.*, 2013. Catecholamine dosing and survival in adult intensive care unit patients. *World J. Surg.* 37(4):766-73
- Kaur, G., Vinayak, N., Mittal, K., Kaushik, J.S. and Aamir, M., 2014. Clinical outcome and predictors of mortality in children with sepsis, severe sepsis, and septic shock from Rohtak, Haryana: A prospective observational study. *Indian J. Crit. Care Med.* 18(7):437-41
- Kelsey, J., Whittemore, A., Evans, A. and Thompson, W., 1996. *Methods in Observational Epidemiology, 2nd Edition.*
- Kementerian Kesehatan Republik Indonesia, 2021. Pedoman Nasional Pelayanan Kedokteran Tata Laksana Sepsis pada Anak, pp.1–55.

- Koo, A., Dewey, C.F. and García-Cardena, G., 2013. Hemodynamic shear stress characteristic of atherosclerosis-resistant regions promotes glycocalyx formation in cultured endothelial cells. *Am. J. Physiol. Cell Physiol.* 304(2):C137-46
- Kothari N, Bogra J, Kohli M, Malik A, Kothari D, Srivastava S, *et al.*, 2012. Role of active nitrogen molecules in progression of septic shock. *Acta Anaesthesiol. Scand.* 56(3):307-15
- Kotsovolis, G. and Kallaras, K., 2010. The role of endothelium and endogenous vasoactive substances in sepsis. *Hippokratia.* 14(2):88-93
- Krawinkel MB. 2012. Interaction of nutrition and infections globally: An overview. *Ann. Nutr. Metab.* 61(suppl 1):39–45
- Kumar, A. and Parrillo, J.E., 2002. Myocardial depressant substances in meningococcal septic shock. *Crit. Care Med.* 30(10):2379-80
- Lalitha AV, Satish JK, Reddy M, Ghosh S, George J, Pujari C. 2021. Sequential Organ Failure Assessment Score As a Predictor of Outcome in Sepsis in Pediatric Intensive Care Unit. *J. Pediatr. Intensive Care.* 10(02):110–7
- Lambden, S., Creagh-Brown, B.C., Hunt, J., Summers, C. and Forni, L.G., 2018. Definitions and pathophysiology of vasoplegic shock. *Crit. Care.* 22(1):174
- Lee, E.P., Lin, J.J., Hsia, S.H., Chan, O.W., Jan, S.L. and Wu, H.P. 2022. Cut-off Values of Hemodynamic Parameters in Pediatric Refractory Septic Shock. *Children (Basel).* 9(3):303
- Levi, M. and Van Der Poll, T., 2010. Inflammation and coagulation. *Crit. Care Med.* 38(2 Suppl):S26-34
- Levy M.M., Fink MP, Marshall JC, Abraham E, Angus D, Cook D, *et al.*, 2003. 2001 SCCM/ESICM/ACCP/ATS/SIS International Sepsis Definitions Conference. *Crit. Care Med.* 31(4):1250-6
- Liu, L., Oza, S., Hogan, D., Perin, J., Rudan, I., Lawn, J.E., *et al.*, 2015. Global, regional, and national causes of child mortality in 2000-13, with projections to inform post-2015 priorities: An updated systematic analysis. *Lancet.* 385(9966):430-40
- Manthous CA, Hall JB, Kushner R, Schmidt GA, Russo G, Wood LDH. 1995. The effect of mechanical ventilation on oxygen consumption in critically ill patients. *Am J. Respir. Crit. Care Med.* 151(1):210–4
- Marty, P., Roquilly, A., Vallée, F., Luzi, A., Ferré, F., Fourcade, O., *et al.*, 2013. Lactate clearance for death prediction in severe sepsis or septic shock patients during the first 24 hours in intensive care unit: An observational study. *Ann. Intensive Care.* 3:3
- Matics, T.J. and Sanchez-Pinto, L.N., 2017. Adaptation and validation of a pediatric sequential organ failure assessment score and evaluation of the Sepsis-3 definitions in critically ill children. *JAMA Pediatr.* 171(10):e172352

- McIntosh, A.M., Tong, S., Deakyne, S.J., Davidson, J.A. and Scott, H.F., 2017. Validation of the vasoactive-inotropic score in pediatric sepsis. *Pediatr. Crit. Care Med.* 18(8):750-7
- Melda, M., Triasih, R., Nurnaningsih. 2021. Modifying the pelod-2 score to predict mortality in critically ill patients. *Paediatr. Indones.* 61(2):61-8
- Mianling Z, Yuge H, Tufeng L, Lu X, Ting T, Miaofen L, *et al.*, 2019. Performance of the pediatric sequential organ failure assessment score in assessing the prognosis of children with sepsis in a PICU of a developing country: A single-center retrospective observational study. *Iran J. Pediatr.* 29(5):e89024
- Miyoshi, T., Yamashita, K., Arai, T., Yamamoto, K., Mizugishi, K. and Uchiyama, T., 2010. The role of endothelial interleukin-8/NADPH oxidase 1 axis in sepsis. *Immunology.* 131(3):331-9
- Morin L, Ray S, Wilson C, Remy S, Benissa MR, Jansen NJG, *et al.*, 2016. Refractory septic shock in children: a European Society of Paediatric and Neonatal Intensive Care definition. *Intensive Care Med.* 42(12): 1948-57
- Mossie, A., 2013. Pathophysiology of sepsis. *World J. Medical Sci.* 1(8):159-68
- Musick, M.A., Loftis, L.L. and Kennedy, C.E., 2018. Comparing vasoactive-inotropic score reporting strategies in the PICU relative to mortality risk. *Pediatr. Crit. Care Med.* 19(12):1130-6
- Na SJ, Chung CR, Cho YH, Jeon K, Suh GY, Ahn JH, *et al.*, 2019. Vasoactive Inotropic Score as a Predictor of Mortality in Adult Patients With Cardiogenic Shock: Medical Therapy Versus ECMO. *Rev. Esp. Cardiol.* 72(1):40-7
- Noori, S. and Seri, I., 2012. Neonatal Blood Pressure Support: The Use of Inotropes, Lusitropes, and Other Vasopressor Agents. *Clin. Perinatol.* 39(1):221-38
- Overgaard, C.B. and Džavík, V., 2018. Inotropes and Vasopressors. *Circulation.* 118:1047-56
- Paramitha W, Triasih R, Rusmawatiningsih D., 2019. Fluid overload and length of mechanical ventilation in paediatric sepsis. *Paediatr. Indones.* 59(4):1211-6
- Pérez-Navero, J.L., Merino-Cejas, C., Ibarra de la Rosa, I., Jaraba-Caballero, S., Frias-Perez, M., Gómez-Guzmán, E., *et al.*, 2019. Evaluation of the vasoactive-inotropic score, mid-regional pro-adrenomedullin and cardiac troponin I as predictors of low cardiac output syndrome in children after congenital heart disease surgery. *Med. Intensiva.* 43(6):329-36
- Pieri, M., Sorrentino, T., Oppizzi, M., Melisurgo, G., Lembo, R., Colombo, A., *et al.*, 2018. The role of different mechanical circulatory support devices and their timing of implantation on myocardial damage and mid-term recovery in acute myocardial infarction related cardiogenic shock. *J. Interv. Cardiol.* 31(6):717-24

- Pool, R., Gomez, H. and Kellum, J.A., 2018. Mechanisms of organ dysfunction in sepsis. *Crit. Care Clin.* 34(1):63–80.
- Prys-Picard, C.O., Shah, S.K., Williams, B.D., Cardenas, V. and Sharma, G., 2013. Outcomes of patients on multiple vasoactive drugs for shock. *J. Intensive Care Med.* 28(4):237-40
- Pudjiadi, A.H., Pramesti, D.L., Pardede, S.O., Djer, M.M., Rohsiswatmo, R. and Kaswandani, N., 2021. Validation of the vasoactive-inotropic score in predicting pediatric septic shock mortality: A retrospective cohort study. *Int. J. Crit. Illn. Inj. Sci.* 11(3):117–22
- Rabello, L.S.C.F., Rosolem, M. de M., Leal, J.V., Soares, M., Lisboa, T. and Salluh, J.I.F., 2009. Understanding the PIRO concept: from theory to clinical practice - Part 1. *Rev. Bras. Ter. Intensiva.* 21(4):425-31
- Ramaswamy, K.N., Singhi, S., Jayashree, M., Bansal, A. and Nallasamy, K., 2016. Double-Blind Randomized Clinical Trial Comparing Dopamine and Epinephrine in Pediatric Fluid-Refractory Hypotensive Septic Shock. *Pediatr. Crit. Care Med.* 17(11):e502-12
- Ramírez, M., 2013. Multiple organ dysfunction syndrome. *Curr. Probl. Pediatr. Adolesc. Health Care.* 43(10):273–7
- Rech, L., Sousa, I.T. e., Tonial, C.T. and Piva, J.P., 2022. Epidemiology and outcomes of septic shock in children with complex chronic conditions in a developing country PICU. *J. Pediatr.* 98(6):614–20
- Rhodes A, Evans LE, Alhazzani W, Levy MM, Antonelli M, Ferrer R, *et al.*, 2017. Surviving Sepsis Campaign: International Guidelines for Management of Sepsis and Septic Shock: 2016. *J. Intensive Care Med*
- Rich, N., West, N., McMaster, P. and Alexander, J., 2003. Milrinone in Meningococcal Sepsis. *Pediatr. Crit. Care Med.* 4(3):394-5
- Rudd, K.E., Johnson SC, Agesa KM, Shackelford KA, Tsoi D, Kievlan DR, *et al.*, 2020. Global, regional, and national sepsis incidence and mortality, 1990–2017: Analysis for the Global Burden of Disease Study. *Lancet.* 395(10219):200-11
- Rusmawatiningsih, D., Rahmawati, A., Makrufardi, F., Mardhiah, N., Murni, I.K., Uiterwaal, C.S.P.M., *et al.*, 2021. Factors associated with mortality of pediatric sepsis patients at the pediatric intensive care unit in a low-resource setting. *BMC Pediatr.* 21(471):1-10
- Rusmawatiningsih, D. and Nurnaningsih, N., 2017. Mortality rates in pediatric septic shock. *Paediatr Indones.* 56(5):304-10
- Russell, J.A., 2011. Bench-to-bedside review: Vasopressin in the management of septic shock. *Crit. Care.* 15(4):226
- Schlapbach LJ, MacLaren G, Festa M, Alexander J, Erickson S, Beca J, *et al.*, 2017. Prediction of pediatric sepsis mortality within 1 h of intensive care admission.

- Intensive Care Med.* 43(8):1085–96
- Seymour CW, Liu VX, Iwashyna TJ, Brunkhorst FM, Rea TD, Scherag A, *et al.*, 2016. Assessment of Clinical Criteria for Sepsis. *JAMA*. 315:762-74
- Shah, P., Petersen, T.L., Zhang, L., Yan, K. and Thompson, N.E., 2022. Using Aggregate Vasoactive-Inotrope Scores to Predict Clinical Outcomes in Pediatric Sepsis. *Front. Pediatr.* 10:1–7
- Shah, S., Deshmukh, C. and Tullu, M., 2020. The predictors of outcome and progression of pediatric sepsis and septic shock: A prospective observational study from western India. *J. Postgrad. Med.* 66(2):67–72
- Sharshar T, Gray F, De La Grandmaison GL, Hopkinson NS, Ross E, Dorandeu A., *et al.*, 2003. Apoptosis of neurons in cardiovascular autonomic centres triggered by inducible nitric oxide synthase after death from septic shock. *Lancet*. 362(9398):1799-805
- Singer M, Deutschman CS, Seymour C, Shankar-Hari M, Annane D, Bauer M, *et al.*, 2016. The third international consensus definitions for sepsis and septic shock (sepsis-3). *JAMA*. 315: 801-10
- Smart, L. and Hughes, D., 2021. The Effects of Resuscitative Fluid Therapy on the Endothelial Surface Layer. *Front. Vet. Sci.* 8:661660
- Smeding, L., Plötz, F.B., Groeneveld, A.B.J. and Kneyber, M.C.J., 2012. Structural changes of the heart during severe sepsis or septic shock. *Shock (Augusta, Ga.)*. 37(5):449–56
- Sollesta, L.M. and Cipriano, R., 2021. Association between vasoactive inotropic score and adverse outcome in pediatric septic shock patients admitted at the pediatric intensive care unit. *Int. J. Infect. Dis.* 101:273–83
- Stratton, L., Berlin, D.A. and Arbo, J.E., 2017. Vasopressors and Inotropes in Sepsis. *Emerg. Med. Clin. N. Am.* 35(1):75-91
- Tan, B., Ju-MingWong, J., Sultana, R., Koh, J.C.J.W., Jit, M., Mok, Y.H., *et al.*, 2019. Global case-fatality rates in pediatric severe sepsis and septic shock: A systematic review and meta-analysis. *JAMA Pediatr.* 173(4):352–61
- Thakkar RK, Weiss SL, Fitzgerald JC, Keele L, Thomas NJ, Nadkarni VM, *et al.*, 2019. Risk Factors for Mortality in Pediatric Postsurgical versus Medical Severe Sepsis. *J. Surg. Res.* 242:100–10
- Titheradge, M.A., 1999. Nitric oxide in septic shock. *Biochim. Biophys. Acta Bioenerg.* 1411(2–3):437-55
- Tsolaki, V., Makris, D., Mantzaris, K. and Zakynthinos, E., 2017. Sepsis-Induced Cardiomyopathy: Oxidative Implications in the Initiation and Resolution of the Damage. *Oxid. Med. Cell Longev.* 1-11
- Van Golen, R.F., Van Gulik, T.M. and Heger, M., 2012. Mechanistic overview of reactive species-induced degradation of the endothelial glycocalyx during hepatic ischemia/reperfusion injury. *Free Radic. Biol. Med.* 52(8):1382-1402

- Ventura, A.M.C., Shieh, H.H., Bouso, A., Góes, P.F., Fernandes, I.D.C.F.O., De Souza, D.C., *et al.*, 2015. Double-blind prospective randomized controlled trial of dopamine versus epinephrine as first-line vasoactive drugs in pediatric septic shock. *Crit. Care Med.* 43(11):2292–302
- Wang, G., Kostidis, S., Tiemeier, G.L., Sol, W.M.P.J., De Vries, M.R., Giera, M., *et al.*, 2020. Shear stress regulation of endothelial glycocalyx structure is determined by glucobiosynthesis. *Arterioscler. Thromb. Vasc. Biol.* 40(2):350-64
- Wang Y, Sun B, Yue H, Lin X, Li B, Yang X, *et al.*, 2014. An epidemiologic survey of pediatric sepsis in regional hospitals in China. *Pediatr. Crit. Care Med.* 15(9):814-20
- Weiss SL, Fitzgerald JC, Pappachan J, Wheeler D, Jaramillo-Bustamante JC, Salloo A, *et al.*, 2015. Global epidemiology of pediatric severe sepsis: the sepsis prevalence, outcomes, and therapies study. *Am. J. Respir. Crit. Care Med.* 191(10):1147-57
- Weiss SL, Peters MJ, Alhazzani W, Agus MSD, Flori HR, Inwald DP, *et al.*, 2020. Surviving sepsis campaign international guidelines for the management of septic shock and sepsis-associated organ dysfunction in children. In *Pediatr. Crit. Care Med.* 21(2):e52–e106
- Wernovsky G, Wypij D, Jonas RA, Mayer JE, Hanley FL, Hickey PR, *et al.*, 1995. Postoperative course and hemodynamic profile after the arterial switch operation in neonates and infants: A comparison of low-flow cardiopulmonary bypass and circulatory arrest. *Circulation.* 92(8):2226-35
- World Health Organization., 2020. Global report on the epidemiology and burden of sepsis: current evidence, identifying gaps and future directions. <https://apps.who.int/iris/bitstream/handle/10665/334216/9789240010789-eng.pdf>
- Wulandari A, Pudjiastuti, Martuti S. 2019. Severe sepsis criteria, PELOD-2, and pSOFA as predictors of mortality in critically ill children with sepsis. *Paediatr. Indones.* 59(6):318–24
- Zimmerman, J., Lee, J.P. and Cahalan, M., 2018. Vasopressors and inotropes. In *Pharmacology and Physiology for Anesthesia: Foundations and Clinical Application.*