

DAFTAR PUSTAKA

- Alfiatin, Supriadi, R., Sarly, D., Rusanti, I., 2018. 11th Report Of Indonesian Renal Registry. Indonesian Renal Registry.
- Allon, M. 2015. A Patient with Recurrent Arteriovenous Graft Thrombosis. *Clin J Am Soc Nephrol* 10: 2255–2262.
- Alturkistany, M.H., Alsergani, H.A., Alasqah, M.I., Alsaif, F.A., Shukr, M.A., 2022. Predictors of recurrent arteriovenous fistula stenosis in Saudi patients undergoing hemodialysis. *Saudi Med Journal* 43(6):592-598.
- Asif, A., Chaudhury, R.P., Beathard, G.A., 2006. Early Arteriovenous Fistula Failure: A Logical Proposal for When and How to Intervene. *Clin J Am Soc Nephrol* 1: 332–339.
- Asif, A., Carlos, Leon, Orozco-Vargas, Luis, Krishnamurthy, *et al.* 2007. Accuracy of Physical Examination in the Detection of Arteriovenous Fistula Stenosis. *Miami : Clinical journal of the American Society of Nephrology* Vol. 2; 1191-1194.
- Bargman, M., Skorecki, K., 2010. Chronic Kidney Disease. In: Jameson L, Loscalzo D (eds) *Harrison's Nephrology and Acid-Base Disorders*. 17th edition. Mc Graw Hill Companies. Pp : 113 – 129.
- Bikbov, B., Perico, N., Remuzzi, G., 2018. "Disparities in Chronic Kidney Disease Prevalence among Males and Females in 195 Countries: Analysis of the Global Burden of Disease 2016 Study". *Nephron*. 139 (4): 313–318.
- Chapman CML, Beilby JP, McQuillan BM, Thompson PL, Hung J., 2004. Monocyte count, but not c-reactive protein or interleukin-6, is an independent risk marker for subclinical carotid atherosclerosis. *Stroke*. 35:1619–24.
- Campos, R.P., Do Nascimento, M.M., Chula, D.C., Do Nascimento, D.C., Riella, M.C., 2006. Stenosis in hemodialysis arteriovenous fistula: evaluation and treatment. *Hemodial Int* 10:152–161.
- Canpolat, U., Cetin, HE., Cetin, S., 2016. Association of Monocyte-to-HDL Cholesterol Ratio with Slow Coronary Flow is Linked to Systemic Inflammation. *Clin Appl Thromb Hemost* ;22(5):476-82.
- Chaudhury, R.P., Arend, L., Zhang, J., Krishnamoorthy, M., Wang, Y., Banerjee, R., *et al.* 2007. Neointimal hyperplasia in early arteriovenous fistula failure. *Am J Kidney Dis*;50(5):782-90.
- Chen, J., Zhong, Z., Shi, D., Li, J., Li, B., Zhang, R., *et al.* 2021. Association between monocyte count to high-density lipoprotein cholesterol ratio and mortality in patients undergoing peritoneal dialysis. *Nutrition, Metabolism & Cardiovascular Diseases* 31, 2081-2088.
- Chen, J.W., Li, C., Liu, Z.H., Shen, Y., Ding, F.H., Shu, X.Y., *et al.* 2019. The Role of Monocyte to High-Density Lipoprotein Cholesterol Ratio in Prediction of Carotid Intima-Media Thickness in Patients With Type 2 Diabetes. *Frontiers in Endocrinology* volume 10:article 191.
- Chen, L., Deng, H., Cui, H., Fang, J., Zuo, Z., Deng, J., *et al.* 2017. Inflammatory responses and inflammation associated diseases in organs. *Oncotarget*. 9(6):7204-7218.
- Chiesa ST, Charakida M. 2019. High-density lipoprotein function and dysfunction in health and disease. *Cardiovasc Drugs Ther*. 33:207–19.
- Choi, H.S., Han, K.D., Oh, T.R., Kim, C.S., Bae, E.H., Ma, S.K., Kim, S.W. 2019. Smoking and risk of incident end-stage kidney disease in general population: A nationwide population-based cohort Study from Korea. *Nature Research*. 9:1951.
- Clarkson, M.R., Magee C.N., Brenner, B.M. 2010. Pocket Companion to Brenner & Rector's the Kidney. 8th Edition. United States : Saunders Elsevier.



- Coban, M., Inci, A., Yilmaz, U., Asilturk, E., 2018. The association of fibroblast growth factor 23 with arterial stiffness and atherosclerosis in patients with autosomal dominant polycystic kidney disease. *Kidney Blood Press. Res.* 43, 1160–1173.
- Dahlan, S., 2016. Besar sampel dalam penelitian kedokteran dan kesehatan. *Epidemiologi Indonesia*, edisi 4. ISBN 978-602-18408-8-7.
- Diep, J., Makris, A., De Guzman, I., Wong, J., Aravindaa, A., Nandakoban, H., Narayanan, G. 2021. Impact of Previous Tunneled Vascular Catheters and their Location on Upper Limb Arteriovenous Fistula Function. *KIDNEY* 360 2: 1953–1959
- Eren, F., Yildogan, A.T., Ongun, G., Ozdemir, G., Ozturk, S., 2022. Monocyte/High Density Lipoprotein Ratio in Patients with Symptomatic Carotid Artery Stenosis and Its Relationship with Stenosis Degree. *Med Bull Haseki* 2022;60:13-19.
- European Society Vascular Surgery. 2018. Clinical Practice Guideline Vascular Access. *European Journal of Vascular and Endovascular Surgery*; 55(6).
- Fila, B., Ibeas, J., Tey, R.R., *et al.* 2016. Arteriovenous fistula for haemodialysis: The role of surgical experience and vascular access education. *Nefrologia*. 6; 1-5.
- Ganjali, S., Gotto Jr, A.M., Ruscica, M., Atkin, S.L., Butler, A.E., Banach, M., *et al.* 2018. Monocyte-to-HDL-cholesterol ratio as a prognostic marker in cardiovascular diseases. *J Cell Physiol* ;233:9237-46.
- Ghattas, A., Griffiths, HR., Devitt, A., Lip, GYH., Shantsila, E., 2013. Monocytes in coronary artery disease and atherosclerosis: where are we now? *J Am Coll Cardiol* ;62:1541-51.
- Gimbrone, M.A., García-Cardeña, G., 2016. Endothelial Cell Dysfunction and the Pathobiology of Atherosclerosis. *Circ. Res.* 118, 620–636.
- Goldberg, I., Krause, I., 2016. The role of gender in chronic kidney disease. *European Medical Journal* (2):58-64.
- Grogan, J., Castilla, M., Lozanski, L., Griffin, A., Loth, F., Bassioun, H., 2005. Frequency of critical stenosis in primary arteriovenous fistula before hemodialysis access: Should duplex ultrasound surveillance be the standard of care?. *J Vasc Surg* 2005;41:1000-6.
- Hartono A. 2013. *Buku Saku Harrison Nefrologi*. Jakarta: Karisma Publishing Group.
- Hu, M.C., Shi, M., Zhang, J., Pastor, J., Nakatani, T., Lanske, B., Razzaque, M.S., Rosenblatt, K.P., Baum, M.G., Kuro-o M, Moe, O.W., 2010. Klotho: a novel phosphaturic substance acting as an autocrine enzyme in the renal proximal tubule. *FASEB J.* 24:3438–3450.
- Hsu, B.G., Tsai, J.P., 2021. Vascular calcification of chronic kidney disease: A brief review. *Tzu Chi Medical Journal*; 33 (1): 34–41.
- Iglesias, R., Valespin, J., Ibeas, J. 2018. *Handbook On Ultrasound For Vascular Access Examination*. European Dialysis and Transplant Nurses Association/ European Renal Care Association (EDTNA/ERCA). Pp : 64 - 69
- Ismail, M.T., Hariawan, H., Wardhani, Y., Puspitasari, M., *et al.* 2021. Prevalence and Risk Factors of Arteriovenous Fistula Stenosis on patient with CKD. *ACI (Acta Cardiologia Indonesiana)* (Vol.7 No.2): 23-28.
- Ismail, M.T., Hariawan, H., Hariadi, Kuswadi, I., Prasanto, H., Wardhani, Y., Puspitasari, M. 2022. *Seputar AV Shunt*. Gadjah Mada UniverSity Press.
- Kalantar-Zadeh, K., Kopple, J.D., Kamranpour, N., Fogelman, A.M., Navab, M., 2007. HDL-inflammatory index correlates with poor outcome in hemodialysis patients. *Kidney Int* 72(9):1149–1156.
- Kaller, R., Arbănasi, E.M., Muresan, V.A., Voidăzan, S., Arbănasi, E.M., Horváth, E., *et al.* 2022. The Predictive Value of Systemic Inflammatory Markers, the Prognostic Nutritional Index, and Measured Vessels' Diameters in Fistula arteriovenosa Maturation Failure. *MDPI Journal*.



- Kanbay, M., Solak, Y., Unal, H.U., Kurt, Y.G., Gok, M., Cetinkaya, H.,. 2014. Monocyte count/HDL cholesterol ratio and cardiovascular events in patients with chronic kidney disease. *Int Urol Nephrol*.
- Karatas, A., Turkmen, E., Erdem, E., Dugeroğlu, H., Kaya, Y. 2018. Monocyte to high-density lipoprotein cholesterol ratio in patients with diabetes mellitus and diabetic nephropathy. *Biomark Med*;12(9):953-959.
- Kaygin, A., Halici, U., Aydin, A., Dag, O., Binici, N., Limandal, K., *et al.* 2013. The relationship between arteriovenous fistula and inflammation. *Ren Fail*;35(8):1085-8.
- Kazemzadeh, G.H., Modaghegh, MHS, Ravari, H, Daliri M, Hoseini L, Nateghi M. 2012. Primary Patency Rate of Native Arteriovenous Fistula : Long Term Follow Up. *International Journal of Clinical and Experimental Medicine Vol.5(2)*; 173–178.
- Khadatkar, A., Mahakalkar, C., Pradhan, T., Bora, A. 2017. Comparative analysis of radiocephalic versus brachiocephalic native arteriovenous fistula for hemodialysis in end stage renal disease. *Int J Res Med Sci.* 5(1):171-176.
- KDIGO Board Members. 2012. KDIGO 2012 Clinical Practice Guideline for the Evaluation and Management of Chronic Kidney Disease. Official Journal Of the international Society Of nephrology. Vol. 1; 1-127.
- KDOQI Advisory Board Members. 2006. NKF-KDOQI Clinical Practice Guidelines for Vascular Access. *American Journal of Kidney Disease Supplement 1 Vol. 48*; 1-322.
- Kim, J.J., Mills, L.J., Braun, J., Barshes, N., Kougas, P., Younes, K.H. 2019. Arteriovenous fistula maturation rate is not affected by ipsilateral tunneled dialysis catheter. *J Vasc Surg*;1-5.
- Kim, D.R., Kim, D.W., Lee, Y.H., Park, S.Y., Song, Y.W., Shin, H., *et al.* 2021. Relationships between monocyte count to high-density lipoprotein cholesterol ratio and cardiovascular outcomes in patients commencing dialysis. *Journal of International Medical Research* 49(11) 1–13.
- Koirala, N., Anvari, E., McLenan. 2016. Monitoring and Surveillance of Hemodialysis Access. *Seminars In International Radology*, 33(1),25-30.
- Lee, Y.J., Kim, Y.O., 2017. Pre-existing arterial pathologic changes affecting arteriovenous fistula patency and cardiovascular mortality in hemodialysis patients. *Korean J Intern Med*;32:790-797.
- Li, Y., Cui, W., Wang, J., Zhang, C., Luo, T. 2021. Factors Influencing AVF Dysfunction in Patients with Maintenance Hemodialysis: A retrospective study. *Annals of Palliative Medicine*; <https://doi.org/10.21037/apm-20-2196>.
- Liebman, S., Lamontgan, S., Huang, L., Mesing, S., Bushinsky, D., 2011. Smoking in dialysis patients: a systematic review and metaanalysis of mortality and cardiovascular morbidity. *Am J Kidney Dis.* 58(2): 257-265
- Liu, B.C., Li, L., Gao, M., Wang, Y.J., Yu, JR., 2008. Microinflammation is involved in the dysfunction of fistula arteriovenosa in patients with maintenance hemodialysis. *Chin Med J (Engl)*;121:2157-61.
- Lok, C.E., Huber, T.S., Lee, T., *et al.* 2020. KDOQI Vascular Access Guideline Work Group. KDOQI clinical practice guideline for vascular access: 2019 update. *Am J Kidney Dis*;75(4)(suppl 2):S1-S164.
- Lu, P., Boros, S., Chang, Q., Bindels, R.J., Hoenderop, J.G., 2008. The beta- glucuronidase klotho exclusively activates the epithelial Ca channels TRPV5 and TRPV6. *Nephrol Dial Transplant.* 23:3397–3402.
- Ma, S., Duan, S., Liu, Y., Wang, H., 2022. Intimal Hyperplasia of Arteriovenous Fistula. *Ann Vasc Surg*: 1–10.
- MacRae, J.M., Dipchand, C., Oliver, M., 2016. Arteriovenous Access Failure, Stenosis, and Thrombosis. *Canadian Journal of Kidney Health and Disease Volume 3*: 1–11.



- Malik, J., Bont, C.D., Valerinova, A., Krupickova, Z., Novakova, L., 2022. Arteriovenous Hemodialysis Access Stenosis Diagnosed by Duplex Doppler Ultrasonography: A Review. MDPI Journal (12) : 1-13
- Manne, V., Vaddi, S.P., Reddy, V.B., Dayapule, S. 2017. Factors Influencing Patency of Brescia-Cimino Arteriovenous Fistulas in Hemodialysis Patients. Saudi J Kidney Dis Transpl 2017;28(2):313-317.
- Maya, I.D., Oser, R., Saddekni, S., Barker, J., Allon, M. 2004. Vascular Access Stenosis: Comparison of Arteriovenous Grafts and Fistulas. Am J Kidney Dis 44:859-865.
- Mayasari, S.D., Taufiq, N., Hariawan, H. 2021. Association of monocyte-to-high density lipoprotein ratio with arterial stiffness in patients with diabetes. BMC Cardiovasc Disord. 21:362.
- Mihai, S., Codrici, E., Popescu, I.D., Enciu, A.M., Albulescu, L., Necula, L.G., *et al.* 2018. Inflammation-Related Mechanisms in Chronic Kidney Disease Prediction, Progression and Outcome. J. Immunol. Res. 2180-373.
- Mikolasevic, I., Zutelija, M., Mavrinac, V., Orlic, L. 2017. Dyslipidemia in patients with chronic kidney disease: etiology and management REVIEW. International Journal of Nephrology and Renovascular Disease, 10: 35–45.
- Moe, S.M., 2012. Klotho A Master Regulator of Cardiovascular Disease?. Circulation. 125:2181-2183.
- Oh, D., Lee, J., Kwon, Y., Choi, H., 2021. Relationship Between Fistula arteriovenosa Stenosis and Circulating Levels of Neutrophil Granule Proteins in Chronic Hemodialysis Patients. Ann Vasc Surg; 000: 1–10.
- Onalan, E., 2019. The relationship between monocyte to high-density lipoprotein cholesterol ratio and diabetic nephropathy. Pak J Med Sci. 2019;35(4):1081-1086.
- Pagels, A.A., Söderkvist, B.K., Medin, C., Hylander, B., Heiwe, S. 2012. Health- related quality of life in different stages of chronic kidney disease and at initiation of dialysis treatment. Health and Quality of Life Outcomes, 10(71):1-11.
- Park, H.K., Park, J.W. 2015. Endothelial Dysfunction: Clinical Implications in Cardiovascular Disease and Therapeutic Approaches. Korean Med Sci; 30: 1213-1225
- Park, K.A., Jo, M.H., Han, S.J., *et al.* 2013. Features of atherosclerosis in hemodialysis patients. Kidney Res Clin Pract 32: 177–182.
- Pateinakis, P., Papagianni, A., 2013. Fibroblast growth factor-23 and adverse clinical outcomes in chronic kidney disease patients. OA Nephrology. 1(1):4.
- Popolo, A., Autore, G., Pinto, A., Marzocco, S., 2013. Oxidative stress in patients with cardiovascular disease and chronic renal failure. Free Radic. Res. 47, 346–356.
- Quencer, K.B., Arici, M., 2015. Fistula arteriovenosas and Their Characteristic Sites of Stenosis. AJR; 205:726–734.
- Riwanto, M. dan Landmesser, U. 2013. High density lipoproteins and endothelial functions: mechanistic insights and alterations in cardiovascular disease. Journal of lipid research, 54, 3227-3243.
- Roumeliotis, S., Mallamaci, F., Zoccali, C., 2020. Endothelial Dysfunction in Chronic Kidney Disease, from Biology to Clinical Outcomes: A 2020 Update. J. Clin. Med, 9, 23-59.
- Roy-Chaudhury, Prabir, Vikas P. Sukhatme, and Alfred K. Cheung. 2006. Hemodialysis vascular access dysfunction: a cellular and molecular viewpoint. Journal of the American Society of Nephrology 17.4 : 1112-1127.
- Sabah, N., Ahmed, S.M.P., Khan, S.U., Hasan, R., Hossain, F., Fatma, M.N. 2021. A Comparative Study between Radiocephalic and Brachiocephalic Fistula arteriovenosa in End Stage Renal Disease. Cardiovasc J. 14(1): 44-49



- Sari, N.M., Semadi, I.N., Widiana, I.G.R. 2019. Faktor - faktor risiko yang berperan terhadap terjadinya kegagalan fistula arteriovenosa pada pasien gagal ginjal kronis stadium akhir di RSUP Sanglah. *MEDICINA*. Volume 50, Number 1: 20-26
- Sarioglu, O., Capar, A.E., Belet, U., 2019. Relationship of fistula arteriovenosa stenosis and thrombosis with the platelet-lymphocyte ratio in hemodialysis patients. *The Journal of Vascular Access* 1–6.
- Shingarev, R., Finkel, J.B., Allon, M. 2012. Association of Hemodialysis Central Venous Catheter Use With Ipsilateral Arteriovenous Vascular Access Survival. *Am J Kidney Dis*. 60(6): 983–989.
- Silswal, N., Touchberry, C. D., Daniel, D. R., McCarthy, D. L., Zhang, S., Andresen, J., et al. 2014. FGF23 directly impairs endothelium-Dependent vasorelaxation by increasing superoxide levels and reducing nitric oxide bioavailability. *Am. J. Physiol. Endocrinol. Metab*. 307, 426–436.
- Steiner, K., 2016. Pathophysiology of Stenosis Within Fistula arteriovenosas and Mechanisms of PTA. *Endovaskuler today*: vol. 15; No. 6.
- Steinl, D.C., Kaufmann, B.A., 2015. Ultrasound Imaging for Risk Assessment in Atherosclerosis. *Int. J. Mol. Sci*. 2015, 16, 9749-9769.
- Stolic, Radojica. 2013. Most Important Chronic Complications of Fistula arteriovenosas for Hemodialysis. *Medical Principal Practice* Vol. 22; 220-228.
- Tapolyai, M., Forro, M., Lengvarszky, Z., Fulop, T. 2020. Dialysis patients who smoke are more hypertensive, more fluid overloaded and take more antihypertensive medications than nonsmokers. *Renal Failure* Vol. 42, No. 1, 413–418
- Thaha, M., Widiana, I.G.R., 2019. The Role of Inflammation in Chronic Kidney Disease. *Indonesian Journal of Kidney and Hypertension* vol. II.
- Tüysüz, M.E., Dedemoğlu, M. 2019. Calcium phosphate product level as a predictor for fistula arteriovenosa re-operations in patients with chronic renal failure. Calcium phosphate product level as a predictor for fistula arteriovenosa re-operations in patients with chronic renal failure. *Vascular Journal*. 27(3):284-290.
- Tsimihodimos V, Mitrogianni Z, Elisaf M. 2011. Dyslipidemia associated with chronic kidney disease. *Open Cardiovasc Med J*. 5:41–48.
- Vanhoutte, P.M., Zhao, Y., Xu, A., Leung, S.W.S., 2016. Thirty Years of Saying NO: Sources, Fate, Actions, and Misfortunes of the Endothelium-Derived Vasodilator Mediator. *Circ. Res*. 119, 375–396.
- Vervloet, M., 2019. Renal and extra renal effects of fibroblast growth factor 23. *Nat.Rev.Nephrol*. 15,109–120.
- Viera, A., Garret J., 2005. Understanding interobserver agreement: the Kappa statistic. *Fam Med*. 37(5):360-3.
- Waziri, B., Duarte, R., Naicker, S., 2019. Chronic kidney disease-mineral and bone disorder (CKD-MBD): current perspectives. *International Journal of Nephrology and Renovascular Disease*. 12, 263-276.
- Wanner C, Tonelli M., 2013. Kidney Disease: Improving Global Outcomes Lipid Guideline Development Work Group Members. KDIGO clinical practice guideline for lipid management in chronic kidney disease. *Kidney Int Suppl*. 3:259–305.
- Widasmara, S., Kurnianingsih, N., Widito, S., Rizal, A., 2021. Fistula arteriovenosa Stenosis: A Case Report. *Heart Sci J* 2(2): 34-39.
- Wo, K., Morrison, B. J., Harada, R. N., 2017. Developing Duplex Ultrasound Criteria for Diagnosis of Fistula arteriovenosa Stenosis. *Annals of vascular surgery*, 38, 99-104.
- Yan, Y., Ye, D., Yang, L., Ye, W., Zhan, D., Zhang, L., et al. 2018. A meta-analysis of the association between diabetic patients and AVF failure in dialysis. *Renal failure*, 40(1), 379– 383.



- Yu, M.K., Lyles, C.R., Bent-Shaw, L.A., Young, B. A., *et al.*, 2012. Risk factor, age, and sex differences in chronic kidney disease prevalence in a diabetic cohort: The Pathways Study. *Am J Nephrol* 36(3): 245-251.
- Yurtdas, M., Yaylal, Y.T., Özdemir, M., 2020. The role of monocyte to HDL ratio in predicting clinically significant carotid stenosis in patients with asymptomatic carotid artery disease. *Revista da Associação Médica Brasileira* 66(8):1043-1048.
- Zamboli, Pasquale, Fiorini, Fulvio, D'Amelio, Alessandro, *et al.* 2014. Color Doppler Ultrasound and Fistula arteriovenosas for Hemodialysis. *Journal of Ultrasound* Vol. 17(4); 253–263.
- Zhang, Y., Yi, J., Zhang, R., Peng, Y., Dong, J., Sha, L. 2022. Risk Factors for Arteriovenous Fistula Thrombus Development: A Systematic Review and Meta-Analysis *Kidney Blood Press Res*; 47:643–653.