

DAFTAR PUSTAKA

- Adeniji, Adetomiwa & Babalola, Olubukola. (2022). Evaluation of *Pseudomonas fulva* PS9.1 and *Bacillus amyloliquefaciens* NWUMFkBS10.5 as candidate plant growth promoters during maize-fusarium interaction. *Plants*, 11(3). doi: 10.3390/plants11030324
- Al-Ali, A., Davel, J., Krier, F., Béchet, M., Ongena, M., & Jacques, P. (2017). Biofilm formation is determinant in tomato rhizosphere colonization by *Bacillus amyloliquefaciens* FZB42. *Environmental Science and Pollution Research*, 25(30), 29910–29920. doi:10.1007/S11356-017-0469-1
- Arif, I., Batool, M., & Schenk, P. M. (2020). Plant microbiome engineering: expected benefits for improved crop growth and resilience. *Trends in Biotechnology*, 38(12), 1385–1396. Elsevier Ltd. doi: 10.1016/j.tibtech.2020.04.015.
- Banerjee, S., & Mazumdar, S. (2012). Electrospray ionization mass spectrometry: a technique to access the information beyond the molecular weight of the analyte. *International Journal of Analytical Chemistry*, vol. 2012, Article ID e282574, 40 pages.
- Barbier, T., Collard, F., Zúñiga-Ripa, A., Moriyón, I., Godard, T., Becker, J., Wittmann, C., Van Schaftingen, E., & Letesson, J. (2014). Erythritol feeds the pentose phosphate pathway via three new isomerases leading to D-erythrose-4-phosphate in *Brucella*. *Proceedings of the National Academy of Sciences*, 111(50), 17815–17820. doi:10.1073/pnas.1414622111
- Beckers, B., Op De Beeck, M., Weyens, N., Boerjan, W., & Vangronsveld, J. (2017). Structural variability and niche differentiation in the rhizosphere and endosphere bacterial microbiome of field-grown poplar trees. *Microbiome*, 5(25). doi: 10.1186/s40168-017-0241-2
- Berg, G., Zachow, C., Müller, H., Philipps, J. and Tilcher, R. (2013.) Next-generation bio-products sowing the seeds of success for sustainable agriculture. *Agronomy*, 3 (4), 648–656. doi:10.3390/agronomy3040648.
- Brenner, Don. (1992). *Introduction to the family Enterobacteriaceae*. In: Balows A, Truiper HG, Dworkin M, Harder W and Schleifer KH (eds). *The Prokaryotes*, 2nd edn. Springer Verlag: New York, pp 2673–2695.
- Brenner, Don & Farmer, J. (2005). *Family I. Enterobacteriaceae*. In: *Brenner DJ, Krieg NR and Staley JT (eds). Bergey's Manual of Systematic Bacteriology*, 2nd edn. Springer: New York, pp 587–607.
- Bruce, A., Johnson, A., Lewis, J., Morgan, D., Raff, M., Roberts, K., Walter, P. (2015). *Molecular Biology of the Cell*. New York. Garland Science, Taylor & Francis Gropu.
- Bulgarelli, Davide., Schlaeppli, K., Spaepen, S., Van Themaat, E., Schulze-Lefert, P. (2013). Structure and functions of the bacterial microbiota of plants. *Annual Review of Plant Biology*, 64(1), 807–838. doi:10.1146/annurev-arplant-050312-120106

- Camacho, C., Coulouris, G., Avagyan, V., Ma, N., Papadopoulos, J., Bealer, K. (2009). BLAST: architecture and applications. *BMC Bioinformatics*, 10: 421. DOI: 10.1186/1471-2105-10-421
- Carvalho, L. C., Dennis, P. G., Fedoseyenko, D., Hajirezaei, M. R., Borriss, R., & Von Wirén, N. (2011). Root exudation of sugars, amino acids, and organic acids by maize as affected by nitrogen, phosphorus, potassium, and iron deficiency. *Journal of Plant Nutrition and Soil Science*, 174(1), 3–11. <https://doi.org/10.1002/jpln.201000085>
- Chakravorty, S., Danica, H., Michel, B., Nanc, C., and David, A. (2007). A detailed analysis of 16S ribosomal RNA gene segments for the diagnosis of pathogenic bacteria. *Journal of microbiological methods* 69(2), 330-339.
- Card, S.D., Hume, D.E., Roodi, D., McGill, C.R., Millner, J.P., Johnson, R.D. (2015) Beneficial endophytic microorganisms of *Brassica*—a review. *Biol Control*, 90,102–112
- Castrillo, G., Teixeira, P.J.P.L., Paredes, S.H., Law, T.F., de Lorenzo, L., Feltcher, M.E., Finkel, O.M., Breakfield, N.W., Mieczkowski, P., & Jones, C.D. (2017). Root microbiota drive direct integration of phosphate stress and immunity. *Nature*, 543, 513–518.
- Chen, L., Zhao, Z., Yu, W., Zheng, L., Li, L., Gu, W., Xu, H., Wei, B., & Yan, X. (2021). Nutritional quality improvement of soybean meal by *Bacillus amyloliquefaciens* and *Lactobacillus plantarum* during two-stage solid- state fermentation. *AMB Express*, 11(1). doi:10.1186/s13568-021-01184-x
- Compant, S., Clément, C., Sessitsch, A. (2010) Plant growth-promoting bacteria in the rhizo-and endosphere of plants: their role, colonization, mechanisms involved and prospects for utilization. *Soil Biol Biochem*, 42(5),669–678
- Conn, V. M., & Franco, C. M. M. (2004). Effect of microbial inoculants on the indigenous actinobacterial endophyte population in the roots of wheat as determined by terminal restriction fragment length polymorphism. *Applied and Environmental Microbiology*, 70(11), 6407–6413. doi:10.1128/AEM.70.11.6407-6413.2004
- Cotton, T.E.A., Pétriacq, P., Cameron, D.D. *et al.* Metabolic regulation of the maize rhizobiome by benzoxazinoids. *ISME J* 13, 1647–1658 (2019). <https://doi.org/10.1038/s41396-019-0375-2>
- Coutinho, B.G., Mevers, E., Schaefer, A.L., Pelletier, D.A., Harwood, Caroline, S., Clardy, J., Greenberg, E.P. (2018). A plant-responsive bacterial-signaling system senses an ethanolamine derivative. *Proceedings of the National Academy of Sciences*, 201809611. doi:10.1073/pnas.180961115
- Cun, H., Munir, S., He, P., Wu, Y., He, P., Ahmed, A., Che, H., Li, J., & He, Y. (2022). Diversity of root endophytic bacteria from maize seedling involved in biocontrol and plant growth promotion. *Egypt J Biol Pest Control*,32, 129. doi:10.1186/s41938-022-00622-7
- da Silva Lima, L., Olivares, F. L., Rodrigues de Oliveira, R., Vega, M. R. G., Aguiar, N. O., & Canellas, L. P. (2014). Root exudate profiling of maize seedlings inoculated with *Herbaspirillum seropedicae* and humic acids.

- Chemical and Biological Technologies in Agriculture*, 1(1). doi:10.1186/s40538-014-0023-z
- DeJong, T.M. (1975). A comparison of three diversity indices based on their components of richness and evenness. *Oikos*, 26(2), 222–227. doi:10.2307/3543712
- Ding, Tao & Melcher, Ulrich. (2016) Influences of plant species, season and location on leaf endophytic bacterial communities of non-cultivated plants. *Plos One*, 11(3):e0150895
- Edgar, R.C. (2018). Updating the 97% identity threshold for 16S ribosomal RNA OTUs. *Bioinformatics*, 34(14), 2371-2375. doi: 10.1093/bioinformatics/bty113. PMID: 29506021.
- El Zahar Haichar, F., Marol, C., Berge, O., Rangel-Castro, J.I., Prosser, J.I., Balesdent, J., Heulin, T., & Achouac, W. (2008). Plant host habitat and root exudates shape soil bacterial community structure. *The Isme Journal*, 2(12), 1221-1230. doi: 10.1038/ismej.2008.80.
- Fan, B., Carvalhais, L.C., Becker, A., Fedoseyenko, D., von Wirén, N., & Borriss, R. (2012). Transcriptomic profiling of *Bacillus amyloliquefaciens* FZB42 in response to maize root exudates. *BMC Microbiology*, 12. doi:10.1186/1471-2180-12-116
- Frank, A.C., Saldierna Guzman, J.P., & Shay, J.E. (2017). Transmission of bacterial endophytes. *Microorganisms*, 5(4), E70. doi:10.3390/microorganisms5040070. PMID:29125552
- Garbeva, P., van Veen, J.A., van Elsas, J.D. (2004). Microbial diversity in soil: selection of microbial populations by plant and soil type and implications for disease suppressiveness. *Annu Rev Phytopathol*, 42(1), 243–270. doi:10.1146/annurev.phyto.42.012604.135455
- Gao, Z., Zhang, B., Liu, H., Han, J., & Zhang, Y. (2017). Identification of endophytic *Bacillus amyloliquefaciens* ZSY-1 strain and antifungal activity of its volatile compounds against *Alternaria solani* and *Botrytis cinerea*. *Biological Control*, 105, 27–39. doi:10.1016/j.biocontrol.2016.11.007
- García-Salamanca, A., Molina-Henares, M.A., van Dillewijn, P., Solano, J., Pizarro-Tobias, P., Roca, A., Duque, E., & Ramos, J.L. (2013). Bacterial diversity in the rhizosphere of maize and the surrounding carbonate-rich bulk soil. *Microb Biotechnol* 6, 36–44. doi: 10.1111/j.1751-7915.2012.00358.x.
- Glenz, R., Kaiping, A., Göpfert, D., Weber, H., Lambour, B., Sylvester, M., Fröschel, C., Mueller, M., Osman, M., & Waller, F. (2022). The major plant sphingolipid long chain base phytosphingosine inhibits growth of bacterial and fungal plant pathogens. *Scientific Reports*, 12. doi:10.1038/s41598-022-05083-4.
- Gupta, R.K., Fuke, P., Khardenavis, A.A., Purohit, H.J. (2023). In Silico Genomic Characterization of *Bacillus amyloliquefaciens* Strain AAK_S6 for Secondary Metabolite and Biocontrol Potential. *Curr Microbiol*, 80(2):81. doi: 10.1007/s00284-022-03173-0. PMID: 36662309.

- Hardoim, P. R., van Overbeek, L. S., & van Elsas, J. D. (2008). Properties of bacterial endophytes and their proposed role in plant growth. *Trends Microbiol*, 16, 463–471. doi: 10.1016/j.tim.2008.07.008
- Hardoim, P. R., van Overbeek, L. S., Berg, G., Pirttilä, A. M., Compant, S., Campisano, A., Doring, M., Sessitsch, A. (2015). The hidden world within plants: ecological and evolutionary considerations for defining functioning of microbial endophytes. *Microbiol Mol Biol Rev*, 79, 293–320. doi: 10.1128/MMBR.00050-14
- He, Y., Caporaso, J., Jiang, X., Sheng, H., Huse, S.M., Rideout, J.R., Edgar, R.C., Kopylova, E., Walters, W.A., Knight, R., & Zhou, H. (2015). Stability of operational taxonomic units: an important but neglected property for analyzing microbial diversity. *Microbiome*, 3 (34). doi:10.1186/s40168-015-0081-x
- Hu, L., Robert, C.A.M., Cadot, S., Zhang, X., Ye, M., Li, B., Manzo, D., Chervet, N., Steinger, T., van der Heijden, M. G. A., Schlaeppi, K., & Erb, M. (2018). Root exudate metabolites drive plant-soil feedbacks on growth and defense by shaping the rhizosphere microbiota. *Nature Communications*, 9(1). doi:10.1038/s41467-018-05122-7
- Hwangbo, K., Um, Y., Kim, K. Y., Madhaiyan, M., Tong, D., Sa, M., & Lee, Y. (2016). complete genome sequence of *Bacillus Amyloliquefaciens* CBMB205, a phosphate-solubilizing bacterium isolated from the rhizoplane of rice in the republic of korea. *Genome Announc*, 4(4). doi:10.1128/genomeA.00654-16
- Hryniewicz, K., Baum, C., & Leinweber, P. (2010) Density, metabolic activity, and identity of cultivable rhizosphere bacteria on *Salix viminalis* in disturbed arable and landfill soils. *J Plant Nutr Soil Sc*, 173, 747–756. doi: 10.1002/jpln.200900286.
- Huang, X., Liu, F., Song, Z., & Liu, L. (2009). Studies on principal components and antioxidant activity of different radix astragali samples using high-performance liquid chromatography/electrospray ionization multiple-stage tandem mass spectrometry. *Talanta*, 78(3), 190–1101.
- Huang, W., Ratkowsky, D., Hui, C., Wang, P., Su, J., & Shi, P. (2019). Leaf fresh weight versus dry weight: which is better for describing the scaling relationship between leaf biomass and leaf area for broad-leaved plants?. *Forests*, 10(3), 256. doi:10.3390/f10030256
- Huang, X., Liu, Y., Wang, N., Li, L., Hu, A., Wang, Z., Chang, S., Chen, X., & Hou, F. (2020). Growth indicators of main species predict aboveground biomass of population and community on a typical steppe. *Plants (Basel)*, 9(10),1314. doi:10.3390/plants9101314. PMID: 33028041; PMCID: PMC7600926.
- Ji, C., Wang, X., Song, X., Zhou, Q., Li, C., Chen, Z., Gao, Q., Li, H., Li, J., Zhang, P., & Cao, H. (2021). Effect of *Bacillus amyloliquefaciens* JC-K3 on Endophytic Bacterial and Fungal Diversity in Wheat Under Salt Stress. *Frontiers in Microbiology*, 12,802054. doi: 10.3389/fmicb.2021.802054. PMID: 34987493; PMCID: PMC8722765.

- Jiang, C. H., Liao, M. J., Wang, H. K., Zheng, M. Z., Xu, J. J., & Guo, J. H. (2018). *Bacillus amyloliquefaciens*, a potential and efficient biocontrol agent in control of pepper gray mold caused by *Botrytis cinerea*. *Biological Control*, 126, 147–157. doi:10.1016/j.biocontrol.2018.07.017.
- Jin, Y., Zhu, H., Luo, S., Yang, W., Zhang, L., Li, S., Jin, Q., Cao, Q., Sun, S., & Xiao, M. (2019). Role of maize root exudates in promotion of colonization of *Bacillus Amyloliquefaciens* strain s3-1 in rhizosphere soil and root tissue. *Current Microbiology*, 76(7), 855–862. doi:10.1007/s00284-019-01699-4
- Johnston-Monje, D., & Raizada, M.N. (2011). Conservation and diversity of seed associated endophytes in *Zea mays* across boundaries of evolution, ethnography and ecology. *PLoS ONE*, 6(6), e20396. doi:10.1371/journal.pone.0020396.
- Jones, D.L., Nguyen, C., & Finlay, R.D. (2009). Carbon flow in the rhizosphere: carbon trading at the soil-root interface. *Plant Soil*, 321(1–2), 5–33. doi:10.1007/s11104-009-9925-0.
- Kai, K., Bun-ichi, S., Masaharu, M., Ken, W., & Kanzo, S. (2006). Accumulation of coumarins in *Arabidopsis thaliana*. *Phytochemistry*, 67(4), 379–386. doi:10.1016/j.phytochem.2005.11.006
- Kalinger, R.S., Pulsifer, I.P., Hepworth, S.R., & Rowland, O. (2020). Fatty acyl synthetases and thioesterases in plant lipid metabolism: diverse functions and biotechnological applications. *Lipids*, 55(5), 435–455. doi: 10.1002/lipd.12226. Epub 2020 Feb 19. PMID: 32074392.
- Kämpfer, P., Lidders, N., Martin, K., & Falsen, E. (2011) Revision of the genus *Massilia* La Scola et al. 2000, with an emended description of the genus and inclusion of all species of the genus *Naxibacter* as new combinations, and proposal of *Massilia consociata* sp. nov. *Int. J. Syst. Evol. Microbiol.* 61, 1528–1533, <http://dx.doi.org/10.1099/ijs.0.025585-0>.
- Kim, S. Y., Song, H., Sang, M. K., Weon, H. Y., & Song, J. (2017). The complete genome sequence of *Bacillus amyloliquefaciens* strain GH1-13 reveals agriculturally beneficial properties and a unique plasmid. *Journal of Biotechnology*, 259, 221–227. doi:10.1016/J.JBIOTEC.2017.06.1206
- Kudjordjie, E.N., Sapkota, R., Steffensen, S.K., Fomsgaard, I.S., & Nicolaisen, (2019). Maize synthesized benzoxazinoids affect the host associated microbiome. *Microbiome*, 7(1), 59. doi: 10.1186/s40168-019-0677-7. PMID: 30975184; PMCID: PMC6460791.
- Kuffner, M., De Maria, S., Puschenreiter, M., Fallmann, K., Wieshammer, G., Gorfer, M., Strauss, J., Rivelli, A.R., & Seissitsch, A. (2010) Culturable bacteria from Zn- and Cd- accumulating *Salix Caprea* with differential effects on plant growth and heavy metal availability. *J Appl Microbiol*, 108, 1471–1484. doi: 10.1111/j.1365-2672.2010.04670.x.
- Kuklinsky-Sobral, J., Araújo, W. L., Mendes, R., Geraldi, I. O., Pizzirani-Kleiner, A. A., & Azevedo, J. L. (2004). Isolation and characterization of soybean-associated bacteria and their potential for plant growth promotion. *Environmental Microbiology*, 6(12), 1244–1251. doi:10.1111/J.1462-2920.2004.00658.X

- Lagesen, K., Hallin, P. (2007). RNAmmer: consistent and rapid annotation of ribosomal RNA genes. *Nucleic Acids Res. Oxford Univ Press*, 35: 3100–3108. DOI: 10.1093/nar/gkm160
- Larson, E. (2013). How to Determine Growth Stages of Young Corn or Sorghum <http://www.mississippi-crops.com/2013/05/07/how-to-determine-growth-stages-of-young-corn-or-sorghum/>. Access :November, 2013.
- Lee, H., Kim, D.U., Park, S., Yoon, J.H., & Ka, J.O. (2017) *Massilia chloroacetimidivorans* sp. nov., a chloroacetamide herbicide-degrading bacterium isolated from soil. *Antonie Van Leeuwenhoek* 110, 751-758, <http://dx.doi.org/10.1007/s10482-017-0845-3>.
- Lefort, V., Desper, R., Gascuel, O. (2015). FastME 2.0: A comprehensive, accurate, and fast distance-based phylogeny inference program. *Mol Biol Evol*, 32: 2798–2800. DOI: 10.1093/molbev/msv150
- Li, Y., Wang, C., Wang, T., Liu, Y., Jia, S., Gao, Y., & Liu, S. (2020). Effects of different fertilizer treatments on rhizosphere soil microbiome composition and functions. *Land*, 9(9). doi:10.3390/LAND9090329
- Liu, Y., Wang, R., Li, Y., Cao, Y., Chen, C., Qiu, C., Bai, F., Xu, T., Zhang, X., Dai, W., Zhao, J., & Cheng, C. (2017). High-throughput sequencing-based analysis of the composition and diversity of endophytic bacterial community in seeds of "Beijing" hybrid maize planted in China. *Plant Growth Regulation*, 81, 317–324. doi: 10.1007/s10725-016-0208-5
- Liu, F., Hewezi, T., Lebeis, S. L., Pantalone, V., Grewal, P. S., & Staton, M. E. (2019). Soil indigenous microbiome and plant genotypes cooperatively modify soybean rhizosphere microbiome assembly. *BMC Microbiology*, 19(1), 1–19. doi:10.1186/s12866-019-1572-x
- Liu, H., Khan, M. Y., Carvahais, L. C., Delgado-Baquerizo, M., Yan, L., Crawford, M., Dennis, P. G., Singh, B., & Schenk, P. M. (2012). Soil amendments with ethylene precursor alleviate negative impacts of salinity on soil microbial properties and productivity. *Scientific Reports*. Doi:10.1038/s41598-019-43305-4
- Liu, Y., Feng, H., Fu, R., Zhang, N., Du, W., Shen, Q., & Zhang, R. (2019). Induced root-secreted d-galactose functions as a chemoattractant and enhances the biofilm formation of *Bacillus amyloliquefaciens* SQR9 in an McpA-dependent manner. *Applied Microbiology and Biotechnology*, 104:2, 104(2), 785–797. doi:10.1007/S00253-019-10265-8
- Liu, Y., Zuo, S., Xu, L., Zou, Y., & Song, W. (2012). Study on diversity of endophytic bacterial communities in seeds of hybrid maize and their parental lines. *Arch. Microbiol.* 194, 1001–1012
- Meier-Kolthoff, J.P., Auch, A.F., Klenk, H.P., & Goker, M. (2013) Genome sequence-based species delimitation with confidence intervals and improved distance functions. *BMC Bioinformatics*, 14, 60. doi:10.1186/1471-2105-14-60.
- Meier-Kolthoff, J.P., Göker, M. (2019). TYGS is an automated high-throughput platform for state-of-the-art genome based taxonomy. *Nat. Commun*, 10, 2182. DOI: 10.1038/s41467-019-10210-3

- Meier-Kolthoff, J.P., Sardà, C.J., Peinado-Olarte, R.L., Göker, M. (2022). TYGS and LPSN: a database tandem for fast and reliable genome-based classification and nomenclature of prokaryotes. *Nucleic Acid Res*, 50: D801–D807. DOI: 10.1093/nar/gkab902
- Manchester, M. & Anand, A (2017). Metabolomics: Strategies to Define the Role of Metabolism in Virus Infection and Pathogenesis. *Advances in Virus Research*, (98), 57–81. doi:10.1016/bs.aivir.2017.02.001
- Matus-Acuña, V., Caballero-Flores, G., & Martínez-Romero, E. (2021). The influence of maize genotype on the rhizosphere eukaryotic community. *FEMS Microbiology Ecology*, 97(6). doi:10.1093/FEMSEC/FIAB066
- Milani, R., Mendes Dos Santos, R., Lana Bentes, L., Kandasamy, S., Lazarovits, G., & Cid Rigobelo, E. (2019). *Bacillus subtilis* isolates with different abilities to promote plant growth in maize, cotton and soybean crops isolation and characterization of bacterial strains. *Biotech. Env. Sc*, 21(4). doi:10.3389/fsufs.2020.00136.
- Morgunov, I.G., Kamzolova, S.V., Dedyukhina, E.G., Chistyakova, T.I., Lunina, J.N., Mironov, A.A., Stepanova, N.N., Shemshura, O.N., Vainshtein, M.B. (2017). Application of organic acids for plant protection against phytopathogens. *Appl Microbiol Biotechnol*, 101(3), 921–932. doi: 10.1007/s00253-016-8067-6. Epub 2016 Dec 31. PMID: 28040844.
- Mukherjee, N., Dowd, S.E., Wise, A., Kedia, S., Vohra, V., & Banerjee, P. (2014). Diversity of bacterial communities of fitness center surfaces in a U.S. metropolitan area. *International Journal of Environmental Research and Public Health*, 11(12), 12544–12561. doi:10.3390/ijerph111212544
- Nelson, E.B. (2017). The seed microbiome: origins, interactions, and impacts. *Plant Soil*, 422, 7–34
- Odum, E.P. (1993). Dasar-dasar Ekologi. Terjemahan Tjahjono Samingan. Edisi Ketiga. Yogyakarta: Gadjah Mada University Press.
- Okonechnikov, K., Golosova, O., Fursov, M., & Team, U. (2012) Unipro UGENE: a unified bioinformatics toolkit. *Bioinformatics*, 28, 1166–1167, doi:10.1093/bioinformatics/bts091.
- Pandey, R., Paul, V., Das, M., Meena, M., Meena, R. (2017). Plant growth analysis. 10.13140/RG.2.2.21657.72808.
- Papik, J., Folkmanova, M., Polivkova, M., Suman, J., & Uhlik, O. (2020). The invisible life inside plants: deciphering the riddles of endophytic bacterial diversity. *Biotechnol Adv*, 44:107614. doi: 10.1016/j.biotechadv.2020.107614.
- Peiffer, J.A., Spor, A., Koren, O., Jin, Z., Tringe, S.G., Dangl, J.L., Buckler, E.S., & Ley, R.E. (2013). Diversity and heritability of the maize rhizosphere microbiome under field conditions. *Proc Natl Acad Sci* 110: 6548–53.
- Peng, Y., Yang, J., Li, X., Zhang, Y. (2021). Salicylic acid: biosynthesis and signaling. *Annu Rev Plant Biol*, 17(72), 761–791. doi: 10.1146/annurev-arplant-081320-092855. Epub 2021 Mar 23. PMID: 33756096.
- Phalagedara, A.S., Flint, S., Palmer, J., Subbaraj, A., Brightwell, G., & Gupta, T. B. (2020). Antimicrobial Activity of Soil *Clostridium* Enriched Conditioned

- Media Against *Bacillus mycoides*, *Bacillus cereus*, and *Pseudomonas aeruginosa*. *Frontiers in Microbiology*, 11. doi:10.3389/fmicb.2020.6089
- Poretzky, R., Rodriguez-R, L.M., Luo, C., Tsementzi, D., Konstantinidis, K.T. (2014). Strengths and limitations of 16S rRNA gene amplicon sequencing in revealing temporal microbial community dynamics. *PLoS One*, 9(4):e93827. doi: 10.1371/journal.pone.0093827. PMID: 24714158; PMCID: PMC3979728.
- Rabee, M. F., Sarafat Ali, M., Choi, J., Hwang, B. S., Jeong, S. C., & Baek, K. hyun. (2019). *Bacillus amyloliquefaciens*: A valuable member of bioactive molecules within plant microbiomes. *Molecules*, 24(6). MDPI AG. doi:10.3390/molecules24061046
- Rascovan, N., Carbonetto, B., Perrig, D., Díaz, M., Canciani, W., Abalo, M., Alloati, J., González-Anta, G., & Vazquez, M. P. (2016). Integrated analysis of root microbiomes of soybean and wheat from agricultural fields. *Scientific Reports*. doi:10.1038/srep28084
- Rainey, F.A., Hollen, B.J., & Small, A. (2009). *Genus Clostridium*. In: *De Vos P, Garrity GM, Jones D, Krieg NR, Ludwig W, Rainey FA et al (eds)*. Bergey's Manual of Systematic Bacteriology, 2nd edn. Springer: New York.
- Scopel, M., Abraham, W.R., Antunes, A.L., Henriques, A.T., Macedo, A.J. (2014). Mevalonolactone: an inhibitor of *Staphylococcus epidermidis* adherence and biofilm formation. *Med Chem*, 10(3):246-51. doi: 10.2174/15734064113096660055. PMID: 24111986.
- Shade, A., Jacques, M.A., & Barret, M. (2017). Ecological patterns of seed microbiome diversity, transmission, and assembly. *Curr Opin Microbiol* 37:15–22. Doi:10.1016/j.mib.2017.03.010.
- Shanthala, M., Hosmani, S.P., Hosetti, B.B. (2014). Diversity of phytoplanktons in a waste stabilization pond at Shimoga Town, Karnataka State, India. *Environ Monit Assess*, 151(1-4):437-43. Epub 2008 Jun 4. PMID: 18523855. doi: 10.1007/s10661-008-0287-5.
- Sibponkrung, S., Kondo, T., Tanaka, K., Tittabutr, P., Boonkerd, N., Teaumroong, N., & Yoshida, K. I. (2017). Genome sequence of *Bacillus amyloliquefaciens* S141, a new strain of plant growthpromoting rhizobacterium isolated from soybean rhizosphere. *Genome Announcements*, 5(48). <https://doi.org/10.1128/GENOMEA.01312-17>
- Simpson, E. H. (1949). *Measurement of Diversity*. *Nature*, 163(4148), 688–688. doi:10.1038/163688a0.
- Spaepen, S., & Vanderleyden, J. (2011) Auxin and plant-microbe interactions. *Cold Spring Harbor PerSPct. Biol.* 3, a001438, <http://dx.doi.org/10.1101/cshperSPct.a001438>.
- Thomas, T., Gilbert, J. & Meyer, F. (2012). Metagenomics a guide from sampling to data analysis. *Microbial informatics and experimentation*, 2(1),943-957.
- Tolonen, A & Uusitalo, J. Fast screening method for the analysis of total flavonoid content in plants and foodstuffs by high-performance liquid chromatography/electrospray ionization time-of-flight mass spectrometry

- with polarity switching. *Rapid Communications in Mass Spectrometry*, 18(24), 3113–3122.
- Truyens, S., Weyens, N., Cuypers, A., Vangronsveld, J. (2015). Bacterial seed endophytes: genera, vertical transmission and interaction with plants. *Environ Microbiol Rep* 7:40–50
- Ueki, A., Kaku, N., & Ueki, K. (2018). Role of anaerobic bacteria in biological soil disinfection for elimination of soil-borne plant pathogens in agriculture. *Appl. Microbiol. Biot*, 102, 6309–6318.
- Vandana, U. K., Rajkumari, J., Singha, L. P., Satish, L., Alavilli, H., Sudheer, P. D. V. N., Chauhan, S., Ratnala, R., Satturu, V., Mazumder, P. B., & Pandey, P. (2021). The endophytic microbiome as a hotspot of synergistic interactions, with proSPcts of plant growth promotion. *Biology* 10(2), 1–29. MDPI AG. <https://doi.org/10.3390/biology10020101>
- Venkateshwaran, M., Jayaraman, D., Chabaud, M., Genre, A., Balloon, A.J., Maeda, J., Forshey, K., den Os D., Kwiecien, N.W., Coon, J.J., Barker, D.G., Ané, J.M. (2015). A role for the mevalonate pathway in early plant symbiotic signaling. *Proc Natl Acad Sci*, 112(31), 9781-6. doi: 10.1073/pnas.1413762112. Epub 2015 Jul 21. Erratum in: *Proc Natl Acad Sci U S A*. 2015 Sep 22;112(38):E5378. PMID: 26199419; PMCID: PMC4534228.
- Walters, W. A., Jin, Z., Youngblut, N., Wallace, J. G., Sutter, J., Zhang, W., González-Peña, A., Peiffer, J., Koren, O., Shi, Q., Knight, R., Del Rio, T. G., Tringe, S. G., Buckler, E. S., Dangl, J. L., & Ley, R. E. (2018). Large-scale replicated field study of maize rhizosphere identifies heritable microbes. *Proceedings of the National Academy of Sciences of the United States of America*, 115(28), 7368–7373. <https://doi.org/10.1073/pnas.1800918115>
- Wang, Y., Coleman-Derr, D., Chen, G., & Gu, Y.Q. (2015) OrthoVenn: a web server for genome wide comparison and annotation of orthologous clusters across multiple species. *Nucleic Acids Res*, 43, W78-W84, <http://dx.doi.org/10.1093/nar/gkv487>.
- Wang, H., He, Q., Chen, D., Wei, L., & Zhang, H. (2015). Microbial community in a hydrogenotrophic denitrification reactor based on pyrosequencing. *Appl. Microbiol. Biotechnol.* 99, 10829–10837. doi: 10.1007/s00253-015-6929-y
- Wang, C., Zhao, D., Qi, G., Mao, Z., Hu, X., Du, B., Liu, K., & Ding, Y. (2020). Effects of *Bacillus amyloliquefaciens* FKM10 for promoting the growth of *Malus hupehensis* Rehd. and Inhibiting *Fusarium verticillioides*. *Frontiers in Microbiology*, 10. <https://doi.org/10.3389/fmicb.2019.02889>
- Wardhani, W. S., & Kusumastuti, P. (2013). Describing the height growth of corn using Logistic and Gompertz model. *Agrivita*, 35(3), 237–241.
- Wei, M., Zhang, M., Huang, G., Yuan, Y., Fu, C., & Yu, L. (2020). Coculture with two *Bacillus amyloliquefaciens* strains enhances the growth of *Anoectochilus* plants via promoting nutrient assimilation and regulating rhizosphere microbial community. *Industrial Crops and Products*, 154. <https://doi.org/10.1016/j.indcrop.2020.112697>

- Weinert N, Meincke R, Gottwald C, Radi V, Dong X. (2010). Effects of genetically modified potatoes with increased zeaxanthin content on the abundance and diversity of rhizobacteria with in vitro antagonistic activity do not exceed natural variability among cultivars. *Plant Soil*, 326, 437–452.
- Widada, J., Damayanti, E. & Mustofa. (2021). Complete genome sequence of *Bacillus amyloliquefaciens* GMEKP1, isolated from a natural bamboo hive of stingless bees. *Microbial Resour Announce*, 10(44):e0065921. doi:10.1126/sciadv.1600513
- Withers, S.T., Gottlieb, S.S., Lieu, B., Newman, J.D., Keasling, J.D. (2007). Identification of isopentenol biosynthetic genes from *Bacillus subtilis* by a screening method based on isoprenoid precursor toxicity. *Appl Environ Microbiol*, 73(19):6277-83. doi: 10.1128/AEM.00861-07. Epub 2007 Aug 10. PMID: 17693564; PMCID: PMC2075014.
- Wüst, P., Horn, M. & Drake, H. (2011). *Clostridiaceae* and *Enterobacteriaceae* as active fermenters in earthworm gut content. *ISME J* 5, 92–106. <https://doi.org/10.1038/ismej.2010.99>
- Yilmaz, P., Parfrey, L. W., Yarza, P., Gerken, J., Pruesse, E., Quast, C., & Glöckner, F. O. (2014). The SILVA and “all-species living tree project (LTP)” taxonomic frameworks. *Nucleic acids research*, 42(D1), D643-D648.
- Yu, P., He, X., Baer, M., Beirinckx, S., Tian, T., Moya, Y. A. T., ... Hochholdinger, F. (2021). Plant flavones enrich rhizosphere Oxalobacteraceae to improve maize performance under nitrogen deprivation. *NATURE PLANTS*, 7(4), 481–499. <https://doi.org/10.1038/s41477-021-00897-y>
- Yunus, Ian Sofian; Liu, Yu-chi; Nakamura, Yuki (2016). The Importance of serine decarboxylase1 (SDC1) and ethanolamine biosynthesis during embryogenesis of *Arabidopsis thaliana*. *The Plant Journal*. doi:10.1111/tpj.13278
- Xu J, Qin L, Xu X, Shen H, Yang X. (2023). *Bacillus paralicheniformis* RP01 enhances the expression of growth-related genes in cotton and promotes plant growth by altering microbiota inside and outside the root. *Int J Mol Sci*. 24(8):7227. doi: 10.3390/ijms24087227. PMID: 37108389; PMCID: PMC10138817.
- Zhao, L.L., Yin, H.C., Lu, T.F., Niu, Y.J., Zhang, Y.Y., Li, S.Q., Wang, Y.P., Chen, H.Y. (2018). Application of high-throughput sequencing for microbial diversity detection in feces of specific-pathogen-free ducks. *Poultry Science*. doi:10.3382/ps/pex348
- Zhang, J., Chiodini, R., Badr, A. & Zhang, G. (2011.) The impact of next-generation sequencing on genomics. *Journal of genetics and genomics*, 38(3), 95-109.
- Zhang, Y., Gao, X., Shen, Z., Zhu, C., Jiao, Z., Li, R., & Shen, Q. (2019). Pre-colonization of PGPR triggers rhizosphere microbiota succession associated with crop yield enhancement. *Plant and Soil*, 439(1–2), 553–567. <https://doi.org/10.1007/S11104-019-04055-4/FIGURES/>